



BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email [info.bmjopen@bmj.com](mailto:info.bmjopen@bmj.com)

# BMJ Open

## A scoping review protocol on the use of social media for health research purposes

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-040671
Article Type:	Protocol
Date Submitted by the Author:	20-May-2020
Complete List of Authors:	Bour, Charline; Luxembourg Institute of Health, Department of Population Health Schmitz, Susanne; Luxembourg Institute of Health, Department of Population Health, Competence Center for Methodology and Statistics Ahne, Adrian; Inserm U1018, Center for Research in Epidemiology and Population Health (CESP); Epiconcept Perchoux, Camille; Luxembourg Institute of Socio-Economic Research (LISER), Urban Development and Mobility Dessenne, Coralie; Luxembourg Institute of Health, Department of Population Health Fagherazzi, Guy; Centre for Research in Epidemiology and Population Health, Gustave Roussy Institute; Luxembourg Institute of Health, Department of Population Health
Keywords:	PUBLIC HEALTH, STATISTICS & RESEARCH METHODS, EPIDEMIOLOGY

SCHOLARONE™  
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

## **A scoping review protocol on the use of social media for health research purposes**

### **Authors:**

Charline Bour<sup>1</sup>, Susanne Schmitz<sup>2</sup>, Adrian Ahne<sup>3,4</sup>, Camille Perchoux<sup>5</sup>, Coralie Dessenne<sup>1</sup>, Guy Fagherazzi<sup>1,3</sup>

### **Affiliation:**

1: Department of Population Health, Luxembourg Institute of Health, Luxembourg

2: Competence Centre for Methodology and Statistics, Luxembourg Institute of Health, Luxembourg

3: Inserm U1018, Center for Research in Epidemiology and Population Health (CESP), Paris Saclay University, 94800 Villejuif, France

4: Epiconcept, Paris, France

5: Luxembourg Institute of Socio-Economic Research (LISER), Esch/Alzette, 11 Porte des Sciences, 4366 Esch-sur-Alzette, Luxembourg

### **Corresponding Author:**

Guy Fagherazzi, MSc, PhD

Research Leader of the Digital Epidemiology Hub,

Department of Population Health

Luxembourg Institute of Health

1A-B, rue Thomas Edison, L-1445 Strassen, Luxembourg

Tel: +352 26970-457 / Fax: +352 26970-719

Email: [guy.fagherazzi@lih.lu](mailto:guy.fagherazzi@lih.lu)

Twitter: [@GFaghe](https://twitter.com/GFaghe)

Website: [deh.lih.lu](http://deh.lih.lu)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

**Abstract:**

**Introduction:** More than a third of the world population uses at least one social media. Since their advent in 2005, health-oriented research based on social media data has largely increased. The objective of this scoping review is to provide an evidence map of the various uses of social media for health research purposes, their fields of applications and their analysis methods.

**Methods and analysis:** This scoping review will follow the Arskey and O'Malley methodological framework (2005) as well as the Joanna Briggs Institute Reviewer's manual. Relevant publications will be first searched on the PudMed/MEDLINE database and then on Web of Science. We will focus on literature published between January 2005 and April 2020. All articles related to the use of social media or networks for health-oriented research purposes will be included. First, a manual search will be conducted with some keywords in order to identify relevant articles. After identifying the research strategy, a two-part study selection process will be systematically applied by two reviewers. The first part consists in screening titles and abstracts found thanks to the search strategy to define the eligibility of each article. In the second part, the full texts will be screened and only relevant articles will be kept. Data will finally be extracted, collated and charted to summarize all the relevant methods, outcomes and key findings in the articles.

**Ethics and dissemination:** This scoping review will provide an extensive overview of the use of social media for health research purposes. Opportunities as well as future ethical, methodological and technical challenges will also be discussed based on our findings to define a new research agenda. Results will be disseminated through a peer-reviewed publication.

**Strengths and limitations of this study:**

- This will be the first scoping review about the overall use of social media for health research purposes.
- The evolution of social media interest in health research, the different use cases and fields of application of social media use for research purposes and the different methodologies for social media data analysis will be discussed in the review.
- Our scoping review will conform to the rigorous methodology manual by the Joanna Briggs Institute.
- The identification and synthesis of data will be limited to published articles found on the PubMed/MEDLINE and Web of Science databases and snowball references.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.  
Enseignement Supérieur (ABES)

- Because the present scope is focused on health research, other major uses of social media by patients, associations, organizations and healthcare professionals will not be included as such, but only put in perspective in the discussion.

### **Introduction:**

Social media (SM) are interactive “mobile and web-based technologies” which allow discussion, creation and sharing of information between individuals, online communities and networks [1]. General platforms such as Facebook, Twitter and YouTube have emerged around 2004-2006 and many others since. SM are now increasingly used by a large proportion of the global population, estimated to 2.61 billion users worldwide in 2018 [2],[3]. To date, the most popular SM platform is Facebook with more than 2.41 billion monthly active users in 2019 [2],[4]. In 2018, the average time spent by users daily on SM is about 142 minutes while it was 90 minutes in 2012 [5].

Thus, the broad use of SM around the world offers numerous applications. SM users continuously generate large amounts of data that can for instance be studied in the political, business or even policy contexts [6]. Most importantly, data generated by SM 1) are of high potential for medical research purposes [6],[7],[8], 2) can help healthcare professionals and scientists to keep being informed about the latest scientific discoveries or remotely follow medical conferences [9],[10], and 3) can reshape the way patients interact with their peers and exchange health related information and tips to manage their disease [11],[12]. For physicians, SM can improve their knowledge and abilities as well as their interactions with patients [13]. It has also been shown that, somehow, people use SM to fulfill the need to belong to one or several social groups, reflecting our primary biological needs and survival instinct [14]. People can interact with their friends, family and audiences of potentially unlimited sizes. Hence, patients can easily interact with their peers on SM about their conditions, search for support or even try to sensitize others with prevention and storytimes [15],[16]. Such digital space with no obvious hierarchy between users opens the door to new discourses as well as access and sharing of medical information about the patient’s health, feelings, symptoms, that would have been impossible to collect in a face-to-face setting with a physician or research investigator.

In 2010 in the US, 80% of adults used the internet to search for health-related information and 11% of SM users posted comments, queries or information about health or medical content [17]. “Health research” refers to all kinds of research performed to learn more about human health, prevent or treat disease, test ideas, improve treatments and answer questions [18],[19]. Among all sub-fields of

health and medical research, epidemiology and public health are the two most important disciplines that can potentially benefit from the use of SM. “Infodemiology” is a recent term which describes a new approach for public health based on Big Data monitoring [20],[21]. Public Health, as the science of improving, protecting the health and the well-being of people and communities from a population-level perspective, can directly and easily benefit from accessing large datasets of health-related information on large samples [18]. Tracking health, treatment and feelings related posts or discussions on SM can develop new methods to improve healthcare [22],[23],[24],[25]. Not only have SM improved researchers communication with individuals and peers, but it also has a high potential to improve their research (eg, collecting data, understanding public perceptions) and their impact [26,27].

**Protocol design:**

This scoping review will follow the methodological framework introduced by Arskey and O’Malley in 2005 [28] and the methodology manual published by the Joanna Briggs Institute for scoping reviews [29]. The present protocol and future corresponding scoping review are reported in accordance with the PRISMA Extension for Scoping Review (PRISMA-ScR) guidelines [30]. Thus, this review will follow five of these six stages: (1) identification of the research question, (2) identification of relevant studies; (3) selection of eligible studies; (4) charting the data; (5) collating, summarizing, and reporting of the results; and (6) consultation with relevant stakeholders (optional).

**Stage 1: Identification of the research questions**

Through consultation with the clinical research team, the overall research questions are:

- (1) How SM have modified or complemented traditional health research?
- (2) What are the different fields of application of this approach?
- (3) What are the different methodologies for SM data analysis?

**Stage 2: Identifying relevant studies**

This review will use the PCC (Population, Concept, Context) framework suggested by the Joanna Briggs Institute [29]. We will base our search strategy on the PCC framework described on Table 1.

<u>PCC Element</u>	<u>Definition:</u>	<u>Example:</u>
Population	All humans (no restrictions)	NA

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

Concept	Use of SM	Extracting Twitter data and metadata related to a specific keyword of interest
Context	Health research	Public health

**Table 1** : PCC framework of our scoping review

For the scoping review, we do not have any restriction on the population of interest, we will take any relevant publications regardless of the age, the origin or the gender of the studied populations. The concept is the use of SM. We are looking for any potential benefits related to the use of SM, such as using the online-available data or the features developed by SM. Lastly, both these elements have to be linked with health research.

The databases chosen for this review are PubMed/MEDLINE and Web of Science. An initial search strategy based on the PCC framework will be developed on PubMed to determine some relevant terms and articles. Database and other searches will combine terms from two themes: SM (eg, Twitter, Facebook) and health research (eg, medicine). The MeSH terms will be screened, sorted by pertinence and frequency. Figure 1 shows the most frequent MeSH terms found in the articles before any selection. A second search strategy will be developed thanks to the most relevant MeSH terms. Some keywords will be searched both in the title, abstract and subject headings (eg, MeSH) on PubMed and as topics on Web of Science. Other terms such as “Humans” and “Clinical trial” might further be used as filters. We will focus on articles published in English between January 2005 and April 2020. The pilot search strategy is shown in appendix A. Lastly, reference lists from the retrieved reviews on related topics will be used as an additional source for snowball searching for additional articles.

### Stage 3: Selection of eligible studies

All papers derived from the search process will be uploaded to Endnote in order to remove all duplicates. Then, a two-step screening will be performed. The first part consists in screening titles and abstracts thanks to the research strategy in order to define the eligibility of each article. Publications with title or abstract not meeting the eligibility criteria will be excluded. During the second part, the full texts having passed the first step will be screened and only relevant articles will be kept. The remaining ones will get full text screened. Screening will be conducted with CADIMA [31], a free web tool to facilitate the conduct and the documentation of literature reviews [32]. Two reviewers will screen articles independently and consistency checks will be performed. In cases of inconsistency, CADIMA will prompt each reviewer to review the article a second time.



Studies will be included if they describe the use of SM for health or medical research purposes. Articles will be excluded if they deal with the use of SM among patients, patient associations, organizations, healthcare professionals for their day-to-day practice. Studies about non-human subjects and grey literature will be excluded as well. Papers will be excluded if not one of the following: clinical study, journal article, letter, observational study. This exclusion criteria might change depending on the relevance of the studies.

Stage 4: Charting the data

Still using CADIMA, two independent reviewers will conduct this process. First, relevant studies will be selected from all the remaining papers in order to develop agreement on what information should be extracted. We will focus on the different fields of application of SM use by health researchers as well as the developed tools to achieve data collection and analysis. Then, data extraction will be performed after defining critical appraisal criteria and results will be stored in a table. The data extraction table produced will include at least the following key elements:

1. Author(s),
2. Year of publication,
3. Origin /country of origin,
4. Aims /purpose,
5. Type of study
6. Studied population(s) (eg, young adults)
7. Type on SM studied,
8. Methodology / methods,
9. Outcomes and details of these (eg, symptoms surveillance, medical concepts),
10. Key findings that relate to the scoping review questions (eg, tools used or developed, quality of SM use domains).

Stage 5: Collating, summarizing, and reporting of the results

The purpose of this scoping review is to collect the findings and present an overview of the research rather than to evaluate the quality of the studies. As a result, our overall assessment of the strength of the evidence will be narrative instead of quantitative. The results of the previous stages will be synthesized to describe the progress of research thanks to SM from 2005 to 2020, all the research fields where SM are helpful and the methods to collect and analyse data. The PCC inclusion criteria will guide the map of the data. Thus, at least two tabulars will be carried out to introduce the data. The first tabulate will be a bubble plot describing the number of research publications published per

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

year on PubMed from 2005 to 2019 considering first, SM in their totality and then specific SM (eg, Twitter, Facebook). The second one will summarize the different approaches to collect SM data and the developed processes to investigate it. A descriptive summary will accompany the tabulated results and describe how the results apply to our scoping review questions. Results will then be classified into categories depending on the research field they link to.

### **Dissemination and ethics:**

Results of this scoping review will provide a one-of-its-kind overview of all the applications in health research of the use of SM. Thus, it will be informative for various stakeholders: researchers, data scientists, public health agencies and governments will easily capture the big picture of the field and have an extensive presentation of the benefits, usefulness and potential of SM. Results will be disseminated through a peer-reviewed publication.

Since the scoping review methodology consists of reviewing and collecting data from publicly available materials, this study does not require ethics approval.

### **Abbreviations:**

SM: Social media

### **References:**

1. Kietzmann JH, Hermkens K, McCarthy IP, Silvestre BS. Social media? Get serious! Understanding the functional building blocks of social media. *Business Horizons*. 2011. pp. 241–251. doi:10.1016/j.bushor.2011.01.005
2. McFadden C. A Chronological History of Social Media. In: interestingengineering.com [Internet]. 16 Oct 2018. Available: <https://interestingengineering.com/a-chronological-history-of-social-media>
3. Ortiz-Ospina E. The rise of social media. In: ourworldindata.org [Internet]. 18 Sep 2019. Available: <https://ourworldindata.org/rise-of-social-media>
4. Clement J. Social media - Statistics & Facts. In: statista.com [Internet]. 4 Sep 2019. Available: <https://www-statista-com.proxy.bnl.lu/topics/1164/social-networks/?pds=74202092424141745339986600588747>
5. Clement J. Daily time spent on social networking by internet users worldwide from 2012 to 2019. In: statista.com [Internet]. 26 Feb 2020. Available: <https://www-statista-com.proxy.bnl.lu/statistics/433871/daily-social-media-usage-worldwide/?pds=84202085923141846464863258420388>
6. Conway M, O'Connor D. Social Media, Big Data, and Mental Health: Current Advances and

Ethical Implications. *Curr Opin Psychol*. 2016;9: 77–82.

7. Thomas VL, Chavez M, Browne EN, Minnis AM. Instagram as a tool for study engagement and community building among adolescents: A social media pilot study. *Digit Health*. 2020;6: 2055207620904548.

8. Wetsman N. How Twitter is changing medical research. *Nat Med*. 2020;26: 11–13.

9. Ventola CL. Social media and health care professionals: benefits, risks, and best practices. *P T*. 2014;39: 491–520.

10. Collins K, Shiffman D, Rock J. How Are Scientists Using Social Media in the Workplace? *PLoS One*. 2016;11: e0162680.

11. Wilson S, Mogan S, Kaur K. Understanding the role of Facebook to support women with endometriosis: A Malaysian perspective. *Int J Nurs Pract*. 2020; e12833.

12. Zhao Y, Zhang J. Consumer health information seeking in social media: a literature review. *Health Info Libr J*. 2017;34: 268–283.

13. Alanzi T, Al-Yami S. Physicians' Attitude towards The Use of Social Media for Professional Purposes in Saudi Arabia. *Int J Telemed Appl*. 2019;2019: 6323962.

14. Baumeister RF, Leary MR. The need to belong: desire for interpersonal attachments as a fundamental human motivation. *Psychol Bull*. 1995;117: 497–529.

15. Holtz B E al. Connected Motherhood: Social Support for Moms and Moms-to-Be on Facebook. - PubMed - NCBI. [cited 8 Apr 2020]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/25665177>

16. Shelby A, Ernst K. Story and science: how providers and parents can utilize storytelling to combat anti-vaccine misinformation. *Hum Vaccin Immunother*. 2013;9: 1795–1801.

17. Susannah F. The Social Life of Health Information, 2011. In: [pewresearch.org](http://pewresearch.org) [Internet]. 12 May 2011. Available: <https://www.pewresearch.org/internet/2011/05/12/the-social-life-of-health-information-2011/>

18. Participating in Health Research Studies. In: [guides.library.harvard.edu](http://guides.library.harvard.edu) [Internet]. 6 Mar 2020. Available: <https://guides.library.harvard.edu/healthresearch>

19. Institute of Medicine (US) Committee on Health Research and the Privacy of Health Information: The HIPAA Privacy Rule. Beyond the HIPAA Privacy Rule: Enhancing Privacy, Improving Health Through Research. Nass SJ, Levit LA, Gostin LO, editors. Washington (DC): National Academies Press (US); 2010.

20. Wongkoblap A, Vadillo MA, Curcin V. Researching Mental Health Disorders in the Era of Social Media: Systematic Review. *J Med Internet Res*. 2017;19: e228.

21. Mavragani A. Infodemiology and Infoveillance: A Scoping Review. *J Med Internet Res*. 2020. doi:10.2196/16206

22. Park A, Conway M. Tracking Health Related Discussions on Reddit for Public Health Applications. *AMIA Annu Symp Proc*. 2017;2017: 1362–1371.

23. Tricco AC, Zarin W, Lillie E, Jeblee S, Warren R, Khan PA, et al. Utility of social media and crowd-intelligence data for pharmacovigilance: a scoping review. *BMC Med Inform Decis Mak*. 2018;18: 38.
24. Adrover C, Bodnar T, Huang Z, Telenti A, Salathé M. Identifying Adverse Effects of HIV Drug Treatment and Associated Sentiments Using Twitter. *JMIR Public Health Surveill*. 2015;1: e7.
25. Sewalk KC, Tuli G, Hsuen Y, Brownstein JS, Hawkins JB. Using Twitter to Examine Web-Based Patient Experience Sentiments in the United States: Longitudinal Study. *J Med Internet Res*. 2018;20: e10043.
26. Chelaru SV, Orellana-Rodriguez C, Altingovde IS. Can Social Features Help Learning to Rank YouTube Videos? *Web Information Systems Engineering - WISE 2012*. 2012. pp. 552–566. doi:10.1007/978-3-642-35063-4\_40
27. Thackeray R, Neiger BL, Smith AK, Van Wagenen SB. Adoption and use of social media among public health departments. *BMC Public Health*. 2012;12: 242.
28. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology*. 2005. pp. 19–32. doi:10.1080/1364557032000119616
29. Micah DJ Peters, Christina Godfrey, Patricia McInerney, Zachary Munn, Andrea C. Tricco, Hanan Khalil. JBI Reviewer's manual. In: [wiki.joannabriggs.org](http://wiki.joannabriggs.org) [Internet]. 2019. Available: <https://wiki.joannabriggs.org/display/MANUAL/Chapter+11%3A+Scoping+reviews>
30. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Ann Intern Med*. 2018;169: 467–473.
31. CADIMA. [cited 13 May 2020]. Available: <https://www.cadima.info/>
32. Kohl C, McIntosh EJ, Unger S, Haddaway NR, Kecke S, Schiemann J, et al. Online tools supporting the conduct and reporting of systematic reviews and systematic maps: a case study on CADIMA and review of existing tools. *Environmental Evidence*. 2018. doi:10.1186/s13750-018-0115-5

### **Footnotes:**

**Contributors:** Design of protocol: CB, SS, CD, GF Draft of manuscript: GF, CB Review and final approval of manuscript: CB, SS, GF, AA, CP

**Funding:** This work is supported by the Luxembourg Institute of Health.

**Competing interests:** None declared.

**Patient consent for publication:** Not required.

**Word count:** Abstract: 279, Total : 1660

### **Figure/legend caption:**

**Figure 1:** Word Cloud of the most found MeSH terms in the manually found publications



Figure 1: Word Cloud of the most found MeSH terms in the manually found publications

361x270mm (72 x 72 DPI)

## **Appendix A : Pilot search strategy for a scoping review protocol on the use of social media for health research purposes**

The pilot search strategy is developed on the PubMed/MEDLINE database.

Step	Search terms / description
1	<p>((("Social Media"[MH]) OR ("Social Media"[TW])) AND ((("Biomedical research"[MH]) OR ("Medical research"[TW] OR "Biomedical research"[TW]) OR ("Health research"[TW] OR "Health services research"[TW]) OR ("Nursing research"[TW]) OR (Research[OT]))) OR (((("Social networking"[MH]) OR ("Social network"[TW] OR "Social networks"[TW] OR "Social networking"[TW])) AND ((("Biomedical research"[MH]) OR ("Medical research"[TW] OR "Biomedical research"[TW]) OR ("Health research"[TW] OR "Health services research"[TW]) OR ("Nursing research"[TW]) OR (Research[OT]))))</p> <p><b>Filters:</b> From 2000/01/01 to 2020/04/09, Clinical Study; Journal Article; Letter; Observational Study; Humans; English</p>
2	Manual search in the reference lists of the relevant studies
3	Iterative refinements of stage 1
4	Adapting the final research strategy to Web of Science

**PRISMA-P (Preferred Reporting Items for Systematic review and Meta-Analysis Protocols) 2015 checklist**

Adapted checklist for use with protocol submissions to Systematic Reviews from Table 3 in Moher D et al: Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. Systematic Reviews 2015 4:1

Section/topic	Item #	Checklist item	Information reported		Page
ADMINISTRATIVE INFORMATION			Yes	No	
Title					
Identification	1a	Identify the report as a protocol of a systematic review	x		1
Update	1b	If the protocol is for an update of a previous systematic review, identify as such			NA
Registration	2	If registered, provide the name of the registry (e.g., PROSPERO) and registration number			NA
Authors					
Contact	3a	Provide name, institutional affiliation, and e-mail address of all protocol authors; provide physical mailing address of corresponding author	x		1
Contributions	3b	Describe contributions of protocol authors and identify the guarantor of the review	x		9
Amendments	4	If the protocol represents an amendment of a previously completed or published protocol, identify as such and list changes; otherwise, state plan for documenting important protocol amendments			NA
Support					



<b>Sources</b>	5a	Indicate sources of financial or other support for the review	x		9
<b>Sponsor</b>	5b	Provide name for the review funder and/or sponsor	x		9
<b>Role of sponsor/funder</b>	5c	Describe roles of funder(s), sponsor(s), and/or institution(s), if any, in developing the protocol			NA
<b>INTRODUCTION</b>					
<b>Rationale</b>	6	Describe the rationale for the review in the context of what is already known	x		4
<b>Objectives</b>	7	Provide an explicit statement of the question(s) the review will address with reference to participants, interventions, comparators, and outcomes (PICO)	x		4
<b>METHODS</b>					
<b>Eligibility criteria</b>	8	Specify the study characteristics (e.g., PICO, study design, setting, time frame) and report characteristics (e.g., years considered, language, publication status) to be used as criteria for eligibility for the review	x		4-5
<b>Information sources</b>	9	Describe all intended information sources (e.g., electronic databases, contact with study authors, trial registers, or other grey literature sources) with planned dates of coverage	x		5



Search strategy	10	Present draft of search strategy to be used for at least one electronic database, including planned limits, such that it could be repeated	x		Appendix A
Study records					
Data management	11a	Describe the mechanism(s) that will be used to manage records and data throughout the review	x		5
Selection process	11b	State the process that will be used for selecting studies (e.g., two independent reviewers) through each phase of the review (i.e., screening, eligibility, and inclusion in meta-analysis)	x		5-6
Data collection process	11c	Describe planned method of extracting data from reports (e.g., piloting forms, done independently, in duplicate), any processes for obtaining and confirming data from investigators	x		6
Data items	12	List and define all variables for which data will be sought (e.g., PICO items, funding sources), any pre-planned data assumptions and simplifications	x		6
Outcomes and prioritization	13	List and define all outcomes for which data will be sought, including prioritization of main and additional outcomes, with rationale	x		6-7

<b>Risk of bias in individual studies</b>	14	Describe anticipated methods for assessing risk of bias of individual studies, including whether this will be done at the outcome or study level, or both; state how this information will be used in data synthesis	x		7
<b>Data</b>					
<b>Synthesis</b>	15a	Describe criteria under which study data will be quantitatively synthesized		x	Not performed
	15b	If data are appropriate for quantitative synthesis, describe planned summary measures, methods of handling data, and methods of combining data from studies, including any planned exploration of consistency (e.g., $I^2$ , Kendall's tau)			NA
	15c	Describe any proposed additional analyses (e.g., sensitivity or subgroup analyses, meta-regression)			NA
	15d	If quantitative synthesis is not appropriate, describe the type of summary planned			NA
<b>Meta-bias(es)</b>	16	Specify any planned assessment of meta-bias(es) (e.g., publication bias across studies, selective reporting within studies)			NA
<b>Confidence in cumulative evidence</b>	17	Describe how the strength of the body of evidence will be assessed (e.g., GRADE)			NA

# BMJ Open

## A scoping review protocol on the use of social media for health research purposes

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-040671.R1
Article Type:	Protocol
Date Submitted by the Author:	27-Oct-2020
Complete List of Authors:	Bour, Charline; Luxembourg Institute of Health, Department of Population Health Schmitz, Susanne; Luxembourg Institute of Health, Department of Population Health, Competence Center for Methodology and Statistics Ahne, Adrian; Inserm U1018, Center for Research in Epidemiology and Population Health (CESP); Epiconcept Perchoux, Camille; Luxembourg Institute of Socio-Economic Research (LISER), Urban Development and Mobility Dessenne, Coralie; Luxembourg Institute of Health, Department of Population Health Fagherazzi, Guy; Luxembourg Institute of Health, Department of Population Health; Centre for Research in Epidemiology and Population Health, Gustave Roussy Institute
<b>Primary Subject Heading</b>:	Public health
Secondary Subject Heading:	Epidemiology
Keywords:	PUBLIC HEALTH, STATISTICS & RESEARCH METHODS, EPIDEMIOLOGY

SCHOLARONE™  
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

## **A scoping review protocol on the use of social media for health research purposes**

### **Authors:**

Charline Bour<sup>1</sup>, Susanne Schmitz<sup>2</sup>, Adrian Ahne<sup>3,4</sup>, Camille Perchoux<sup>5</sup>, Coralie Dessenne<sup>1</sup>, Guy Fagherazzi<sup>1,3</sup>

### **Affiliation:**

1: Department of Population Health, Luxembourg Institute of Health, Luxembourg

2: Competence Centre for Methodology and Statistics, Luxembourg Institute of Health, Luxembourg

3: Inserm U1018, Center for Research in Epidemiology and Population Health (CESP),  
Paris Saclay University, 94800 Villejuif, France

4: Epiconcept, Paris, France

5: Luxembourg Institute of Socio-Economic Research (LISER), Esch/Alzette, 11 Porte des Sciences, 4366  
Esch-sur-Alzette, Luxembourg

### **Corresponding Author:**

Guy Fagherazzi, MSc, PhD

Research Leader of the Digital Epidemiology Hub,

Department of Population Health

Luxembourg Institute of Health

1A-B, rue Thomas Edison, L-1445 Strassen, Luxembourg

Tel: +352 26970-457 / Fax: +352 26970-719

Email: [guy.fagherazzi@lih.lu](mailto:guy.fagherazzi@lih.lu)

Twitter: [@GFaghe](https://twitter.com/GFaghe)

Website: [deh.lih.lu](http://deh.lih.lu)

**Abstract:**

**Introduction:** More than a third of the world population uses at least one form of social media. Since their advent in 2005, health oriented research based on social media data has largely increased as discussions about health issues are broadly shared online and generate a large amount of health related data. The objective of this scoping review is to provide an evidence map of the various uses of social media for health research purposes, their fields of applications and their analysis methods.

**Methods and analysis:** This scoping review will follow the Arskey and O'Malley methodological framework (2005) as well as the Joanna Briggs Institute Reviewer's manual. Relevant publications will be first searched on the PudMed/MEDLINE database and then on Web of Science. We will focus on literature published between January 2005 and April 2020. All articles related to the use of social media or networks for health-oriented research purposes will be included. A first search will be conducted with some keywords in order to identify relevant articles. After identifying the research strategy, a two-part study selection process will be systematically applied by two reviewers. The first part consists in screening titles and abstracts found thanks to the search strategy to define the eligibility of each article. In the second part, the full texts will be screened and only relevant articles will be kept. Data will finally be extracted, collated and charted to summarize all the relevant methods, outcomes and key findings in the articles.

**Ethics and dissemination:** This scoping review will provide an extensive overview of the use of social media for health research purposes. Opportunities as well as future ethical, methodological and technical challenges will also be discussed based on our findings to define a new research agenda. Results will be disseminated through a peer-reviewed publication.

**Strengths and limitations of this study:**

- This will be the first scoping review about the overall use of social media for health research purposes.
- The evolution of social media interest in health research, the different use cases and fields of application of social media use for research purposes and the different methodologies for social media data analysis will be discussed in the review.
- Our scoping review will conform to the rigorous methodology manual by the Joanna Briggs Institute.
- The identification and synthesis of data will be limited to published articles found on the PubMed/MEDLINE and Web of Science databases and snowball references.

- Because the present scope is focused on health research, other major uses of social media by patients, associations, organizations and healthcare professionals will not be included as such, but only put in perspective in the discussion.

### **Introduction:**

Social media (SM) are interactive “mobile and web-based technologies” which allow discussion, creation and sharing of information between individuals, online communities and networks [1]. General platforms such as Facebook, Twitter and YouTube have emerged around 2004-2006 and many others since. SM are now increasingly used by a large proportion of the global population, estimated to 2.61 billion users worldwide in 2018 [2],[3]. To date, the most popular SM platform is Facebook with more than 2.41 billion monthly active users in 2019 [2],[4]. In 2018, the average time spent by users daily on SM is about 142 minutes while it was 90 minutes in 2012 [5].

Thus, the broad use of SM around the world offers numerous applications. SM users continuously generate large amounts of data that can for instance be studied in the political, business or even policy contexts [6]. Most importantly, data generated by SM 1) are of high potential for medical research purposes [6],[7],[8], 2) can help healthcare professionals and scientists to keep being informed about the latest scientific discoveries or remotely follow medical conferences [9],[10], and 3) can reshape the way patients interact with their peers and exchange health related information and tips to manage their disease [11],[12]. For physicians, SM can improve their knowledge and abilities as well as their interactions with patients [13]. It has also been shown that, somehow, people use SM to fulfill the need to belong to one or several social groups, reflecting our primary biological needs and survival instinct [14]. People can interact with their friends, family and audiences of potentially unlimited sizes. Hence, patients can easily interact with their peers on SM about their conditions, search for support or even try to sensitize others with prevention and storytimes [15],[16]. Such digital space with no obvious hierarchy between users opens the door to new discourses as well as access and sharing of medical information about the patient’s health, feelings, symptoms, that would have been impossible to collect in a face-to-face setting with a physician or research investigator.

In 2010 in the US, 80% of adults used the internet to search for health-related information and 11% of SM users posted comments, queries or information about health or medical content [17]. It is possible to join virtual communities, to participate in research, to receive moral support and to track personal progress [9]. Such actions generate data that can be used notably in health research. “Health research” refers to all kinds of research performed to learn more about human health, prevent or treat disease, test ideas, improve treatments and answer questions [18],[19]. Among all sub-fields of

health and medical research, epidemiology and public health are the two most important disciplines that can potentially benefit from the use of SM. “Infodemiology” is an early 2000s term [20] which describes a new approach for public health based on Big Data monitoring [21],[22]. Public Health, as the science of improving, protecting the health and the well-being of people and communities from a population-level perspective, can directly and easily benefit from accessing large datasets of health-related information on large samples [18]. Researchers can recruit study participants on SM [23,24] to collect data [25] and to disseminate research [26]. Moreover, tracking health, treatment and feelings related posts or discussions on SM can develop new methods to improve healthcare [27],[28],[29],[30]. Not only have SM improved researchers communication with individuals and peers, but it also has a high potential to improve their research (eg, collecting data, understanding public perceptions) and their impact [31,32]. Still, using SM for research may raise ethical issues such as getting consent of online users, protecting users’ privacy or preserving anonymity of study participants [33,34] .

**Protocol design:**

This scoping review will follow the methodological framework introduced by Arskey and O’Malley in 2005 [35] and the methodology manual published by the Joanna Briggs Institute for scoping reviews [36]. The present protocol and future corresponding scoping review are reported in accordance with the PRISMA Extension for Scoping Review (PRISMA-ScR) guidelines [37]. Thus, this review will follow five of these six stages: (1) identification of the research question, (2) identification of relevant studies; (3) selection of eligible studies; (4) charting the data; (5) collating, summarizing, and reporting of the results. There is an optional stage 6 (consultation with stakeholders) in order to identify additional references about potential studies to include and to collect feedback about the findings uncovered by the review but we will not include it because of time constraint.

**Stage 1: Identification of the research questions**

Through consultation with the clinical research team, the overall research questions are :

- (1) How SM have modified or complemented traditional health research?
- (2) What are the different fields of application of this approach?
- (3) What are the different methodologies for SM data analysis?

**Stage 2: Identifying relevant studies**

This review will use the PCC (Population, Concept, Context) framework suggested by the Joanna Briggs Institute [36]. We will base our search strategy on the PCC framework described on Table 1.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).



<u>PCC Element</u>	<u>Definition:</u>	<u>Example:</u>
Population	All humans (no restrictions)	NA
Concept	Use of SM	Extracting Twitter data and metadata related to a specific keyword of interest
Context	Health research	Public health

**Table 1** : PCC framework of our scoping review

For the scoping review, we do not have any restriction on the population of interest, we will take any relevant publications regardless of the age, the origin or the gender of the studied populations. The concept is the use of SM. We are looking for any potential benefits related to the use of SM, such as using the online-available data or the features developed by SM. Lastly, both these elements have to be linked with health research.

The databases chosen for this review are PubMed/MEDLINE and Web of Science. An initial exploratory search strategy based on the PCC framework will be developed on PubMed to determine some relevant terms and articles. Database and other searches will combine terms from two themes: SM (eg, Twitter, Facebook) and health research (eg, medicine). The MeSH terms will be screened, sorted by pertinence and frequency.

A second search strategy will be developed thanks to the most relevant MeSH terms. Some keywords will be searched both in the title, abstract and subject headings (eg, MeSH) on PubMed and as topics on Web of Science. Other terms such as “Humans” and “Clinical trial” might further be used as filters. We will focus on articles published in English between January 2005 and April 2020. The pilot search strategy is shown in appendix A. Lastly, reference lists from the retrieved reviews on related topics will be used as an additional source for snowball searching for additional articles.

### Stage 3: Selection of eligible studies

All papers derived from the search process will be uploaded to Endnote in order to remove all duplicates. Then, a two-step screening will be performed. The first part consists in screening titles and abstracts thanks to the research strategy in order to define the eligibility of each article. Publications with title or abstract not meeting the eligibility criteria will be excluded. During the second part, the full texts having passed the first step will be screened and only relevant articles will be kept. The

remaining ones will get full text screened. Screening will be conducted with CADIMA [38], a free web tool to facilitate the conduct and the documentation of literature reviews [39]. Two reviewers will screen every article independently and consistency checks will be performed. In case of inconsistency, CADIMA will display the rating differences and prompt each reviewer to review the article a second time. In case of disagreement, both reviewers will discuss the relevance of the article to decide if it should be included or not.

Studies will be included if they describe the use of SM for health or medical research purposes. Articles will be excluded if they deal with the use of SM among patients, patient associations, organizations, healthcare professionals for their day-to-day practice. Studies about non-human subjects and grey literature will be excluded as well. Papers will be excluded if not one of the following : clinical study, journal article, letter, observational study. This exclusion criteria might change depending on the relevance of the studies.

Stage 4: Charting the data

Still using CADIMA, two independent reviewers will conduct this process. First, relevant studies will be selected from all the remaining papers in order to develop agreement on what information should be extracted. We will focus on the different fields of application of SM use by health researchers as well as the developed tools to achieve data collection and analysis. Then, data extraction will be performed after defining critical appraisal criteria and results will be stored in a table. The data extraction table produced will include at least the following key elements:

1. Author(s),
2. Year of publication,
3. Origin/country of origin,
4. Aims/purpose,
5. Type of study
6. Studied population(s) (eg, young adults)
7. Type on SM studied,
8. Methodology / methods,
9. Outcomes and details of these (eg, symptoms surveillance, medical concepts),
10. Key findings that relate to the scoping review questions (eg, tools used or developed, quality of SM use domains).

Stage 5: Collating, summarizing, and reporting of the results

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

The purpose of this scoping review is to collect the findings and present an overview of the research rather than to evaluate the quality of the studies. As a result, our overall assessment of the strength of the evidence will be narrative instead of quantitative. The results of the previous stages will be synthesized to describe the progress of research thanks to SM from 2005 to 2020, all the research fields where SM are helpful and the methods to collect and analyse data. The PCC inclusion criteria will guide the map of the data. Thus, at least two tabulars will be carried out to introduce the data. The first tabulate will be a bubble plot describing the number of research publications published per year on PubMed from 2005 to 2019 considering first, SM in their totality and then specific SM (eg, Twitter, Facebook). The second one will summarize the different approaches to collect SM data and the developed processes to investigate it. A descriptive summary will accompany the tabulated results and describe how the results apply to our scoping review questions. Results will then be classified into categories depending on the research field they link to.

**Patient and Public Involvement:** No patient involved.

### **Dissemination and ethics :**

Results of this scoping review will provide an overview of all the applications in health research of the use of SM. Thus, it will be informative for various stakeholders: researchers, data scientists, public health agencies and governments will easily capture the big picture of the field, the different SM uses and methodologies for health research and have an extensive presentation of the benefits, usefulness and potential of SM. Ethical issues will also be outlined as they remain fundamental in health research. In terms of dissemination activities, the scoping review will be submitted for publication in a scientific journal. Overall, it will help future researchers to better shape their future projects using social media data or for other researchers to consider this source of information as a valuable option to answer their research question.

Since the scoping review methodology consists of reviewing and collecting data from publicly available materials, this study does not require ethics approval.

### **Abbreviations :**

SM: Social media

References:

1. Kietzmann JH, Hermkens K, McCarthy IP, Silvestre BS. Social media? Get serious! Understanding the functional building blocks of social media. *Business Horizons*. 2011. pp. 241–251. doi:10.1016/j.bushor.2011.01.005

2. McFadden C. A Chronological History of Social Media. In: interestingengineering.com [Internet]. 16 Oct 2018. Available: <https://interestingengineering.com/a-chronological-history-of-social-media>

3. Ortiz-Ospina E. The rise of social media. In: ourworldindata.org [Internet]. 18 Sep 2019. Available: <https://ourworldindata.org/rise-of-social-media>

4. Clement J. Social media - Statistics & Facts. In: statista.com [Internet]. 4 Sep 2019. Available: <https://www-statista-com.proxy.bnl.lu/topics/1164/social-networks/?pds=74202092424141745339986600588747>

5. Clement J. Daily time spent on social networking by internet users worldwide from 2012 to 2019. In: statista.com [Internet]. 26 Feb 2020. Available: <https://www-statista-com.proxy.bnl.lu/statistics/433871/daily-social-media-usage-worldwide/?pds=84202085923141846464863258420388>

6. Conway M, O'Connor D. Social Media, Big Data, and Mental Health: Current Advances and Ethical Implications. *Curr Opin Psychol*. 2016;9: 77–82.

7. Thomas VL, Chavez M, Browne EN, Minnis AM. Instagram as a tool for study engagement and community building among adolescents: A social media pilot study. *Digit Health*. 2020;6: 2055207620904548.

8. Wetsman N. How Twitter is changing medical research. *Nat Med*. 2020;26: 11–13.

9. Ventola CL. Social media and health care professionals: benefits, risks, and best practices. *P T*. 2014;39: 491–520.

10. Collins K, Shiffman D, Rock J. How Are Scientists Using Social Media in the Workplace? *PLoS One*. 2016;11: e0162680.

11. Wilson S, Mogan S, Kaur K. Understanding the role of Facebook to support women with endometriosis: A Malaysian perspective. *Int J Nurs Pract*. 2020; e12833.

12. Zhao Y, Zhang J. Consumer health information seeking in social media: a literature review. *Health Info Libr J*. 2017;34: 268–283.

13. Alanzi T, Al-Yami S. Physicians' Attitude towards The Use of Social Media for Professional Purposes in Saudi Arabia. *Int J Telemed Appl*. 2019;2019: 6323962.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

14. Baumeister RF, Leary MR. The need to belong: desire for interpersonal attachments as a fundamental human motivation. *Psychol Bull.* 1995;117: 497–529.
15. Holtz B E al. Connected Motherhood: Social Support for Moms and Moms-to-Be on Facebook. - PubMed - NCBI. [cited 8 Apr 2020]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/25665177>
16. Shelby A, Ernst K. Story and science: how providers and parents can utilize storytelling to combat anti-vaccine misinformation. *Hum Vaccin Immunother.* 2013;9: 1795–1801.
17. Susannah F. The Social Life of Health Information, 2011. In: [pewresearch.org](http://pewresearch.org) [Internet]. 12 May 2011. Available: <https://www.pewresearch.org/internet/2011/05/12/the-social-life-of-health-information-2011/>
18. Participating in Health Research Studies. In: [guides.library.harvard.edu](http://guides.library.harvard.edu) [Internet]. 6 Mar 2020. Available: <https://guides.library.harvard.edu/healthresearch>
19. Institute of Medicine (US) Committee on Health Research and the Privacy of Health Information: The HIPAA Privacy Rule. Beyond the HIPAA Privacy Rule: Enhancing Privacy, Improving Health Through Research. Nass SJ, Levit LA, Gostin LO, editors. Washington (DC): National Academies Press (US); 2010.
20. Eysenbach G. Infodemiology and Infoveillance: Framework for an Emerging Set of Public Health Informatics Methods to Analyze Search, Communication and Publication Behavior on the Internet. *J Med Internet Res.* 2009;11: e11.
21. Wongkoblap A, Vadillo MA, Curcin V. Researching Mental Health Disorders in the Era of Social Media: Systematic Review. *J Med Internet Res.* 2017;19: e228.
22. Mavragani A. Infodemiology and Infoveillance: A Scoping Review. *J Med Internet Res.* 2020. doi:10.2196/16206
23. Social media recruitment for mental health research: A systematic review. *Compr Psychiatry.* 2020;103: 152197.
24. Ramo DE, Prochaska JJ. Broad reach and targeted recruitment using Facebook for an online survey of young adult substance use. *J Med Internet Res.* 2012;14. doi:10.2196/jmir.1878
25. Alshaikh F, Ramzan F, Rawaf S, Majeed A. Social Network Sites as a Mode to Collect Health Data: A Systematic Review. *J Med Internet Res.* 2014;16. doi:10.2196/jmir.3050
26. Breland JY, Quintiliani LM, Schneider KL, May CN, Pagoto S. Social Media as a Tool to Increase the Impact of Public Health Research. *Am J Public Health.* 2017;107: 1890.
27. Park A, Conway M. Tracking Health Related Discussions on Reddit for Public Health Applications. *AMIA Annu Symp Proc.* 2017;2017: 1362–1371.
28. Tricco AC, Zarin W, Lillie E, Jeblee S, Warren R, Khan PA, et al. Utility of social media and crowd-intelligence data for pharmacovigilance: a scoping review. *BMC Med Inform Decis Mak.* 2018;18: 38.
29. Adrover C, Bodnar T, Huang Z, Telenti A, Salathé M. Identifying Adverse Effects of HIV Drug Treatment and Associated Sentiments Using Twitter. *JMIR Public Health Surveill.* 2015;1: e7.

30. Sewalk KC, Tuli G, Hswen Y, Brownstein JS, Hawkins JB. Using Twitter to Examine Web-Based Patient Experience Sentiments in the United States: Longitudinal Study. *J Med Internet Res*. 2018;20: e10043.

31. Chelaru SV, Orellana-Rodriguez C, Altingovde IS. Can Social Features Help Learning to Rank YouTube Videos? *Web Information Systems Engineering - WISE 2012*. 2012. pp. 552–566. doi:10.1007/978-3-642-35063-4\_40

32. Thackeray R, Neiger BL, Smith AK, Van Wagenen SB. Adoption and use of social media among public health departments. *BMC Public Health*. 2012;12: 242.

33. Denecke K, Bamidis P, Bond C, Gabarron E, Househ M, Lau AYS, et al. Ethical Issues of Social Media Usage in Healthcare. *Yearb Med Inform*. 2015;10: 137.

34. Hunter RF, Gough A, O’Kane N, McKeown G, Fitzpatrick A, Walker T, et al. Ethical Issues in Social Media Research for Public Health. *Am J Public Health*. 2018;108: 343.

35. Arksey H, O’Malley L. Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology*. 2005. pp. 19–32. doi:10.1080/1364557032000119616

36. Micah DJ Peters, Christina Godfrey, Patricia McInerney, Zachary Munn, Andrea C. Tricco, Hanan Khalil. JBI Reviewer’s manual. In: [wiki.joannabriggs.org](http://wiki.joannabriggs.org) [Internet]. 2019. Available: <https://wiki.joannabriggs.org/display/MANUAL/Chapter+11%3A+Scoping+reviews>

37. Tricco AC, Lillie E, Zarin W, O’Brien KK, Colquhoun H, Levac D, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Ann Intern Med*. 2018;169: 467–473.

38. CADIMA. [cited 13 May 2020]. Available: <https://www.cadima.info/>

39. Kohl C, McIntosh EJ, Unger S, Haddaway NR, Kecke S, Schiemann J, et al. Online tools supporting the conduct and reporting of systematic reviews and systematic maps: a case study on CADIMA and review of existing tools. *Environmental Evidence*. 2018. doi:10.1186/s13750-018-0115-5

**Footnotes:**

**Contributors:** Design of protocol: CB, SS, CD, GF Draft of manuscript: GF, CB Review and final approval of manuscript: CB, SS, GF, AA, CP

**Funding:** This work is supported by the Luxembourg Institute of Health.

**Competing interests:** None declared.

**Patient consent for publication:** Not required.

**Word count:** Abstract : 298, Total : 2000

## **Appendix A : Pilot search strategy for a scoping review protocol on the use of social media for health research purposes**

The pilot search strategy is developed on the PubMed/MEDLINE database.

<u>Step</u>	<u>Search terms / description</u>
1	<p>((("Social Media"[MH]) OR ("Social Media"[TW])) AND ((("Biomedical research"[MH]) OR ("Medical research"[TW] OR "Biomedical research"[TW]) OR ("Health research"[TW] OR "Health services research"[TW]) OR ("Nursing research"[TW]) OR (Research[OT]))) OR (((("Social networking"[MH]) OR ("Social network"[TW] OR "Social networks"[TW] OR "Social networking"[TW])) AND ((("Biomedical research"[MH]) OR ("Medical research"[TW] OR "Biomedical research"[TW]) OR ("Health research"[TW] OR "Health services research"[TW]) OR ("Nursing research"[TW]) OR (Research[OT]))))</p> <p><b>Filters:</b> From 2000/01/01 to 2020/04/09, Clinical Study; Journal Article; Letter; Observational Study; Humans; English</p>
2	Manual search in the reference lists of the relevant studies
3	Iterative refinements of stage 1
4	Adapting the final research strategy to Web of Science



**PRISMA-P (Preferred Reporting Items for Systematic review and Meta-Analysis Protocols) 2015 checklist**

Adapted checklist for use with protocol submissions to Systematic Reviews from Table 3 in Moher D et al: Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. Systematic Reviews 2015 4:1

Section/topic	Item #	Checklist item	Information reported		Page
ADMINISTRATIVE INFORMATION			Yes	No	
Title					
Identification	1a	Identify the report as a protocol of a systematic review	x		1
Update	1b	If the protocol is for an update of a previous systematic review, identify as such			NA
Registration	2	If registered, provide the name of the registry (e.g., PROSPERO) and registration number			NA
Authors					
Contact	3a	Provide name, institutional affiliation, and e-mail address of all protocol authors; provide physical mailing address of corresponding author	x		1
Contributions	3b	Describe contributions of protocol authors and identify the guarantor of the review	x		10
Amendments	4	If the protocol represents an amendment of a previously completed or published protocol, identify as such and list changes; otherwise, state plan for documenting important protocol amendments			NA
Support					



<b>Sources</b>	5a	Indicate sources of financial or other support for the review	x		10
<b>Sponsor</b>	5b	Provide name for the review funder and/or sponsor	x		10
<b>Role of sponsor/funder</b>	5c	Describe roles of funder(s), sponsor(s), and/or institution(s), if any, in developing the protocol			NA
<b>INTRODUCTION</b>					
<b>Rationale</b>	6	Describe the rationale for the review in the context of what is already known	x		3
<b>Objectives</b>	7	Provide an explicit statement of the question(s) the review will address with reference to participants, interventions, comparators, and outcomes (PICO)	x		4
<b>METHODS</b>					
<b>Eligibility criteria</b>	8	Specify the study characteristics (e.g., PICO, study design, setting, time frame) and report characteristics (e.g., years considered, language, publication status) to be used as criteria for eligibility for the review	x		4-5
<b>Information sources</b>	9	Describe all intended information sources (e.g., electronic databases, contact with study authors, trial registers, or other grey literature sources) with planned dates of coverage	x		5

Search strategy	10	Present draft of search strategy to be used for at least one electronic database, including planned limits, such that it could be repeated	x		Appendix A
Study records					
Data management	11a	Describe the mechanism(s) that will be used to manage records and data throughout the review	x		5
Selection process	11b	State the process that will be used for selecting studies (e.g., two independent reviewers) through each phase of the review (i.e., screening, eligibility, and inclusion in meta-analysis)	x		5-6
Data collection process	11c	Describe planned method of extracting data from reports (e.g., piloting forms, done independently, in duplicate), any processes for obtaining and confirming data from investigators	x		6
Data items	12	List and define all variables for which data will be sought (e.g., PICO items, funding sources), any pre-planned data assumptions and simplifications	x		6
Outcomes and prioritization	13	List and define all outcomes for which data will be sought, including prioritization of main and additional outcomes, with rationale	x		6-7

Risk of bias in individual studies	14	Describe anticipated methods for assessing risk of bias of individual studies, including whether this will be done at the outcome or study level, or both; state how this information will be used in data synthesis	x		7
Data					
Synthesis	15a	Describe criteria under which study data will be quantitatively synthesized			NA
	15b	If data are appropriate for quantitative synthesis, describe planned summary measures, methods of handling data, and methods of combining data from studies, including any planned exploration of consistency (e.g., $I^2$ , Kendall's tau)			NA
	15c	Describe any proposed additional analyses (e.g., sensitivity or subgroup analyses, meta-regression)			NA
	15d	If quantitative synthesis is not appropriate, describe the type of summary planned			NA
Meta-bias(es)	16	Specify any planned assessment of meta-bias(es) (e.g., publication bias across studies, selective reporting within studies)			NA
Confidence in cumulative evidence	17	Describe how the strength of the body of evidence will be assessed (e.g., GRADE)			NA