

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (http://bmjopen.bmj.com).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

Elbow Conditions: Research Priorities Setting in Partnership with the James Lind Alliance

Journal:	BMJ Open
Manuscript ID	bmjopen-2022-062177
Article Type:	Original research
Date Submitted by the Author:	18-Feb-2022
Complete List of Authors:	Singh, Harvinder pal; Leicester General Hospital; University of Leicester Chong, Han; Leicester General Hospital Raval, Parag; Leicester General Hospital Divall, Pip; University Hospitals of Leicester NHS Trust Rangan, Amar; The James Cook University Hospital, Trauma and Orthopaedics; University of York, Department of Health Sciences Bateman, Marcus; University Hospitals of Derby and Burton NHS Foundation Trust, Derby Shoulder Unit Watts, Adam; Wrightington Wigan and Leigh Teaching Hospitals NHS Foundation Trust Phadnis, Joideep; Brighton and Sussex University Hospitals NHS Trust Trauma and Orthopaedics Gower, Jonathan; James Lind Alliance Jones, Valerie; Sheffield Teaching Hospitals NHS Foundation Trust Pandey, Radhakant; Leicester General Hospital Gwilym, Steve; University of Oxford Nuffield Department of Orthopaedics Rheumatology and Musculoskeletal Sciences Majed, Addie; Royal National Orthopaedic Hospital NHS Trust Peach, Chris; Manchester University NHS Foundation Trust
Keywords:	Elbow & shoulder < ORTHOPAEDIC & TRAUMA SURGERY, QUALITATIVE RESEARCH, Trauma management < ORTHOPAEDIC & TRAUMA SURGERY

SCHOLARONE™ Manuscripts

I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our licence.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which Creative Commons licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

James Lind Alliance

Authors

Harvinder Pal Singh¹,

Han Hong Chong¹,

Parag Raval¹,

Pip Divall²,

Amar Rangan³,

Marcus Bateman⁴,

Adam Watts⁵,

Joideep Phadnis⁶,

Addie Majed⁷,

Val Jones⁸,

Radhakant Pandey¹,

Jonathan Gower⁹,

Steve Gwilym¹⁰,

Chris Peach¹¹

Affiliations

- Trauma & Orthopaedic Surgery, University Hospitals of Leicester NHS Trust, Leicester, LE1
 WW, UK
- 2. Clinical Librarian, University Hospitals of Leicester NHS Trust, Leicester, LE1 5WW, UK
- 3. James Cook University Hospital, Middlesbrough, TS4 3BW, UK
- 4. University Hospitals of Derby and Burton NHS Foundation Trust, Uttoxeter Road

 Derby, DE22 3NE, UK
- 5. Wrightington Hospital, Hall Lane, Appley Bridge, Wigan, Lancashire, WN6 9EP, UK
- 6. Brighton and Sussex University Hospitals NHS Trust, Building, Barry, Eastern Rd, Brighton BN2 5BE, UK
- 7. Royal National Orthopaedic Hospital, Brockley Hill, Stanmore HA7 4LP, UK
- 8. Sheffield Teaching Hospitals NHS Foundation Trust, Glossop Rd, Broomhall, Sheffield S10 2JF, UK
- 9. The James Lind Alliance National Institute for Health Research Evaluation, Trials and Studies Coordinating Centre University of Southampton Alpha House, Enterprise Road Southampton SO16 7NS, UK
- 10. Oxford University Hospitals NHS Trust, Headley Way, Headington, Oxford, OX3 9DU, UK
- 11. Manchester University NHS Foundation Trust, Oxford Road Manchester M13 9WL, UK

Corresponding Author

A/Prof Harvinder Pal Singh;

University Hospital of Leicester NHS Trust, Infirmary Square, Leicester LE1 5WW, United

Kingdom.

Email: hpsinghjk@gmail.com

Telephone 0044-116-2588112

Fax 0044-116-2588111

Key Terms:

Elbow Joint, Clinical Research, Trauma management, Research Priorities, Partnership

Word count: 3287

Objective: To undertake a UK based James Lind Alliance (JLA) Priority Setting Partnership for elbow conditions and be representative of the views of patients, carers, and healthcare professionals (HCP) Setting: This was a national collaborative study organised through the British Elbow and Shoulder Society (BESS).

Participants: Adult patients, carers and HCPs who have managed or experienced elbow conditions, their carers and HCPs in the UK involved in managing of elbow conditions.

Methods: The rigorous JLA priority setting methodology was followed. Electronic and paper scoping surveys were distributed to identify potential research priority questions (RPQs). Initial responses were reviewed and a literature search was performed to cross check categorised questions. Those questions already sufficiently answered were excluded and the remaining questions were ranked in a second survey according to priority for future elbow conditions research. Using the JLA methodology, responses from HCP and patients were combined to create a list of the top 18 questions. These were further reviewed in a dedicated multi-stakeholder workshop where the top 10 RPQs were agreed by consensus.

Results: The process was completed over 24 months. The initial survey resulted in 467 questions from 165 respondents (73% HCPs and 27% patients/carers). These questions were reviewed and combined into 46 summary topics comprising: tendinopathy, distal biceps pathology, arthritis, stiffness, trauma, arthroplasty, and cubital tunnel syndrome. The second (interim prioritisation) survey had 250 respondents (72% HCP and 28% patients/carers). The top 18 ranked questions from this survey were taken to the final workshop where a consensus was reached on the top 10 RPQs. Conclusions: The top 10 RPQs highlight areas of importance that currently lack sufficient evidence to guide diagnosis, treatment and rehabilitation of elbow conditions. This collaborative process will guide researchers and funders regarding the topics that should receive most future attention and benefit patients and HCPs.

 7). This article describes the process and results of this UK based Priority Setting Partnership for

Elbow Conditions using the rigorous JLA priority setting methodology.

The 'Elbow Conditions' PSP was conducted in accordance with the JLA guidelines(6). The preparation for the PSP began in November 2019 and was undertaken over a 24-month period (Table 1).

Table 1. Time frame of priority setting partnership (PSP).				
November 2019	Initial face-to-face meeting to determine the protocol and scope of the PSP, and the terms of reference (TOR).			
November to December 2019	Regular videoconference to finalise protocol, scope, TOR and initial survey design.			
Jan to August 2020	Initial survey distribution and promotion.			
August 2020	Videoconference to finalise total initial questions and agree on themes and wording of summary questions.			
August 2020 to February 2021	Videoconference to finalise the phrasing of summary questions.			
February to April 2021	Literature search to review potential 'answered' summary questions. Design of interim survey agreed.			
April to August 2021	Interim prioritisation of summary questions.			
August 2021	Videoconference to finalise the top 18 questions to put forward to the final workshop.			
November 2021	Final workshop and conclusion of 'Top 10' research priorities.			

The process is summarised in Figure 1.

The first step of the PSP was to establish a Steering Group to direct the process. The Steering Group included a diverse range of stakeholders, including patients, carers, and HCPs. The HCPs comprised surgeons and physiotherapists from across the UK. Each member of the group had a connection to an elbow condition, either as someone with a lived experience of the condition or a professional who treated patients with Elbow conditions. The Steering Group information can be found on JLA website https://www.jla.nihr.ac.uk/priority-setting-partnerships/elbow-conditions/. An independent JLA adviser (JG) facilitated the PSP Steering Group with local administrative support. This was to ensure that each member had an equal opportunity to participate in discussion and decision-making, resulting in a fair and transparent process. The information specialists developed the surveys, managed data, conducted the analysis, and presented the findings in the form of an infographic and a report. The Steering Group oversaw and advised on each task. The PSP Steering

Group met in person for the first meeting, followed by a number of videoconferences during the Covid-19 pandemic. Before any decisions were made, a minimum number of patients (two) and clinical representatives (two) had to be present.

Definition of scope

Any potential questions about elbow conditions were considered in the scope of this PSP. The Steering Group recognised the need to include both traumatic and chronic elbow conditions. Hence this PSP covered the following conditions affecting the elbow: osteoarthritis, inflammatory arthritis, elbow stiffness, tendinopathy (including tennis elbow, golfers elbow, biceps and triceps tendinopathy), chronic elbow instability, ulnar nerve pathology, biceps tendon rupture, acute elbow fracture, dislocations and congenital elbow conditions. It was further agreed that both the surgical and non-surgical treatment of these conditions were within the scope of the PSP.

 Acute fractures of the elbow were considered in previous JLA PSPs on "Research Priorities for the Management of Broken Bones of the Upper Limb in People over 50" and "Complex Fractures", and the Steering Group agreed that these injuries would still be included in the present PSP given their potential for disability. The Steering Group initially felt that paediatric elbow injuries and congenital elbow problems should also be included in the PSP, despite acknowledgement that these may be included in other future PSPs.

Initial Survey Design and Dissemination

The Steering Group created a survey questionnaire in which patients, carers, and healthcare professionals were asked for their input on the topics that mattered most to them about elbow conditions.

The survey was created in both a paper (Appendix 1) and an online format using Online Surveys (previously Bristol Online Surveys)(8). The Steering Group agreed on the survey design and phrasing to ensure that it was user-friendly for the general public and that it did not bias responses. Basic demographic information was gathered, including age, gender, role, initial postcode section, and consent to continue participating in the PSP.

The primary survey question was:

What questions about elbow conditions would you like to be answered by research?
 Using the Steering Group's collective expertise and resources, the survey was advertised and publicised through multiple channels.

While the survey was live, responses were tracked, and additional promotion was targeted at any under-represented stakeholder groups to ensure balanced and representative distribution of responses. The following are a few examples of public relations and promotional activities:

 A dedicated social media account (Twitter, Facebook) called 'Elbow PSP' was created to promote the survey.

- The survey was promoted by individual members of the Steering Group via emails to professional networks, social media, and 'word of mouth'.
- Professionally designed JLA posters were created for mounting in outpatient clinics setting.
- Relevant organisations were contacted to bring the survey to the attention of their members. These included specialty organisations (e.g. Royal College of General Practice, Royal College of Emergency Medicine, British Society for Rheumatology, BESS, The Faculty of Sport and Exercise Medicine), patient bodies (e.g. Arthritis UK, Patient UK), and sports organisations (e.g. Tennis UK, Golf Organisations UK)

Collection of Questions and Classifying Research Suggestions

The survey began on January 1, 2020 and ended on August 15, 2020. The initial survey responses were gathered and recorded in their raw form. The Steering Group agreed on a classification system based on elbow conditions and, when applicable, a subcategory of topic (surgical, non-surgical, rehabilitation, investigation, or general). Two information specialists (PR and HHC) classified the responses and responses that were submitted as general comments or out-of-scope questions were separated.

Creation of Summary Questions

The information specialists combined the list of classified questions into a set of "summary questions" which reflected the original submissions and were broader in scope than any of the original survey questions.

These were decided upon by consensus to include all the individual questions from the initial survey and were worded to be easily understandable by the general public without a medical background. This was carried out with input from the patient members of the Steering Group. For example, 'What are the long-term outcomes of conservative management strategies for golfers and tennis elbow in terms of seeking further treatments/surgery and cost effectiveness?' and 'Do we have

strong evidence about the best treatment for elbow tendinopathies?' were both included under the summary question, 'What is the effectiveness of surgery for elbow tendinopathies (e.g. tennis/golfer's elbows) compared to nonsurgical management?'.

Literature Review

Following the formulation of the summary questions, the existing literature was examined to see whether any of the questions had been addressed previously. According to JLA guidelines, a question is considered unanswered if either 1) no recent (within the past 3 years) reliable systematic reviews of research evidence addressing the question exist; or 2) up-to-date systematic reviews of research evidence show that uncertainty still persists(6, 7). The Steering Group agreed to increase the timeframe from 'past 3 years' to 'past 5 years' due to paucity of literature on elbow conditions.

Literature searches were conducted by one of the information specialists (PD) and her clinical librarian team. For published systematic reviews relevant to each summary question, the following databases were searched: MEDLINE, EMBASE, CINAHL, Cochrane central database, Cochrane Library, and NICE Guidelines. Two other information specialists (PR and HHC) verified the summary questions against the relevant systematic reviews to make sure the uncertainty had not been addressed previously by systematic review or existing guidelines.

Interim Prioritisation

With the remaining unanswered summary questions, an interim prioritisation survey was produced following the evidence-checking step. From the summary questions, respondents were asked to choose the ten most important questions from their perspective. This survey was available for 5 months in either online or print version (April to August 2021). It was promoted via similar channels as the first survey.

After compiling all the responses, they were scored according to a template devised by the JLA. The summary questions were ranked according to the number of times they had been picked in two

Final Workshop: Deciding the 'Top Ten' Priorities

For a one-day virtual meeting, healthcare professionals, patients, and carers came together to determine the final 'Top 10' research questions for elbow conditions. Participants were recruited through the Steering Group invitation, social media, outpatient clinics, and respondents who participated in the first and interim surveys. Places were assigned on a first-come, first-served basis, with a cap on each group (the patients, healthcare professionals) to guarantee an equal number of participants and also to get a range of demographics, conditions, HCP specialties.

The videoconference workshop took place on November 24, 2021. To reach consensus on the final 'Top Ten' priorities, the workshop used a modified nominal group methodology. Stakeholders were split into four groups, with equivalent proportions of healthcare professionals and patient/carers.

'Top Ten' priorities, the workshop used a modified nominal group methodology. Stakeholders were split into four groups, with equivalent proportions of healthcare professionals and patient/carers. With the help of the JLA facilitators, each group explored the 18 questions within their group and ranked them in order of priority by consensus. The rankings from the four groups were then combined and presented back to the workshop participants. Participants were then reassigned to new groups, preserving a similar balance, and the combined rankings from the first session were discussed and ranked again. The rankings from each of the four groups were then combined again to produce a final ranked order (from 1 to 18) which was presented to the whole group. The 'Top Ten' priorities were highlighted and participants were given the opportunity to comment on the order which had been reached through this consensus-building process.

Dissemination of Results

The Steering Group discussed and decided on the PSP's dissemination strategy, which will primarily consist of the publication of this report. It will be distributed to funding and research agenda-setting organisations, such as the National Institute for Health Research (NIHR), as well as partner organisations. The findings will be presented at speciality conferences and on social media. It will also be made available to the public via the JLA website.

Patient and public involvement

Patient and public involvement was a core part of the study. The Steering Group lay members included those with lived experience of Elbow Conditions. Both the initial survey and the interim prioritisation survey were answered by the public, the majority of whom had lived experience of elbow conditions. Participants at the final prioritisation workshop included equal proportions of lay members (Elbow conditions) and HCPs.

Initial Survey

During the initial survey, 165 people contributed 467 original questions. Sixty-seven (41%) suffered from elbow conditions, the majority of whom were between the ages of 30-49 (52%). Most of the respondents (85%) were between the ages of 30 and 69, with a male predominance (88, 56%). One hundred and eighteen respondents (73%) were healthcare professionals, 40 (25%) were patients with elbow conditions, and four (2%) were family members, friends or carers. Figure 2 depicts the distribution of participants by age, gender, and background.

Classification

Twenty-one responses were subsequently excluded from the list after agreement among the Steering Group, leaving 446 responses classified as shown in Figure 3. Reasons for exclusion were 'duplication' (13 responses), 'unclear suggestion' (2 responses), 'out-of-scope' (1 response), and 'no discernible questions' (5 responses).

Summary Questions and Literature Reviews

The Steering Group agreed on 46 summary questions under seven broad topics after analysing each of the initial questions: tendinopathy, biceps tendon pathology, arthritis, stiffness, trauma, arthroplasty, and cubital tunnel syndrome. All of the summary questions were determined to be of genuine uncertainty after the literature review.

Interim Prioritisation

A total of 250 people responded to the interim survey. Similar to the initial survey, the vast majority (87%) were between the ages of 30 and 69, with a male predominance (60%). In comparison to patients, family, friends, or carers (26%), the majority of responses (72%) were healthcare

Final Workshop

The final workshop was attended by **19** healthcare professionals (including surgeons, rheumatologist, and allied health professionals) and **12** patients with elbow conditions or carers) (two patients were not able to attend). It was facilitated by four JLA representatives. The final 'Top Ten' Research priorities (See Table 2) was agreed and signed off by all stakeholder representatives. The full list of the top 18 priorities can be viewed in the Appendix 2.

able 2. Top 10 Research Priorities for Elbow Conditions (Nov 2021)		
Rank	Questions	
1	What is the best treatment (surgery or conservative management) for elbow arthritis in young /active patients?	
2	Which factors affect the outcome and longevity of elbow replacements?	
3	What is the best rehabilitation programme for prevention of stiffness following elbov trauma or surgery?	
4	What is the best treatment approach (surgery or without surgery) in management of early or persistent elbow tendinopathies (such as tennis/golfer's elbow)?	
5	Comparing non-surgical treatments (such as medications, therapy interventions, injections etc), which is most effective in elbow arthritis?	

 Through the rigorous JLA process this UK PSP has delivered the 'Top 10' research priorities for elbow conditions. These research priorities represent the collective shared views of the multiple stakeholders including patients, carers, family and friends and health care professionals. The top ten research priority questions encompass broad elements across management (surgical and non-surgical), prognosis and rehabilitation for elbow conditions. Through the process we have highlighted that there are clear need for further research for many of these questions. We found that some questions including management options are only partly answered, but in many areas, there are no clear answers to inform care pathways or management of the elbow conditions. This paper outlines the efforts taken by the Steering Group, with the help of key stakeholders to identify the most pressing research priorities in patients with elbow conditions.

Strengths and Limitations

This study has a number of strengths. This is the first study to report national research priorities in elbow conditions in partnership with the JLA. By using the established JLA methodology we ensured a robust and transparent study with a fair and representative outcome. Patients and carers were actively involved at all stages of the process, from the initial scoping survey to the final workshop, to ensure that the patient voice was clearly captured and remained at the centre of our efforts alongside the views of health professionals.

For transparency all recorded responses have been logged and available for review in the supplementary material. The formulation of summary questions was performed with discussion and agreement of all stakeholders and each stage involved all Steering Group members' input ensuring robust and fair consensus. This also aided to ensure that interpretations were consistent and not misrepresented. Responses have been submitted from widely across the UK, and we are therefore confident that this work represents a national viewpoint.

The study does have some limitations. Firstly, the PSP was impacted by the Covid-19 pandemic and as highlighted by another PSP(9), which encountered similar issues, this impacted heavily on any face-to-face aspects of the JLA methodology. Previous PSPs have often relied upon patients to disseminate surveys and Steering Group discussions were also to try to recruit from outpatient clinics, however both of which were impeded by the pandemic. This can partly explain why the responses were not quite split evenly amongst healthcare professional and non-healthcare responses as desired. However, to limit this bias, combining separate rankings from the two groups, through the JLA methodology, enabled this to be taken into account. The initial survey scoping responses were a little lower than would have been anticipated due to the impact of the Covid-19 pandemic however the number of scoping questions was sufficient and additionally the responses to the interim survey were much better and the number of responses depend on the condition. Use of virtual meeting enabled facilitation of Steering Group meetings and the all-important workshop discussions, break out rooms through this format could also be used to enable running for the final workshop. Participation in steering committee meetings and the final workshop, using videoconferencing was different to the suggested methods by the JLA but the alterations to workshop and meetings methodology enabled participants attendance easier and facilitation by trained JLA advisers enabled everybody to contribute equally.

Implications and dissemination of this PSP

The results of the Top ten questions for elbow conditions are due to be presented at the annual national conferences in 2022. The Top Ten have also been circulated on a variety of social media platforms including Twitter, Facebook and Instagram as well as advertised on the PSP website and funding bodies' websites. They are also further now being disseminated through formal publication

Our hope is that these research priority questions will help to direct and shape research in this area and provide clear and definitive answers to the Top 10 to help improve the care provided by health professionals to benefit patients suffering with elbow conditions.

Conclusion

Through this PSP we have successfully outlined the key research priorities for elbow conditions that are important for patients, carers, and health care professionals. This work should help guide the prioritisation, funding and future research for elbow conditions.

We would like to thank all those involved including patients, carers and health care professionals in the Steering Group for taking the time and effort with this study. Additionally, we would like to thank the British Orthopaedic Association, British Elbow Shoulder Society and the Leicester Shoulder Unit Charity for their support and funding to be able to complete this study. We thank Michelle Wallis, Peter Tippett, Brenden Gardiner, Paul Rodgers, Margaret Hughes and Ann Heaton for being part of our PSP as patient representative. We thank Elaine James for coordinating the Elbow PSP including communication and minutes recording. We thank all those who participated in the initial survey, interim prioritisation survey and final prioritisation workshop.

Contributors

HS and CP made the application to the James Lind Alliance for the Elbow Conditions priority setting partnership. JG was appointed the JLA adviser to the PSP. HC and PR reviewed and coded all submissions from the initial survey. All the Steering Group members contributed to the protocol design, production of both the initial survey and interim prioritisation survey, promotion and dissemination of surveys to partner organisations and formation of summary questions. HS, HC and PR drafted the manuscript. All authors reviewed and approved the final manuscript before submission.

Funding

The Elbow Conditions Priority Setting Partnership was funded by the British Orthopaedic Association (BOA) (Pump priming grant, Grant number N/A), British Elbow and Shoulder Surgeon (BESS) (Pump priming grant, Grant number N/A), and Leicester Shoulder Unit Charity (Grant number N/A).

Not Applicable

AR, AW, SG, CP, HS report NIHR grant for research in shoulder and elbow surgery not related to the present project, these grants are provided to their institutions. AR reports DePuy J&J Ltd Educational grant to institution unrelated to present article. AW reports consulting fees and honoraria from Medartis and Wright Medical/Stryker unrelated to this work. AW, AR, VJ, MB, CP, AM and SG are/were members of BESS council. All additional interests are outside the direct remit of the submitted work. All other authors declare no competing interests.

FIGURES CAPTION

Figure 1: Flowchart summarising the priority setting process for Elbow Conditions in line with James Lind Alliance methodology.

Figure 2: Demographic background (Role, Gender, Age distribution) of survey respondents.

Figure 3: Classification of research questions submitted during initial survey.

APPENDICES

Appendix 1: Initial Survey Questionnaires – Paper Forms.

Appendix 2: The Top 18 ranked questions from the interim survey.

- 1. Kane SF, Lynch JH, Taylor JC. Evaluation of elbow pain in adults. Am Fam Physician. 2014;89(8):649-57.
- 2. Degen RM, Conti MS, Camp CL, Altchek DW, Dines JS, Werner BC. Epidemiology and Disease Burden of Lateral Epicondylitis in the USA: Analysis of 85,318 Patients. Hss j. 2018;14(1):9-14.
- 3. Wiggins AJ, Cancienne JM, Camp CL, Degen RM, Altchek DW, Dines JS, et al. Disease Burden of Medial Epicondylitis in the USA Is Increasing: An Analysis of 19,856 Patients From 2007 to 2014. Hss j. 2018;14(3):233-7.
- 4. Laratta J, Caldwell J-M, Lombardi J, Levine W, Ahmad C. Evaluation of common elbow pathologies: a focus on physical examination. The Physician and Sportsmedicine. 2017;45(2):184-90.
- 5. Sims SE, Miller K, Elfar JC, Hammert WC. Non-surgical treatment of lateral epicondylitis: a systematic review of randomized controlled trials. Hand (N Y). 2014;9(4):419-46.
- 6. James Lind Alliance Guidebook version 10 [Available from: https://www.jla.nihr.ac.uk/jla-guidebook/downloads/JLA-Guidebook-Version-10-March-2021.pdf.
- 7. James Lind Alliance website [Available from: https://www.jla.nihr.ac.uk/about-the-james-lind-alliance/.
- 8. Surveys O. Online Surveys (Formerly Bristol onlines surveys) 2018 [Available from: https://www.onlinesurveys.ac.uk.
- 9. Bretherton CP, Claireaux HA, Gower J, Martin S, Thornhill A, Johnson L, et al. Research priorities for the management of complex fractures: a UK priority setting partnership with the James Lind Alliance. BMJ Open. 2021;11(11):e057198.

Stage 1: Establishing the PSP Steering Group

- •Formation of Steering Group
- Protocol and scope agreed

Stage 2: Initial Survey Design and Dissemination

- •Distribution of electronic and paper surveys
- •165 respondents 118 healthcare professionals, 40 patients, 4 family members/friends/carers, 3 unspecified.
- •467 uncertainties collected



Stage 3: Creation of Summary Questions

- •Thematic analysis by information specialist
- •Meeting with the steering group
- •467 questions combined into 46 summary questions under 7 main themes.



Stage 4: Literature Review

- •MEDLINE, EMBASE, CINAHL, Cochrane central database, Cochrane Library, and NICE Guidelines.
- •Titles and abstracts reviewed by three information specialists
- •Relevant systematic reviews and guidelines assessed for relevance and quality
- None deemed to fully answer the uncertainties.



Stage 5: Interim prioritisation

- •Distribution of electronic and paper surveys
- •Top 18 questions ranked by 250 respondents (181 healthcare professionals, 61 patients, 4 family/friends/carers, 4 unspecified)





Stage 6: Final workshop prioritisation


- •31 participants (19 healthcare professionals, 12 patients/carers)
- •Consensus reached on Top 10 priorities

Figure 1: Flowchart summarising the priority setting process for elbow conditions in line with James Lind Alliance methodology.

155x214mm (300 x 300 DPI)







Demographic background (Role, Gender, Age distribution) of survey respondents.

127x239mm (300 x 300 DPI)




Figure 3: Classification of research questions submitted during initial survey. $152 x 88 mm \; (300 \; x \; 300 \; DPI)$

ABOUT YOU (optional)

1 It is important that we know a little bit about you so that we can ensure we have collected the views from a wide range of people with different experiences.

4 Do YOU have or have YOU had an Elbow problem? Yes \(\text{No} \)

6 If YES, at what age did your elbow problem start?

7 \(\text{ < 16} \) \(\text{ | 16-29} \) \(\text{ | 30-49} \) \(\text{ | 50-69} \) \(\text{ | 70+} \)

9Which describes you?
1☑ Patient

¹☐ Carer ¹Ē Family/ Friend

1 Healthcare Professional, please specify _____

¹Are you: □ Male □ Female □ Prefer to self describe □ Prefer not to ¹Say?

1åge: □ <16 □ 16-29 □ 30-49 □ 50-69 □ 70+ □ Prefer not to say

²What is your post code, first 3 or 4 characters only \square \square \square ?

²What is your ethnicity?

32 33

2 White ☐ Asian/Asian British ☐ Black/Caribbean/Black British ☐ Arab ☐ Mixed/multiple ethnic groups ☐ Prefer not to say

20ther ethnic group □ please describe

28HANK YOU, please consider completing this survey. Please hand it 2back to a staff member or return to James Lind Alliance PSP 36oordinator, Elaine James, elaine.james@uhl-tr.nhs.uk using the 3envelope provided.

If you require assistance completing this survey, please do not hesitate to contact us:

https://www.bess.org.uk/index.php/elbowJLA
@ElbowPSP

www.facebook.com/ElbowP\$P/ peer review only - http://bmjopen.bmj an/വർ/aboutéguidelines.xhtml

elbowjla@leicester.ac.uk

ELBOW CONDITIONS



Can you help us decide the to questions that should be answered by search?

Have you had or cared for some fixed who had problems with their elbow that has equired help from a healthcare professional?

Are you a <u>healthcare profession</u> ho is involved in the treating patients with elbow conditions?



Please complete the sections on the next page to suggest questions about treatment and recovery in elbow conditions that could be answered by research in the suture.

To find out more about this project visit https://www.bess.org.uk/index.php/elbowJLA





Palathabate we?

We are a group of patients, clinicians and researchers who

want to help improve the care and •

from elbow joint conditions/ disorders/ diseases.

This is a collaboration between the improve care and recovery. British Elbow and Shoulder Society, British Orthopaedic

Association, Leicester Shoulder Elbow Unit Charity and the James 11Lind Alliance.

13What are the elbow conditions? 14Examples of the elbow conditions 15include:

Elbow Osteoarthritis Inflammatory arthritis, Tendonitis (like Tennis Elbow,

Golfers Elbow), 20• Biceps or Triceps tendonitis

21. Elbow Stiffness, Ulnar Nerve Problems,

Chronic Elbow Instability, 24 Biceps tendon rupture Congenital elbow conditions or

26 Elbow Fractures or Dislocations 27 Diagnosis referral pathways or 28 29 Long term outcomes

Why do we need your help? We are asking:

· patients,

their carers/relatives and

quality of life of patients who suffer · healthcare professionals about the questions they feel need answering the most, in order to

> We want your views to guide future research and for you to have a voice in shaping the advances in the management of such elbow conditions for future generations.

> What will we do with your survey results?

We will collate your response with everyone else's. We then ask patients, their relatives/carers and healthcare professionals to rank which of these they think are the most important research priorities. This enables those funding research to know which questions are the most important to be answered.

Want to contact us?

If you would like to take part in this project or would want further information, please email: elaine.james@uhl-tr.nhs.uk

BMJ Oศ Please write in the boxes be ข้าง questions you have about elbow conditions and/or what is important to you.

Questions may be about treatment, recovery, The way care was delivered, diagnostic pathways and long-term recovery.

What questions about elbow conผู้ผู้เอิทร would you like to be answered by research? ই টু ১

Please feel free to add as many questions a like.

ining, Al training, and similar technologies Is there anything else you would like to tell us? (g. any personal experiences about elbow conditions that you would like to share)

³³YOU CAN COMPLETE THIS SURVEY ONLINE AT

https://leicester.onlinesurveys.ac.uk/elbowpsp

By participating in this survey you give us, and partner organisations, permission to publish your answers for the Priority Setting Partnership, but the information you give will be anonymised (so your name will not be published and you will not be published and yo ³⁹dentifiable from what you have told us).

25

30

31

	Rank	Question BMJ Open BMJ Open Page 30 of 30
1 2 3	1	What is the best treatment (surgery or conservative manager to for elbow arthritis in young /active patients?
1	2	Which factors affect the outcome and longevity of elbow replacements?
3	3	What is the best rehabilitation programme for prevention of stiffs ess following elbow trauma or surgery?
0 1 2 3	4	What is the best treatment approach (surgery or without surger on the best treatment of early or persistent elbow tendinopathies (such as tennis/golfer's elbow elbow tendinopathies)
5 6 7	5	Comparing non-surgical treatments (such as medications, the properties of the properties), which is most effective in elbow arthritis?
8 9 0	6	What is the outcome of surgery (including open or key-hole strip elbow arthritis?
21 22 23 24	7	What is the best treatment (including surgical and non-surgical) for non-arthritic elbow stiffness?
2 <mark>5</mark> 26 7	8	How to manage pain (early/persistent) in common elbow conglitions?
28 29 30	9	What and when is the best treatment option for distal biceps readon ruptures (surgical or non-surgical)?
3 <mark>1</mark> 32 33	10	What are the best pre and post-op rehabilitation regimens for total elbow replacements, including advice on long term physical restrictions?
35		$oldsymbol{A}_{oldsymbol{Q}}$

Page 31 of 30		BMJ Open BMJ Open
1 2		022-0621 yright, in
3 4 5 6	1	In patients with partial thickness distal biceps ruptures, does studies given by treatment lead to better outcomes?
7 8 1	2	What is the best way to manage a radial nerve injury followin the best way to manage a radial nerve injury following umeral fracture or surgery?
10 11 1	3	What are the non-surgical options for managing cubital tunne younger and what is their effectiveness?
13 14 15 16	4	What is the role of non-surgical treatments (including medica lights, injections) in elbow tendinopathies (e.g. tennis/golfer elbows)?
17 18 19 20	5	What is the effectiveness of surgery for elbow tendinopathies and its important to nonsurgical management?
21 22 23 24	6	Which rehabilitation programmes (such as splinting, exercise regimen, physical therapy) are most effective in the management of elbow tendinopathies (e.g. tennis / golfer elbows)?
25 26 27 28	7	Does elbow tendinopathy (e.g. golfer's and tennis elbow) get better by itself?
29 30 1 31 3 2	8	Can elbow tendinopathies (e.g. tennis/golfer's elbows) be effectively self-managed?
33 34 35		s. 25 at A
36 37		Agence B
38 39 40		ibliogra
41 42 43		For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml
44		For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

BMJ Open

Elbow Conditions: Research Priorities Setting in Partnership with the James Lind Alliance

Journal:	BMJ Open
Manuscript ID	bmjopen-2022-062177.R1
Article Type:	Original research
Date Submitted by the Author:	14-Oct-2022
Complete List of Authors:	Singh, Harvinder pal; Leicester General Hospital; University of Leicester Chong, Han; Leicester General Hospital Raval, Parag; Leicester General Hospital Divall, Pip; University Hospitals of Leicester NHS Trust Rangan, Amar; The James Cook University Hospital, Trauma and Orthopaedics; University of York, Department of Health Sciences Bateman, Marcus; University Hospitals of Derby and Burton NHS Foundation Trust, Derby Shoulder Unit Watts, Adam; Wrightington Wigan and Leigh Teaching Hospitals NHS Foundation Trust Phadnis, Joideep; Brighton and Sussex University Hospitals NHS Trust Trauma and Orthopaedics Majed, Addie; Royal National Orthopaedic Hospital NHS Trust Jones, Valerie; Sheffield Teaching Hospitals NHS Foundation Trust Pandey, Radhakant; Leicester General Hospital Gower, Jonathan; James Lind Alliance Gwilym, Steve; University of Oxford Nuffield Department of Orthopaedics Rheumatology and Musculoskeletal Sciences Peach, Chris; Manchester University NHS Foundation Trust
Primary Subject Heading :	Surgery
Secondary Subject Heading:	Research methods
Keywords:	Elbow & shoulder < ORTHOPAEDIC & TRAUMA SURGERY, QUALITATIVE RESEARCH, Trauma management < ORTHOPAEDIC & TRAUMA SURGERY

SCHOLARONE™ Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our licence.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which Creative Commons licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

James Lind Alliance

Authors

Harvinder Pal Singh¹,

Han Hong Chong¹,

Parag Raval¹,

Pip Divall²,

Amar Rangan³,

Marcus Bateman⁴,

Adam Watts⁵,

Joideep Phadnis⁶,

Addie Majed⁷,

Val Jones⁸,

Radhakant Pandey¹,

Jonathan Gower⁹,

Steve Gwilym¹⁰,

Chris Peach¹¹

Affiliations

- Trauma & Orthopaedic Surgery, University Hospitals of Leicester NHS Trust, Leicester, LE1
 WW, UK
- 2. Clinical Librarian, University Hospitals of Leicester NHS Trust, Leicester, LE1 5WW, UK
- 3. James Cook University Hospital, Middlesbrough, TS4 3BW, UK
- 4. University Hospitals of Derby and Burton NHS Foundation Trust, Uttoxeter Road

 Derby, DE22 3NE, UK
- 5. Wrightington Hospital, Hall Lane, Appley Bridge, Wigan, Lancashire, WN6 9EP, UK
- 6. Brighton and Sussex University Hospitals NHS Trust, Building, Barry, Eastern Rd, Brighton BN2 5BE, UK
- 7. Royal National Orthopaedic Hospital, Brockley Hill, Stanmore HA7 4LP, UK
- 8. Sheffield Teaching Hospitals NHS Foundation Trust, Glossop Rd, Broomhall, Sheffield S10 2JF, UK
- 9. The James Lind Alliance National Institute for Health Research Evaluation, Trials and Studies Coordinating Centre University of Southampton Alpha House, Enterprise Road Southampton SO16 7NS, UK
- 10. Oxford University Hospitals NHS Trust, Headley Way, Headington, Oxford, OX3 9DU, UK
- 11. Manchester University NHS Foundation Trust, Oxford Road Manchester M13 9WL, UK

A/Prof Harvinder Pal Singh;

University Hospital of Leicester NHS Trust, Infirmary Square, Leicester LE1 5WW, United

Kingdom.

Email: hpsinghjk@gmail.com

Telephone 0044-116-2588112

Fax 0044-116-2588111

Key Terms:

Elbow Joint, Clinical Research, Trauma management, Research Priorities, Partnership

Word count: 3287

Objective: To undertake a UK based James Lind Alliance (JLA) Priority Setting Partnership for elbow conditions and be representative of the views of patients, carers, and healthcare professionals (HCP) Setting: This was a national collaborative study organised through the British Elbow and Shoulder Society (BESS).

Participants: Adult patients, carers and HCPs who have managed or experienced elbow conditions, their carers and HCPs in the UK involved in managing of elbow conditions.

Methods: The rigorous JLA priority setting methodology was followed. Electronic and paper scoping surveys were distributed to identify potential research priority questions (RPQs). Initial responses were reviewed and a literature search was performed to cross check categorised questions. Those questions already sufficiently answered were excluded and the remaining questions were ranked in a second survey according to priority for future elbow conditions research. Using the JLA methodology, responses from HCP and patients were combined to create a list of the top 18 questions. These were further reviewed in a dedicated multi-stakeholder workshop where the top 10 RPQs were agreed by consensus.

Results: The process was completed over 24 months. The initial survey resulted in 467 questions from 165 respondents (73% HCPs and 27% patients/carers). These questions were reviewed and combined into 46 summary topics comprising: tendinopathy, distal biceps pathology, arthritis, stiffness, trauma, arthroplasty, and cubital tunnel syndrome. The second (interim prioritisation) survey had 250 respondents (72% HCP and 28% patients/carers). The top 18 ranked questions from this survey were taken to the final workshop where a consensus was reached on the top 10 RPQs.

Conclusions: The top 10 RPQs highlight areas of importance that currently lack sufficient evidence to guide diagnosis, treatment and rehabilitation of elbow conditions. This collaborative process will guide researchers and funders regarding the topics that should receive most future attention and benefit patients and HCPs.

- Use of established and transparent methods for conducting research priorities surveys using James Lind Alliance methodology.
- The process and study have produced the top 10 research treatment uncertainties in relation to surgery for common elbow problems.
- Survey responses were received from across the UK and from a range of patients and healthcare providers.
- The SARS-CoV-2 pandemic limited the use of patients and volunteers for face to face meetings to gather responses.

BACKGROUND

 Elbow Conditions encompass a wide range of pathologies including trauma and its sequalae, tendinopathy, arthritis, sports injuries and nerve compression disorders (1). The primary role of the elbow is to position the hand in space in order to facilitate all activities whether they involve reaching or are performed close to the body. Dysfunction of the elbow, particularly those pathologies that restrict motion and/or cause pain can result in significant functional restriction(2, 3). The most common Elbow Conditions include tendinopathies such as tennis elbow, golfers elbow, arthritis and cubital tunnel syndrome(1, 4). Research and innovation regarding the elbow has been neglected relative to conditions affecting other large joints, although in recent years there has been growing impetus to improve our understanding and treatment of Elbow Conditions.

The dearth of high quality evidence related to the optimal management of Elbow Conditions is in part due to small scale research focused on answering narrow questions posed by healthcare professionals, which may not always align with patients' priorities (5).

The James Lind Alliance (JLA) is an independent initiative hosted by the National Institute for Health Research (NIHR). Established in 2004 the JLA has an established method to identify priorities for future research through collaboration between patients, carers, and healthcare professionals working together as equals. In doing so the JLA priority settings partnerships (PSPs) provide a unique opportunity for members of the public to influence the national research agenda. Previous successful PSPs in a variety of fields have helped guide funders of research to support studies that have ultimately answered the questions important to both patients and health care professionals (6, 7). This article describes the process and results of this UK based Priority Setting Partnership for Elbow Conditions using the rigorous JLA priority setting methodology.

METHODS

The 'Elbow Conditions' PSP was conducted in accordance with the JLA guidelines(6). The preparation for the PSP began in November 2019 and was undertaken over a 24-month period (Table 1).

Table 1. Time frame of priority setting partnership (PSP).		
November 2019	Initial face-to-face meeting to determine the protocol and scope	
November 2013	of the PSP, and the terms of reference (TOR).	
November to December 2019	Regular videoconference to finalise protocol, scope, TOR and	
	initial survey design.	
January to August 2020	Initial survey distribution and promotion.	
August 2020	Videoconference to finalise total initial questions and agree on	
	themes and wording of summary questions.	

August 2020 to February 2021	Videoconference to finalise the phrasing of summary questions.	
ragast 2020 to restaury 2021	videocomercinee to initialise the philasing of summary questions.	
	Literature search to review potential 'answered' summary	
February to April 2021	Literature search to review potential answered summary	
,	questions. Design of interim survey agreed.	
April to August 2021	Interim prioritisation of summary questions.	
	Videoconference to finalise the top 18 questions to put forward	
August 2021		
	to the final workshop.	
November 2021	Final workshop and conclusion of 'Top 10' research priorities.	
40		

The process is summarised in Figure 1.

Steering Group and Partner Organisations

The first step of the PSP was to establish a Steering Group to direct the process. The Steering Group included a diverse range of stakeholders, including patients, carers, and HCPs. The HCPs comprised surgeons and physiotherapists from across the UK. Each member of the group had a connection to an elbow condition, either as someone with a lived experience of the condition or a professional who treated patients with Elbow conditions. The Steering Group information can be found on JLA website https://leicestershoulderunit.co.uk/elbow-psp/steering-group/.

An independent JLA adviser (JG) facilitated the PSP Steering Group with local administrative support. This was to ensure that each member had an equal opportunity to participate in discussion and decision-making, resulting in a fair and transparent process. The information specialists developed the surveys, managed data, conducted the analysis, and presented the findings in the form of an infographic and a report. The Steering Group oversaw and advised on each task. The PSP Steering

Group met in person for the first meeting, followed by a number of videoconferences during the Covid-19 pandemic. Before any decisions were made, a minimum number of patients (two) and clinical representatives (two) had to be present.

Definition of scope

Any potential questions about elbow conditions were considered in the scope of this PSP.

The Steering Group recognised the need to include both traumatic and chronic elbow conditions.

Hence this PSP covered the following conditions affecting the elbow: osteoarthritis, inflammatory arthritis, elbow stiffness, tendinopathy (including tennis elbow, golfers elbow, biceps and triceps tendinopathy), chronic elbow instability, ulnar nerve pathology, biceps tendon rupture, acute elbow fracture, dislocations and congenital elbow conditions. It was further agreed that both the surgical and non-surgical treatment of these conditions were within the scope of the PSP.

Acute fractures of the elbow were considered in previous JLA PSPs on "Research Priorities for the

Management of Broken Bones of the Upper Limb in People over 50" and "Complex Fractures", and the Steering Group agreed that these injuries would still be included in the present PSP given their potential for disability. The Steering Group initially felt that paediatric elbow injuries and congenital elbow problems should also be included in the PSP, despite acknowledgement that these may be included in other future PSPs.

Initial Survey Design and Dissemination

The Steering Group created a survey questionnaire in which patients, carers, and healthcare professionals were asked for their input on the topics that mattered most to them about elbow conditions.

The survey was created in both a paper (Appendix 1) and an online format using Online Surveys (previously Bristol Online Surveys)(8). The Steering Group agreed on the survey design and phrasing to ensure that it was user-friendly for the general public and that it did not bias responses. Basic

The primary survey question was:

 What questions about elbow conditions would you like to be answered by research?
 Using the Steering Group's collective expertise and resources, the survey was advertised and publicised through multiple channels.

While the survey was live, responses were tracked, and additional promotion was targeted at any under-represented stakeholder groups to ensure balanced and representative distribution of responses. The following are a few examples of public relations and promotional activities:

- A dedicated social media account (Twitter, Facebook) called 'Elbow PSP' was created to promote the survey.
- The survey was promoted by individual members of the Steering Group via emails to professional networks, social media, and 'word of mouth'.
- Professionally designed JLA posters were created for mounting in outpatient clinics setting.
- Relevant organisations were contacted to bring the survey to the attention of their
 members. These included specialty organisations (e.g. Royal College of General Practice,
 Royal College of Emergency Medicine, British Society for Rheumatology, BESS, The Faculty of
 Sport and Exercise Medicine), patient bodies (e.g. Arthritis UK, Patient UK), and sports
 organisations (e.g. Tennis UK, Golf Organisations UK)

Collection of Questions and Classifying Research Suggestions

The survey began on January 1, 2020 and ended on August 15, 2020. The initial survey responses were gathered and recorded in their raw form. The Steering Group agreed on a classification system based on elbow conditions and, when applicable, a subcategory of topic (surgical, non-surgical, rehabilitation, investigation, or general). Two information specialists (PR and HHC) classified the

Creation of Summary Questions

The information specialists combined the list of classified questions into a set of "summary questions" which reflected the original submissions and were broader in scope than any of the original survey questions.

These were decided upon by consensus to include all the individual questions from the initial survey and were worded to be easily understandable by the general public without a medical background. This was carried out with input from the patient members of the Steering Group. For example, 'What are the long-term outcomes of conservative management strategies for golfers and tennis elbow in terms of seeking further treatments/surgery and cost effectiveness?' and 'Do we have strong evidence about the best treatment for elbow tendinopathies?' were both included under the summary question, 'What is the effectiveness of surgery for elbow tendinopathies (e.g. tennis/golfer's elbows) compared to nonsurgical management?'.

Literature Review

Following the formulation of the summary questions, the existing literature was examined to see whether any of the questions had been addressed previously. According to JLA guidelines, a question is considered unanswered if either 1) no recent (within the past 3 years) reliable systematic reviews of research evidence addressing the question exist; or 2) up-to-date systematic reviews of research evidence show that uncertainty still persists(6, 7). The Steering Group agreed to increase the timeframe from 'past 3 years' to 'past 5 years' due to paucity of literature on elbow conditions. Literature searches were conducted by one of the information specialists (PD) and her clinical librarian team. For published systematic reviews relevant to each summary question, the following databases were searched: MEDLINE, EMBASE, CINAHL, Cochrane central database, Cochrane Library,

and NICE Guidelines. Two other information specialists (PR and HHC) verified the summary questions against the relevant systematic reviews to make sure the uncertainty had not been addressed previously by systematic review or existing guidelines.

Interim Prioritisation

With the remaining unanswered summary questions, an interim prioritisation survey was produced following the evidence-checking step. From the summary questions, respondents were asked to choose the ten most important questions from their perspective. This survey was available for 5 months in either online or print version (April to August 2021). It was promoted via similar channels as the first survey.

After compiling all the responses, they were scored according to a template devised by the JLA. The summary questions were ranked according to the number of times they had been picked in two separate groups: 1) responses from healthcare professionals and 2) responses from the patients / carers. The information specialists combined the 13 most highly ranked questions from each group which resulted in 18 final questions (because of overlap between the groups) that the Steering Group agreed upon, for presentation in the final workshop.

Final Workshop: Deciding the 'Top Ten' Priorities

For a one-day virtual meeting, healthcare professionals, patients, and carers came together to determine the final 'Top 10' research questions for elbow conditions. Participants were recruited through the Steering Group invitation, social media, outpatient clinics, and respondents who participated in the first and interim surveys. Places were assigned on a first-come, first-served basis, with efforts made to guarantee a similar number of participants (the patients, healthcare professionals) and also to get a range of demographics, conditions, HCP specialties.

The videoconference workshop took place on November 24, 2021. To reach consensus on the final 'Top Ten' priorities, the workshop used a modified nominal group methodology. Stakeholders were split into four groups, with equivalent proportions of healthcare professionals and patient/carers. With the help of the JLA facilitators, each group explored the 18 questions within their group and ranked them in order of priority by consensus. The rankings from the four groups were then combined and presented back to the workshop participants. Participants were then reassigned to new groups, preserving a similar balance, and the combined rankings from the first session were discussed and ranked again. The rankings from each of the four groups were then combined again to produce a final ranked order (from 1 to 18) which was presented to the whole group. The 'Top Ten' priorities were highlighted and participants were given the opportunity to comment on the order which had been reached through this consensus-building process.

Dissemination of Results

The Steering Group discussed and decided on the PSP's dissemination strategy, which will primarily consist of the publication of this report. It will be distributed to funding and research agenda-setting organisations, such as the National Institute for Health Research (NIHR), as well as partner organisations. The findings will be presented at speciality conferences and on social media. It will also be made available to the public via the JLA website.

Patient and public involvement

Patient and public involvement was a core part of the study. The Steering Group lay members included those with lived experience of Elbow Conditions. Both the initial survey and the interim prioritisation survey were answered by the public, the majority of whom had lived experience of elbow conditions. Participants at the final prioritisation workshop included equal proportions of lay members (Elbow conditions) and HCPs.

RESULTS

Initial Survey

During the initial survey, 165 people contributed 467 original questions. Most of the respondents (85%) were between the ages of 30 and 69, with a male predominance (88, 56%). One hundred and eighteen respondents (71%) were healthcare professionals, 40 (24%) were patients with elbow conditions, and four (3%) were family members, friends or carers. 3 (2%) respondents did not specify their background. Sixty-seven (41%) suffered from elbow conditions, the majority of whom were between the ages of 30-49 (52%). In this cohort, 39 (58%) were patients, 1 (1%) was carer and 27 (42%) were healthcare professionals. Figure 2 depicts the distribution of participants by age, gender, and background.

Classification

Twenty-one responses were subsequently excluded from the list after agreement among the Steering Group, leaving 446 responses classified as shown in Figure 3. Reasons for exclusion were 'duplication' (13 responses), 'unclear suggestion' (2 responses), 'out-of-scope' (1 response), and 'no discernible questions' (5 responses).

Summary Questions and Literature Reviews

The Steering Group agreed on 46 summary questions under seven broad topics after analysing each of the initial questions: tendinopathy, biceps tendon pathology, arthritis, stiffness, trauma, arthroplasty, and cubital tunnel syndrome. All of the summary questions were determined to be of genuine uncertainty after the literature review.

Interim Prioritisation

A total of 250 people responded to the interim survey. Similar to the initial survey, the vast majority (87%) were between the ages of 30 and 69, with a male predominance (150, 60%). In comparison to patients, family, friends, or carers (65, 26%), the majority of responses (181, 72%) were healthcare professionals, with 4 (2%) respondents did not specify. Figure 2 illustrates a demographic summary. Using the described ranking method, top 8 ranked questions overlapped between healthcare professionals and the patients/carers and further top 5 questions were selected from both groups. In total, the top 18 questions were identified for the final workshop.

Final Workshop

The final workshop was attended by 19 healthcare professionals (including surgeons, rheumatologist, and allied health professionals) and 12 patients with elbow conditions or carers) (two patients were not able to attend). It was facilitated by four JLA representatives. The final 'Top Ten' Research priorities (See Table 2) was agreed and signed off by all stakeholder representatives. The full list of the top 18 priorities can be viewed in the Appendix 2.

Rank	Questions
1	What is the best treatment (surgery or conservative management) for elbow arthritis
	in young /active patients?
2	Which factors affect the outcome and longevity of elbow replacements?
3	What is the best rehabilitation programme for prevention of stiffness following elbov
	trauma or surgery?
4	What is the best treatment approach (surgery or without surgery) in management of
•	early or persistent elbow tendinopathies (such as tennis/golfer's elbow)?

Key Messages

In the top 10 priorities of elbow conditions, arthritis, tendinopathy, stiffness, and arthroplasty were the most frequently occurring themes, broadly encompassing management (surgery or non-surgical) and rehabilitation regimens. Within the top 18 priorities, tendinopathies continue to receive the most inquiries. The steering group believed that the priorities had been in line with the current, poor-quality evidence regarding elbow conditions through the JLA process and evidence checking. This PSP employs similar JLA methodology to earlier PSP conducted in this field, either on "complex fracture" (9) or "upper limb fracture" (10). This PSP's primary distinction is that it focuses on all elbow pathology, including paediatric cohort in elbow trauma. In comparison to Bretherton et al. (9) and Sheehan et al. (10), the "top ten" research priorities identified in this PSP were more "chronic" conditions (10).

 This study has a number of strengths. This is the first study to report national research priorities in elbow conditions in partnership with the JLA. By using the established JLA methodology we ensured a robust and transparent study with a fair and representative outcome. Patients and carers were actively involved at all stages of the process, from the initial scoping survey to the final workshop, to ensure that the patient voice was clearly captured and remained at the centre of our efforts alongside the views of health professionals.

For transparency all recorded responses have been logged and available for review in the supplementary material. The formulation of summary questions was performed with discussion and agreement of all stakeholders and each stage involved all Steering Group members' input ensuring robust and fair consensus. This also aided to ensure that interpretations were consistent and not misrepresented. Responses have been submitted from widely across the UK, and we are therefore confident that this work represents a national viewpoint.

The study does have some limitations. Firstly, the PSP was impacted by the Covid-19 pandemic and as highlighted by another PSP(9), which encountered similar issues, this impacted heavily on any face-to-face aspects of the JLA methodology. Previous PSPs have often relied upon patients to disseminate surveys and Steering Group discussions were also to try to recruit from outpatient clinics, however both of which were impeded by the pandemic. This can partly explain why the responses were not quite split evenly amongst healthcare professional and non-healthcare responses as desired. However, to limit this bias, combining separate rankings from the two groups, through the JLA methodology, enabled this to be taken into account. The initial survey scoping responses were a little lower than would have been anticipated due to the impact of the Covid-19 pandemic however the number of scoping questions was sufficient and additionally the responses to the interim survey were much better and the number of responses depend on the condition. Use of

Implications and dissemination of this PSP

The results of the Top ten questions for elbow conditions are due to be presented at the annual national conferences in 2022. The Top Ten have also been circulated on a variety of social media platforms including Twitter, Facebook and Instagram as well as advertised on the PSP website and funding bodies' websites. They are also further now being disseminated through formal publication and reporting to funding and research agenda setting organisations such as the NIHR and the Medical Research Council, as well as the major research funding charities.

Our hope is that these research priority questions will help to direct and shape research in this area and provide clear and definitive answers to the Top 10 to help improve the care provided by health professionals to benefit patients suffering with elbow conditions.

Conclusion

Through this PSP we have successfully outlined the key research priorities for elbow conditions that are important for patients, carers, and health care professionals. This work should help guide the prioritisation, funding and future research for elbow conditions.

HS and CP made the application to the James Lind Alliance for the Elbow Conditions priority setting partnership. JG was appointed the JLA adviser to the PSP. HC, PD and PR reviewed and coded all submissions from the initial survey. All the Steering Group members (HS, HC, PR, PD, AR, MB, AW, JP, AM, VJ, RP, JG, SG and CP) contributed to the protocol design, production of both the initial survey and interim prioritisation survey, promotion and dissemination of surveys to partner organisations and formation of summary questions. HS, HC and PR drafted the manuscript. All authors reviewed and approved the final manuscript before submission.

Funding

The Elbow Conditions Priority Setting Partnership was funded by the British Orthopaedic Association (BOA) (Pump priming grant, Grant number N/A), British Elbow and Shoulder Surgeon (BESS) (Pump priming grant, Grant number N/A), and Leicester Shoulder Unit Charity (Grant number N/A.

Conflict of Interest

AR, AW, SG, CP, HS report NIHR grant for research in shoulder and elbow surgery not related to the present project, these grants are provided to their institutions. AR reports DePuy J&J Ltd Educational grant to institution unrelated to present article. AW reports consulting fees and honoraria from Medartis and Wright Medical/Stryker unrelated to this work. AW, AR, VJ, MB, CP, AM and SG are/were members of BESS council. All additional interests are outside the direct remit of the submitted work. All other authors declare no competing interests.

Ethics Approval

Not Applicable

Acknowledgments

We would like to thank all those involved including patients, carers and health care professionals in the Steering Group for taking the time and effort with this study. Additionally, we would like to thank the British Orthopaedic Association, British Elbow Shoulder Society and the Leicester Shoulder Unit Charity for their support and funding to be able to complete this study. We thank Michelle Wallis, Peter Tippett, Brenden Gardiner, Paul Rodgers, Margaret Hughes and Ann Heaton for being part of our PSP as patient representative. We thank Elaine James for coordinating the Elbow PSP including communication and minutes recording. We thank all those who participated in the initial survey, interim prioritisation survey and final prioritisation workshop.

Data are available upon reasonable request



FIGURES CAPTION

- **Figure 1:** Flowchart summarising the priority setting process for Elbow Conditions in line with James Lind Alliance methodology.
- Figure 2: Demographic background (Role, Gender, Age distribution) of survey respondents.
- Figure 3: Classification of research questions submitted during initial survey.

APPENDICES

Appendix 1: Initial Survey Questionnaires – Paper Forms.

Appendix 2: The Top 18 ranked questions from the interim survey.



REFERENCES

- 1. Kane SF, Lynch JH, Taylor JC. Evaluation of elbow pain in adults. Am Fam Physician. 2014;89(8):649-57.
- 2. Degen RM, Conti MS, Camp CL, Altchek DW, Dines JS, Werner BC. Epidemiology and Disease Burden of Lateral Epicondylitis in the USA: Analysis of 85,318 Patients. Hss j. 2018;14(1):9-14.
- 3. Wiggins AJ, Cancienne JM, Camp CL, Degen RM, Altchek DW, Dines JS, et al. Disease Burden of Medial Epicondylitis in the USA Is Increasing: An Analysis of 19,856 Patients From 2007 to 2014. Hss j. 2018;14(3):233-7.
- 4. Laratta J, Caldwell J-M, Lombardi J, Levine W, Ahmad C. Evaluation of common elbow pathologies: a focus on physical examination. The Physician and Sportsmedicine. 2017;45(2):184-90.
- 5. Sims SE, Miller K, Elfar JC, Hammert WC. Non-surgical treatment of lateral epicondylitis: a systematic review of randomized controlled trials. Hand (N Y). 2014;9(4):419-46.
- 6. James Lind Alliance Guidebook version 10 [Available from: https://www.jla.nihr.ac.uk/jla-guidebook/downloads/JLA-Guidebook-Version-10-March-2021.pdf.
- 7. James Lind Alliance website [Available from: https://www.jla.nihr.ac.uk/about-the-james-lind-alliance/.
- 8. Surveys O. Online Surveys (Formerly Bristol onlines surveys) 2018 [Available from: https://www.onlinesurveys.ac.uk.
- 9. Bretherton CP, Claireaux HA, Gower J, Martin S, Thornhill A, Johnson L, et al. Research priorities for the management of complex fractures: a UK priority setting partnership with the James Lind Alliance. BMJ Open. 2021;11(11):e057198.
- 10. Sheehan WJ, Williams MA, Paskins Z, et alResearch priorities for the management of broken bones of the upper limb in people over 50: a UK priority setting partnership with the James Lind AllianceBMJ Open 2019;9:e030028.

- •Formation of Steering Group
- Protocol and scope agreed

Stage 2: Initial Survey Design and Dissemination

Distribution of electronic and paper surveys

- •165 respondents 118 healthcare professionals, 40 patients, 4 family members/friends/carers, 3 unspecified.
- •467 uncertainties collected



Stage 3: Creation of Summary Questions

- •Thematic analysis by information specialist
- Meeting with the steering group
- •467 questions combined into 46 summary questions under 7 main themes.



Stage 4: Literature Review

- •MEDLINE, EMBASE, CINAHL, Cochrane central database, Cochrane Library, and NICE Guidelines.
- •Titles and abstracts reviewed by three information specialists
- •Relevant systematic reviews and guidelines assessed for relevance and quality
- •None deemed to fully answer the uncertainties.



Stage 5: Interim prioritisation

- •Distribution of electronic and paper surveys
- •Top 18 questions ranked by 250 respondents (181 healthcare professionals, 61 patients, 4 family/friends/carers, 4 unspecified)





Stage 6: Final workshop prioritisation


- •31 participants (19 healthcare professionals, 12 patients/carers)
- •Consensus reached on Top 10 priorities

Figure 1: Flowchart summarising the priority setting process for elbow conditions in line with James Lind Alliance methodology.

155x214mm (330 x 330 DPI)







Demographic background (Role, Gender, Age distribution) of survey respondents.

127x239mm (330 x 330 DPI)




Figure 3: Classification of research questions submitted during initial survey $152 x 88 mm \; (300 \; x \; 300 \; DPI)$

ABOUT YOU (optional)

1 It is important that we know a little bit about you so that we can ensure we have collected the views from a wide range of people with different experiences.

4 Do YOU have or have YOU had an Elbow problem? Yes
No

6If YES, at what age did your elbow problem start?

7□ <16 □ 16-29 □ 30-49 □ 50-69 □ 70+

8

9Which describes you?

1□ Patient

1□ Carer

1□ Family/ Friend

1□ Healthcare Professional, please specify

¹Āre you: □ Male □ Female □ Prefer to self describe □ Prefer not to 15ay?

¹**A**ge: □ <16 □ 16-29 □ 30-49 □ 50-69 □ 70+ □ Prefer not to say

 2 What is your post code, first 3 or 4 characters only \square \square \square ?

²What is your ethnicity?

2 White ☐ Asian/Asian British ☐ Black/Caribbean/Black British 2 Arab ☐ Mixed/multiple ethnic groups ☐ Prefer not to say

2Other ethnic group □ please describe ___

2§HANK YOU, please consider completing this survey. Please hand it 2back to a staff member or return to **James Lind Alliance PSP 3Goordinator**, **Elaine James**, **elaine.james@uhl-tr.nhs.uk** using the 3envelope provided.

If you require assistance completing this survey, please do not hesitate to contact us:

https://www.bess.org.uk/index.php/elbowJLA
@ElbowPSP

32 33

www.facebook.com/ElbowP\$P/ peer review only - http://bmjopen.bmj െ/വർ/aboutéguidelines.xhtml

elbowjla@leicester.ac.uk

ELBOW CONDITIONS



Can you help us decide the graph questions that should be answered by search?

Have you had or cared for some problems with their elbow that has bequired help from a healthcare professional? (a) Property of the professional? (a) Property of the professional?

Are you a <u>healthcare profession</u> in involved in the treating patients with elbow conditions?



Please complete the sections on the next page to suggest questions about treatment and recovery in elbow conditions that could be answered by research in the suture.

To find out more about this project visit https://www.bess.org.uk/index.pro/elbowJLA





Palathad afe ave?

We are a group of patients,

clinicians and researchers who want to help improve the care and •

quality of life of patients who suffer · healthcare professionals from elbow joint conditions/

disorders/ diseases. This is a collaboration between the improve care and recovery. British Elbow and Shoulder

Association, Leicester Shoulder Elbow Unit Charity and the James 11Lind Alliance.

Society, British Orthopaedic

13What are the elbow conditions? 14Examples of the elbow conditions 15include:

Elbow Osteoarthritis Inflammatory arthritis, Tendonitis (like Tennis Elbow,

Golfers Elbow), 20• Biceps or Triceps tendonitis

21. Elbow Stiffness, Ulnar Nerve Problems,

Chronic Elbow Instability, 24 Biceps tendon rupture 25 Congenital elbow conditions or

26 Elbow Fractures or Dislocations 27 Diagnosis referral pathways or 28 29 Long term outcomes

³⁹dentifiable from what you have told us).

Why do we need your help? We are asking:

· patients,

their carers/relatives and

about the questions they feel need answering the most, in order to

We want your views to guide future research and for you to have a voice in shaping the advances in the management of such elbow conditions for future generations.

What will we do with your survey results? We will collate your response with

everyone else's. We then ask patients, their relatives/carers and healthcare professionals to rank which of these they think are the most important research priorities. This enables those funding research to know which questions are the most important to be answered.

Want to contact us?

If you would like to take part in this project or would want further information, please email: elaine.james@uhl-tr.nhs.uk

BMJ Oศ Please write in the boxes be ข้าง questions you have about elbow conditions and/or what is important to you.

Questions may be about treatment, recovery, The way care was delivered, diagnostic pathways and long-term recovery.

What questions about elbow conผู้ผู้เอิทร would you like to be answered by research? ই টু ১

Please feel free to add as many questions a like.

Is there anything else you would like to tell us? (g. any personal experiences about elbow conditions that you would like to share)

ining, Al training, and similar technologies

³³YOU CAN COMPLETE THIS SURVEY ONLINE AT https://leicester.onlinesurveys.ac.uk/elbowpsp

By participating in this survey you give us, and partner organisations, permission to publish your answers for the Priority Setting Partnership, but the information you

give will be anonymised (so your name will not be published and you will not be published and yo

30

31

	Rank	Question BMJ Open BMJ Open Page 32 of 32
1 2 3	1	What is the best treatment (surgery or conservative manager to for elbow arthritis in young /active patients?
4	2	Which factors affect the outcome and longevity of elbow replacements?
7 3	3	What is the best rehabilitation programme for prevention of stiffiess following elbow trauma or surgery?
10 11 12 13	4	What is the best treatment approach (surgery or without surger) in management of early or persistent elbow tendinopathies (such as tennis/golfer's elbo
14 15 16 17	5	Comparing non-surgical treatments (such as medications, the property interventions, injections etc), which is most effective in elbow arthritis?
1 <mark>8</mark> 19 20	6	What is the outcome of surgery (including open or key-hole strip elbow arthritis?
21 22 23 24	7	What is the best treatment (including surgical and non-surgical) for non-arthritic elbow stiffness?
2 <mark>5</mark> 26	8	How to manage pain (early/persistent) in common elbow conglitions?
2 <mark>8</mark> 29 30	9	What and when is the best treatment option for distal biceps Fendon ruptures (surgical or non-surgical)?
31 32 33 4	10	What are the best pre and post-op rehabilitation regimens for total elbow replacements, including advice on long term physical restrictions?
35		$oldsymbol{Age}$

Pag	ge 33 of 32	BMJ Open BMJ Open Open-2
1 2		yright, ir
3 4 5 6	11	In patients with partial thickness distal biceps ruptures, does subject of non-surgical treatment lead to better outcomes?
7 8	12	What is the best way to manage a radial nerve injury following umeral fracture or surgery?
10 11 12	13	What are the non-surgical options for managing cubital tunne what is their effectiveness?
13 14 15 16	14	What is the role of non-surgical treatments (including medica before some surgical treatments)? The surgical treatments (including medica before surgical treatments)?
17 18 19 20	15	What is the effectiveness of surgery for elbow tendinopathies and it is the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbow tendinopathies are in the effectiveness of surgery for elbows tendinopathies are in the effectiveness of surgery for elbows tendinopathies are in the effectiveness of surgery for elbows tendinopathies are in the effectiveness of
21 22 23 24	16	Which rehabilitation programmes (such as splinting, exercise regimen, physical therapy) are most effective in the management of elbow tendinopathies (e.g. tennis / golfer elbows)?
25 26 27 28	17	Does elbow tendinopathy (e.g. golfer's and tennis elbow) get better by itself?
29 30 31 3 2	18	Can elbow tendinopathies (e.g. tennis/golfer's elbows) be effecប្តីvely self-managed?
33 34 35		s. 25 at A
36 37		Agence B
38 39 40		bliogram
41 42 43		For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml
44 45		To peer review only maps, singopenion, site, about, galactines, site in