

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<u>http://bmjopen.bmj.com</u>).

If you have any questions on BMJ Open's open peer review process please email <u>info.bmjopen@bmj.com</u>

# **BMJ Open**

# Forecasting Colorectal Cancer Trends in Young Patients: Eleven Years of Experience at the Indonesian National Referral Hospital

| Journal:                         | BMJ Open                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manuscript ID                    | bmjopen-2022-060839                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Article Type:                    | Original research                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Date Submitted by the<br>Author: | 05-Jan-2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Complete List of Authors:        | Rahadiani, Nur; Universitas Indonesia, Anatomical Pathology; Rumah<br>Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo, Anatomical<br>Pathology<br>Habiburrahman, Muhammad; Universitas Indonesia; Rumah Sakit Umum<br>Pusat Nasional Dr Cipto Mangunkusumo<br>Abdullah, Murdani ; Universitas Indonesia, Internal Medicine; Rumah<br>Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo, Internal Medicine<br>Jeo, Wifanto Saditya; Universitas Indonesia, Surgery; Rumah Sakit<br>Umum Pusat Nasional Dr Cipto Mangunkusumo, Surgery<br>Stephanie, Marini; Universitas Indonesia, Anatomical Pathology; Rumah<br>Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo, Anatomical<br>Pathology<br>Handjari, Diah Rini ; Universitas Indonesia, Anatomical Pathology;<br>Rumah Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo, Anatomical<br>Pathology<br>Handjari, Diah Rini ; Universitas Indonesia, Anatomical Pathology;<br>Rumah Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo,<br>Anatomical Pathology<br>Krisnuhoni, Ening; Universitas Indonesia, Anatomical Pathology; Rumah<br>Sakit Umum Pusat Nasional Dr Cipto Mangunkusumo,<br>Anatomical Pathology |
| Keywords:                        | PATHOLOGY, ONCOLOGY, Gastrointestinal tumours < ONCOLOGY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# SCHOLARONE<sup>™</sup> Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies

# Forecasting Colorectal Cancer Trends in Young Patients: Eleven Years of Experience at the Indonesian National Referral Hospital

# Nur Rahadiani<sup>1\*</sup>, Muhammad Habiburrahman<sup>2</sup>, Murdani Abdullah<sup>3,4</sup>, Wifanto Saditya Jeo<sup>5,4</sup>, Marini Stephanie<sup>1</sup>, Diah Rini Handjari<sup>1</sup>, Ening Krisnuhoni<sup>1</sup>

<sup>1.</sup> Division of Gastrointestinal and Hepatobilliary Pathology, Department of Anatomical Pathology, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo National Referral Hospital, Jakarta, Indonesia

<sup>2</sup> Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo National Referral Hospital, Jakarta, Indonesia

<sup>3.</sup> Division of Gastroenterology, Department of Internal Medicine, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo National Referral Hospital, Jakarta, Indonesia

- <sup>4</sup> Human Cancer Research Center, IMERI, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo National Referral Hospital, Jakarta, Indonesia
- <sup>5.</sup> Division of Digestive Surgery, Department of Surgery, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo National Referral Hospital, Jakarta, Indonesia

Corresponding author: nur.rahadiani@ui.ac.id

Running Title: Trends of Colorectal Cancer in Indonesian Patients

#### Abstract

**Objective:** To obtain a trend analysis of CRC and provide a better understanding of clinicopathological and histopathological characteristics in Indonesian patients from a single center.

**Methods**: An 11-year retrospective cross-sectional study was conducted on 433 patients with colorectal cancer (CRC). Trend analyses were done using Joinpoint regression and the regression predictive fit model. The patient's characteristic data were calculated using Chi-Square and nonparametric tests in SPSS.

**Results**: The mean age of patients was 55.04 $\pm$ 13.4, the male: female ratio was 1.22:1, and 33.3% of these patients were <50 y.o. The left colon and the rectum were the most commonly affected sites, and most cases had tumor size  $\geq$ 5 cm. Exophytic tumor, adenocarcinoma, good differentiation, pT3, pN0, inadequately dissected nodes, LNR1, M0, negative lymphovascular invasion (LVI), and absence of perineural invasion (PNI) were the most common pathologic features. Most patients had an early CRC stage. Significant differences between young and old patients are observed only in the histological subtypes, LNR and PNI.

**Conclusions:** Epidemiological trends of CRC cases in Indonesian patients are increasing, and young-age CRC is more worrisome in clinicopathological features. The annual percentage change (APC) of CRC incidence increased significantly both in young and elderly patients (16.08% vs. 9.85%); in the colon and rectum only. Forecasts for the next five years using fit-model regression analysis found a significantly high number of patients, particularly in the colon.

**Keywords:** clinicopathological characteristics, colorectal cancer, histopathological characteristics, Indonesia, retrospective analysis, young onset, trend analysis.

#### Strengths and limitations of this study

- This study is the first report of CRC cases with long span coverage time from the country.
- This study provides a trend analysis and forecasting model of CRC in Indonesia.
- Data originated from single institution of national referral hospital.

#### Introduction

Gastrointestinal cancers are one of the most reported cancers in the world. Colorectal cancer (CRC) is the fourth most common cancer globally, and its incidence is rising, especially in developing nations.<sup>1</sup> CRCs are usually diagnosed through an endoscopic biopsy or polypectomy. Microscopic

#### **BMJ** Open

examination is used to search for invasions. In the new era of personalized medicine, the role of anatomical pathologists has been dramatically expanding. Their role is no longer limited to providing histopathologic diagnosis but also assessing staging, margins, and prognostic parameters that can only be made available by microscopic examinations such as tumor grade, lymphovascular invasion (LVI), and perineural invasion (PNI). Further research about the pathological characteristic of CRC is essential for treatment approaches and policymaking.

Moreover, recent longitudinal studies have reported increased incidences of CRC in young populations below the age of 50 years worldwide, especially in high-income countries<sup>2,3</sup> and changing trends in CRC epidemiology in terms of clinical profile, histopathological profile, prognosis, and therapeutic approach.<sup>4</sup> In 2030, more than 1 in 10 colon cancer and nearly 1 in 4 rectal cancer cases are projected to be diagnosed in this age group for whom routine screening is currently not recommended.<sup>5</sup> This phenomenon is presumably due to rapid changes in lifestyle and diet and genetic alterations in high-risk people. A study in the United States concluded that CRC incidence in younger patients (20-40 years) increased by 17%. Similar trends have been observed in several Asian countries, including China, Japan, India, and South Korea, where a steep increase in young-onset CRC has been reported.<sup>2,6</sup> Being a critical issue in Asia, where the incidence of colorectal cancer is abundant in its Eastern part, CRC needs a better epidemiology perspective from another part of Asia, i.e., its southeastern part, especially Indonesia. Furthermore, in the population below 50 years, CRC shows a rising incidence and appears to display a more aggressive phenotype with unique genetic profiles, critical differences in somatic gene mutations, and gene methylation.<sup>7</sup>

However, to our knowledge, no previous comprehensive study on CRC clinical and histopathological characteristics and trend analysis of CRC in Indonesia as a Southeast Asian country has been published. Furthermore, distinct molecular carcinogenesis of CRC is discovered in Indonesia, as mentioned in a previous study.<sup>8</sup> These reasons support us to conduct a study to delineate the circumstances of CRC trend between 2009-2019 in young adults, defined as adults below 50 years old, compared to elderly populations for colon, rectal, and colorectal location. We also aimed to present a better view of clinicopathological and histopathological characteristics of CRC in Indonesian patients.

#### **Materials and Methods**

This retrospective cross-sectional study was conducted at the Dr. Cipto Mangunkusumo Hospital, Jakarta, to analyze colorectal cancer data from 2009-2019 using anatomical pathology archives and hospital medical records. Ethical approval (KET-139/UN2.F1/ETIK/PPM.00.02/2020, protocol number: 10-11-1416) was obtained from our institution. Data from 2020 were not included to avoid bias due to the COVID-19 pandemic impact in which CRC patient numbers coming to the hospital decreased. Patients who had a diagnosis of CRC based on ICD-O topography and morphology were included in the study. Patients with incomplete medical records were excluded. Age, sex, primary site, proximal and distal site of colorectal tumor, side involvement, size, and metastasis were recorded from the hospital medical records.<sup>9</sup> Young age was defined as under 50 years old, agreeing with previous studies.<sup>10</sup> The pathology specimens for each patient were examined under the microscope by two independent pathologists who recorded the histopathology characteristics that consisted of pathological tumor staging, histological subtypes, growth pattern, tumor grade, LVI, and PNI. We evaluated the number of dissected lymph nodes (LNs) in agreement with cancer studies and WHO guidelines, with a minimum of 12 LNs taken for each case.<sup>11-13</sup> Along with LNs, we also calculated the lymph node ratio (LNR) as the number of positive LNs divided by the total number of LNs examined. This parameter was introduced as a significant predictor of

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

survival in other malignancies and then classified the LNRs into subgroups according to the following quartiles: <0.05 (LNR1), 0.05-0.20 (LNR2), 0.20-0.40 (LNR3), and 0.40-1.00 (LNR4).<sup>14</sup>

The tumor site was defined as the location where the primary tumor originated. Right-sided tumors originate from the caecum, ascending colon, and hepatic flexure. Meanwhile, left-sided tumors originate from the transverse colon, spleen flexure, descending colon, sigmoid colon, and rectum. Proximal CRC originated from the caecum, ascending, and transverse colon. Meanwhile, distal CRC primarily occurs in the descending colon, sigmoid colon, and rectum.<sup>9</sup> Tumor size was defined as the largest dimension of three-dimensional tumors, classified into two groups: <5 cm and  $\geq$ 5 cm. Metastasis was defined as distant metastasis confirmed by radiography or pathology diagnostic procedure. Pathological staging was based on the World Health Organization (WHO) guideline and AJCC 8th Edition.<sup>12,13</sup> Based on subtypes, a tumor was classified into adenocarcinoma not otherwise specified (NOS), mucinous adenocarcinoma, and signet-ring cell carcinoma variant. Advanced stage tumors are tumors with pT3-T4-stage or pTNM staging III-IV. The tumor growth pattern was classified into exophytic, endophytic, ulcerative, and linitis plastica.<sup>15</sup> Tumor grade was classified as well-differentiated, moderate, and poorly differentiated, according to a WHO classification based on the percentage of gland formation in the tumor mass.<sup>12</sup> LVI and PNI were defined as the occurrence of each parameter in at least one slide of the pathology specimen sample.<sup>16</sup>

Data were then recorded and processed using SPSS v.25.0 statistical software with Chi-Square and its alternative test (Fisher's exact test, Kruskal-Wallis, and Mann-Whitney. Analysis was performed for the young and the old patient's group for clinicopathological and histopathological characteristics. Incidence trends were quantified using Joinpoint regression (version 4.9.0.0; National Cancer Institute).<sup>17</sup> We also performed linear and non-linear regression generating models to predict the increasing trend of colorectal cancer cases in the next five years, then assessed their significance slope using the ANOVA test. P-value <0.05 with a 95% confidence interval (CI) for probability was considered significant.

#### Patient and public involvement

It was not appropriate or possible to involve patients or the public in the design, or conduct, or reporting, or dissemination plans of our research.

#### Results

Age groups in **Table 1** demonstrated that the highest proportion of CRC was in 51-60 y.o, the mean age was  $55.04 \pm 13.4$  y.o, with females younger than males. The mean age of the young population was surprisingly very young ( $39.65 \pm 6.87$  y.o). The proportion of young patients in these centers reached 33.26% (n=144) of the total incidence (n=433). In our center, rectal and colon cancer were similar in number (50.3% vs. 49.7%), and the left-sided tumor was still the highest in proportion (82.9%). Among colon cancer, the sigmoid is the most prevalent location. Most tumor sizes were equal to more than 5 cm (61%), with brown color being dominant. Assessing distant metastasis, around 4.2% of the cases developed metastasis.

| Characteristics          | Mean ± SD or Ratio    | Young | (<50 y.o) | Old (2 | ≥50 y.o)<br>-290) | Total            |       | p-value              |
|--------------------------|-----------------------|-------|-----------|--------|-------------------|------------------|-------|----------------------|
|                          |                       | n     | 144)<br>% | (n=    | -289)<br>%        | $\frac{(n=)}{N}$ | 403)  | -                    |
| Age Grouns               | $55.04 \pm 13.4$ v.o  |       | 70        |        | 70                | 1                | 70    | N/A                  |
| 11-20                    | 00.01 = 10.1 J.0      |       |           |        |                   | 1                | 0.2   |                      |
| 21-30                    |                       |       |           |        |                   | 13               | 3.0   |                      |
| 31-40                    |                       |       |           |        |                   | 55               | 12.7  |                      |
| 41-50                    |                       |       |           |        |                   | 86               | 19.9  |                      |
| 51-60                    |                       |       |           |        |                   | 117              | 27.0  |                      |
| 61-70                    |                       |       |           |        |                   | 110              | 25.4  |                      |
| 71-80                    |                       |       |           |        |                   | 43               | 9.9   |                      |
| 81-90                    |                       |       |           |        |                   | 7                | 1.6   |                      |
| 91-100                   |                       |       |           |        |                   | 1                | 0.2   |                      |
| Male                     | $56.09 \pm 13.57$ y.o |       |           |        |                   |                  |       |                      |
| Female                   | $53.75 \pm 13.09$ y.o |       |           |        |                   |                  |       |                      |
| Young patients           | $39.65 \pm 6.87$ y.o  |       |           |        |                   |                  |       |                      |
| Old patients             | 62.71 ± 8.25 y.o      |       |           |        |                   |                  |       |                      |
| Sex                      |                       |       |           |        |                   |                  |       | 0.659ª               |
| Male                     |                       | 77    | 53.5      | 161    | 55.7              | 238              | 55.0  |                      |
| Female                   |                       | 67    | 46.5      | 128    | 44.3              | 195              | 45.0  |                      |
| Male:Female              | 1.22:1                |       |           |        |                   |                  |       |                      |
| Tumor locations          |                       |       |           |        |                   |                  |       | 0.610 <sup>a</sup>   |
| Colon                    |                       | 69    | 47.9      | 146    | 50.5              | 215              | 49.7  |                      |
| Rectal                   |                       | 75    | 52.1      | 143    | 49.5              | 218              | 50.3  |                      |
| Side involvement         |                       |       |           |        |                   |                  |       | 0.916 <sup>a</sup>   |
| Right                    |                       | 25    | 17.4      | 49     | 17.0              | 74               | 17.1  |                      |
| Left                     |                       | 119   | 82.6      | 240    | 83.0              | 359              | 82.9  |                      |
| Tumor subsites           |                       |       |           |        |                   |                  |       | 0.189 <sup>a</sup> * |
| Proximal large intestine |                       | 37    | 25.7      | 66     | 22.9              | 103              | 23.8  |                      |
| Caecum                   |                       | 7     | 4.9       | 15     | 5.2               | 22               | 5.1   |                      |
| Ascending colon          |                       | 17    | 11.8      | 32     | 11.1              | 49               | 11.3  |                      |
| Transverse colon         |                       | 13    | 9.0       | 19     | 6.6               | 32               | 7.4   |                      |
| Distal large intestine   |                       | 107   | 74.3      | 223    | 77.2              | 330              | 76.2  |                      |
| Descending colon         |                       | 13    | 9.0       | 15     | 5.2               | 28               | 6.5   |                      |
| Sigmoid                  |                       | 19    | 13.2      | 65     | 22.5              | 84               | 19.4  |                      |
| Rectum                   |                       | 75    | 52.1      | 143    | 49.5              | 218              | 50.3  |                      |
| Tumor size               | $5.97 \pm 3.02$ cm    | - 0   |           |        |                   |                  | • • • | 0.559ª               |
| <5 cm                    |                       | 59    | 41.0      | 110    | 38.1              | 169              | 39.0  |                      |
| $\geq$ 5 cm              | 1                     | 85    | 59.0      | 179    | 61.9              | 264              | 61.0  |                      |
| Smallest size            | 1 cm                  |       |           |        |                   |                  |       |                      |
| Largest size             | 18 cm                 |       |           |        |                   |                  |       | 0.110-               |
| Mo                       |                       | 120   | 05.9      | 265    | 01.7              | 102              | 02.1  | 0.110 <sup>a</sup>   |
| MU                       |                       | 158   | 95.8      | 265    | 91./              | 403              | 95.1  |                      |
| MII<br>»Chi C            |                       | 6     | 4.2       | 24     | 8.3               | 30               | 0.9   |                      |
| <sup>a</sup> Chi-Square  |                       |       |           |        |                   |                  |       |                      |

| <b>Table 1.</b> Childepathological Characteristics of Tullior Detween Toung and Old Fatien |
|--------------------------------------------------------------------------------------------|
|--------------------------------------------------------------------------------------------|

\*significant value for all tumor subsites

As described in Table 2., the appearance of most tumors shows exophytic lesions (83.1%), were of non-specific types (85.2%), are well-differentiated (67.7%), with pathological tumor staging pT3 (66.5%), have inadequate LN dissection (56.4%), with lymph node ratio staging LNR1 (57.5%), tumor stage IIA (34.2%), of an early stage (55.2%), with the absence of LVI (61.7%), and PNI (88.7%). Comparing the two groups, we found no differences in the proportion of clinicopathological and histopathological characteristics between young and old patients except in histological subtypes, adequacy of LN sampling, and PNI. Adenocarcinoma NOS is most prevalent in elderly patients, while the mucinous variant dominates in the young population (p < 0.05). Older adults are more likely to get inadequate LN dissection than young patients (p<0.01). A higher proportion of PNI was seen in the younger patients compared to elderly ones (p<0.001).

| Characteristics            | Mean ± SD       | Young (<50 y.o) |              | Old (≥50 y.o) |      | Total |      | p-value |  |
|----------------------------|-----------------|-----------------|--------------|---------------|------|-------|------|---------|--|
|                            |                 | (n=1            | 44)          | (n=           | 289) | (n=   | 403) |         |  |
|                            |                 | n               | %            | n             | %    | n     | %    |         |  |
| Growth pattern             |                 |                 |              |               |      |       |      | 0.413ª  |  |
| Exophytic                  |                 | 120             | 83.3         | 240           | 83   | 360   | 83.1 |         |  |
| Endophytic                 |                 | 15              | 10.4         | 21            | 7.3  | 36    | 8.3  |         |  |
| Ulcerative                 |                 | 8               | 5.6          | 22            | 7.6  | 30    | 6.9  |         |  |
| Linitis Plastica           |                 | 1               | 0.7          | 6             | 2.1  | 7     | 1.6  |         |  |
| Histological subtypes      |                 |                 |              |               |      |       |      | 0.043   |  |
| Adenocarcinoma NOS         |                 | 115             | 79.9         | 254           | 87.9 | 369   | 85.2 |         |  |
| Mucinous                   |                 | 19.4            | 19.4         | 35            | 12.1 | 63    | 14.5 |         |  |
| Signet-Ring Cell           |                 | 0.7             | 0.7          | 0             | 0.0  | 1     | 0.2  |         |  |
| Tumor grade                |                 |                 |              |               |      |       |      | 0.591   |  |
| Well-differentiated        |                 | 97              | 67.4         | 196           | 67.8 | 293   | 67.7 |         |  |
| Moderately differentiated  |                 | 31              | 21.5         | 69            | 23.9 | 100   | 23.1 |         |  |
| Poorly differentiated      |                 | 16              | 11.1         | 24            | 8.3  | 40    | 9.2  |         |  |
| Pathological tumor size    | $\mathbf{n}$    |                 |              |               |      |       |      | 0.895   |  |
| pT1                        |                 | 3               | 2.1          | 8             | 2.8  | 11    | 2.5  |         |  |
| pT2                        |                 | 22              | 15.3         | 44            | 15.2 | 66    | 15.2 |         |  |
| pT3                        |                 | 94              | 65.3         | 194           | 67.1 | 288   | 66.5 |         |  |
| pT4                        |                 | 25              | 17.4         | 14.9          | 14.9 | 68    | 15.7 |         |  |
| Pathological node status   |                 | 6               |              |               |      |       |      | 0.734   |  |
| pN0                        |                 | 80              | 55.6         | 168           | 58.1 | 248   | 57.3 |         |  |
| pN1a                       |                 | 18              | 12.5         | 42            | 14.5 | 60    | 13.9 |         |  |
| pN1b                       |                 | 18              | 12.5         | 34            | 11.8 | 52    | 12.0 |         |  |
| pN2a                       |                 | 18              | 12.5         | 33            | 11.4 | 51    | 11.8 |         |  |
| pN2b                       |                 | 10              | 10.0         | 12            | 4.2  | 22    | 5.1  |         |  |
| Adequacy of dissected node |                 |                 |              |               |      |       |      |         |  |
| LN total positive          | 667             |                 |              |               |      |       |      |         |  |
| LN total dissected         | 4.313           |                 |              |               |      |       |      |         |  |
| Mean LN positive           | $1.54 \pm 2.73$ |                 |              |               |      |       |      |         |  |
| Mean LN dissected          | $9.96 \pm 5.46$ |                 |              |               |      |       |      |         |  |
| Inadequate (<12)           |                 | 67              | 46.5         | 177           | 61.2 | 244   | 56.4 | 0.004   |  |
| Adequate $(\geq 12)$       |                 | 77              | 53.5         | 112           | 38.8 | 189   | 43.6 |         |  |
| Lymph node ratio (LNR)     | $0.18 \pm 0.29$ |                 |              |               |      |       |      | 0.967   |  |
| LNR1 (<0.05)               |                 | 81              | 56.3         | 168           | 58.1 | 249   | 57.5 |         |  |
| LNR2 (0.05-0.20)           |                 | 21              | 14.6         | 38            | 13.1 | 59    | 13.6 |         |  |
| LNR3 (0.20-0.40)           |                 | 15              | 10.4         | 28            | 9.7  | 43    | 9.9  |         |  |
| LNR4 (≥0.40)               |                 | 27              | 18.8         | 55            | 19.0 | 82    | 18.9 |         |  |
| Staging                    |                 |                 |              |               |      |       |      | 0.431   |  |
| I                          |                 | 19              | 13.2         | 41            | 14.2 | 60    | 13.9 |         |  |
| IIA                        |                 | 48              | 33.3         | 100           | 34.6 | 148   | 34.2 |         |  |
| IIB                        |                 | 12              | 8.3          | 19            | 6.6  | 31    | 7.2  |         |  |
| IIIA                       |                 | 6               | 4.2          | 10            | 3.5  | 16    | 3.7  |         |  |
| IIIB                       |                 | 39              | 27.1         | 83            | 28.7 | 122   | 28.2 |         |  |
| IIIC                       |                 | 15              | 10.4         | 16            | 5.5  | 31    | 7.2  |         |  |
| IV                         |                 | 5               | 3.5          | 20            | 6.9  | 25    | 5.8  |         |  |
| Degree of Staging          |                 | ~               | 2.0          |               | 0.7  |       | 2.0  | 0.921   |  |
| Early stage (I-II)         |                 | 79              | 54 9         | 160           | 554  | 239   | 55.2 | 0.721   |  |
| Advanced stage (III_IV)    |                 | 65              | 45.1         | 129           | 44 6 | 194   | 44.8 |         |  |
| I vmnhovescular invesion   |                 | 00              | 10.1         | 12)           | 11.0 | 174   | 11.0 | 0.314   |  |
| Negative                   |                 | 81              | 58 3         | 183           | 62.2 | 267   | 617  | 0.914   |  |
| Positive                   |                 | 60<br>60        | 30.3<br>41 7 | 105           | 367  | 166   | 38.2 |         |  |
| 1 0511110                  |                 | 00              | 71./         | 100           | 50.7 | 100   | 50.5 |         |  |

| Table 2  | . Histopathologic | al Characteristics | s of Tumor Between | Young and  | <b>Old Patients</b> |
|----------|-------------------|--------------------|--------------------|------------|---------------------|
| I abit 2 | • mstopathologic  |                    | bor runnor Detween | i oung and | Old I allonic       |

### BMJ Open

| Negative | 114 | 79.2 | 270 | 93.4 | 384 | 88.7 |  |
|----------|-----|------|-----|------|-----|------|--|
| Positive | 30  | 20.8 | 19  | 6.6  | 49  | 11.3 |  |
|          |     |      |     | 1.02 |     |      |  |

<sup>a</sup>Kruskal-Wallis; <sup>b</sup>Chi-Square; Percentage of total column; NOS, nonspecific

Figure 1 pictured histopathological findings of our CRC cases, and the descriptive proportions of them are presented in Tables 1 and 2.

#### <Figure 1>

This study employed an observational, analytic design with a cross-sectional method analyzing eleven years of data in a tertiary health care center. We analyzed the trend of CRC cases based on age and tumor sites in Indonesian patients. Furthermore, we generated a predictive model of CRC and compared clinicopathological and histopathological characteristics between young and old adult patients when diagnosed.

An analysis of CRC cases in **Figure 2** showed a significant (p<0.05) increase of annual percentage changes (APC) in the last eleven years in CRC for all patients, as well as all sub-populations (young and old patients) related to the anatomical location of the tumor (colon, rectum, and colon plus rectum). The CRC incidence also increased following the fit model of regression as demonstrated in **Figure 3**, and the subsequent five-year number cases can be predicted using specific predicted case equation formula.

#### < Figure 2>

#### <Figure 3>

#### Discussion

CRC incidence is considered a "new emerging public threat" as the incidence rates reach high proportions. Nevertheless, the epidemiology of CRC is not comprehensively discussed in the Indonesian population. Thus, the present study will holistically analyze an epidemiology-based pathology of 433 CRC cases recorded in Cipto Mangunkusumo Hospital, the national referral health center in Indonesia, between 2009 and 2019.

# 1. Clinicopathological and Histopathological Features Analysis of CRC

#### 1.1. Tumor Subsites

A prospective multinational colonoscopy survey in Asia found that more patients had distal neoplasms than proximal neoplasm (45.2% vs. 39.3%).<sup>18</sup> This fact is corroborated in our result (distal vs. proximal tumor site = 76.2% vs. 24.8%). Interestingly, highlighting the proportion, there is a tendency of proximalization of colon cancer in young patients compared to old patients in our study (25.7% vs. 22.9%). This is not similar to findings of a Korean study, which found a higher proximal location in the older populations.<sup>19</sup> In the majority of patients, tumors occurred within the rectum. Rectal predominance was seen in both age groups, as previously mentioned in a study from India.<sup>20</sup>

# 1.2. Tumor Size

In this present study, two-thirds of patients are found with tumor size  $\geq 5$  cm, even with the largest size of 18 cm. Although some authors believe that tumor size does not affect prognosis, others believe that tumor size partially influences prognosis. <sup>21,22</sup> Increasing tumor size is associated with decreased loco-regional control resulting in the increased risk of its malignant potential.<sup>23</sup> Bigger tumors are more likely to be more profoundly invasive and invade neighboring organs. Rectal tumor size may also influence the risk of lateral pelvic nodal metastases in low rectal cancer.<sup>24</sup>

Local recurrence was significantly higher in patients having tumors measuring  $\geq 5$  cm in size, having poorly differentiated adenocarcinoma, having pathological T4 stage, and receiving adjuvant RT. Moreover, the 5-year overall survival rates in the patients having tumors measuring  $\geq 5$  cm in size (71.20%) were lower than in sizes < 5 cm (82.60%), respectively (log-rank, P = 0.001).<sup>25</sup>

# 1.3. Growth Pattern

Gross morphology varies, influenced by the growth phase at the time of diagnosis and the location in the large intestine. Small colorectal carcinomas grossly resemble adenomas in the early phase. In advanced carcinomas, the following growth patterns exist: Polypoid or exophytic with predominantly intraluminal growth, ulcerative or endophytic with predominantly intramural growth, and diffusely infiltrating (linitis plastica), which is characterized by a distinct desmoplastic reaction resulting in a rigid and thickened wall of the large intestine. Carcinomas can involve only part of or the whole circumference of the large intestine, resulting in annular or circular proliferation and causing constriction of the lumen.<sup>15</sup>

According to our findings, the proportion of growth patterns was (from highest to lowest) exophytic in both age groups, followed by endophytic, linitis plastica, and ulcerative. These findings agree with a previous study in Thailand, which found fungating and polyp mass (exophytic) was higher than ulcerative mass.<sup>26</sup> Our study demonstrated that a more common growth pattern is exophytic or polypoid (85.2%), higher in the elderly than young adults (87.9% vs. 79.9%). Ulcerative and linitis plastica were scarce in number, which is favorable since both growth modes entail a worse prognosis. The presence of an infiltrative growth pattern (linitis plastica) suggests de novo origin. De novo carcinogenesis, defined as the development of a tumor from normal (or intact) colonic mucosa, without the intervening step of an adenoma, has been a matter of discussion for decades, and has been associated with specific molecular characteristics, such as a reduced proportion of KRAS mutation.<sup>27</sup>

Clinically, de novo tumors may represent a more aggressive (quickly growing at an early stage) subtype of CRC. These results require more awareness and persistence in the colonoscopic detection of non-polypoid lesions (particularly in the proximal segment), more intensive surveillance of colonoscopically treated cases, and surgical treatment for selected patients. The tendency for worse behavior of non-polypoid lesions, as suggested by their increasing incidence with poorer disease progression and higher aggressiveness, may necessitate adequate readjustments in the diagnosis, treatment, and surveillance of these cases.<sup>27</sup>

# 1.4. Histological Subtypes

Most of the histological subtypes in our patients were adenocarcinoma NOS without mucin (85.2%), similar to the previous study 84%.<sup>28</sup> Our results showed that in younger patients, the proportion of adenocarcinoma NOS is lesser than older (79.9% vs. 87.9%, respectively) in agreement with a previous study by Chan et al. (84% vs. 92%, respectively)<sup>28</sup> and Gheju et al. (86.7% vs. 84.7%, respectively).<sup>29</sup> Mucinous histological variant was significantly higher in the younger than in the old (19.4% vs. 12.1%). Meanwhile, signet-ring cell was only observed in young patients.

Signet-ring cell carcinoma globally accounts for 0.6-1.0% of all CRC cases. Our patient who has signet-ring cell has these characteristics: only one lesion (0.4%): the average age of 48 years old, female sex, location in the caecum, right-sided, size 5.5 cm, brown color surface, exophytic, LNR 5/13 (adequate), pT3N2aM0 (IIIB), negative LVI, negative PNI, and a tumor grading of poor differentiation. In Romania, only patients with signet-ring cell carcinoma were found.<sup>29</sup>

Mucinous and signet-ring cell adenocarcinoma histological subtypes are generally considered poor prognostic factors. They also are more resistant to chemotherapy.<sup>30</sup> These subtypes were also more frequent in younger patients.<sup>31</sup>

Mucinous and signet-ring cell adenocarcinomas are associated with microsatellite instability (MSI), sporadic and hereditary nonpolyposis syndrome, and CRC with high degrees of methylation (CIMP).<sup>32,33</sup> The literature stated that mucinous histopathology was a significant predictor of poor outcome and more advanced node stage.<sup>20</sup>

Signet-ring cancers have intracellular mucin pushing the nucleus to one side and are associated with a more advanced stage at diagnosis, higher incidence of LVI, LNM, and liver metastases, as well as a higher rate of recurrence. It has been reported that it has different molecular pathways, which may explain its aggressiveness.<sup>34,35</sup>

Subsites analysis revealed that signet-ring morphology was significantly more prevalent in the caecum, similar to the previous study.<sup>30</sup> Mucinous adenocarcinoma is more often found in the ascending colon, and adenocarcinoma NOS has a higher proportion in the rectum. These findings were corroborated by Loree et al., who also reported characteristics of tumor grade that differed by tumor subsites and referred to distinct mechanisms of oncogenesis between LSCRC and RSCC.<sup>36</sup>

#### 1.5. Tumor Grade

In both groups of age, most tumors were well-differentiated, similar to a previous study in India.<sup>20</sup> These results were different from a previous study by Chan et al.<sup>28</sup>, which found that both age groups were mostly with cases of moderately differentiated tumor. In our study, poorly differentiated CRC was seen more frequently in younger patients (11.1% vs. 8.3%), highlighting the aggressiveness of tumor biology at a young age. In young patients with colorectal cancer, survival has been reported to be poorer compared with older patients.<sup>37</sup>

Some studies report poor prognosis in young adults diagnosed with CRC referred to poor differentiation along with signet-ring cell or mucinous adenocarcinoma in their histological subtypes.<sup>38,39</sup> However, despite significant results in histological subtypes, we found no significant difference in tumor grade in our patients.

#### 1.6. Adequacy of Dissected Node

In our study, the average LN dissected was  $9.96 \pm 5.46$ , lower than in a previous study from Romania (35.7 LN removed), indicating that ideal sampling was complex in our institution.<sup>29</sup> The average number of positive LN per patient was  $1.54 \pm 2.73$ , which was lower than a previous study in Romania (3.7 (1-62)).<sup>29</sup> Thus, the interpretation becomes very complex because the number of LNs positive for tumor were lower in number, and there are more cases with inadequately removed LNs than in the Romanian study.<sup>29</sup> Thus, there is a high probability of LNs which have not been taken and could be positive for cancer spread. This will have a further impact on the staging of patients. It is well known that, although only 36-41% of hospitals are routinely meeting the recommended minimal sampling of 12 nodes, hospitals have improved their LN counts in these decades. Increasing the sampled LN leads to increased accuracy in node status and determination of the appropriate therapy for patients.<sup>40</sup> Moreover,

in a recent Dutch nationwide study,<sup>41</sup> the authors found that with an increasing number of evaluated nodes, the risk of death is decreased, related to a better quality of surgical resection (yielding more LN for the pathologist to assess).

The average number of LN dissected is inadequate in this study, and there are significant differences between the two age groups. In the younger patients, the adequacy number is higher than in the older population, showing a favorable finding in our young patients in Indonesia. In the present study, elderly patients are more likely to receive inadequate lymph node dissection during operative therapy (p<0.001), similar to a previous study due to elderly patients being at a higher surgical risk for various postoperative complications along with their comorbid diseases, possibly making surgeons considering the risks and benefits of a more thorough LN dissection.<sup>42</sup>

The number of LN dissected from resection specimens depends on several factors, including the surgeon's technique, bowel resection length, and tumor location. We observed the factors of tumor location. We found that ascending colon became the location with the highest number of LNs taken reflected that it is the most accessible area to remove LN. This is followed by the descending colon, transverse colon, caecum, sigmoid, and rectum. The rectum seems to be an area with the most difficulty removing all LN. These findings also have been observed in a previous study.<sup>43</sup>

The literature asserted that more LN is usually obtained from RSCC than LSCRC, and the lowest number is from rectal cancers.<sup>44</sup> The reasons for this difference are still not fully understood. Anatomical reasons indicate that more numerous intermediate nodes can be found in and around the ileocecal region than in the mid-, left, and sigmoid colon. This may partially explain higher LN yield in right-sided hemicolectomy specimens than in left-sided colon resection specimens. In addition, difficulties in LN dissected from rectal resection specimens are addressed by Cawthorn et al.<sup>45</sup>, who found that LNM in the supra-levator part of the mesorectum may be challenging to identify by manual dissection.

# 1.7. Lymph Node Ratio

The scientific evidence for a minimum LN number of 12 is questionable, and the use of a more reasonable and practical LN number should be determined based on LNR, which is a ratio of the numbers of positive LN per dissected LN. However, it remains unclear how we should categorize patients based on the LNR, and future prospective studies are needed to define the cut-off values that allow for optimal separation between subgroups. In our patient, the best match for our LNR grouping is using four groups and cut-off values as such: <0.05 (LNR1), 0.05-0.20 (LNR2), 0.20-0.40 (LNR3), and 0.40-1.00 (LNR4).

Our average LNR in this study was  $18 \pm 2.9\%$  lower than a previous study in Romania (22.1% (1.39-100%)),<sup>29</sup> consistent with our adequacy results, which were more inadequate but with less positive LN possibly resulting in a lower class for LNR.

LNR provides stronger and superior prognostic power than the number of positive nodes alone. A meta-analysis confirmed that higher LNR is statistically significantly associated with poor survival of CRC.<sup>46</sup> It is recommended to include LNR as a prognostic parameter in future colorectal staging systems. It is important to note that the extent of dissection would influence the LNR.

# 1.8. Lymphovascular Invasion

Another adverse impacting prognostic feature, lymphovascular invasion (LVI), was detected less frequently in our study (38.3%) compared to a previous report by Elsamany et al.<sup>47</sup> However, the proportion of positive LVI was higher in the young population compared to the elderly (41.7% vs. 36.7%). These findings indicate that LVI is an important histopathological feature to assess in young patients.

### **1.9. Perineural Invasion**

We found a tiny proportion of positive perineural invasion (PNI) in all patients (11.3%) than in the study Elsamany et al.<sup>47</sup> (24.4%). However, we found a higher proportion of PNI in the young population (20.8%) than the elderly (6.6%), similar to a study by Zahir et al.<sup>48</sup> showing that 22% of young patients with CRC had positive PNI.

The presence of perineural invasion is associated with a higher rate of metastatic disease, recurrence, and reduced survival. Several studies have increasingly recognized it as a notable independent prognostic factor in the CRC multivariate analysis.<sup>49</sup>

# 2. Trend Analysis of CRC

In this present study, the colorectal, colon, and rectal cancer APC for all patients were +11.81%, +10.80%, and 13.58%, respectively. When compared with the WHO prediction for Indonesia, the increase of colorectal cancer was tremendous and will be higher than in the current period, +17.7% overall, +18.1% of colon cancer and +17.3% of rectal cancer in both sex during 2020-2025.<sup>50</sup> The trend of CRC in Indonesian patients has not been demonstrated previously. Our trend results were higher than the previous study for early-onset CRC incidence rates, which increased from 1998 to 2007 in Arizona.<sup>51</sup> Due to scarce documentation, we only obtained sporadic studies about CRC in Indonesia. In South Sulawesi,<sup>52</sup> 466 cases of CRC were observed in the period 2013-2015; in Jakarta<sup>53</sup> 317 colon cancer and 504 rectal cancer cases were reported from a single center between 2008-2012; in South Sumatera<sup>54</sup> 105 cases were described during 2013-2016; in Bali<sup>55</sup> 275 samples were found in 2014-2016 with a young population percentage of 31.3%, similar to our study. In the last few decades, the incidence of colorectal cancer has been increasing in Asia and many ASEAN countries, including Indonesia and Malaysia.<sup>56</sup> If this trend continues, the number of CRC cases may suddenly overwhelm the health care system. Thus, better health policy should be constructed by the government.

Moreover, we use an interesting technique to predict CRC trends by doing fit-model regression to predict colon and rectal cancer incidences. Overall, colon cancer cases fitted a quadratic prediction model, and the rectum had an S-shaped prediction model. In young adults, the colon cancer cases fitted a J-shaped prediction model; meanwhile, rectal cancer cases were predicted to have an S-curve. In the elderly, both colon and rectal cancer cases showed a quadratic model with a decreasing trend for rectal cancer.

#### 2.1. Case Analysis Based on Age Groups

The majority of CRC in other studies was diagnosed in the middle-aged and elderly population around 55 years,<sup>37</sup> similar to our study (55.04±13.4 y.o); the female age of majority was younger than the male, similar to a previous study conducted in Brunei Darussalam (59.3±14.6 y.o, female also younger than male).<sup>57</sup> The definition of "early-onset" CRC is arbitrary in the literature; we selected 50 years as the cut-off age due to this recommended time point for initial screening in most screening programs, which progressively entered use globally.<sup>10</sup> Early-onset CRC is more likely to occur sporadically in third world countries, rarer in a developed country, and hypothetically is a biologically and clinically distinct entity, accounting for its aggressive presentation and poorer survival.<sup>48,58,59</sup> We report an incidence of early-onset CRC of 144 out of 433 (33.26%) at our institution during the study period, which is substantially higher than what data in Western countries suggests. This is also higher than estimates from other Asian studies,<sup>28,60</sup> although comparable to India's.<sup>58</sup> The highest incidences of early-onset CRC may be in South

Asia, ranging from 38% to 52%.<sup>20,58</sup> This fact is due to their significant and increasing young population as a demographic bonus similar to what is being experienced by the Indonesian population.

1 2 3

4

5

6

7 8

9

10

11

12

13 14

15

16

17

18

19 20

21

22

23

24 25

26

27

28

29

30 31

32

33

34

35

36 37

38

39

40

41 42

43

44

45

46

47 48

49

50

51

52 53

54

55

60

The cause of increasing incidence in young-onset CRC in Indonesia and Asia has yet to be fully elucidated. We believe that early-onset CRC is multifactorial, and genetic mutations along with lifestyle changes are likely contributory.<sup>51</sup> Molecular profiles of Indonesians are found to progress in distinct pathways.<sup>8</sup> Our young Indonesian cases, mainly found in distal locations for CRC, are not in line with characteristics for hereditary CRC, primarily found in proximal sites. They also did not follow the conventional pathways of sporadic CRC (the CIN pathway). Instead, it is mixed with MSI and inflammatory pathways, including cyclooxygenase-2 (COX-2) and nucleus factor  $\kappa B$  (NF- $\kappa B$ ). Also, lower mutation rates of the pro-oncogene KRAS are found among young Indonesian patients.8 Sudoyo et al. studied five hospital-based reports (121 cases) in 2010 and obtained 56.5% of CRC cases positively staining for MSH2, and 16.5% positively staining for MLH1.<sup>61</sup> Another point of histopathological characteristic is that signet-ring cell carcinoma - an aggressive subtype of CRC that spreads rapidly and is characterized by late symptom manifestations - disproportionately affects young individuals.<sup>62</sup> A genomewide association analysis study for multiethnic Indonesians by Yusuf et al. characterized the relationship between variants in the SCL22A3, SCG5, GREM1, and STXBP5-AS1 genes for colorectal cancer in the diverse Indonesian population.<sup>63</sup> Thus, it is conceivable that intrinsic immunologic differences between young and old patients also interacts with age-related immunosenescence, T-cell dysregulation, and systemic inflammation.64

Moreover, complex epigenetic interactions due to emerging environmental and lifestyle risk factors are also related to these CRC cases. Early life encompasses periods of increased susceptibility to the deleterious effects of several risk factors due to their high cell division and turnover rates. Those factors are: (1) Smoking: a modifiable risk factor responsible for 8.4% of CRC incidence.<sup>57</sup> Smoking early in life may also play a part in the high incidence observed in young Indonesian people due to the frequency of daily smoking in young adults: 24.3% (95%CI: 24.1-24.4%).65 Smoking is associated with hypermethylation, microsatellite instability, and BRAF mutations in CRC carcinogenesis.<sup>66</sup> (2) The risk of CRC was also increased by alcohol consumption. It has been reported that both frequent and high amounts of alcohol consumption had positive associations with the risk of distal colon cancer in Korea.<sup>67</sup> A study from Japan indicated that alcohol consumption in males demonstrated a dose-response relationship with the risk of cancer in the distal colon and rectum but not in the proximal colon.<sup>68</sup> In Indonesia, the proportion of alcohol consumption in the Indonesian population aged more than ten years for males is 6.1% (95%CI: 6.0-6.2%), much higher than females: 0.4 (95%CI: 0.4-0.5%).<sup>65</sup> (3) A recent study of Asian also observed that obesity has a positive association with risk of colon cancer but not risk of rectal cancer in women and men.<sup>57</sup> This study reflected the condition in Indonesia, which obesity also showed high prevalence in the population over 18 years. Obesity is more prevalent in the women population: 29.3% (95CI: 29.1-29.6%) compared to men: 14.5% (95CI: 14.3-14.7%).<sup>69</sup> Obesity can promote cancer formation through metabolic abnormalities, hyperinsulinemia, systemic inflammation, and alteration of the gut microbiota.<sup>70</sup> (4) CRC increase in Indonesia also probably due to the acquisition of the Western lifestyle, referring to a dietary composition with more red and processed meat and less fruit and vegetable.<sup>71</sup> This lifestyle trend has been seen in Indonesian teenagers who consume inadequate amounts of protein, fruits, vegetables, and excessive amounts of sodium and fast food.<sup>72</sup> (5) Increasing obesity is approximately concurrent with reductions in physical activity levels.<sup>73</sup> A systematic review in Japanese found an inverse association between physical activity and CRC, and this association was stronger for colon than rectal cancer.<sup>74</sup> This fact agrees with a survey in Indonesia that found that 33.5%

#### **BMJ** Open

(95%CI: 33.3-33.8%) of the Indonesian population aged ten years and above lacked physical activity according to time, frequency, and MET standards.<sup>65</sup> (6) Another related risk factor is **early-life antibiotic use**. This risk factor is present in Indonesia's population, including high exposure to antibiotics during their lifetime. Due to frequent misuse, Indonesia is now a country with a high level of antibiotic resistance.<sup>75</sup> These early-life antibiotic exposures could disrupt the gut microbiota, alter the metabolic profile and lead to a higher risk of obesity in later life.<sup>76</sup>

Other potential explanations for the rising trends among Indonesia's young population are an unavoidable risk of several biases. This study would ensure more significant concern and provide better facilities for cancer detection than those available generally in the country. This may result in inflation of the prevalence results derived. In our home country, a CRC screening program has not been established well before the national health insurance era (before 2014), and recently it has improved.<sup>77</sup>

The impact of age is crucial due to their prognosis. The prognostic outcomes of young populations are inconsistent;<sup>44</sup> results suggest worse survival outcomes,<sup>31,38</sup> whereas others suggest equal prognosis between the two groups or better prognosis depending on staging reported (early or advanced).<sup>37,78</sup> Notably, more aggressive treatment to young patients has consistently been documented in the literature to result in improvements in general survival.<sup>73</sup>

#### 2.2. Case Analysis Based on Tumor Locations

Overall, in this present study, 49.7% of the patients had colon cancer, while the rest had presented with a diagnosis of rectal carcinoma. We found that rectal cancer tends to be more common in the young population (52%) compared to the elderly (49.5%). Equal prevalence of colon and rectal cancer in this study is also seen in countries that have historically "low risk" of CRC.<sup>59,79</sup>

The rectum becoming the most common site followed by the sigmoid colon is consistent with a previous study conducted in Saudi Arabia.<sup>80</sup> It should be noted that the increase in rectal cancer, especially in younger populations, may imply additional factors behind these changes. Certain lifestyle factors relevant to the young population have site-specific effects on colorectal carcinogeneses, such as processed meat consumption with rectal tumors compared to the most common etiology of the more proximal part of the colon caused by hereditary causes.<sup>81</sup>

#### Conclusions

Young-onset colorectal cancer was discovered with a worryingly rising incidence. It was characterized by early-stage and well-differentiated tumor at presentation, left-sided involvement, and several distinct histopathological features highlighted in young patients for predicting poor disease outcomes (i.e., LVI and LNR). Policies regarding particular screening protocols, educational activities, and lifestyle modifications customized to the Indonesian health infrastructure are urgently needed to deal with this challenging situation.

#### Acknowledgements

None

#### Contributors

NR, conceptualization, formal analysis and investigation, writing - original draft preparation, resources. MA, sample collection. WSJ, sample collection. MS, investigation. DRH, investigation. EK, investigation, methodology, supervision. All authors contributed to manuscript writing and reviewing.

**Funding** This research received no specific grant from any funding agency in the public, commercial or not-forprofit sectors.

# **Competing interests**

None declared.

# Patient consent for publication

Not applicable.

# **Ethics** approval

Ethical approval (KET-139/UN2.F1/ETIK/PPM.00.02/2020, protocol number: 10-11-1416) was obtained from Research Committee Faculty of Medicine Universitas Indonesia.

# Provenance and peer review

Not commissioned; externally peer reviewed.

# Data availability statement

All data relevant to the study are included in the article.

# References

- Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin. 2018 Nov;68(6):394–424.
- 2. Siegel RL, Torre LA, Soerjomataram I, Hayes RB, Bray F, Weber TK, et al. Global patterns and trends in colorectal cancer incidence in young adults. Gut. 2019 Dec;68(12):2179–85.
- 3. Araghi M, Soerjomataram I, Bardot A, Ferlay J, Cabasag CJ, Morrison DS, et al. Changes in colorectal cancer incidence in seven high-income countries: a population-based study. lancet Gastroenterol Hepatol. 2019 Jul;4(7):511–8.
- 4. Guastadisegni C, Colafranceschi M, Ottini L, Dogliotti E. Microsatellite instability as a marker of prognosis and response to therapy: A meta-analysis of colorectal cancer survival data. Eur J Cancer. 2010 Oct;46(15):2788–98.
- 5. Bailey CE, Hu C-Y, You YN, Bednarski BK, Rodriguez-Bigas MA, Skibber JM, et al. Increasing disparities in the age-related incidences of colon and rectal cancers in the United States, 1975-2010. JAMA Surg. 2015 Jan;150(1):17–22.
- 6. Sung JJY, Chiu HM, Jung KW, Jun JK, Sekiguchi M, Matsuda T, et al. Increasing Trend in Young-Onset Colorectal Cancer in Asia: More Cancers in Men and More Rectal Cancers. Am J Gastroenterol. 2019;114(2):322–9.
- 7. Chang DT, Pai RK, Rybicki LA, Dimaio MA, Limaye M, Jayachandran P, et al. Clinicopathologic and molecular features of sporadic early-onset colorectal adenocarcinoma: an adenocarcinoma with frequent signet-ring cell differentiation, rectal and sigmoid involvement, and adverse morphologic features. Mod Pathol an Off J United States Can Acad Pathol Inc. 2012 Aug;25(8):1128–39.
- 8. Abdullah M, Sudoyo AW, Utomo AR, Fauzi A, Rani AA. Molecular profile of colorectal cancer in Indonesia: Is there another pathway? Gastroenterol Hepatol from Bed to Bench. 2012;5(2):71–8.
- Lin JS, Piper MA, Perdue LA, Rutter C, Webber EM, O'Connor E, et al. Screening for Colorectal Cancer: A Systematic Review for the U.S. Preventive Services Task Force. Evid Synth no 135 [Internet]. 2016;(135):239p. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27441328
- 10. Mueller M, Schneider MA, Deplazes B, Cabalzar-Wondberg D, Rickenbacher A, Turina M. Colorectal

| 1        |     |                                                                                                                                                                             |
|----------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2        |     |                                                                                                                                                                             |
| 3        |     | cancer of the young displays distinct features of aggressive tumor biology: A single-center cohort study.                                                                   |
| 4        |     | World J Gastrointest Surg. 2021;13(2):164–75.                                                                                                                               |
| 5        | 11. | Baxter NN, Virnig DJ, Rothenberger DA, Morris AM, Jessurun J, Virnig BA. Lymph node evaluation in                                                                           |
| 6        |     | colorectal cancer patients: A population-based study. J Natl Cancer Inst. 2005;97(3):219–25.                                                                                |
| 7        | 12. | WHO. WHO Classification of Tumours: Digestive System Tumours. 5th ed. WHO Classification of                                                                                 |
| 8        |     | Tumours Editorial Board, editor. Classification of Tumours. Geneva, Switzerland: World Health                                                                               |
| 9        | 12  | Organization; 2019. 1-53/p.                                                                                                                                                 |
| 10       | 15. | Anni MD, Euge S, Oleene F, Bylu DK, Blookland KK, Washington MK, et al. AJCC Cancel Staging<br>Manual [Internet] 8th ed New Vork: Springer: 2017 252 254 p. Available from: |
| 11       |     | https://www.springer.com/gp/book/0783310406176                                                                                                                              |
| 12       | 14  | Akagi V Adachi V Kinugasa T Oka V Mizohe T Shirouzu K Lymph node evaluation and survival in                                                                                 |
| 13       | 17. | colorectal cancer. Review of population-based prospective studies. Anticancer Res. 2013;33(7):2839–48                                                                       |
| 14       | 15. | Wittekind C. Oberschmid B. Colorectal Cancer Pathology. In: Schwab M. editor. Encyclopedia of Cancer                                                                        |
| 15       |     | [Internet]. 11th ed. Berlin, Heidelberg: Springer; 2017. p. 925. Available from: https://doi.org/10.1007/978-                                                               |
| 17       |     | 3-642-16483-5_6772                                                                                                                                                          |
| 18       | 16. | Carneiro F, Chan JK, Cheung N-YA, Cree IA, Fitzgibbons PL, Gasson S, editors. WHO Classification of                                                                         |
| 10       |     | Tumors: Digestive System Tumors. 5th ed. France: International Agency for Research on Cancer; 2019. 635                                                                     |
| 20       |     | p.                                                                                                                                                                          |
| 20       | 17. | National Cancer Institute. Statistical Research and Applications Branch Joinpoint Trend Analysis Software                                                                   |
| 22       |     | [Internet]. Surveillance Research Program. 2021 [cited 2021 Jun 9]. Available from:                                                                                         |
| 23       | 10  | https://surveillance.cancer.gov/joinpoint/                                                                                                                                  |
| 24       | 18. | Byeon J-S, Yang S-K, Kim I II, Kim WH, Lau JYW, Leung W-K, et al. Colorectal neoplasm in                                                                                    |
| 25       |     | asymptomatic Asians: a prospective multinational multicenter colonoscopy survey. Gastrointest Endosc.                                                                       |
| 26       | 10  | Lee S.V. Song WH. Ob SC. Min B.W. Lee S. II. Anatomical distribution and detection rate of colorectal                                                                       |
| 27       | 19. | neonlasms according to age in the colonoscopic screening of a Korean nonulation. Ann Surg Treat Res                                                                         |
| 28       |     | [Internet] 2018:94(1):36–43 Available from http://europepmc.org/abstract/MED/29333424                                                                                       |
| 29       | 20. | Sudarshan V. Hussain N. Gahine R. Mourva J. Colorectal cancer in young adults in a tertiary care hospital                                                                   |
| 30       |     | in Chhattisgarh, Raipur. Indian J Cancer. 2013;50(4):337–40.                                                                                                                |
| 31       | 21. | Compton CC, Fielding LP, Burgart LJ, Conley B, Cooper HS, Hamilton SR, et al. Prognostic factors in                                                                         |
| 32       |     | colorectal cancer. College of American Pathologists Consensus Statement 1999. Arch Pathol Lab Med.                                                                          |
| 33       |     | 2000 Jul;124(7):979–94.                                                                                                                                                     |
| 34       | 22. | Compton C, Fenoglio-Preiser CM, Pettigrew N, Fielding LP. American Joint Committee on Cancer                                                                                |
| 35       |     | Prognostic Factors Consensus Conference: Colorectal Working Group. Cancer. 2000 Apr;88(7):1739–57.                                                                          |
| 36       | 23. | Ruiz-Tovar J, Jiménez-Miramón J, Valle A, Limones M. Endoscopic resection as unique treatment for early                                                                     |
| 37       | 24  | colorectal cancer. Rev Esp entermedades Dig organo Of la Soc Esp Patol Dig. 2010 Jul;102(7):435–41.                                                                         |
| 38       | 24. | Wu Z-Y, Wan J, Li J-H, Zhao G, Yao Y, Du J-L, et al. Prognostic value of lateral lymph node metastasis for                                                                  |
| 39       | 25  | advanced low rectal cancer. world J Gastroenterol. 2007 Dec;13(43):6048-52.                                                                                                 |
| 40       | 25. | a prognostic variable in rectal adenocarcinoma. I Cancer. 2017;8(10):1927-34                                                                                                |
| 41       | 26  | Phinhatpatthamaamphan K Vilaichone RK Colorectal cancer in the central region of Thailand Asian                                                                             |
| 42       | -0. | Pacific J Cancer Prev. 2016:17(7):3647–50.                                                                                                                                  |
| 43       | 27. | PAPAGIORGIS PC, ZIZI AE, TSELENI S, OIKONOMAKIS IN, NIKITEAS NI. Clinicopathological                                                                                        |
| 44       |     | differences of colorectal cancers according to tumor origin: Identification of possibly de novo lesions.                                                                    |
| 45       |     | Biomed Reports. 2013;1(1):97–104.                                                                                                                                           |
| 46       | 28. | Chan KK, Dassanayake B, Deen R, Wickramarachchi RE, Kumarage SK, Samita S, et al. Young patients                                                                            |
| 47       |     | with colorectal cancer have poor survival in the first twenty months after operation and predictable survival                                                               |
| 48       |     | in the medium and long-term: Analysis of survival and prognostic markers. World J Surg Oncol. 2010;8:1-                                                                     |
| 49<br>50 | 20  |                                                                                                                                                                             |
| 51       | 29. | Gneju A, Jurescu A, Taban S, Al-Jobory D, Lazar F, Dema A. Different disease characteristics in young                                                                       |
| 52       |     | patients with conditional cancel, a large retrospective study in a city in Komania. J Int Med Res. 2021;49(5):030006052110166                                               |
| 53       | 30  | Zuz1, +7(3). 030000032110100.<br>Kocián P. Svohodová I. Kreičí D. Blaha M. Gürlich R. Dušek I. et al. Is colorectal cancer a more aggressive.                               |
| 54       | 50. | disease in young natients? A nonulation-based study from the Czech Republic Cancer Enidemiol [Internet]                                                                     |
| 55       |     | 2019:63(September):101621. Available from: https://doi.org/10.1016/i canep 2019 101621                                                                                      |
| 56       | 31. | Chou C-L, Tseng C-J, Shiue Y-L. The impact of young age on the prognosis for colorectal cancer: a                                                                           |
| 57       |     |                                                                                                                                                                             |
| 58       |     |                                                                                                                                                                             |
| 59       |     | 11                                                                                                                                                                          |
| 60       |     | For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml                                                                                                   |

population-based study in Taiwan. Jpn J Clin Oncol. 2017 Nov;47(11):1010-8.

- 32. Marzouk O, Schofield J. Review of histopathological and molecular prognostic features in colorectal cancer. Cancers (Basel). 2011;3(2):2767–810.
- 33. Kakar S, Smyrk TC. Signet-ring cell carcinoma of the colorectum: correlations between microsatellite instability, clinicopathologic features and survival. Mod Pathol an Off J United States Can Acad Pathol Inc. 2005 Feb;18(2):244–9.
- 34. Chew M-H, Yeo S-AE, Ng Z-P, Lim K-H, Koh P-K, Ng K-H, et al. Critical analysis of mucin and signetring cell as prognostic factors in an Asian population of 2,764 sporadic colorectal cancers. Int J Colorectal Dis. 2010 Oct;25(10):1221–9.
- 35. Börger ME, Gosens MJEM, Jeuken JWM, van Kempen LCLT, van de Velde CJH, van Krieken JHJM, et al. Signet-ring cell differentiation in mucinous colorectal carcinoma. J Pathol. 2007 Jul;212(3):278–86.
- 36. Loree JM, Pereira AAL, Lam M, Willauer AN, Raghav K, Dasari A, et al. Classifying Colorectal Cancer by Tumor Location Rather than Sidedness Highlights a Continuum in Mutation Profiles and Consensus Molecular Subtypes. Clin cancer Res an Off J Am Assoc Cancer Res. 2018 Mar;24(5):1062–72.
- 37. O'Connell JB, Maggard MA, Liu JH, Etzioni DA, Livingston EH, Ko CY. Do young colon cancer patients have worse outcomes? World J Surg. 2004 Jun;28(6):558–62.
- 38. Lieu CH, Renfro LA, de Gramont A, Meyers JP, Maughan TS, Seymour MT, et al. Association of age with survival in patients with metastatic colorectal cancer: analysis from the ARCAD Clinical Trials Program. J Clin Oncol Off J Am Soc Clin Oncol. 2014 Sep;32(27):2975–84.
- 39. Shida D, Ahiko Y, Tanabe T, Yoshida T, Tsukamoto S, Ochiai H, et al. Shorter survival in adolescent and young adult patients, compared to adult patients, with stage IV colorectal cancer in Japan. BMC Cancer. 2018;18(1):1–8.
- 40. Denham LJ, Kerstetter JC, Herrmann PC. The complexity of the count: Considerations regarding lymph node evaluation in colorectal carcinoma. J Gastrointest Oncol. 2012;3(4):342–52.
- 41. Elferink MAG, Siesling S, Visser O, Rutten HJ, van Krieken JHJM, Tollenaar RAEM, et al. Large variation between hospitals and pathology laboratories in lymph node evaluation in colon cancer and its impact on survival, a nationwide population-based study in the Netherlands. Ann Oncol Off J Eur Soc Med Oncol. 2011 Jan;22(1):110–7.
- 42. Dubecz A, Solymosi N, Schweigert M, Stadlhuber RJ, Peters JH, Ofner D, et al. Time trends and disparities in lymphadenectomy for gastrointestinal cancer in the United States: a population-based analysis of 326,243 patients. J Gastrointest Surg Off J Soc Surg Aliment Tract. 2013 Apr;17(4):611–9.
- 43. Shen SS, Haupt BX, Ro JY, Zhu J, Bailey HR, Schwartz MR. Number of lymph nodes examined and associated clinicopathologic factors in colorectal carcinoma. Arch Pathol Lab Med. 2009 May;133(5):781–6.
- 44. Canessa CE, Badía F, Fierro S, Fiol V, Háyek G. Anatomic study of the lymph nodes of the mesorectum. Dis Colon Rectum. 2001 Sep;44(9):1333–6.
- 45. Cawthorn SJ, Gibbs NM, Marks CG. Clearance technique for the detection of lymph nodes in colorectal cancer. Br J Surg. 1986 Jan;73(1):58–60.
- 46. Zhang MR, Xie TH, Chi JL, Li Y, Yang L, Yu YY, et al. Prognostic role of the lymph node ratio in node positive colorectal cancer: A meta-analysis. Oncotarget. 2016;7(45):72898–907.
- 47. Elsamany SA, Alzahrani AS, Mohamed MM, Elmorsy SA, Zekri JE, Al-Shehri AS, et al. Clinicopathological patterns and survival outcome of colorectal cancer in young patients: Western Saudi Arabia experience. Asian Pacific J Cancer Prev. 2014;15(13):5239–43.
- 48. Zahir MN, Mahpara E, Rafiq S, Ghias K, Shabbir-Moosajee M. Clinical features and outcome of sporadic colorectal carcinoma in young adults: A single center, cross sectional analysis. J Clin Oncol. 2013;31(15\_suppl):e14680–e14680.
- 49. Bentzen SM, Balslev I, Pedersen M, Teglbjaerg PS, Hanberg-Sørensen F, Bone J, et al. Time to locoregional recurrence after resection of Dukes' B and C colorectal cancer with or without adjuvant postoperative radiotherapy. A multivariate regression analysis. Br J Cancer. 1992 Jan;65(1):102–7.
- 50. World Health Organization. Estimated number of new cases from 2020 to 2025, Both sexes, age [0-85+] Indonesia [Internet]. WHO. 2021 [cited 2021 Jun 25]. p. Cancer Tomorrow. Available from: https://gco.iarc.fr/tomorrow/en/dataviz/bubbles?types=0&sexes=0&mode=cancer&group\_populations=1&m ultiple\_populations=0&multiple\_cancers=1&cancers=8\_9&populations=360&group\_cancers=0&years=202 5&single\_unit=1000&bar\_mode=grouped&key=total&show\_bar\_mode\_prop
- 51. Nfonsam VN, Ryan M VP, Eric Ohlson D. Increased Incidence of Early Onset Colorectal Cancer in Arizona: A Comprehensive 15-Year Analysis of the Arizona Cancer Registry. J Gastrointest Dig Syst.

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

# BMJ Open

| 1  |     |                                                                                                                                                                 |
|----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2  |     |                                                                                                                                                                 |
| 3  |     | 2015:05(05):1-4.                                                                                                                                                |
| 4  | 52. | Dharmaji AB, Mappincara, Kusuma MI, Sampetoding S, Warsinggih, Labeda I, et al. Analysis of colorectal                                                          |
| 5  |     | cancer survival rate at a single institution. Med Clínica Práctica [Internet]. 2021;4:100232. Available from:                                                   |
| 6  |     | https://doi.org/10.1016/j.mcpsp.2021.100232                                                                                                                     |
| 7  | 53. | Gondhowiardjo S, Christina N, Ganapati NPD, Hawariy S, Radityamurti F, Jayalie VF, et al. Five-Year                                                             |
| 8  |     | Cancer Epidemiology at the National Referral Hospital: Hospital-Based Cancer Registry Data in Indonesia.                                                        |
| 9  |     | JCO Glob Oncol. 2021;(7):190–203.                                                                                                                               |
| 10 | 54. | Tiranda Y. Colorectal Cancer Prevalence in Palembang, South Sumatera, Indonesia. Kes Mas J Fak Kesehat                                                          |
| 11 |     | Masy. 2018;12(2):91–5.                                                                                                                                          |
| 12 | 55. | Anthonysamy MA, Indrayani Maker LPL, Gotra IM, Saputra H. Prevalence of colorectal carcinoma based                                                              |
| 13 |     | on microscopic type, sex, age and anatomical location in Sanglah General Hospital. Intisari Sains Medis.                                                        |
| 14 |     | 2020;11(1):272.                                                                                                                                                 |
| 15 | 56. | Magaji BA, Moy FM, Roslani AC, Law CW. Descriptive epidemiology of colorectal cancer in University                                                              |
| 16 |     | Malaya Medical Centre, 2001 to 2010. Asian Pac J Cancer Prev. 2014;15(15):6059–64.                                                                              |
| 17 | 57. | CS Wong M, Ding H, Wang J, SF Chan P, Huang J. Prevalence and risk factors of colorectal cancer in Asia.                                                        |
| 18 | -0  | Intest Res. 2019;17(3):317–29.                                                                                                                                  |
| 19 | 58. | Gupta S, Bhattacharya D, Acharya AN, Majumdar S, Ranjan P, Das S. Colorectal carcinoma in young                                                                 |
| 20 |     | adults: a retrospective study on Indian patients: 2000-2008. Color Dis Off J Assoc Coloproctology Gt                                                            |
| 21 | 50  | Britain Irel. 2010 Oct;12(10 Online):e182-9.                                                                                                                    |
| 22 | 59. | Bhurgri Y, Khan I, Kayani N, Anmad K, Usman A, Bhurgri A, et al. Incidence and current trends of                                                                |
| 23 |     | 2011.12(2).702 8                                                                                                                                                |
| 24 | 60  | 2011,12(5).705-0.<br>de Silva M.V. Fernando MS. Fernando D. Comparison of some clinical and histological features of                                            |
| 25 | 00. | colorectal carcinoma, occurring in patients below and above 40 years. Cevion Med L 2000 Dec: 45(4):166-                                                         |
| 26 |     | 8                                                                                                                                                               |
| 27 | 61  | s.<br>Sudovo AW Hernowo B Krisnuhoni E Reksodinutro AH Hardiodisastro D Sinurava ES Colorectal                                                                  |
| 28 | 01. | cancer among young native indonesians. A clinicopathological and molecular assessment on microsatellite                                                         |
| 29 |     | instability Med J Indones 2010:19(4):245–51                                                                                                                     |
| 30 | 62. | Gopalan V. Smith RA, Ho Y-H. Lam AK-Y. Signet-ring cell carcinoma of colorectumcurrent perspectives                                                             |
| 31 |     | and molecular biology. Int J Colorectal Dis. 2011 Feb;26(2):127–33.                                                                                             |
| 32 | 63. | Yusuf I, Pardamean B, Baurley JW, Budiarto A, Miskad UA, Lusikooy RE, et al. Genetic risk factors for                                                           |
| 33 |     | colorectal cancer in multiethnic Indonesians. Sci Rep [Internet]. 2021;11(1):1-9. Available from:                                                               |
| 34 |     | https://doi.org/10.1038/s41598-021-88805-4.                                                                                                                     |
| 35 | 64. | Foster AD, Sivarapatna A, Gress RE. The aging immune system and its relationship with cancer. Aging                                                             |
| 36 |     | health. 2011 Oct;7(5):707–18.                                                                                                                                   |
| 37 | 65. | Badan Penelitian dan Pengembangan. Riset Kesehatan Dasar [In Indonesian] [Internet]. Jakarta; 2019.                                                             |
| 38 |     | Available from: https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-riskesdas/                                                                       |
| 39 | 66. | Limsui D, Vierkant RA, Tillmans LS, Wang AH, Weisenberger DJ, Laird PW, et al. Cigarette smoking and                                                            |
| 40 |     | colorectal cancer risk by molecularly defined subtypes. J Natl Cancer Inst. 2010 Jul;102(14):1012–22.                                                           |
| 41 | 67. | Shin A, Joo J, Bak J, Yang H-R, Kim J, Park S, et al. Site-specific risk factors for colorectal cancer in a                                                     |
| 42 | (0  | Korean population. PLoS One. 2011;6(8):e23196.                                                                                                                  |
| 43 | 68. | Aknter M, Kuriyama S, Nakaya N, Shimazu T, Ohmori K, Nishino Y, et al. Alcohol consumption is                                                                   |
| 44 |     | associated with an increased risk of distal colon and rectal cancer in Japanese men: the Miyagi Cohort                                                          |
| 45 | (0  | Study. Eur J Cancer. 2007 Jan;45(2):585–90.<br>Dedan Denalition dan Dengembergen. Direct Kasebaten Deser Deseringi Jerry Denet [In Indensity 1] [I. (           |
| 46 | 09. | Badan Penelulan dan Pengembangan. Kisel Kesenatan Dasar Provinsi Jawa Barat [in indonesian] [internet].                                                         |
| 47 |     | decer riskeedes/                                                                                                                                                |
| 48 | 70  | udsal-liskesuds/<br>Wong SH, Vy I, Gut microbiota in coloractal concer: machanisms of action and clinical applications. Nat                                     |
| 49 | 70. | wong 511, 1 u J. Out microbiola in colorectal cancel. mechanisms of action and clinical applications. Nat<br>Rev Gastroenteral Hepatol. 2010 Nov:16(11):600–704 |
| 50 | 71  | Vee VK Tan VPV Chan P. Hung IEN. Pang R. Wong BCV. Enidemiology of colorectal cancer in Asia. I                                                                 |
| 51 | /1. | Gastroenterol Henatol 2009 Dec. 24(12):1810–6                                                                                                                   |
| 52 | 72  | Rachmi (N. Justil H. Ariawan I. Beal T. Sutrisna A. Eating behaviour of Indonesian adolescents: A                                                               |
| 53 | 14. | systematic review of the literature. Public Health Nutr 2020.24(Lmic)                                                                                           |
| 54 | 73  | Akimoto N Ugai T Zhong R Hamada T Fujivoshi K Giannakis M et al Rising incidence of early-onset                                                                 |
| 55 | 13. | colorectal cancer — a call to action. Nat Rev Clin Oncol [Internet] 2021:18(4):230–43 Available from:                                                           |
| 56 |     | http://dx.doi.org/10.1038/s41571-020-00445-1                                                                                                                    |
| 57 |     |                                                                                                                                                                 |
| 58 |     |                                                                                                                                                                 |
| 50 |     |                                                                                                                                                                 |

74. Pham NM, Mizoue T, Tanaka K, Tsuji I, Tamakoshi A, Matsuo K, et al. Physical activity and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. Jpn J Clin Oncol. 2012 Jan;42(1):2–13.

- 75. Parathon H, Kuntaman K, Widiastoety TH, Muliawan BT, Karuniawati A, Qibtiyah M, et al. Progress towards antimicrobial resistance containment and control in Indonesia. BMJ. 2017;358:31–5.
- 76. Chen LW, Xu J, Soh SE, Aris IM, Tint MT, Gluckman PD, et al. Implication of gut microbiota in the association between infant antibiotic exposure and childhood obesity and adiposity accumulation. Int J Obes [Internet]. 2020;44(7):1508–20. Available from: http://dx.doi.org/10.1038/s41366-020-0572-0
- 77. Dana Kharisma D. Healthcare Access Inequity within a Social Health Insurance Setting: A Risk Faced by Indonesia's Jaminan Kesehatan Nasional (JKN) Program. Bappenas Work Pap. 2020;3(1):63–74.
- 78. Blanke CD, Bot BM, Thomas DM, Bleyer A, Kohne C-H, Seymour MT, et al. Impact of young age on treatment efficacy and safety in advanced colorectal cancer: a pooled analysis of patients from nine first-line phase III chemotherapy trials. J Clin Oncol Off J Am Soc Clin Oncol. 2011 Jul;29(20):2781–6.
- 79. Parkin DM, Bray F, Ferlay J, Pisani P. Global cancer statistics, 2002. CA Cancer J Clin. 2005;55(2):74–108.
- 80. Aljebreen AM. Clinico-pathological patterns of colorectal cancer in Saudi Arabia: younger with an advanced stage presentation. Saudi J Gastroenterol Off J Saudi Gastroenterol Assoc. 2007;13(2):84–7.
- Chao A, Thun MJ, Connell CJ, McCullough ML, Jacobs EJ, Flanders WD, et al. Meat consumption and risk of colorectal cancer. JAMA. 2005 Jan;293(2):172–82.

# **Figure Legends**

**Figure 1.** Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) welldifferentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in subserousal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x)

**Figure 2.** Time trend of colorectal cancer incidence among 433 patients counted by anatomical subsites. Colon plus rectum indicated a total incidence of both locations. Plotted lines indicate annual percentage changes (APCs). \*Significant change in APC versus 0 (p<0.05) using the permutation model of logarithmically transformed data in Joinpoint regression analysis.

**Figure 3.** Annual incidence trends, the equation for predicting cases, and forecast number of cases in the next-five year using fit-model regression analysis model for colorectal cancer in all, young, and old patients counted by anatomical subsites. \*Indicates significantly progression slope (p<0.05; ANOVA statistical test); Connected points show actual rates, and the fit-model regression line is shown as a straight line.





Figure 1. Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) welldifferentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in subserousal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x)

137x92mm (72 x 72 DPI)



Figure 2. Time trend of colorectal cancer incidence among 433 patients counted by anatomical subsites. Colon plus rectum indicated a total incidence of both locations. Plotted lines indicate annual percentage changes (APCs). \*Significant change in APC versus 0 (p<0.05) using the permutation model of logarithmically transformed data in Joinpoint regression analysis

147x96mm (72 x 72 DPI)

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



Figure 3. Annual incidence trends, the equation for predicting cases, and forecast number of cases in the next-five year using fit-model regression analysis model for colorectal cancer in all, young, and old patients counted by anatomical subsites. \*Indicates significantly progression slope (p<0.05; ANOVA statistical test); Connected points show actual rates, and the fit-model regression line is shown as a straight line.

134x128mm (72 x 72 DPI)



| 1          |  |
|------------|--|
| 2          |  |
| 3          |  |
| 4          |  |
| 5          |  |
| 6          |  |
| 7          |  |
| /          |  |
| 8          |  |
| 9          |  |
| 10         |  |
| 11         |  |
| 12         |  |
| 13         |  |
| 14         |  |
| 15         |  |
| 16         |  |
| 17         |  |
| 18         |  |
| 19         |  |
| 20         |  |
| 20         |  |
| 21         |  |
| 22         |  |
| 23         |  |
| 24         |  |
| 25         |  |
| 26         |  |
| 27         |  |
| 28         |  |
| 29         |  |
| 30         |  |
| 31         |  |
| 32         |  |
| 33         |  |
| 34         |  |
| 25         |  |
| 26         |  |
| 30         |  |
| 37         |  |
| 38         |  |
| 39         |  |
| 40         |  |
| 41         |  |
| 42         |  |
| 43         |  |
| 44         |  |
| 45         |  |
| 46         |  |
| 47         |  |
| <u></u> ΔΩ |  |
| <u>10</u>  |  |
| 49<br>E0   |  |
| 50         |  |
| 51         |  |
| 52         |  |
| 53         |  |
| 54         |  |
| 55         |  |
| 56         |  |
| 57         |  |
| 58         |  |
| 59         |  |
| 29         |  |

# S1 File. STROBE Checklist 2007 (v4) Statement— Checklist of items that should be included in reports of *cross-sectional studies*

| Section/Topic        | Item # | Recommendation                                                                                 | Reported<br>on page # |
|----------------------|--------|------------------------------------------------------------------------------------------------|-----------------------|
| Title and abstract   | 1      | (a) Indicate the study's design with a commonly used term in the title or the abstract         | 1                     |
|                      |        | (b) Provide in the abstract an informative and balanced summary of what was done               | 1                     |
|                      |        | and what was found                                                                             |                       |
| Introduction         |        |                                                                                                |                       |
| Background/rationale | 2      | Explain the scientific background and rationale for the investigation being reported           | 2                     |
| Objectives           | 3      | State specific objectives, including any prespecified hypotheses                               | 2                     |
| Methods              |        |                                                                                                |                       |
| Study design         | 4      | Present key elements of study design early in the paper                                        | 2                     |
| Setting              | 5      | Describe the setting, locations, and relevant dates, including periods of recruitment,         | 2                     |
|                      |        | exposure, follow-up, and data collection                                                       |                       |
| Participants         | 6      | (a) Give the eligibility criteria, and the sources and methods of selection of                 | 2                     |
| _                    |        | participants                                                                                   |                       |
|                      |        |                                                                                                |                       |
| Variables            | 7      | Clearly define all outcomes, exposures, predictors, potential confounders, and effect          | 2-3                   |
|                      |        | modifiers. Give diagnostic criteria, if applicable                                             |                       |
| Data sources/        | 8*     | For each variable of interest, give sources of data and details of methods of                  | 2-3                   |
| measurement          |        | assessment (measurement). Describe comparability of assessment methods if there                |                       |
|                      |        | is more than one group                                                                         |                       |
| Bias                 | 9      | Describe any efforts to address potential sources of bias                                      | 2                     |
| Study size           | 10     | Explain how the study size was arrived at                                                      | 2                     |
| Quantitative         | 11     | Explain how quantitative variables were handled in the analyses. If applicable,                | 2-3                   |
| variables            |        | describe which groupings were chosen and why                                                   |                       |
| Statistical methods  | 12     | ( <i>a</i> ) Describe all statistical methods, including those used to control for confounding | 3                     |
|                      |        | (b) Describe any methods used to examine subgroups and interactions                            | N/A                   |
|                      |        | (c) Explain how missing data were addressed                                                    | N/A                   |
|                      |        | (d) If applicable, describe analytical methods taking account of sampling strategy             | 3                     |
|                      |        | (e) Describe any sensitivity analyses                                                          | N/A                   |
| Results              |        |                                                                                                |                       |
| Participants         | 13*    | (a) Report numbers of individuals at each stage of study—eg numbers potentially                | 4                     |
|                      |        | eligible, examined for eligibility, confirmed eligible, included in the study,                 |                       |
|                      |        | completing follow-up, and analysed                                                             |                       |
|                      |        | (b) Give reasons for non-participation at each stage                                           | N/A                   |
|                      |        | (c) Consider use of a flow diagram                                                             | N/A                   |
| Descriptive data     | 14*    | (a) Give characteristics of study participants (eg demographic, clinical, social) and          | 4                     |
|                      |        | information on exposures and potential confounders                                             |                       |
|                      |        | (b) Indicate number of participants with missing data for each variable of interest            | N/A                   |
| Outcome data         | 15*    | Report numbers of outcome events or summary measures                                           | 3-5                   |
| Main results         | 16     | (a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and            | 4-6                   |
|                      |        | their precision (eg, 95% confidence interval). Make clear which confounders were               |                       |
|                      |        | adjusted for and why they were included                                                        |                       |
|                      |        | (b) Report category boundaries when continuous variables were categorized                      | 3-6                   |
|                      |        | (c) If relevant, consider translating estimates of relative risk into absolute risk for a      | N/A                   |

|                   |    | meaningful time period                                                                                                                                                     |      |
|-------------------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Other analyses    | 17 | Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses                                                                             | N/A  |
| Discussion        |    |                                                                                                                                                                            |      |
| Key results       | 18 | Summarise key results with reference to study objectives                                                                                                                   | 6-12 |
| Limitations       | 19 | Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias                 | 1    |
| Interpretation    | 20 | Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence | 6-12 |
| Generalisability  | 21 | Discuss the generalisability (external validity) of the study results                                                                                                      | 12   |
| Other information |    |                                                                                                                                                                            |      |
| Funding           | 22 | Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based              | 13   |

\*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

oerterier ont

# **BMJ Open**

# Forecasting Colorectal Cancer Trends in Young Patients: Eleven Years of Experience at the Indonesian National Referral Hospital

| Journal:                             | BMJ Open                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manuscript ID                        | bmjopen-2022-060839.R1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Article Type:                        | Original research                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Date Submitted by the Author:        | 09-May-2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Complete List of Authors:            | Rahadiani, Nur; University of Indonesia Faculty of Medicine, Department<br>of Anatomical Pathology; Rumah Sakit Dr Cipto Mangunkusumo,<br>Department of Anatomical Pathology<br>Habiburrahman, Muhammad; University of Indonesia Faculty of<br>Medicine; Rumah Sakit Dr Cipto Mangunkusumo<br>Abdullah, Murdani ; University of Indonesia Faculty of Medicine, Division<br>of Gastroenterology, Pancreatobilliary, and Endoscopy, Department of<br>Internal Medicine; Rumah Sakit Dr Cipto Mangunkusumo, Division of<br>Gastroenterology, Pancreatobilliary, and Endoscopy, Department of<br>Internal Medicine<br>Jeo, Wifanto Saditya; University of Indonesia Faculty of Medicine,<br>Division of Digestive Surgery, Department of Surgery; Rumah Sakit Dr<br>Cipto Mangunkusumo, Division of Digestive Surgery, Department of<br>Surgery<br>Stephanie, Marini; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Handjari, Diah Rini ; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Handjari, Diah Rini ; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Krisnuhoni, Ening; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Krisnuhoni, Ening; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology |
| <b>Primary Subject<br/>Heading</b> : | Pathology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Secondary Subject Heading:           | Epidemiology, Gastroenterology and hepatology, Surgery, Public health, Oncology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Keywords:                            | PATHOLOGY, ONCOLOGY, Gastrointestinal tumours < ONCOLOGY,<br>Colorectal surgery < SURGERY, EPIDEMIOLOGY, Gastrointestinal<br>tumours < GASTROENTEROLOGY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| 1        |                                                                            |
|----------|----------------------------------------------------------------------------|
| 2        |                                                                            |
| 3        |                                                                            |
| 4        | <b>SCHOLARONE</b> <sup>™</sup>                                             |
| 5        | Manuscripts                                                                |
| 6        |                                                                            |
| 7<br>8   |                                                                            |
| 9        |                                                                            |
| 10       |                                                                            |
| 11       |                                                                            |
| 12       |                                                                            |
| 13       |                                                                            |
| 14       |                                                                            |
| 16       |                                                                            |
| 17       |                                                                            |
| 18       |                                                                            |
| 19       |                                                                            |
| 20       |                                                                            |
| 21       |                                                                            |
| 23       |                                                                            |
| 24       |                                                                            |
| 25       |                                                                            |
| 26       |                                                                            |
| 27       |                                                                            |
| 28       |                                                                            |
| 30       |                                                                            |
| 31       |                                                                            |
| 32       |                                                                            |
| 33       |                                                                            |
| 34       |                                                                            |
| 36       |                                                                            |
| 37       |                                                                            |
| 38       |                                                                            |
| 39       |                                                                            |
| 40       |                                                                            |
| 41<br>42 |                                                                            |
| 43       |                                                                            |
| 44       |                                                                            |
| 45       |                                                                            |
| 46       |                                                                            |
| 4/       |                                                                            |
| 48       |                                                                            |
| 50       |                                                                            |
| 51       |                                                                            |
| 52       |                                                                            |
| 53       |                                                                            |
| 54<br>55 |                                                                            |
| 56       |                                                                            |
| 57       |                                                                            |
| 58       |                                                                            |
| 59       | For poor roviow only http://bmionon.hmi.com/site/about/avidalines.yktml    |
| 60       | r or peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml |
|          |                                                                            |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

#### **Forecasting Colorectal Cancer Trends in Young Patients: Eleven Years of Experience at the Indonesian National Referral Hospital** Nur Rahadiani<sup>1\*</sup>, Muhammad Habiburrahman<sup>2</sup>, Murdani Abdullah<sup>3,4</sup>, Wifanto Saditya Jeo<sup>5,4</sup>, Marini Stephanie<sup>1</sup>, Diah Rini Handjari<sup>1</sup>, Ening Krisnuhoni<sup>1</sup> <sup>1</sup> Department of Anatomical Pathology, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia ğ <sup>2</sup> Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>3</sup>. Division of Gastroenterology, Department of Internal Medicine, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia 4. Human Cancer Research Center, IMERI, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>5.</sup> Division of Digestive Surgery, Department of Surgery, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia Corresponding author: nur.rahadiani@ui.ac.id Running Title: Trends of Colorectal Cancer in Indonesian Patients Abstract Objective: To obtain annual incidence trends, understand clinicopathological characteristics, and forecast the future burden of colorectal cancer (CRC) in Indonesia. Design: An 11-year retrospective study. Setting: A main national referral hospital in Jakarta, Indonesia. Participants: 1,584 eligible cases were extrapolated for trend and forecasting analysis; 433 data were analyzed to determine unique clinicopathological characteristics between young (<50 years) and old (≥50 years) patients. Methods: Trend analyses were done using Joinpoint software, expressed in annual percentage change (APC), and the regression analysis was executed to generate a forecasting model. Patients' characteristic data were calculated using chi-square or nonparametric tests. **Main outcomes:** Analysis of trend, forecasting, and clinicopathological features between two age groups. **Results:** For CRC cases, a significant increased APC was observed among old patients (+2.38%). Colon cancer increased most remarkably (+9.24%) among young patients; meanwhile, rectal cancer trends were stable and declining. The trend for right-sided CRC increased in the general population (+6.52%) and old patients (+6.57%), while the trend for left-sided CRC was stable. The majority of cases are expected to be a significant future burden within the next ten years. Patients had a mean age of $53.17\pm13.94$ , and 38.1% were young, with a sex ratio of 1.21. Prominent characteristics were left-sided CRC, tumor size >5 cm, exophytic growth, adenocarcinoma, histologically low-grade, pT3, pN0, inadequately dissected lymph nodes (LN), LN ratio (LNR) <0.05, no distant metastasis, early stage of cancer, no lymphovascular invasion (LVI), and no perineural invasion (PNI). Distinct features between young and old patients were found in the subtypes, histological, dissected LN number, and PNI of tumors. **Conclusions:** Epidemiological trends and forecasting of CRC cases in Indonesian patients showed an enormous increase, notably for colon cancer, with a particularly concerning trend in young patients. Additionally, young patients exhibited particular clinicopathological characteristics that contributed to the disease's severity. Keywords: clinicopathological characteristics, colorectal cancer, histopathological characteristics, Indonesia, retrospective analysis, young patients, trend analysis. Strengths and limitations of this study We offer the first epidemiological report on incidence rates of colorectal cancer (CRC) cases based on tumor locations and side involvement, as well as clinicopathological characterization from a retrospective cross-sectional analysis of Indonesian patients with ample long coverage time (2009 to 2019).

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

- We provide trend analysis to determine changes in the annual incidence of CRC in Indonesia based on age, tumor locations, and side involvement of cancer, along with developing a CRC forecasting model to estimate case patterns over the next ten years.
  This study draws an association between highlighted incidence among young patients and feasible explanations.
  - This study draws an association between highlighted incidence among young patients and feasible explanations based on recognized clinical and histological features in order to help create future interventions.
  - This research was limited by the data originating from a single-center, the inherent record bias of the retrospective study design, and the exclusion of samples due to data loss from medical record retention and deterioration of slide staining.
  - This research was also limited because associated data related to risk factors was not recorded, such as family history, hereditary cancer syndromes, socioeconomic characteristics, and the basis of diagnostic test frequency, which could explain the trend.

# 63 Introduction

Colorectal cancer (CRC) is the fourth most common cancer globally, and it is becoming more common, especially in developing countries.<sup>1</sup> CRC is usually diagnosed through endoscopic biopsy or polypectomy. Microscopic examination is used to search for invasions. In the new era of personalized medicine, the role of anatomical pathologists has been dramatically expanded. Their role is no longer limited to providing histopathologic diagnosis but also assessing staging, margins, and prognostic parameters that can only be made available by microscopic examinations such as tumor grade, lymphovascular invasion (LVI), and perineural invasion (PNI). Further research about the pathological characteristics of CRC is essential for treatment approaches and policymaking.

Recent long-term studies discovered that young people under 50 years old are more likely to get colon cancer, especially in high-income countries.<sup>2,3</sup> These studies showed the changing CRC epidemiology in clinical, histopathological, prognosis, and treatment.<sup>4</sup> By 2030, more than 1 in 10 colon cancer and nearly 1 in 4 rectal cancer cases are projected to be diagnosed in this age group for whom routine screening is currently not recommended.<sup>5</sup> This phenomenon is presumably due to rapid changes in lifestyle and diet and genetic alterations in high-risk populations. A study in the US found that cancer in young patients rose by 17%. Similar trends have been seen in several Asian countries, including China, Japan, India, and South Korea, where a huge rise in the number of young patients with CRC has been documented.<sup>2,6</sup> 

A better epidemiological perspective of CRC from other parts of Asia, including Southeast Asia, is needed since cases are relatively less researched and are becoming a current public health threat. Furthermore, in the population younger than 50 years old, CRC shows a rising incidence and appears to display a more aggressive phenotype with unique genetic profiles, critical differences in somatic gene mutations, and gene methylation.<sup>7</sup> Distinct molecular carcinogeneses and genomic profiles of CRC in Indonesia drive us to give a broader view of CRC in terms of epidemiology and clinicopathological characteristics,<sup>8-10</sup> for which no previous thorough investigation of these topics has been published in Indonesia. These knowledge gaps support us in researching how the colon, rectal, and colorectal cancers changed in 2009–2019 for young patients under 50 years old compared to their older counterparts. We also aimed to obtain annual incidence trends, understand clinicopathological characteristics, and forecast the future burden of CRC in Indonesia. 

# 92 Materials and Methods

93 Study Design, Ethical Clearance, Data Collection, and Selection Process

This retrospective cross-sectional study was conducted at the Dr. Cipto Mangunkusumo Hospital,
 Jakarta, Indonesia, to analyze CRC incidence from 2009 to 2019 using pathology archives and hospital
 medical records. Ethical approval (KET-139/UN2.F1/ETIK/PPM.00.02/2020, protocol number: 10-11-

#### BMJ Open

1416) was obtained from the Institutional Ethical Review Board (IERB) of the Faculty of Medicine, Universitas Indonesia. General consent for the use of medical record data and residual material had already been obtained, in line with ethical approval.<sup>11–13</sup> Data from 2020 was not included to avoid bias due to the COVID-19 pandemic impact, which decreased the volume of CRC patients arriving at the hospital. In total, 1.958 patients have had a malignant tumor in the colon or rectum based on ICD-O topography (C18-C20) and morphology (M8140/3, M8480/3, and M8490/3) codes, and with adequate biopsy or resection specimens to be enrolled in this study.<sup>14</sup> For the analysis of trends, forecasting, and clinical data, 1,584 patients were selected by exclusion criteria (i.e., duplication of inputted cases and changing diagnosis or metastasis), and 433 resection samples with complete data were assessed in the final for pathological characteristics analysis between two age groups, as shown in Figure 1. 

# <Figure 1.>

110 Extraction and Definition of Variables

111 The variable of age, registration year, sex, tumor location, site of colon cancer, side involvement 112 of CRC, and specimen type were extracted directly from cancer registry data. Tumor size, growth pattern, 113 histological subtypes, and metastasis characteristics were retrieved from hospital medical records and 114 pathological reports of patients who underwent surgery.

The young patient population was defined as subjects under 50 years, agreeing with previous studies.<sup>15</sup> Pathology specimens for each patient were examined under the microscope by two independent pathologists who recorded the histopathology characteristics of pathological tumor staging, histological subtypes, growth pattern, tumor grade, LVI, and PNI. We evaluated the number of dissected lymph nodes (LNs) in agreement with other studies and WHO guidelines, with a minimum of 12 LNs taken for each case.<sup>16-18</sup> Along with LNs, we also calculated the lymph node ratio (LNR) as the number of positive LNs divided by the number of LNs examined. This parameter was introduced as a significant predictor of survival in other malignancies and could be classified into subgroups according to the following cutoffs: <0.05 (LNR1), 0.05–0.20 (LNR2), 0.20–0.40 (LNR3), and 0.40–1.00 (LNR4).<sup>19</sup> 

The tumor site was defined as the location where the primary tumor originated. Right-sided CRC (RSCRC) originates from the caecum, ascending colon, hepatic flexure, and transverse colon. Left-sided CRC (LSCRC) originates from the spleen flexure, descending colon, sigmoid colon, and rectum.<sup>20</sup> Proximal colon cancer originated from the caecum, ascending, and transverse colon. Meanwhile, distal colon cancer occurs in the descending colon and sigmoid colon.<sup>14,21</sup> Tumor size was the largest dimension of the three-dimensional tumors, classified into two: <5 cm and  $\geq 5$  cm. Metastasis was defined as distant metastasis confirmed by radiography or pathology diagnostic procedure. Pathological staging was based on the World Health Organization (WHO) guideline and American Joint Committee on Cancer (AJCC) 8th Edition.<sup>17,18</sup> Based on subtypes, a tumor can be classified as adenocarcinoma not otherwise specified (NOS), mucinous adenocarcinoma, and signet-ring cell carcinoma variant. Advanced stage tumors are tumors with pT3-T4-stage or pTNM staging III-IV. The tumor growth pattern was classified into exophytic, endophytic, ulcerative, and linitis plastica.<sup>22</sup> Tumor grade was classified as well-differentiated, moderately differentiated, and poorly differentiated, according to a WHO classification based on the percentage of gland formation in the tumor mass.<sup>17</sup> LVI and PNI were defined as the occurrence of each parameter in at least one slide of the pathology specimen sample.<sup>23</sup> 

#### Statistical Analysis and Presentation of Data

We performed a sub-analysis for each outcome measure during the sampling process (Figure 1) to address the missing data. A comprehensive data set from biopsy and resection specimens were utilized to extrapolate the CRC trend over eleven years and conduct a comparative analysis for a registered year, age, sex, tumor location, proximalization of colon site, side involvement, and tumor subsites, and specimen. To conduct a more detailed analysis of pathology data, we used only resection specimens. All missing data came from the retention of medical records and slide deterioration, hampering the reassessment process.

Data were then recorded and processed using the Statistical Package for Social Sciences (SPSS) v.25.0 statistical software with Chi-Square and its alternative tests (Fisher's exact, Kruskal-Wallis, or Mann-Whitney tests). Analysis was performed for the young and old patient populations for clinicopathological characteristics. The mean value of quantitative parameters (number of positive and dissected LNs, LNR, and tumor size) was compared between two groups of age with the t-student test. Annual incidence rates were quantified using Joinpoint regression (version 4.9.1.0; US National Cancer Institute Surveillance Research Program) which automatically joined separated time series on a logarithmic scale, expressed as the annual percentage change (APC).<sup>24</sup> Its significance of trends was assessed by a Monte Carlo permutation test.<sup>25</sup> We also performed a mathematical function as a linear and non-linear regression analysis to construct the best-fitted model to forecast the increased trend of CRC cases in the next ten years (2020-2029) using Minitab® 19.1 (64-bit).<sup>26-32</sup> The model trend equation to predict CRC cases can be visualized in linear  $[Y_t = b_0 + (b_1 * t)]$ , quadratic  $[Y_t = b_0 + b_1 * t + (b_2 * t^2)]$ , exponential growth  $[Y_t = b_0 + (b_1^t)]$ , or S-curve (Pearl-Reed logistic)  $[Y_t = (10^a) / (b_0 + b_1 * b_2 t)]$  with the letters represent the following:  $Y_t$  being the variable,  $b_0$  being a constant,  $b_1$  and  $b_2$  being coefficients, and t as the value of the time unit. The best-fitted model is the model which has the lower values for three parameters (MAPE, mean absolute percent error; MAD, mean absolute deviation; and MSD, mean square deviation), or at least for two parameters or having the lowest value for MAPE.<sup>30,33,34</sup> The MAPE expresses accuracy as a percentage of the error. The MAD expresses accuracy in the same units as the data, which helps conceptualize the amount of error. The MSD measures the accuracy of the fitted time series values. After deciding on the model, we measured their significance slope using the ANOVA test for curve estimation in SPSS. Statistical analyses with a p-value <0.05 and a 95% confidence interval (CI) for probability were significant. 

#### Patient and Public Involvement Statement

It was not possible to involve patients or the public in our research's design, conduct, reporting, or dissemination plans. This report complies with the Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) guidelines for observational studies (including cross-sectional studies), as stated in Research Checklist.35

#### **Results**

Of the 1,584 people diagnosed with CRC in this study, males dominated the CRC cases registered in our center, with the ratio of sex (male: female) being 1.21. Distribution based on age groups, as shown in **Table 1**, demonstrated that the highest proportion of CRC was found in ages 51–60 y.o.; the mean age was  $53.17 \pm 13.94$  y.o., with females ( $52.28 \pm 13.98$  y.o.) generally being younger than males ( $53.90 \pm$ 13.89 y.o.), p=0.021. Looking at the more specific age groupings, we found that the number and proportion of our patients' age was: 11–20 (11; 0.7%), 21–30 (81; 5.8%), 31–40 (225; 14.2%), 41–50 (339; 21.4%), 51-60 (432; 27.3%), 61-70 (334; 21.2%), 71-80 (135; 8.5%), 81-90 (20; 1.3%), and  $\geq 91$  (7; 0.4%). The

**Table 1.** Clinicopathological characteristics of tumors between young and old patients (n = 1,584)

Young patients Old patients

All patients

p-value

mean age of the young patient population was surprisingly very young  $(38.82 \pm 7.46 \text{ y.o.})$ . The proportion of young patients in this center reached 38.10% (n = 604) of the total incidence (n = 1,584). Rectal cancer now accounts for the biggest proportion of colon equivalents in our center (64.3% vs. 35.7%), proximal and distal colons were similar in number (49.6% vs. 50.4%), and the left-sided CRC was still the highest in proportion (82.3%). The sigmoid colon is the most often affected area in colon cancer.

Characteristics

| 8  |  |
|----|--|
| 9  |  |
| 10 |  |
| 11 |  |
| 12 |  |

|                          | (<50 | ) y.o.) | y.o.) (≥50 y.o.) |         |       |           |       |
|--------------------------|------|---------|------------------|---------|-------|-----------|-------|
|                          | (n=  | (n=604) |                  | (n=980) |       | (n=1,584) |       |
|                          | n    | %       | n                | %       | Ν     | %         |       |
| Registered-year case     |      |         |                  |         |       |           | 0.931 |
| 2009                     | 49   | 8.1     | 70               | 7.1     | 119   | 7.5       |       |
| 2010                     | 52   | 8.6     | 94               | 9.6     | 146   | 9.2       |       |
| 2011                     | 47   | 7.8     | 83               | 8.5     | 130   | 8.2       |       |
| 2012                     | 52   | 8.6     | 76               | 7.8     | 128   | 8.1       |       |
| 2013                     | 50   | 8.3     | 89               | 9.1     | 139   | 8.8       |       |
| 2014                     | 69   | 11.4    | 103              | 10.5    | 172   | 10.9      |       |
| 2015                     | 64   | 10.6    | 91               | 9.3     | 155   | 9.8       |       |
| 2016                     | 48   | 7.9     | 81               | 8.3     | 129   | 8.1       |       |
| 2017                     | 47   | 7.8     | 91               | 9.3     | 138   | 8.7       |       |
| 2018                     | 54   | 8.9     | 96               | 9.8     | 150   | 9.5       |       |
| 2019                     | 72   | 11.9    | 106              | 10.8    | 178   | 11.2      |       |
| Sex                      |      |         |                  |         |       |           | 0.056 |
| Male                     | 313  | 51.8    | 556              | 56.7    | 869   | 54.9      |       |
| Female                   | 291  | 48.2    | 424              | 43.3    | 715   | 45.1      |       |
| Tumor locations          |      |         |                  | )       |       |           | 0.002 |
| Colon                    | 187  | 31.0    | 379              | 38.7    | 566   | 35.7      |       |
| Rectal                   | 417  | 69.0    | 601              | 61.3    | 1,018 | 64.3      |       |
| Proximalization of colon |      |         |                  |         |       |           | 0.572 |
| Proximal colon           | 96   | 51.3    | 185              | 48.8    | 281   | 49.6      |       |
| Distal colon             | 91   | 48.7    | 194              | 51.2    | 285   | 50.4      |       |
| Side involvement         |      |         |                  |         |       |           | 0.131 |
| RSCRC                    | 96   | 15.9    | 185              | 18.9    | 281   | 17.7      |       |
| LSCRC                    | 508  | 84.1    | 795              | 81.1    | 1,303 | 82.3      |       |
| Tumor subsites           |      |         |                  |         |       |           | 0.002 |
| Caecum                   | 20   | 3.3     | 58               | 5.9     | 78    | 4.9       |       |
| Ascending colon          | 52   | 8.6     | 75               | 7.7     | 127   | 8.0       |       |
| Transverse colon         | 24   | 4.0     | 52               | 5.3     | 76    | 4.8       |       |
| Descending colon         | 33   | 5.5     | 46               | 4.7     | 79    | 5.0       |       |
| Sigmoid                  | 58   | 9.6     | 148              | 15.1    | 206   | 13.0      |       |
| Rectum                   | 417  | 69.0    | 601              | 61.3    | 1,018 | 64.3      |       |
| Specimen                 |      |         |                  |         |       |           | 0.135 |
| Biopsy                   | 267  | 44.2    | 471              | 48.1    | 748   | 46.6      |       |
| Resection                | 337  | 55.8    | 509              | 51.9    | 846   | 53.4      |       |

aIndependent samples t-test aChi-Square test; \*Significant value for all tumor subsites

A trend analysis of CRC cases in Indonesian patients, as illustrated in **Figure 2**, showed an APC in the last eleven years for all patients, as well as all sub-populations (young and old patients), related to the anatomical location of the tumor (colon, rectum, or colon plus rectum) and side involvement of CRC (right-side vs. left-side). A significant APC was observed among all patients in the annual incidence of

198 colon cancer (+6.38%) and RSCRC (+6.52%). Looking more specifically at young patients, we identified 199 significant APC only in colon cancer (+9.24%); meanwhile, in old patients, significant APC can be seen in 200 CRC as a whole (+2.38%), colon cancer (+5.11%), and RSCRC (+6.57%). Trends were positive for all 201 CRC sites, except the rectum, which tended to be stable in old patients (+0.58%) and decrease among the 202 general population (-0.09%) and young patients (-0.97%) with p>0.05. More detailed data about the trend 203 analysis of our CRC patients were recorded in **Supplementary Files 1-3**.

#### <Figure 2.>

We also investigated the increase of colon cancer based on their subsites (caecum, ascending colon,
transverse colon, descending colon, and sigmoid colon) as visualized in Figure 3. The significant positive
APC value was observed highest in ascending colon (+10.60%), followed by descending (+10.04%),
transverse (+9.88%), and sigmoid colon (+5.84%).

#### <Figure 3.>

Furthermore, we generated a predictive model of CRC using a best-fitted regression analysis model, as demonstrated in Figure 4. The subsequent ten-year annual incidence rates for CRC cases can be predicted using a specific case equation formula obtained from regression analysis. The assumption of linearity in cancer incidence trends over the eleven years for our institutional cancer registry data was evaluated using the p-value for the slope in linear regression models. The p-value from the ANOVA test for curve estimation of the slope was reported for each regression. The precise number of predicted cases for the next ten years (2020–2029) can be read in **Supplementary Files 4-6** and **Supplementary Table 1**. The average future burden CRC from 2020 to 2029 compared to the current 11-year data in all, young and old patients (Table 2) was ~180 cases/year (vs. 144 cases/year), ~67 cases/year (vs. 55 cases/year), and ~112 cases/year (vs. 89 cases/year) respectively.

#### <Figure 4.>

As described in Table 2, most tumor sizes were equal to or more than 5 cm (61%), with a predominance of brown color. Assessing distant metastasis, around 4.2% of the cases developed metastasis. The appearance of most tumors shows exophytic lesions (83.1%), were of nonspecific types (85.2%), are well-differentiated (67.7%), with pathological tumor staging pT3 (66.5%), most cases having inadequate LN dissection (56.4%), lymph node ratio staging LNR1 (57.5%), tumor stage IIA (34.2%), of an early stage (55.2%), with the absence of LVI (61.7%), and PNI (88.7%). Comparing the two groups, we found no differences in the proportion of clinicopathological and histopathological characteristics between young and old patients except in histological subtypes, adequacy of LN sampling, and PNI. Adenocarcinoma NOS is most prevalent in old patients, while the mucinous variant dominates in young patients (p < 0.05). Old patients are more likely to get inadequate LN dissection than young patients (p < 0.01). A higher proportion of PNI was seen in the young patients than in their older counterparts (p < 0.001).

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

#### **BMJ** Open

BN

| Ch                 | resection with complete    |      |                       |      | (n=4.)<br>atients     | 55)<br><u>All n</u> | atients      | n-valua            |
|--------------------|----------------------------|------|-----------------------|------|-----------------------|---------------------|--------------|--------------------|
|                    | Unaracteristics            |      | (<50 y.o.)<br>(n=144) |      | (≥50 y.o.)<br>(n=289) |                     | (n=403)      |                    |
|                    | -                          | n    | %                     | n    | %                     | n                   | %            |                    |
| Tumor siz          | ze                         |      |                       |      |                       |                     |              | 0.559ª             |
| <5 cm              |                            | 59   | 41.0                  | 110  | 38.1                  | 169                 | 39.0         |                    |
| $\geq$ 5 cm        |                            | 85   | 59.0                  | 179  | 61.9                  | 264                 | 61.0         |                    |
| Growth p           | attern                     |      |                       |      |                       |                     |              | 0.814 <sup>b</sup> |
| Exophy             | rtic                       | 120  | 83.3                  | 240  | 83                    | 360                 | 83.1         |                    |
| Endoph             | ytic                       | 15   | 10.4                  | 21   | 7.3                   | 36                  | 8.3          |                    |
| Ulcerat            | ive                        | 8    | 5.6                   | 22   | 7.6                   | 30                  | 6.9          |                    |
| Linitis            | Plastica                   | 1    | 0.7                   | 6    | 2.1                   | 7                   | 1.6          |                    |
| Histologic         | al subtypes                |      |                       |      |                       |                     |              | 0.025 <sup>b</sup> |
| Adenoc             | arcinoma NOS               | 115  | 79.9                  | 254  | 87.9                  | 369                 | 85.2         |                    |
| Mucino             | ous                        | 19.4 | 19.4                  | 35   | 12.1                  | 63                  | 14.5         |                    |
| Signet-            | Ring Cell                  | 0.7  | 0.7                   | 0    | 0.0                   | 1                   | 0.2          |                    |
| Tumor gr           | ade                        |      |                       |      |                       |                     |              | 0.591ª             |
| Well-di            | fferentiated               | 97   | 67.4                  | 196  | 67.8                  | 293                 | 67.7         |                    |
| Modera             | tely differentiated        | 31   | 21.5                  | 69   | 23.9                  | 100                 | 23.1         |                    |
| Poorly             | differentiated             | 16   | 11.1                  | 24   | 8.3                   | 40                  | 9.2          | 0.50-1             |
| Pathologi          | cal tumor size             |      | <u>.</u>              | 0    | • •                   |                     | 2.5          | 0.587 <sup>b</sup> |
| pT1                |                            | 3    | 2.1                   | 8    | 2.8                   |                     | 2.5          |                    |
| p12                |                            | 22   | 15.3                  | 44   | 15.2                  | 66                  | 15.2         |                    |
| p13                |                            | 94   | 65.3                  | 194  | 67.1                  | 288                 | 66.5         |                    |
| <u>p14</u>         |                            | 25   | 17.4                  | 14.9 | 14.9                  | 68                  | 15.7         | 0.72.4             |
| Pathologi          | cal node status            | 00   |                       | 1.00 | 50.1                  | 240                 | 5 <b>7</b> 0 | $0.734^{a}$        |
| pN0                |                            | 80   | 55.6<br>12.5          | 168  | 58.1                  | 248                 | 57.3         |                    |
| pin la             |                            | 18   | 12.5                  | 42   | 14.5                  | 50<br>52            | 13.9         |                    |
| pinib<br>pN2a      |                            | 10   | 12.5                  | 34   | 11.0                  | 51                  | 12.0         |                    |
| pN2a<br>pN2b       |                            | 10   | 12.5                  | 12   | 11.4                  | 21                  | 5 1          |                    |
|                    | of dissocted node          | 10   | 10.0                  | 12   | 4.2                   | 22                  | 5.1          |                    |
| Inadequ            | $\sqrt{01}$ unspected node | 67   | 46.5                  | 177  | 61.2                  | 244                 | 56 /         | 0 0044             |
| Adequa             | (>12)                      | 77   | 53.5                  | 112  | 38.8                  | 189                 | 43.6         | 0.004              |
| I vmnh n           | nde ratio (LNR)            | //   | 55.5                  | 112  | 50.0                  | 107                 | 45.0         | 0.967ª             |
| Lymph n<br>I NR 17 | (<0.05)                    | 81   | 56 3                  | 168  | 58.1                  | 249                 | 57 5         | 0.707              |
| I ND 2             | 0 05-0 20)                 | 21   | 14.6                  | 38   | 13.1                  | 50                  | 13.6         |                    |
| LINE (             | 0.20-0.40)                 | 15   | 10.4                  | 28   | 97                    | 43                  | 99           |                    |
| LNR4               | ≥0.40)                     | 27   | 18.8                  | 55   | 19.0                  | 82                  | 18.9         |                    |
| Lymph N            | ode Metastasis             |      | 0                     | 20   |                       |                     | - 5.5        | 0.610ª             |
| Yes                |                            | 80   | 55.6                  | 168  | 58.1                  | 248                 | 57.3         |                    |
| No                 |                            | 64   | 44.4                  | 121  | 41.9                  | 185                 | 42.7         |                    |
| Distant N          | letastasis                 |      |                       |      |                       |                     |              | 0.110 <sup>a</sup> |
| M0                 |                            | 138  | 95.8                  | 265  | 91.7                  | 403                 | 93.1         |                    |
| M1                 |                            | 6    | 4.2                   | 24   | 8.3                   | 30                  | 6.9          |                    |
| Staging            |                            |      |                       |      |                       |                     |              | 0.431ª             |
| I                  |                            | 19   | 13.2                  | 41   | 14.2                  | 60                  | 13.9         |                    |
| IIA                |                            | 48   | 33.3                  | 100  | 34.6                  | 148                 | 34.2         |                    |
| IIB                |                            | 12   | 8.3                   | 19   | 6.6                   | 31                  | 7.2          |                    |
| IIIA               |                            | 6    | 4.2                   | 10   | 3.5                   | 16                  | 3.7          |                    |
| IIIB               |                            | 39   | 27.1                  | 83   | 28.7                  | 122                 | 28.2         |                    |
| IIIC               |                            | 15   | 10.4                  | 16   | 5.5                   | 31                  | 7.2          |                    |
| IV                 |                            | 5    | 3.5                   | 20   | 6.9                   | 25                  | 5.8          |                    |
| Degree of          | Staging                    |      |                       |      |                       |                     |              | 0.921ª             |
| Early st           | age (I-II)                 | 79   | 54.9                  | 160  | 55.4                  | 239                 | 55.2         |                    |
| Advanc             | ed stage (III-IV)          | 65   | 45.1                  | 129  | 44.6                  | 194                 | 44.8         |                    |
| · ·                |                            |      |                       |      |                       |                     |              | 0 31/la            |
Page 10 of 74

| 1        |     |                                                                  |                                                                     |                                      |           |                                      |                             |
|----------|-----|------------------------------------------------------------------|---------------------------------------------------------------------|--------------------------------------|-----------|--------------------------------------|-----------------------------|
| 2        |     |                                                                  |                                                                     |                                      |           |                                      |                             |
| 3        |     | Negative                                                         | 84 58.3                                                             | 183 63.3                             | 267       | 61.7                                 |                             |
| 4        |     | Positive<br>Paringural investor                                  | 60 41.7                                                             | 106 36.7                             | 166       | 38.3                                 | 01a                         |
| 5        |     | Negative                                                         | 114 79.2                                                            | 270 93.4                             | 384       | 88 7                                 | 01"                         |
| 0<br>7   |     | Positive                                                         | 30 20.8                                                             | 19 6.6                               | 49        | 11.3                                 |                             |
| /<br>8   | 241 | <sup>a</sup> Chi-Square; <sup>a</sup> Mann-Whitney; <sup>1</sup> | Percentage of the total                                             | column; NOS, nor                     | nspecific | •                                    |                             |
| 9        | 242 |                                                                  |                                                                     |                                      |           |                                      |                             |
| 10       | 243 | We detected a significant differ                                 | ence in mean ag                                                     | e (more than                         | 23 ve     | ars) betwe                           | en the young and old        |
| 11       | 244 | patient groups in <b>Table 3</b> Additionally                    | the number of                                                       | dissected LN                         | ls was    | substantia                           | ally more remarkable        |
| 12       | 245 | in the young patient group than in their                         | old natient coun                                                    | ternarts                             |           | 5465441111                           |                             |
| 13       | 215 | in the young patient group than in their                         | ola patient coun                                                    | terparts.                            |           |                                      |                             |
| 14       | 240 |                                                                  | C 1: · · · · · · · · · · · · · · · · · ·                            | 1 · 1                                |           | C .                                  | 1, 1                        |
| 15       | 247 | Table 3. Comparison of the mean value                            | ue of clinicopath                                                   | ological para                        | meters    | s of tumor                           | between young and           |
| 16       | 248 |                                                                  | old patie                                                           | ents                                 |           |                                      |                             |
| 17       |     | Parameters                                                       | N                                                                   | lean ± SD or Nu                      | umber     |                                      | p-                          |
| 18       |     |                                                                  | Young patients                                                      | Old patients                         |           | All patients                         | value                       |
| 19       |     |                                                                  | (<50 y.o.)                                                          | (≥50 y.o.)                           | 1         | 44.00 + 10.0                         | 1                           |
| 20       |     | Color concerned active and the color                             | $54.91 \pm 9.07$                                                    | $89.09 \pm 10.94$                    | + I       | $44.00 \pm 18.6$                     | 1                           |
| 21       |     | Colon cancer cases per year                                      | $1/.00 \pm 6.93$<br>37.01 ± 5.20                                    | $34.43 \pm 6.98$                     | -         | $1.43 \pm 13.05$                     | )                           |
| 22       |     | RSCRC cases per year                                             | $37.91 \pm 3.20$<br>8 73 $\pm 4.10$                                 | $34.04 \pm 8.02$<br>16.82 ± 4.67     | ý         | $72.33 \pm 12.40$                    | J                           |
| ∠3<br>24 |     | L SCRC cases per year                                            | $0.75 \pm 4.10$<br>46 18 + 7 04                                     | $10.02 \pm 4.07$<br>72 27 $\pm 0.22$ | 1         | $23.33 \pm 1.13$<br>18 45 $\pm 1.14$ | 9                           |
| 24       |     | Age (years old)*                                                 | $40.13 \pm 7.04$<br>38.82 + 7.46                                    | $72.27 \pm 9.33$<br>62.01 + 8.65     | 1         | $10.43 \pm 14.0$                     | י<br>1 <b>∠0.001</b> ª      |
| 25       |     | Tumor size (cm)#                                                 | $50.82 \pm 7.40$<br>$5.92 \pm 3.12$                                 | $5.99 \pm 2.03$                      | •         | $5.17 \pm 15.94$<br>5.97 + 3.02      | + \0.001<br>0.818a          |
| 20       |     | Smallest tumor size (cm) <sup>#</sup>                            | 13                                                                  | 1.0                                  |           | 1.0                                  | 0.010                       |
| 27       |     | Largest tumor size (cm) <sup>#</sup>                             | 17.0                                                                | 18.0                                 |           | 18                                   |                             |
| 20       |     | Total count of positive LNs <sup>#</sup>                         | 265                                                                 | 402                                  |           | 667                                  |                             |
| 29       |     | Total count of dissected LNs <sup>#</sup>                        | 1.587                                                               | 2.726                                |           | 4.313                                |                             |
| 30       |     | Positive LNs <sup>#</sup>                                        | $1.84 \pm 3.37$                                                     | $1.39 \pm 2.34$                      |           | $1.54 \pm 2.73$                      | 0.107 <sup>a</sup>          |
| 32       |     | Dissected LNs <sup>#</sup>                                       | $11.02 \pm 6.10$                                                    | $9.43 \pm 5.04$                      |           | $9.96 \pm 5.46$                      | 0.004ª                      |
| 33       |     | LNR <sup>#</sup>                                                 | $0.18 \pm 0.29$                                                     | $0.18 \pm 0.30$                      |           | $0.18 \pm 0.29$                      | 0.964 <sup>a</sup>          |
| 34       | 249 | <sup>a</sup> Independent samples t-test for equality of          | of means (2-tailed)                                                 |                                      |           |                                      |                             |
| 35       | 250 | *Assessed among 1,584 patients                                   |                                                                     |                                      |           |                                      |                             |
| 36       | 251 | *Assessed among 433 patients                                     |                                                                     |                                      |           |                                      |                             |
| 37       | 252 | *Abbreviation: CRC, colorectal cancer; I                         | LNs, lymph nodes; LN                                                | R, lymph node rat                    | io; RSC   | RC, right-sided                      | d colorectal cancer; LSCRC, |
| 38       | 254 |                                                                  |                                                                     |                                      |           |                                      |                             |
| 39       | 255 | <b>Figure 5</b> describes the histopath                          | nological finding                                                   | s of our CRC                         | cases.    | and the de                           | escriptive proportions      |
| 40       | 256 | are presented in <b>Tables 1</b> 2 and 3                         | 2010 8-1002                                                         | ,                                    |           |                                      |                             |
| 41       | 250 | are presented in Tables 1, 2, and 5.                             |                                                                     |                                      |           |                                      |                             |
| 42       | 257 |                                                                  |                                                                     | -                                    |           |                                      |                             |
| 43       | 258 |                                                                  | <figure< td=""><td>5.&gt;</td><td></td><td></td><td></td></figure<> | 5.>                                  |           |                                      |                             |
| 44       | 259 |                                                                  |                                                                     |                                      |           |                                      |                             |
| 45       | 260 | Discussion                                                       |                                                                     |                                      |           |                                      |                             |
| 46       | 261 | This observational study was co                                  | onducted to asses                                                   | ss clinical trer                     | ids in    | CRC over                             | 11 years, forecast the      |
| 4/       | 262 | future burden of CRC over the next ten                           | vears and analy                                                     | ze the pathol                        | ngv of    | 1 584 CR                             | C cases recorded in a       |
| 48       | 262 | national referral hospital in Indonesia                          | The ourrent invo                                                    | stigation corr                       | obora     | ted proviou                          | us findings regarding       |
| 49<br>50 | 205 |                                                                  |                                                                     |                                      | 0001a     |                                      |                             |
| 50<br>51 | 264 | men's predominance in CRC incidence                              | e. This could be                                                    | because men                          | are r     | nore likely                          | to smoke and drink          |
| 52       | 265 | alcohol (both of which are risk factor                           | ts for CRC), wh                                                     | nereas women                         | n hav     | e higher le                          | evels of endogenous         |
| 52<br>53 | 266 | estrogens, which protect against CRC                             | carcinogenesis                                                      | . <sup>36</sup> Our study            | four      | nd that mo                           | ost CRC cases were          |
| 54       | 267 | identified in the middle-aged population                         | on, with the pea                                                    | ak incidence                         | occur     | ring betwe                           | en 51-60 years old.         |
| 55       | 268 | consistent with previous findings <sup>37</sup> Fem              | ale natients had                                                    | a mean age y                         | onno      | er than mal                          | le natients consistent      |
| 56       | 200 | with findings from an investigation con                          | ducted in Drune                                                     | i Domiccolom                         | 38 TL     | a dafinitiar                         | n of "young notionts"       |
| 57       | 209 | with findings from an investigation con                          | aucteu III DI Ulle                                                  |                                      | . 110     |                                      | n or young patients         |
| 58       |     |                                                                  |                                                                     |                                      |           |                                      |                             |
| 59       |     |                                                                  |                                                                     |                                      |           |                                      | Q                           |
| 60       |     | For peer review only - h                                         | ttp://bmjopen.br                                                    | nj.com/site/ab                       | out/g     | uidelines.xh                         | ntml                        |

#### BMJ Open

in an epidemiological study of CRC is arbitrary; we used 50 years as the cutoff age since this is the recommended age for the first screening in most screening programs that have gradually gained global adoption.<sup>15</sup> Early-onset CRC is more likely to arise sporadically in third-world nations and hypothetically a biologically and clinically unique entity, accounting for its aggressive presentation and poorer prognosis.<sup>39–41</sup> We report that CRC incidence among young patients reached nearly 40%, significantly higher than the rate reported in a previous Indonesian study on CRC between 2014 and 2016 with 275 samples (31.3%),<sup>42</sup> Western countries (7%),<sup>43</sup> and other Asian studies (6.7–35.5%).<sup>44,45</sup> Other findings from South Asia were comparable to ours, with CRC incidence in young individuals ranging from 38% to 52%<sup>40,40</sup> The increasing proportion of young patients in our population may well be influenced by the demographic profile of Indonesia, which had a high proportion of people aged 50 in 2019 (213,984,600 of 268,074,600; percentage: 79.82%).47

#### 1. Trend Analysis of CRC

CRC incidence rates were modestly elevated in all patients and young patients with APC +2.23% and +1.98%, respectively, and the largest increase was statistically significant in subjects aged  $\geq$ 50 years with APC +2.38% (p=0.041). Indonesia experienced a more significant increase in CRC incidence among old patients.<sup>6</sup> A similar conclusion was reached by Pham et al<sup>48</sup> in the Vietnamese (APC +5.3%; 95%CI 2.8-7.9%). We hypothesize that older patients are more likely to be included in incidentally and opportunistic screening programs than young patients. Since the population-based CRC screening program has not been implemented in routine clinical practice, the actual rate of early-onset CRC in Indonesia might have been undervalued. On the other hand, the estimated cost of treatment for CRC patients in Indonesia was up to \$116,083.37,<sup>49</sup> representing 0.000011% of gross domestic product (GDP) in 2020.<sup>50</sup> The cost burden of treatment increases significantly as the disease progresses. In terms of screening costs, colonoscopy methods and fecal testing range from \$207–765 and \$2.75–11, respectively. Given the high cost of treatment and rising CRC incidence but the low cost of screening, our research suggests that Indonesia reconsider the benefits of a population-based CRC screening program for high-risk populations, particularly those born after 1980, to detect CRC earlier and reduce economic burden. 

The WHO prediction for rising CRC incidence in Indonesia during 2020–2025 was higher than the APC of trend analyses in our results for CRC (+17.7% vs. +2.23%), colon cancer (+18.1% vs. +6.38%), and rectal cancer (+17.3% vs. -0.09%).<sup>51</sup> Also, our findings had a lower APC than a study conducted in Thailand among young patients between 1989 and 2012  $(+5.7\%)^{52}$  and a study of all CRC patients in Tunisia from 1994 to 2009 (+3.9%).<sup>53</sup> Trend analysis in Figure 2 reveals a sharp rise in colon cancer annually among young patients with a higher value of APC than old and all patients (+9.24% vs. +5.11% vs. +6.38%, respectively). In the last few decades, the incidence of CRC has been increasing in Asia and many Southeast Asia countries, including Indonesia and Malaysia.<sup>54</sup> If this trend continues, the number of CRC cases may suddenly overwhelm the healthcare system. Thus, better health policies should be constructed by the government. 

The rise of CRC in young patients has not yet been fully elucidated. The early life of exposures to the deleterious effects of several risk factors has been thought increasing susceptibility to the CRC, such as frequent smoking, alcohol consumption, obesity, a Western lifestyle diet, a reduction in physical activity, and early-life antibiotic exposures. Smoking is associated with hypermethylation, microsatellite instability, and BRAF mutations in CRC carcinogenesis.<sup>55</sup> Smoking early in life plays a part in the high incidence observed in young Indonesian people due to frequent daily smoking in teenagers [13.4% (95%CI: 12.9-13.9%)] and youth [27.3% (95%CI: 26.8-27.8%).<sup>56</sup> The risk of CRC was also increased by alcohol 

consumption, which had positive associations with the risk of distal colon cancer and rectum among the Asian population.<sup>57,58</sup> In Indonesia, alcohol consumption rose strikingly from 2000 to 2020, with the current proportion of alcohol consumption in teenagers [4.0% (95%CI: 3.8–4.3%)] and youth [6.4% (95%CI: 6.1– 6.6%).<sup>56</sup> Obesity has been linked to a higher risk of colon cancer in Asians. This study reflected the conditions in Indonesia, where obesity also showed a high prevalence in the population aged 13–18 years (around 4–4.8%) and over 18 years [21.8% (95%CI: 21.7–22.0%)].<sup>56,59</sup> It is not surprising that the obesity epidemic and the rise in colon cancer happen simultaneously. Many behaviors that are thought to cause weight gain, like unhealthy eating habits and sedentary lifestyles, also raise the risk of CRC. Obesity can promote cancer formation through metabolic abnormalities, hyperinsulinemia, systemic inflammation, and alteration of the gut microbiota.<sup>60</sup> An upward trend in CRC in Indonesia is also probably due to the acquisition of the Western diet.<sup>61</sup> This lifestyle trend has been seen in Indonesian teenagers who consume inadequate amounts of protein, fruits, and vegetables, but excessive amounts of sodium and fast food.<sup>62</sup> A recent study found that the de novo introduction of a Western-style high-fat, low-fiber diet induces inflammation and proliferation in the colonic mucosa within two weeks.<sup>63</sup> Increasing obesity is approximately concurrent with reductions in physical activity levels.<sup>64</sup> A study in Japan found an inverse association between physical activity and CRC, and this association was stronger for colon cancer than rectal cancer.<sup>65</sup> This fact agrees with a survey in Indonesia that found 33.5% (95%CI: 33.3–33.8%) of the Indonesian population lacked physical activity according to time and frequency standards.<sup>56</sup> Another related risk factor among Indonesian is early-life and improper antibiotic use.<sup>66</sup> These early-life exposures and improper antibiotic use could change the gut microbiota and metabolic profile, and thus make people more likely to have obese later in life as one of risk factor for CRC.<sup>67</sup> 

Almost two-thirds of the patients had rectal cancer, more common in the young (69%) than in old (61.3%) patients. The rectum becoming the most common site followed by the sigmoid colon is consistent with a previous study conducted in Saudi Arabia.<sup>68</sup> Instead of the proximal colon being a predominance site in young patients, the greater proportion of rectal cancer in our young patients implies additional factors behind these changes. Certain lifestyle factors relevant to young patients have contributed to colorectal carcinogeneses, such as processed meat consumption which is more linked to rectal than colon cancer.<sup>69</sup> We found that the rate of increase differed for colon and rectal cancer, ranging from 5.11% to 6.38% for colon cancer, compared with -0.97% to 0.58% for rectal cancer. In contrast to colon cancer, rectal cancer incidence has generally declined in overall patients and the young age group and remains stable in the old age group. These results may be because precancerous lesions or suspected tumors can be found and removed during a clinical examination of the rectum in screening. 

This present study has not demonstrated the positive trend of rectal cancer as WHO predicted.<sup>51</sup> Although it will always be a predominant site for cancer, the incidence rate of rectal cancer appears to decline in young patients (-0.97%) and all patients (-0.09%) but is stable among old patients (0.58%). In Canada, after 1985, rectal cancer slightly declined, with an APC of -0.38% in the general population.<sup>70</sup> The trend of CRC subsite distribution progressively shifting to the proximal colon occurred in various countries, such as the US (1970–2000),<sup>71</sup> Japan (1974–1994)<sup>72</sup> and Norway (1962–2006),<sup>73</sup> 

Our findings emphasize that the incidence of colon cancer rose faster than that of rectal cancer in young patients (APC +9.24% vs. -0.97%, respectively), similar to results among Canadian young patients from 1969 to 2010 (APC +6.2% vs. +1.5%, respectively).<sup>74</sup> The APC of colon cancer in our institution was higher than in Tunisia (+6.38% vs. +4.5%).<sup>53</sup> Some well-known risk factors do not exactly give a similar susceptibility between colon and rectal cancer. The carcinogenic process may be different depending on where it happens.<sup>70</sup> Diet patterns, physical inactivity, and high body mass index have been linked to a higher 

#### **BMJ** Open

risk of colon cancer, but not rectal cancer.<sup>57,75</sup> Meanwhile, smoking and alcohol consumption have been linked to a higher risk of rectal cancer than colon cancer.<sup>76,77</sup> Obesity, insulin resistance, and high blood glucose levels are connected to a higher risk of colon cancer because the colon is more insulin sensitive than the rectum.<sup>78,79</sup> It was also hypothetically that some participants benefited from a preventive effect against distal colon and rectal cancer, especially women. Endogenous hormones may have protected some women from developing colon cancer at the distal part and rectal sites, and increased use of exogenous hormones, such as hormone replacement therapy or oral contraceptives, may have resulted in further reductions in these cancers. Between 2005 and 2012, 61% of Indonesian women used contraceptive management.<sup>80</sup> This "preventative" effect has not been found in the proximal (right-side) colon tumors.<sup>70</sup>

In contrast to earlier findings and the widely held belief that RSCRC was always more common in young patients, our findings obtained more RSCRC frequent in old patients, supported by evidence from Germany.<sup>81</sup> Our results showed that most young patients had lesions in the left part of the bowel, higher than old patients, in agreement with a hospital-based study in the Memorial Sloan Kettering Cancer Center, in the US, where young patients were more likely to have LSCRC.<sup>82</sup> According to different cohort studies, RSCRC occurs predominantly in old patients, yet, worrisomely, LSCRC also occurs after 50 years of age, with a frequency more than that of RSCRC.<sup>20</sup> 

Notable findings from the trend analysis in Figure 2. show that the APC of RSCRC rose statistically significant among all patients (+6.52%) and old patients (+6.57%) over the current eleven years period, and the largest APC was seen in young patients (+6.59%). The causes of these patterns are unknown; they might be due to, by nature, there was inconsistent plotting of several incidences each year to follow a particular joined line to figure out a trend. The rising trend of RSCRC from 2009 to 2019 could be influenced by a lack of genetic counseling addressing age, specific syndromes, and family history factors in Indonesia, as we know that RSCRC is more usually caused by genetic predisposition.<sup>83</sup> It is also challenging to detect nonpolypoid tumors (flat or depressed), more common in the right colon. These lesions are more likely to include carcinoma, are more difficult to detect, and occur more frequently in high-risk people.<sup>84</sup> Due to higher colonoscopy miss rates, these hazards may impede screening and identification of precancer and cancer lesions in the right-side colon, contributing to the rising trend of RSCRC.<sup>85-87</sup> RSCRC has a worse prognosis than LSCRC and rectal cancer.<sup>88</sup> A recent study found left-sided tumors to be increasingly observed in young patients, although not statistically significant among all (APC +1.41%), young (APC +1.37%), and old patients (APC +1.46%), similar to the report from Siegel et al.<sup>89</sup> The clinical implications of different proportion of side involvement between young and old patients was to the aggressiveness of the disease. RSCRCs are typically bulky, exophytic, polypoid lesions projecting into the lumen and causing significant anemia. LSCRCs are infiltrating, constricting lesions encircling the lumen, often leading to obstruction.<sup>90</sup> A study implied that LSCRCs are more genetically unstable and phenotypically more aggressive due to distinct molecular biology pattern between RSCRC and LSCRC in DNA-euploidy status, KRAS, and p-53 mutation rate.<sup>81</sup> 

Observing more specifically the trend of colon cancer based on its subsites, what can be seen in Figure 3 is the significant growth of 4 of 5 colon subsites during the study period. In our study, the APC of ascending colon rose more quickly than APC in China from 2000 to 2004 (+10.60% vs. +2.25%).<sup>94</sup> The transverse colon had the opposite results (+9.88% vs. -1.95%), the descending colon had different results (+10.04% vs. -1.02%), and the sigmoid had a more positive trend (+5.84% vs. +4.19%).<sup>91</sup> Surprisingly, no differences in APC were found in the caecum (-0.98%), which had a slow and steady decline in cases. These trends aligned with the right-sided dominance during the eleven years of study. Different parts of the colon may be more or less vulnerable to carcinogens because of biological differences in the intestine.<sup>92</sup> For 

402 example, genetic factors may play a significant role in developing RSCRC, but factors like diet, exercise,
403 and hormone use are more likely to be linked to a tumor on the left side.<sup>92</sup>

Trend analysis in this study enlightens us to identify patients in danger. Given the rapid economic transition and urbanization occurring in all areas of Indonesia, it is possible to generalize the upward CRC incidence trend in a single center in Jakarta to all of Indonesia,<sup>93,94</sup> similar to what a study suggested in Vietnam.<sup>48</sup> We need further research to see if the trend can be reversed, for example, by evaluating current CRC screening standards to lowering the age at which people begin screening. More studies are also required to investigate CRC risk factors in Indonesia to reduce the upward trend.

#### **2.** Forecasting the CRC Burden

In **Figure 3**, we forecasted the future burden of CRC by performing a fit-model regression analysis to predict colon and rectal cancer incidences along with RSCRC and LSCRC. The model with a significant slope was found in all patients in the colon, RSCRC, ascending colon, transverse colon, descending colon, and sigmoid colon. The model with a significant slope was found among young patients in only the colon. Meanwhile, the best-fitted model with a significant slope was found among old patients in CRC, colon, and RSCRC. The projection models of CRC, colon cancer, and rectum follow the exponential growth curve pattern in all and young patients, CRC and colon cancer follow the quadratic model in old patients, and rectal cancer follows the linear model. Compared to RSCRC, which follows the quadratic model, LSCRC was more varied, with all patients following the exponential growth curve, young patients following the quadratic model, and old patients following the S-shaped (sigmoid) curve.

Tailoring the best-fitted model for forecasting CRC cases in our institution had different clinical implications based on different curves. Addressing the interpretation of each curve was challenging since little robust research explains forecasting cancer incidence.<sup>95</sup> A linear trend is a forecasting model that develops a linear relationship between time and the response variable (incidence of disease). The linear model observed in rectal cancer among old patients means the cases gradually increase linearly at a constant rate over time. This model assumption was based on forecast accuracy metrics and supported by what has been pictured in trend analysis of rectal cancer with stable APC.<sup>96</sup> What should be highlighted in this paper is that although the rectum became the most prevalent site during eleven years, we identified negative trend or stable growth for this site in both Joinpoint analysis and fit-model regression analysis for forecasting, similar to what was reported in Japan (APC -1.9%; CI: -2.6% to -1.1%).<sup>72</sup> 

Seven of fifteen scenarios were fitted into the quadratic curve model, a forecasting method that developed a non-linear relationship between time series and the response variable. The quadratic trend resembles a polynomial regression model that accurately captures the data trend.<sup>96</sup> All RSCRC follows a quadratic model, with a positive trend line of forecasting employed with all and old patients, meanwhile declining trend in the future for young patients. Forecasting of RSCRC remains upward for the trend until 2029 among all old patients. However, contrary to expectations, this study projected RSCRC to gradually decline in incidence for the next ten years (after 2019) in young patients following the quadratic model as a best-fitted model instead of continuously increasing over the previous eleven years. This assumption is similar to a study in the US, which found that RSCRC will increase, remain stable, and decrease by 2.3– 2.6% annually.<sup>83</sup> The reasons for these conflicting findings remain unclear but might be explained by the complex attributions of risk factors on a different side of tumor involvement. It is possibly due to the increased use of colonoscopy and improved techniques and training for conducting colonoscopy in the right colon to screen, detect, diagnose, and these works will reduce RSCRC lesions among subclinical diseases in the future.<sup>97</sup> Another possible explanation for this result might be that in 2009–2019, a higher proportion 

of patients having genetic factors resulted in a higher trend of RSCRC. Nevertheless, in the next ten years, we project that the trend will be shifting to increased distal cancer rates due to greater exposure to specific risk factors that cause cancers at these subsites, especially the increasing adoption of a Westernized lifestyle in Indonesia as in other Asian countries.48,70,92,98,99 More interestingly, RSCRC among old patients is increasing significantly. This linear forecast is similar to the current literature, suggesting RSCRC is associated with several adverse prognostic factors: older age, advanced stage, and mucinous histological subtype.<sup>20,100,101</sup> We suggest that further studies are needed to find the associated factors for each CRC subsite in Indonesia to explain the subsite and side-involvement incidence trend. 

Most cases followed the exponential growth curve as the best-fitted model. This curve has a J-shape, which refers to a growth whose rate is proportional to the size of the population over a specific period. Exponential growth curve modeling is a regression-based method for analyzing longitudinal data (i.e., tracking the same sample at different points in time), suited to the projection of trends in one disease entity like CRC into a different period. The advantage of growth curve modeling over other methods is that this technique permits the testing of several types of trajectories until the one with the best fit to the data is found, and an output is far more precise than other statistical means.<sup>102,103</sup> Exponential growth is distinguished by its slow start and, at some point, accelerating growth rate. The exponential growth curve has the fastest growth over the S-shaped, quadratic, and linear curves. This pattern causes an explosion of cases, relatively more than the S-shaped, which causes a relatively constant growth rate in the population. 

One scenario of LSCRC among old patients following the sigmoid-shaped (S-shaped) curve trend model refers to a case whose growth rate decreases with the increasing number of individuals. It is a forecasting method that develops a sigmoid relationship between time and the response variable.<sup>96</sup> An S-shaped curve is symmetric around the inflection point, which means that the case increases initially rapidly, followed by a slower rate after the inflection point than the rate postulated by the curve. The cases following this pattern will have initial slow growth, then a growth explosion, and at their upper limit, they will be gradually steady. However, this can lead to under- and overestimating the actual disease risk at the lower and upper tails.<sup>104</sup> The S-curve trend model is best for time series that follow a logistic.<sup>96</sup> 

Projected CRC cases in Indonesia for the next eleven years confirm the future global burden of CRC, which is expected to increase by 60%, to over 2.2 million new cases in 2030.<sup>105</sup> Looking specifically at **Supplementary Table 1** regarding the cases predicted for 2020–2029, it implied to us that the burden of CRC remained high in our institution and that this trend might apply to all of Indonesia.

#### 3. Distinct Clinical and Pathological Features in Young Patients

Genetic mutations and lifestyle changes may be to blame for the spread of CRC in young patients. Molecular profiles of Indonesian CRC cases are found to progress in distinct pathways.<sup>8</sup> Our young cases, mainly found in distal locations for CRC, are not in line with the characteristics of hereditary CRC, primarily found in proximal sites. They also did not follow the conventional pathways of sporadic CRC (the CIN pathway). Instead, it is mixed with MSI and inflammatory pathways, including cyclooxygenase-2 (COX-2) and nucleus factor  $\kappa B$  (NF- $\kappa B$ ). Also, lower mutation rates of the pro-oncogene KRAS are found among young Indonesian patients.<sup>8</sup> Sudoyo et al<sup>106</sup> obtained 56.5% of CRC cases positively stained for MSH2 and 16.5% stained for MLH1. Moreover, signet-ring cell carcinoma-an aggressive subtype of CRC that spreads rapidly and is characterized by late symptom manifestations-disproportionately affects young individuals.<sup>107</sup> It is also possible that the differences in the immune systems of young patients could play a role in age-related immunosenescence, T-cell dysfunction, and systemic inflammation.<sup>108</sup>

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### Page 16 of 74

#### **BMJ** Open

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

The impact of age is crucial due to their prognosis. Although the results were still inconsistent, some suggest worse outcomes,<sup>109,110</sup> whereas others imply equal prognosis between the two groups<sup>111</sup> depending on staging reported.<sup>37,110</sup> Contradictive to other studies,<sup>40,112,113</sup> where stage III-IV predominate in the young age group, we showed more than half of our young patients are found in stage I-II. However, our study reported no statistically significant difference in advanced disease between young and old patients, similar to a prior investigation.<sup>114</sup> This might reflect increased awareness of the disease among both patients and primary care physicians, better access to colonoscopy, and more widespread use of CT with improved quality. Also, the introduction of national health insurance in the middle of the study period (2014) made access to healthcare more accessible, increasing people's concern for their health. Providing better facilities for cancer diagnosis may result in an inflation of the prevalence number of CRC and earlier detection of CRC with a screening program.<sup>115</sup> Cancer patients found through screening show up at a much earlier stage of the disease than those not found through screening. Our study found no distinct clinical characteristics between young and old patients in sex, side involvement, proximalization, or specimen type. There is no tendency for proximalization of colon cancer in young patients compared to old patients in our study. Overall, the proximal and distal colon had an equal proportion. However if we included rectal cancer in the calculation of distal CRC, the proportion was aligned with an extensive colonoscopy survey in Asia, which found that more patients had distal than proximal CRC.<sup>116</sup> 

Single-institution and population-based studies have found that young patients with CRC have unique tumor locations, stages at presentation, and histologic features. Our findings are similar to those of these studies.<sup>117–120</sup> The proportion of rectal cancer among young patients was significantly higher than in old counterparts, as previously mentioned in Americans, where 32% of CRC tumors occurred in the rectum.<sup>120</sup> Looking more specifically at colon subsites, young patients with CRC mainly originate from the ascending and descending colon. Meanwhile, the caecum, transverse colon, and sigmoid were the most affected sites among old populations. People who have poor-defined histologic features, such as mucinous and signet ring features, are usually more likely to have poor outcomes in CRC.<sup>109</sup> They are also more resistant to chemotherapy.<sup>114</sup> Our results showed that the proportion of adenocarcinoma NOS in young patients is less than in old ones, agreeing with a study by Chan et al<sup>43</sup> (84% vs. 92%, respectively) and Gheju et al<sup>121</sup> (86.7% vs. 84.7%, respectively). The mucinous histological variant was significantly higher in the young than in the old patients. Signet-ring cell cancer was only observed in young patients, accounting for only 0.6-1.0% of all CRC cases globally.<sup>121</sup> Our patient who has signet-ring cell has the following characteristics: the average age of 48 years old, female sex, location in the caecum, right-sided, size 5.5 cm, brown color surface, exophytic, LNR 5/13 (adequate), pT3N2aM0 (IIIB), negative LVI, negative PNI, and having poor differentiation of the tumor. However, instead of being among young patients, only one patient with signet-ring cell carcinoma was found in the Romanian study, and that patient was >50 years.<sup>121</sup> Signet-ring cancers have intracellular mucin pushing the nucleus to one side and are associated with a more advanced stage at diagnosis, a higher incidence of LVI, LNM, and liver metastases, a higher rate of recurrence, and more aggressive.<sup>122,123</sup> The literature stated that mucinous histopathology was a significant predictor of poor outcomes and more advanced node stage.<sup>124</sup> 

The average number of dissected LNs in our study was lower than in a recent Romanian study (9.96  $\pm$  5.46 vs. 35.7 LNs removed), indicating that optimal LNs sampling was challenging to yield in our institution.<sup>121</sup> Meanwhile, the average number of positive LNs per patient was lower than positive cases in Romania  $(1.54 \pm 2.73 \text{ vs. } 3.7 (1-62))^{121}$  The interpretation of LNM is thus more complicated because the number of dissected LNs was not ideal, but the positive number was satisfactory. More insufficiently removed LNs resulted in a higher probability of positive LNs in actual condition due to unsuccessful LNs 

taking, which could be harmful to cancer spread. This issue will have a significant impact on patient staging.
In contrast, increasing the number of dissected LNs leads to more accurate information about node status
and the best treatment for patients. In a recent Dutch nationwide study,<sup>125</sup> the authors found that with an
increasing number of evaluated nodes, the risk of death is decreased, related to a better quality of surgical
resection (yielding more LN for the pathologist to assess).

A closer inspection of the dissected LNs in **Table 3** shows significant differences between the two age groups. The number of adequate LNs dissection in the young patients was higher than in old patients showing a favorable finding in young patients. Old patients are more likely to receive inadequate LNs dissection during operative therapy. Old patients are at a higher surgical risk for various postoperative complications and their comorbid diseases, possibly making surgeons consider the risks and benefits of a more thorough LNs dissection.<sup>126</sup> The number of LNs dissected from resection specimens depends on several factors, including the surgeon's technique, bowel resection length, and tumor location.<sup>127</sup> The data supporting a minimal LN count of 12 is problematic, and a more realistic and practical LNs count should be measured using LNR, a positive LNs ratio to dissected LNs. Our average LNR was  $0.18 \pm 0.29$ , which was lower than a prior study in Romania (0.221 (0.139-1)),<sup>121</sup> which were more insufficient but had fewer positive LNs, presumably resulting in a lower class for LNR. LNR provides a superior prognostic power than the number of positive nodes alone and is significantly associated with poor survival of CRC.<sup>128</sup> However, given the absence of difference between the two age groups, it is advised that LNR be included as a predictive indicator in future CRC staging systems for all patients.

We found a tiny proportion of PNI in all patients than in the Elsamany et al<sup>129</sup> (11.3% vs. 24.4%) study. However, we found a higher proportion of PNI in the young patients than in the old patients, similar to a study by Zahir et al<sup>39</sup>, showing that 22% of young patients with CRC had positive PNI. The presence of PNI is associated with a higher rate of metastatic disease, recurrence, and reduced survival. Several studies have recognized it as a notable independent prognostic factor in CRC multivariate analysis.<sup>130</sup>

Although some pathological features had significant differences between the two age groups, no evidence was found for significant differences in tumor size, growth pattern, tumor grade, pT, pN, LNR, LNM, distant metastasis, and LVI. Two-thirds of patients are found with tumor size  $\geq 5$  cm, even with the largest size of 18 cm. Although some authors believe that tumor size does not affect prognosis, others believe that tumor size partially influences prognosis.<sup>131,132</sup> Increasing tumor size is associated with decreased loco-regional control, resulting in the increased risk of its malignant potential.<sup>133</sup> Bigger tumors are more likely to be more profoundly invasive and invade neighboring organs.<sup>134</sup> Local recurrence was significantly higher in patients with tumors measuring  $\geq 5$  cm in size, poorly differentiated adenocarcinoma, pT4 stage, and having adjuvant radiotherapy. Moreover, the 5-year overall survival rates in the patients having tumors with size  $\geq 5$  cm were lower than those in sizes < 5 cm, respectively (log-rank, p=0.001).<sup>135</sup>

According to our findings, the proportion of growth patterns was (from highest to lowest) exophytic in both age groups, followed by endophytic, linitis plastica, and ulcerative. These findings agree with a previous study in Thailand, which found fungating and polyp mass (exophytic) were higher than ulcerative mass.<sup>135</sup> Our study demonstrated that a more common growth pattern is exophytic or polypoid growth (85.2%), which tends to be higher in old patients than in young patients (87.9% vs. 79.9%). Ulcerative and linitis plastica were scarce in number, which is favorable since both growth modes entail a worse prognosis. A linitis plastica suggests de novo origin, associated with a reduced proportion of KRAS mutations. Clinically, de novo tumors may represent a more aggressive subtype of CRC with poorer prognosis disease progression and higher aggressiveness.<sup>90</sup> These results call for more awareness and persistence in detecting 

non-polypoid lesions, more intensive monitoring of colonoscopically treated cases, and surgery for selected
 patients.

578 Related to tumor grading, in both age groups, most tumors were well-differentiated, similar to a 579 study in India.<sup>124</sup> These findings differed from those of a study by Chan et al<sup>46</sup>, who discovered that both age groups were primarily affected by cases of moderately differentiated tumors. We found that young 581 patients were more likely to have poorly differentiated CRC than older patients. This finding shows how 582 aggressive tumor biology is in young patients and implies a poorer prognosis regarding distinct 583 differentiation and histological subtypes distribution.<sup>110,136</sup> However, despite significant results in 584 histological subtypes, we found no significant difference in tumor grade in our patients.

14585Another adversely impacting prognostic feature, LVI, was detected less frequently in our study15586(38.3%) compared to a previous report.<sup>129</sup> However, the proportion of positive LVI was higher in young16587patients than in old ones (41.7% vs. 36.7%). These results show that LVI is an important histopathological18588feature in young patients to assess in every young patient with CRC.

In short, all the empirical findings relating to clinicopathological characteristics of CRC in this study have provided a new understanding of this disease entity in Indonesia. Our study collected CRC archives from one of the national referral hospitals for cancer with the most extended span period. Its coverage could represent CRC epidemiology on a regional scale since primary data for the whole country is not readily available. However, we face several constraints during this study-for example, the retrospective design in which the quality of the database depends on the patient records. We may also have missed some old, frail patients with symptoms of CRC who were treated at home or in nursing homes without further investigation. Furthermore the projections of future CRC incidence discussed in this study should be carefully interpreted.<sup>95</sup> Predictions of future cancer incidence inherently depend upon several uncertain factors, could be part of a larger cycle, and may not persist into the future. Our projection of CRC in 2020–2029 was assumed to have similar clinicopathological characteristics as the circumstances observed from 2009 to 2019. Change of certain factors in the population or the presence of new emerging public health threats (i.e., pandemic) may influence the record of a predictive number of cases. Trends and projections can be volatile, and thus we can only forecast cases over a short span of period. Furthermore, this work does not include population-level data, and the mathematical prediction of cases in this study should be further validated using multicenter data. Despite these constraints, our data showed a similar trend to other countries worldwide, particularly Asian countries, and the incidence rates fit well into forecasting models, allowing clinicians and policymakers to predict and anticipate future disease burdens. 

#### 608 Conclusion

This study set out to assess clinical trends in CRC over 11 years based on tumor locations and side involvement, forecast the future incidence of CRC for ten years, and analyze the clinicopathological profile of CRC among the Indonesian patients in a single center. Epidemiological trends and forecasting of CRC cases in Indonesian patients showed an enormous increase, notably for colon cancer, with a particularly concerning trend in young patients. Forecasts for the next ten years using fit-model regression analysis found a significantly high number of CRC burdens in the future, particularly in the colon, compared to rectal cancer cases, which are stable and declining. Additionally, young patients exhibited particular clinicopathological characteristics regarding tumor location, tumor subsites, histological subtypes, adequacy of dissected LNs, and PNI contributed to the disease's severity, aggressiveness, and prognosis. Multidisciplinary policies encompassing specialized screening protocols, extensive educational efforts, and lifestyle adjustments are required immediately to address this perplexing problem. 

| 1        |            |                                                                                                                                               |
|----------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 2        | (0)        |                                                                                                                                               |
| 4        | 620        | Acknowledgments                                                                                                                               |
| 5        | 621        | None                                                                                                                                          |
| 6        | 622        |                                                                                                                                               |
| 7        | 623        | Contributors                                                                                                                                  |
| 8        | 624        | Conceptualization: Nur Rahadiani                                                                                                              |
| 9<br>10  | 625        | • Data curation: Nur Rahadiani, Marini Stephanie, Diah Rini Handjari, Ening Krisnuhoni, Murdani                                               |
| 11       | 626        | Abdullah, Wifanto Saditya Jeo                                                                                                                 |
| 12       | 627        | Formal Analysis: Nur Rahadiani, Muhammad Habiburrahman                                                                                        |
| 13       | 628        | Funding Acquisition: Nur Rahadiani                                                                                                            |
| 14<br>15 | 629        | Investigation: Nur Rahadiani, Muhammad Habiburrahman                                                                                          |
| 16       | 630        | Methodology: Nur Rahadiani, Muhammad Habiburrahman                                                                                            |
| 17       | 631        | Project Administration: Nur Rahadiani                                                                                                         |
| 18       | 632        | • <b>Resources</b> : Nur Rahadiani, Marini Stephanie, Diah Rini Handiari, Ening Krisnuhoni                                                    |
| 19       | 633        | • Software: Muhammad Habiburrahman                                                                                                            |
| 20<br>21 | 634        | • Supervision: Nur Rahadiani Ening Krisnuhoni Murdani Abdullah Wifanto Saditya Jeo                                                            |
| 22       | 635        | • Validation: Nur Rahadiani Marini Stephanie Diah Rini Handiari Ening Krisnuhoni Murdani                                                      |
| 23       | 636        | Abdullah Wifanto Saditya Jeo                                                                                                                  |
| 24       | 627        | • Visualization: Muhammad Habiburrahman                                                                                                       |
| 25       | (20        | • Visualization. Munaminiau Habiburtannian<br>Weiting - sectorizational das ét encourse tinge New Date discui. Mathematica de Habiburga haven |
| 26<br>27 | 638        | • writing – original draft preparation: Nur Ranadiani, Munammad Habiburranman                                                                 |
| 27       | 639        | • Writing – review & editing: Nur Rahadiani, Muhammad Habiburrahman, Marini Stephanie, Diah Rini                                              |
| 29       | 640        | Handjari, Ening Krisnuhoni, Murdani Abdullah, Wifanto Saditya Jeo                                                                             |
| 30       | 641        |                                                                                                                                               |
| 31       | 642        |                                                                                                                                               |
| 32<br>33 | 643        | This research received no specific grant from any funding agency in public, commercial or not-for-profit                                      |
| 34       | 644        | sectors.                                                                                                                                      |
| 35       | 645        |                                                                                                                                               |
| 36       | 646        | Competing interests                                                                                                                           |
| 37<br>20 | 647        | None declared.                                                                                                                                |
| 30<br>39 | 648        |                                                                                                                                               |
| 40       | 649        | Patient consent for publication                                                                                                               |
| 41       | 650        | General consent was obtained from the patient for the use of medical record data and residual specimens                                       |
| 42       | 651        | on admission, as conforming with the ethics approval (details below)                                                                          |
| 43<br>44 | 652        |                                                                                                                                               |
| 44       | 653        | Ethics approval                                                                                                                               |
| 46       | 654        | I his study has been approved by the Institutional Ethical Review Board (ERB) of the Faculty of Medicine,                                     |
| 47       | 655        | Universitas Indonesia - Dr. Cipto Mangkunkusumo Hospital, Jakarta, with the ethical approval number:                                          |
| 48       | 656        | KE1-139/UN2.F1/E11K/PPM.00.02/2020 and protocol number: 10-11-1416. The chart of cancer registry                                              |
| 49<br>50 | 657        | data was anonymized before the authors gained access to it for this study.                                                                    |
| 51       | 030<br>6E0 | Dravananas and naar review                                                                                                                    |
| 52       | 620        | Not commissioned: externally near reviewed                                                                                                    |
| 53       | 000<br>661 | not commissioned, externally peer-reviewed.                                                                                                   |
| 54       | 662        | Data availability statement                                                                                                                   |
| 55<br>56 | 662        | All data relevant to the study are included in the article                                                                                    |
| 57       | 003        |                                                                                                                                               |
| 58       |            |                                                                                                                                               |
| 59       |            | For peer review only - http://bmionen.hmi.com/site/about/guidelines.yhtml                                                                     |
| 00       |            | · ·· peer renerrenty ·· reply/sinjopenion/jeen/jeen/sice/about/guidelines/ritin                                                               |

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

| 1        |            |                                                                                                                                          |
|----------|------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 2        |            |                                                                                                                                          |
| 5<br>4   | 664        | Supplementary Information                                                                                                                |
| 5        | 665        | Supplementary File 1. Trend Analysis of All Patients                                                                                     |
| 6        | 666        | Description: Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression                                   |
| 7        | 667        | analysis among young patients based on tumor location and tumor side involvement                                                         |
| 8        | 668        | Supplementary File 2. Trend Analysis of Young Patients                                                                                   |
| 9        | 669        | Description: Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression                                   |
| 10       | 670        | analysis among young nations based on tumor location and tumor side involvement                                                          |
| 11       | 671        | Supplementary File 3 Trand Analysis of Old Patients                                                                                      |
| 12       | 672        | Description: Detail analysis of annual incidence trend of colorectal concernating Inimaint regression                                    |
| 14       | 672        | Description. Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression                                   |
| 15       | 6/3        | analysis among old patients based on tumor location and tumor side involvement                                                           |
| 16       | 674        | Supplementary File 4. Forecasting Analysis of All Patients                                                                               |
| 17       | 675        | Description: Detail analysis for forecasting future ten-years incidence of colorectal cancer using the                                   |
| 18       | 676        | best-fitted curve model obtained from regression analysis among all patients based on tumor location                                     |
| 19       | 677        | and tumor side involvement                                                                                                               |
| 20       | 678        | Supplementary File 5. Forecasting Analysis of Young Patients                                                                             |
| 21       | 679        | Description: Detail analysis for forecasting future ten-years incidence of colorectal cancer using the                                   |
| 22       | 680        | best-fitted curve model obtained from regression analysis among young natients based on tumor                                            |
| 23       | 691        | location and tumor side involvement                                                                                                      |
| 25       | 601        |                                                                                                                                          |
| 26       | 682        | Supplementary File 6. Forecasting Analysis of Old Patients                                                                               |
| 27       | 683        | Description: Detail analysis for forecasting future ten-years incidence of colorectal cancer using the                                   |
| 28       | 684        | best-fitted curve model obtained from regression analysis among old patients based on tumor location                                     |
| 29       | 685        | and tumor side involvement                                                                                                               |
| 30       | 686        | Supplementary Table 1. Summary of Forecasted Cases 2020-2029                                                                             |
| 31<br>22 | 687        | Description: Summary of a best-fitted model, predicted case equation, and number of forecasting cases                                    |
| 33       | 688        | during the period between 2020 and 2029                                                                                                  |
| 34       | 689        |                                                                                                                                          |
| 35       | 690        | References                                                                                                                               |
| 36       | 691        | Bray F. Ferlay I. Speriomataram I. Siegel RI. Torre I.A. Jemal A. Global cancer statistics 2018:                                         |
| 37       | 692        | GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J                                     |
| 38       | 693        | Clin. 2018;68(6):394–424.                                                                                                                |
| 39       | 694        | . Siegel RL, Torre LA, Soerjomataram I, Hayes RB, Bray F, Weber TK, et al. Global patterns and trends in                                 |
| 40<br>41 | 695        | colorectal cancer incidence in young adults. Gut. 2019;68(12):2179–85.                                                                   |
| 42       | 696<br>607 | Araghi M, Soerjomataram I, Bardot A, Ferlay J, Cabasag CJ, Morrison DS, et al. Changes in colorectal                                     |
| 43       | 698        | cancer incluence in seven righ-income countries: a population-based study. lancet Gastroenterol Hepatol. $2019 \cdot 4(7) \cdot 511 = 8$ |
| 44       | 699        | Guastadisegni C. Colafranceschi M. Ottini L. Dogliotti E. Microsatellite instability as a marker of prognosis                            |
| 45       | 700        | and response to therapy: A meta-analysis of colorectal cancer survival data. Eur J Cancer.                                               |
| 46       | 701        | 2010;46(15):2788–98.                                                                                                                     |
| 47       | 702        | . Bailey CE, Hu C-Y, You YN, Bednarski BK, Rodriguez-Bigas MA, Skibber JM, et al. Increasing disparities                                 |
| 48       | 703        | in the age-related incidences of colon and rectal cancers in the United States, 1975-2010. JAMA Surg. 2015                               |
| 49<br>50 | 704 705    | Jan;150(1):17-22.<br>Sung HV Chiu HM Jung KW Jun IK Sekiguchi M Matsuda T et al. Increasing Trend in Young Onset                         |
| 50       | 706        | Colorectal Cancer in Asia: More Cancers in Men and More Rectal Cancers. Am J Gastroenterol                                               |
| 52       | 707        | 2019;114(2):322–9.                                                                                                                       |
| 53       | 708        | Chang DT, Pai RK, Rybicki LA, Dimaio MA, Limaye M, Jayachandran P, et al. Clinicopathologic and                                          |
| 54       | 709        | molecular features of sporadic early-onset colorectal adenocarcinoma: an adenocarcinoma with frequent                                    |
| 55       | 710        | signet ring cell differentiation, rectal and sigmoid involvement, and adverse morphologic features. Mod                                  |
| 56       | /11        | Patnol an Off J United States Can Acad Pathol Inc. 2012 Aug;25(8):1128–39.                                                               |
| 57       |            |                                                                                                                                          |
| 58       |            |                                                                                                                                          |
| 27       |            | 18                                                                                                                                       |

#### **BMJ** Open

| 712        | 8.  | Abdullah M, Sudoyo AW, Utomo AR, Fauzi A, Rani AA. Molecular profile of colorectal cancer in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 713        |     | Indonesia: Is there another pathway? Gastroenterol Hepatol from Bed to Bench. 2012;5(2):71–8.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 714        | 9.  | Yusuf I, Pardamean B, Baurley JW, Budiarto A, Miskad UA, Lusikooy RE, et al. Genetic risk factors for                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 715        | 10  | colorectal cancer in multiethnic Indonesians. Sci Rep. 2021;11(1):1–9.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| /16        | 10. | Abdullah M, Meilany S, Trimarsanto H, Malik SG, Sukartini N, Idrus F, et al. Genomic profiles of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| /1/<br>710 | 11  | Indonesian colorectal cancer patients [ version 1; peer review : awaiting peer review ]. 2022;1–11.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| /18        | 11. | Borovecki A, Milinaric A, Horvat M, Smolcic VS. Informed consent and etnics committee approval in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 719        | 12  | Iduational Induction in the Induction in the Induction in the Induction of the Induction in |
| 720        | 12. | $2010\cdot140(\text{III V})\cdot1_{-9}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 722        | 13  | Gill SK Gunta V Bansal P Informed consent status in observational studies with retrospective design: A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 723        | 15. | poor show. Asian J Pharm Clin Res. 2017:10(3):480–7.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 724        | 14. | Lin JS. Piper MA. Perdue LA. Rutter C. Webber EM. O'Connor E. et al. Screening for Colorectal Cancer: A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 725        |     | Systematic Review for the U.S. Preventive Services Task Force. Evid Synth no 135. 2016;(135):239p.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 726        | 15. | Mueller M, Schneider MA, Deplazes B, Cabalzar-Wondberg D, Rickenbacher A, Turina M. Colorectal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 727        |     | cancer of the young displays distinct features of aggressive tumor biology: A single-center cohort study.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 728        |     | World J Gastrointest Surg. 2021;13(2):164–75.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 729        | 16. | Baxter NN, Virnig DJ, Rothenberger DA, Morris AM, Jessurun J, Virnig BA. Lymph node evaluation in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 730        |     | colorectal cancer patients: A population-based study. J Natl Cancer Inst. 2005;97(3):219-25.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 731        | 17. | WHO. WHO Classification of Tumours: Digestive System Tumours. 5th ed. WHO Classification of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 732        |     | Tumours Editorial Board, editor. Classification of Tumours. Geneva, Switzerland: World Health                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 733        |     | Organization; 2019. 1–537 p.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 734        | 18. | Amin MB, Edge S, Greene F, Byrd DR, Brookland RK, Washington MK, et al. AJCC Cancer Staging                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| /35        |     | Manual [Internet]. 8th ed. New York: Springer; 2017. 252–254 p. Available from:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| /30        | 10  | nttps://www.springer.com/gp/book/9/833194061/6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| /3/<br>720 | 19. | Akagi Y, Adachi Y, Kinugasa I, Oka Y, Mizobe I, Shirouzu K. Lymph node evaluation and survival in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 730        | 20  | Baran B. Mart Ozunak N. Varli Tatik N. Acar F. Bakajaglu O. Baskin V. Difference Batygen I aft Sided                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 740        | 20. | and Right-Sided Colorectal Cancer: A Focused Review of Literature Gastroenterol Res 2018:11(4):264                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 741        |     | 73                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 742        | 21  | Huyghe JR Harrison TA Bien SA Hampel H Figueiredo JC Schmit SL et al Genetic architectures of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 743        |     | proximal and distal colorectal cancer are partly distinct. Gut. 2021;70(7):1325–34.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 744        | 22. | Wittekind C, Oberschmid B. Colorectal Cancer Pathology. In: Schwab M, editor. Encyclopedia of Cancer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 745        |     | [Internet]. 11th ed. Berlin, Heidelberg: Springer; 2017. p. 925. Available from: https://doi.org/10.1007/978-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 746        |     | 3-642-16483-5_6772                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 747        | 23. | Chen K, Collins G, Wang H, Toh JWT. Pathological features and prognostication in colorectal cancer. Curr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 748        |     | Oncol. 2021;28(6):5356–83.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 749        | 24. | National Cancer Institute. Statistical Research and Applications Branch Joinpoint Trend Analysis Software                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 750        |     | [Internet]. Surveillance Research Program. 2021 [cited 2021 Jun 9]. Available from:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 751        |     | https://surveillance.cancer.gov/joinpoint/                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 752        | 25. | Langton S, Lowe D, Rogers SN, Plüddemann A, Bankhead C. The impact of the UK 'two-week rule' on                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| /53        |     | stage-on-diagnosis of oral cancer and the relationship to socio-economic inequalities. J Cancer Policy.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 754        | 26  | 2019;20(January):100191-8.<br>Ity VI Chan I. Zhang WS, Ling TV, Jian VC, Ly DIL at al. Trand Analysis of Datal Nut associated Oral                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 755        | 20. | Concer and Health Burden in Chinase I Dant Pess 2017:20(2):60, 78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 757        | 27  | Claudio D. Miller A. Huggins A. Time series forecasting in an outpatient cancer clinic using common day                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 758        | 27. | clustering IIE Trans Healthc Syst Eng. 2014:4(1):16–26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 759        | 28  | Burkhamer I Kriehel D Clann R The increasing toll of adolescent cancer incidence in the US PLoS One                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 760        | -0. | 2017:12(2):1–16.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 761        | 29. | Ashoor AS, Kazem AAK, Gore S. An Interactive Network security for Evaluating Linear Regression                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 762        |     | Models in Cancer Mortality Analysis and Self-Correlation of Errors by Using Durbin-Watson Tests in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 763        |     | Babylon/Iraq. J Phys Conf Ser. 2021;1804(1):012127.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 764        | 30. | Musa B. Comparison of various models on cancer rate and forecasting. J Appl Sci Environ Manag.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 765        |     | 2017;21(5):957–9.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 766        | 31. | Wah W, Stirling RG, Ahern S, Earnest A. Forecasting of lung cancer incident cases at the small-area level in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 7(7        |     | Viotoria Australia Int I Environ Das Dublia Usalth 2021,19(10),1-12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

Page 22 of 74

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### BMJ Open

768 32. Rashed ER, Eissa ME. Long-Term Quantitative Assessment of Women Survivability from Cancer: A 769 Unique Descriptive Analysis, Highlights Biosci, 2020;3:1–8. 770 33. Minitab Inc. Interpret all statistics and graphs for trend analysis [Internet]. Minitab Express Support. 2021 771 [cited 2021 Jun 19]. Available from: https://support.minitab.com/en-us/minitab-express/1/help-and-how-772 to/modeling-statistics/time-series/how-to/trend-analysis/interpret-the-results/all-statistics-and-graphs/ 773 Tofallis C. A better measure of relative prediction accuracy for model selection and model estimation. J 34. 774 Oper Res Soc. 2015;66(8):1352-62.

1 2 3

4

5

6

7

- 9774Oper Res Soc. 2015;66(8):1352–62.1077535.Elm E von, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP. Strengthening the reporting11776of observational studies in epidemiology (STROBE) statement: guidelines for reporting observational12777studies. BMJ [Internet]. 2007 Oct 18;335(7624):806 LP 808. Available from:13778http://www.bmj.com/content/335/7624/806.abstract
- 13 778 http://www.bmj.com/content/335/7624/806.abstract
   14 779 36. Murphy N, Strickler HD, Stanczyk FZ, Xue X, Wassertheil-Smoller S, Rohan TE, et al. A Prospective
   15 780 Evaluation of Endogenous Sex Hormone Levels and Colorectal Cancer Risk in Postmenopausal Women.
   16 781 JNCI J Natl Cancer Inst. 2015;107(10):djv210.
- 784 38. CS Wong M, Ding H, Wang J, SF Chan P, Huang J. Prevalence and risk factors of colorectal cancer in Asia. 785 Intest Res. 2019;17(3):317–29.
- 786
   787
   787
   788
   39. Zahir MN, Mahpara E, Rafiq S, Ghias K, Shabbir-Moosajee M. Clinical features and outcome of sporadic colorectal carcinoma in young adults: A single center, cross sectional analysis. J Clin Oncol. 2013;31(15\_suppl):e14680-e14680.
- 789
   790
   790
   25
   791
   41
   2015,51(15\_stip1);011000 011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;01100;01000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;011000;01100;0100;01100;0100;01100;0100;01100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;0100;010;010;0100;0100;010
- 791 41. Bhurgri Y, Khan T, Kayani N, Ahmad R, Usman A, Bhurgri A, et al. Incidence and current trends of colorectal malignancies in an unscreened, low risk Pakistan population. Asian Pac J Cancer Prev. 2011;12(3):703–8.
  793 2011;12(3):703–8.
- 794
   795
   795
   795
   796
   796
   797
   796
   796
   797
   796
   796
   797
   797
   798
   798
   799
   799
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   790
   700
   700
   700
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   70
   <l
- 797 43. O'Connell JB, Maggard MA, Livingston EH, Yo CK. Colorectal cancer in the young. Am J Surg. 2004
   798 Mar;187(3):343-8.
- 799 44. Chiang J-M, Chen M-C, Changchien CR, Chen J-S, Tang R, Wang J-Y, et al. Favorable influence of age on tumor characteristics of sporadic colorectal adenocarcinoma: patients 30 years of age or younger may be a distinct patient group. Dis Colon Rectum. 2003;46(7):904–10.
- 802
  803
  803
  804
  45. Nath J, Wigley C, Keighley MRB, Perakath B. Rectal cancer in young adults: a series of 102 patients at a tertiary care centre in India. Colorectal Dis. 2009;11(5):475–9.
- 804
  805
  805
  806
  806
  806
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
  807
- 41 607
  42 808
  43 809
  44 811
  47. Central Bureau of Statistics Indonesia. Total Population by Age Group and Gender, 2019 [in Indonesian]
  48. [Internet]. BPS Indonesia. 2020 [cited 2022 May 2]. Available from:
  49. https://www.bps.go.id/indikator/indikator/view\_data\_pub/0000/api\_pub/YW40a21pdTU1cnJxOGt6dm43ZE
  40.7709/da. 03/3
- 811 doZz09/da\_03/3
  812 48. Pham DX, Phung AHT, Nguyen HD, Bui TD, Mai LD, Tran BNH, et al. Trends in colorectal cancer
  813 incidence in Hononpolypoidty, Vietnam (1996–2015): Joinpoint regression and age-period-cohort analyses.
  814 Cancer Epidemiol\_2022;77(July 2021):102113
  - 814 Cancer Epidemiol. 2022;77(July 2021):102113.
    815 49. Kristina SA, Endarti D, Wiedyaningsih C, Yuliawati AN, Astyamalia S. Estimating the burden of cancer
- 51
   818
   50.
   The World Bank. GDP (current US\$) Indonesia [Internet]. 2021 [cited 2021 Sep 11]. Available from: https://data.worldbank.org/indicator/NY.GDP.MKTP.CD?locations=ID

   52
   820
   51
   World Hueld Control of the Provide Provid
- 5382051.World Health Organization. Estimated number of new cases from 2020 to 2025, Both sexes, age [0-85+]54821Indonesia [Internet]. WHO. 2021 [cited 2021 Jun 25]. p. Cancer Tomorrow. Available from:55822NHO. 2021 [cited 2021 Jun 25]. p. Cancer Tomorrow. Available from:
- 55822https://gco.iarc.fr/tomorrow/en/dataviz/bubbles?types=0&sexes=0&mode=cancer&group\_populations=1&m56823ultiple\_populations=0&multiple\_cancers=1&cancers=8\_9&populations=360&group\_cancers=0&years=20257
- 57
- 58 59

#### BMJ Open

| Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies. | Enseignement Superieur (ABES) . | J Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliogra |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|

| 1      |            |     |                                                                                                                                                                                   |
|--------|------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2      |            |     |                                                                                                                                                                                   |
| 3<br>⊿ | 824        |     | 5&single_unit=1000&bar_mode=grouped&key=total&show_bar_mode_prop                                                                                                                  |
| 4<br>5 | 825        | 52. | Sarakarn P, Suwanrungruang K, Vatanasapt P, Wiangnon S, Promthet S, Jenwitheesuk K, et al. Joinpoint                                                                              |
| 5      | 826        |     | Analysis Trends in the Incidence of Colorectal Cancer in Knon Kaen, Thailand (1989 – 2012). Asian Pac J                                                                           |
| 0      | 827        | 50  | Cancer Prev. 2017;18(4):1039–43.                                                                                                                                                  |
| /      | 828<br>020 | 53. | Kniari H, Ben Ayoub HW, Knaanra H Ben, Hsairi M. Colorectal cancer incidence trend and projections in<br>Tunisis (1004 - 2024). Asian Desifie I Conser Prov. 2017;18(10):2722 - 0 |
| ð      | 029        | 51  | Tunisia (1994 - 2024). Asian Pacific J Cancer Prev. 2017;18(10):2755–9.                                                                                                           |
| 9      | 030        | 34. | Malaya Madical Contra, 2001 to 2010, Agian Day I Cancer Prov. 2014;15(15):6050, 64                                                                                                |
| 10     | 832        | 55  | Lingui D. Vierkant RA. Tillmans IS. Wang AH. Weisenberger DI Laird PW, et al. Cigarette smoking and                                                                               |
| 11     | 833        | 55. | colorectal cancer risk by molecularly defined subtypes. I Natl Cancer Inst. 2010;102(14):1012–22                                                                                  |
| 12     | 834        | 56  | National Institute of Health Research and Development Indonesia, Basic Health Research [In Indonesian]                                                                            |
| 13     | 835        | 50. | [Internet] Jakarta: 2019 Available from: https://www.lithang.kemkes.go.id/Japoran-riset-kesehatan-dasar-                                                                          |
| 14     | 836        |     | riskesdas/                                                                                                                                                                        |
| 15     | 837        | 57  | Shin A Joo I Bak I Yang H-R Kim I Park S et al Site-specific risk factors for colorectal cancer in a                                                                              |
| 16     | 838        | 07. | Korean population PLoS One 2011.6(8):e23196                                                                                                                                       |
| 17     | 839        | 58. | Akhter M. Kuriyama S. Nakaya N. Shimazu T. Ohmori K. Nishino Y. et al. Alcohol consumption is                                                                                     |
| 18     | 840        |     | associated with an increased risk of distal colon and rectal cancer in Japanese men: the Miyagi Cohort                                                                            |
| 19     | 841        |     | Study. Eur J Cancer. 2007;43(2):383–90.                                                                                                                                           |
| 20     | 842        | 59. | Oddo VM, Maehara M, Rah JH. Overweight in Indonesia: An observational study of trends and risk factors                                                                            |
| 21     | 843        |     | among adults and children. BMJ Open. 2019;9(9):1–14.                                                                                                                              |
| 22     | 844        | 60. | Wong SH, Yu J. Gut microbiota in colorectal cancer: mechanisms of action and clinical applications. Nat                                                                           |
| 23     | 845        |     | Rev Gastroenterol Hepatol. 2019;16(11):690–704.                                                                                                                                   |
| 24     | 846        | 61. | Yee YK, Tan VPY, Chan P, Hung IFN, Pang R, Wong BCY. Epidemiology of colorectal cancer in Asia. J                                                                                 |
| 25     | 847        |     | Gastroenterol Hepatol. 2009;24(12):1810–6.                                                                                                                                        |
| 26     | 848        | 62. | Rachmi CN, Jusril H, Ariawan I, Beal T, Sutrisna A. Eating behaviour of Indonesian adolescents: A                                                                                 |
| 27     | 849        |     | systematic review of the literature. Public Health Nutr. 2020;24(S2):S84–97.                                                                                                      |
| 28     | 850        | 63. | O'Keefe SJD, Li J V, Lahti L, Ou J, Carbonero F, Mohammed K, et al. Fat, fibre and cancer risk in African                                                                         |
| 29     | 851        |     | Americans and rural Africans. Nat Commun. 2015 Apr;6:6342.                                                                                                                        |
| 30     | 852        | 64. | Akimoto N, Ugai T, Zhong R, Hamada T, Fujiyoshi K, Giannakis M, et al. Rising incidence of early-onset                                                                            |
| 31     | 853        |     | colorectal cancer — a call to action. Nat Rev Clin Oncol. 2021;18(4):230–43.                                                                                                      |
| 32     | 854        | 65. | Pham NM, Mizoue T, Tanaka K, Tsuji I, Tamakoshi A, Matsuo K, et al. Physical activity and colorectal                                                                              |
| 33     | 855        |     | cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese                                                                              |
| 34     | 856        |     | population. Jpn J Clin Oncol. 2012;42(1):2–13.                                                                                                                                    |
| 35     | 857        | 66. | Parathon H, Kuntaman K, Widiastoety TH, Muliawan BT, Karuniawati A, Qibtiyah M, et al. Progress                                                                                   |
| 36     | 858        | (7  | towards antimicrobial resistance containment and control in Indonesia. BMJ. 2017;358:31–5.                                                                                        |
| 37     | 859        | 67. | Chen LW, Xu J, Son SE, Aris IM, Tint MT, Gluckman PD, et al. Implication of gut microbiota in the                                                                                 |
| 38     | 860<br>061 |     | association between infant antibiotic exposure and childhood obesity and adiposity accumulation. Int J $O_{\text{base}} = 2020.44(7) \cdot 1508 = 20$                             |
| 39     | 061        | (0  | Obes. 2020;44(7):1508–20.                                                                                                                                                         |
| 40     | 002        | 08. | Algeoreen AM. Clinico-pathological patierns of colorectal cancer in Saudi Arabia. younger with an                                                                                 |
| 41     | 003<br>864 | 60  | advanced stage presentation. Saudi J Gastroenterol OII J Saudi Gastroenterol Assoc. 2007;15(2):84–7.                                                                              |
| 42     | 865<br>865 | 09. | of colorectal cancer. IAMA 2005:203(2):172, 82                                                                                                                                    |
| 43     | 866        | 70  | Gibbons I. Waters C. Mao V. Ellison I. Trends in colorectal cancer incidence and mortality. Health Ren                                                                            |
| 44     | 867        | 70. | 2001.12(2).41_55                                                                                                                                                                  |
| 45     | 868        | 71  | Cucino C. Buchner AM. Sonnenberg A. Continued rightward shift of colorectal cancer. Dis Colon Rectum                                                                              |
| 46     | 869        | /1. | 2002.45(8).1035-40                                                                                                                                                                |
| 47     | 870        | 72  | Nakagawa H Ito H Hosono S Oze I Mikami H Hattori M et al Changes in trends in colorectal cancer                                                                                   |
| 48     | 871        | ,   | incidence rate by anatomic site between 1978 and 2004 in Japan Eur J Cancer Prev 2017.26(4):269–76                                                                                |
| 49     | 872        | 73  | Larsen IK Bray F Trends in colorectal cancer incidence in Norway 1962-2006: an interpretation of the                                                                              |
| 50     | 873        |     | temporal patterns by anatomic subsite. Int J cancer. 2010;126(3):721–32.                                                                                                          |
| 51     | 874        | 74. | Patel P, De P. Trends in colorectal cancer incidence and related lifestyle risk factors in 15-49-year-olds in                                                                     |
| 52     | 875        |     | Canada, 1969-2010. Cancer Epidemiol. 2016;42:90–100.                                                                                                                              |
| 53     | 876        | 75. | Wei EK, Giovannucci E, Wu K, Rosner B, Fuchs CS, Willett WC, et al. Comparison of risk factors for                                                                                |
| 54     | 877        |     | colon and rectal cancer. Int J cancer. 2004;108(3):433-42.                                                                                                                        |
| 55     | 878        | 76. | Cheng J, Chen Y, Wang X, Wang J, Yan Z, Gong G, et al. Meta-analysis of prospective cohort studies of                                                                             |
| 56     | 879        |     | cigarette smoking and the incidence of colon and rectal cancers. Eur J Cancer Prev. 2015;24(1):6–15.                                                                              |
| 57     |            |     |                                                                                                                                                                                   |
| 58     |            |     |                                                                                                                                                                                   |
| 59     |            |     | 21                                                                                                                                                                                |

| 2        |            |      |                                                                                                                                  |
|----------|------------|------|----------------------------------------------------------------------------------------------------------------------------------|
| 3        | 880        | 77   | Park S-Y Wilkens LR Setiawan VW Monroe KR Haiman CA Le Marchand L Alcohol Intake and                                             |
| 4        | 881        | ,,,, | Colorectal Cancer Risk in the Multiethnic Cohort Study. Am J Epidemiol. 2019:188(1):67–76.                                       |
| 5        | 882        | 78.  | Giovannucci E. Insulin and colon cancer. Cancer Causes Control. 1995;6(2):164–79.                                                |
| 6        | 883        | 79.  | Komninou D, Ayonote A, Richie JPJ, Rigas B. Insulin resistance and its contribution to colon                                     |
| 7        | 884        |      | carcinogenesis. Exp Biol Med (Maywood). 2003;228(4):396–405.                                                                     |
| 8        | 885        | 80.  | Ministry of Health of Indonesia. The Situation of Family Planning in Indonesia [In Indonesian]. Bul Jendela                      |
| 9        | 886        |      | Data dan Inf Kesehat. 2013;(2):1–44.                                                                                             |
| 10       | 887        | 81.  | Benedix F, Kube R, Meyer F, Schmidt U, Gastinger I, Lippert H. Comparison of 17,641 patients with right-                         |
| 11       | 888        |      | and left-sided colon cancer: differences in epidemiology, perioperative course, histology, and survival. Dis                     |
| 12       | 889        |      | Colon Rectum. 2010;53(1):57–64.                                                                                                  |
| 13       | 890        | 82.  | Quah HM, Joseph R, Schrag D, Shia J, Guillem JG, Paty PB, et al. Young age influences treatment but not                          |
| 14       | 891        |      | outcome of colon cancer. Ann Surg Oncol. 2007;14(10):2759–65.                                                                    |
| 15       | 892        | 83.  | Siegel RL, Ward EM, Jemal A. Trends in colorectal cancer incidence rates in the United States by tumor                           |
| 16       | 893        | 0.4  | location and stage, 1992-2008. Cancer Epidemiol Biomarkers Prev. 2012;21(3):411–6.                                               |
| 17       | 894<br>005 | 84.  | Soetikno RM, Kaltenbach I, Kouse R V, Park W, Maneshwari A, Sato I, et al. Prevalence of nonpolypoid                             |
| 18       | 895<br>006 |      | (flat and depressed) colorectal neoplasms in asymptomatic and symptomatic adults. JAMA.                                          |
| 19       | 090<br>907 | 95   | 2008,299(9):1027-55.<br>Pressler P. Deszet I.F. Chen Z. Pothwall DM. Vinden C. Pahanaak I. Pates of new or missed colorastal     |
| 20       | 808        | 03.  | cancers after colonoscony and their risk factors: a nonulation based analysis. Castroenterology                                  |
| 21       | 899        |      | cancers after colonoscopy and men risk factors, a population-based analysis. Cashoenterology. $2007 \cdot 122(1) \cdot 96 - 102$ |
| 22       | 900        | 86   | Boursi B. Halak A. Umansky M. Galzan I. Guzner-Gur H. Arber N. Colonosconic screening of an average-                             |
| 23       | 901        | 00.  | risk population for colorectal neoplasia Endoscopy 2009.41(6):516–21                                                             |
| 24       | 902        | 87   | Singh A Kuo Y-F Riall TS Rain GS Goodwin JS Predictors of colorectal cancer following a negative                                 |
| 25       | 903        | 07.  | colonoscopy in the Medicare population. Dig Dis Sci. 2011;56(11):3122–8.                                                         |
| 26       | 904        | 88.  | Imperial R, Ahmed Z, Toor OM, Erdoğan C, Khaliq A, Case P, et al. Comparative proteogenomic analysis                             |
| 27       | 905        |      | of right-sided colon cancer, left-sided colon cancer and rectal cancer reveals distinct mutational profiles.                     |
| 28       | 906        |      | Mol Cancer. 2018;17(1):177.                                                                                                      |
| 29       | 907        | 89.  | Siegel RL, Jemal A, Ward EM. Increase in incidence of colorectal cancer among young men and women in                             |
| 30       | 908        |      | the United States. Cancer Epidemiol Biomarkers Prev. 2009;18(6):1695-8.                                                          |
| 31       | 909        | 90.  | Papagiorgis PC, Zizi AE, Tseleni S, Oikonomakis IN, Nikiteas NI. Clinicopathological differences of                              |
| 32       | 910        |      | colorectal cancers according to tumor origin: Identification of possibly de novo lesions. Biomed Reports.                        |
| 33       | 911        |      | 2013;1(1):97–104.                                                                                                                |
| 34       | 912        | 91.  | Zhou Q, Li K, Lin G-Z, Shen J-C, Dong H, Gu Y-T, et al. Incidence trends and age distribution of colorectal                      |
| 35       | 913        |      | cancer by subsite in Guangzhou, 2000–2011. Chin J Cancer. 2015;34(3):1–7.                                                        |
| 36       | 914        | 92.  | Bufill JA. Colorectal cancer: evidence for distinct genetic categories based on proximal or distal tumor                         |
| 37       | 915        | 02   | location. Ann Intern Med. 1990;113(10): $7/9-88$ .                                                                               |
| 38       | 916        | 93.  | Schröders J, Wall S, Hakimi M, Dewi FST, Weinehall L, Nichter M, et al. How is Indonesia coping with its                         |
| 39       | 917<br>010 |      | 2017:12(6):00170186                                                                                                              |
| 40       | 910<br>010 | 04   | 2017,12(0).00179100.<br>Anglurawaranon C. Jiranornaharaan W. Chanthanakii B. Davla P. Nitsch D. Urbanization and non             |
| 41       | 920        | 94.  | communicable disease in Southeast A sia: A review of current evidence. Public Health 2014:128(10):886_                           |
| 42       | 921        |      | 05                                                                                                                               |
| 43       | 922        | 95   | Bray F Møller B Predicting the future burden of cancer Nat Rev Cancer 2006.6(1):63–74                                            |
| 44       | 923        | 96.  | Ismail L. Materwala H. Znati T. Turaev S. Khan MAB. Tailoring time series models for forecasting                                 |
| 45       | 924        |      | coronavirus spread: Case studies of 187 countries. Comput Struct Biotechnol J. 2020:18:2972–3206.                                |
| 46       | 925        | 97.  | Siegel RL, Fedewa SA, Anderson WF, Miller KD, Ma J, Rosenberg PS, et al. Colorectal Cancer Incidence                             |
| 47       | 926        |      | Patterns in the United States, 1974-2013. J Natl Cancer Inst. 2017;109(8):27-32.                                                 |
| 48       | 927        | 98.  | Kuipers EJ, Grady WM, Lieberman D, Seufferlein T, Sung JJ, Boelens PG, et al. Colorectal cancer. Nat Rev                         |
| 49       | 928        |      | Dis Prim. 2015;1:15065.                                                                                                          |
| 50       | 929        | 99.  | Center MM, Jemal A, Smith RA, Ward E. Worldwide variations in colorectal cancer. CA Cancer J Clin.                               |
| 51       | 930        |      | 2009;59(6):366–78.                                                                                                               |
| 52       | 931        | 100. | Wang CB, Shahjehan F, Merchea A, Li Z, Bekaii-Saab TS, Grothey A, et al. Impact of Tumor Location and                            |
| 53       | 932        |      | Variables Associated With Overall Survival in Patients With Colorectal Cancer: A Mayo Clinic Colon and                           |
| 54       | 933        | 101  | Rectal Cancer Registry Study. Front Oncol. 2019;9:76.                                                                            |
| 55       | 934        | 101. | Warschkow R, Sulz MC, Marti L, Tarantino I, Schmied BM, Cerny T, et al. Better survival in right-sided                           |
| 56       | 935        |      | versus ien-sided stage 1 - 111 colon cancer patients. BMC Cancer. 2016;16:554.                                                   |
| 5/       |            |      |                                                                                                                                  |
| 58       |            |      |                                                                                                                                  |
| 59<br>60 |            |      | Eor peer review only - http://bmionen.hmi.com/site/about/quidelines.yhtml                                                        |
| 00       |            |      | . or peer rettert only integr/onlyopenionly.com/one/about/guidelines/Anthin                                                      |

#### **BMJ** Open

| Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies. | Enseignement Superieur (ABES) . | MJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| 1      |            |      |                                                                                                                                                                   |
|--------|------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2      |            |      |                                                                                                                                                                   |
| 3<br>⊿ | 936        | 102. | Hardy MA, Bryman A. Handbook of Data Analysis [Internet]. London: SAGE Publications Ltd; 2004. 1–                                                                 |
| 4<br>5 | 937        | 102  | 728 p. Available from: https://us.sagepub.com/en-us/nam/handbook-of-data-analysis/book209824                                                                      |
| 5      | 938        | 103. | Nini A, Corradini C, Guo D, Grieve J. The application of growth curve modeling for the analysis of discharge control of growth curve modeling for the analysis of |
| 7      | 939        | 104  | Davin SM Sataganan IM Statistical Interactions from a Growth Curve Perspective. Hum Hered                                                                         |
| ,<br>8 | 940        | 104. | 2016.82(1_2).21_36                                                                                                                                                |
| 0      | 942        | 105  | Pawla P. Sunkara T. Barsouk A. Enidemiology of colorectal cancer: Incidence, mortality, survival, and risk                                                        |
| 10     | 943        | 105. | factors Prz Gastroenterol 2019:14(2):89–103                                                                                                                       |
| 10     | 944        | 106  | Sudovo AW Hernowo B Krisnuhoni E Reksodinutro AH Hardiodisastro D Sinurava ES Colorectal                                                                          |
| 17     | 945        | 100. | cancer among young native indonesians. A cliniconathological and molecular assessment on microsatellite                                                           |
| 12     | 946        |      | instability Med J Indones 2010:19(4):245–51                                                                                                                       |
| 17     | 947        | 107. | Gopalan V. Smith RA, Ho Y-H. Lam AK-Y. Signet-ring cell carcinoma of colorectumcurrent perspectives                                                               |
| 14     | 948        |      | and molecular biology. Int J Colorectal Dis. 2011;26(2):127–33.                                                                                                   |
| 15     | 949        | 108. | Foster AD, Sivarapatna A, Gress RE. The aging immune system and its relationship with cancer. Aging                                                               |
| 10     | 950        |      | health. 2011;7(5):707–18.                                                                                                                                         |
| 17     | 951        | 109. | Chou C-L, Tseng C-J, Shiue Y-L. The impact of young age on the prognosis for colorectal cancer: a                                                                 |
| 10     | 952        |      | population-based study in Taiwan. Jpn J Clin Oncol. 2017;47(11):1010-8.                                                                                           |
| 20     | 953        | 110. | Lieu CH, Renfro LA, de Gramont A, Meyers JP, Maughan TS, Seymour MT, et al. Association of age with                                                               |
| 20     | 954        |      | survival in patients with metastatic colorectal cancer: analysis from the ARCAD Clinical Trials Program. J                                                        |
| 21     | 955        |      | Clin Oncol. 2014;32(27):2975–84.                                                                                                                                  |
| 22     | 956        | 111. | Blanke CD, Bot BM, Thomas DM, Bleyer A, Kohne C-H, Seymour MT, et al. Impact of young age on                                                                      |
| 23     | 957        |      | treatment efficacy and safety in advanced colorectal cancer: a pooled analysis of patients from nine first-line                                                   |
| 24     | 958        |      | phase III chemotherapy trials. J Clin Oncol. 2011;29(20):2781–6.                                                                                                  |
| 25     | 959        | 112. | Kansakar P, Singh Y. Changing trends of colorectal carcinoma in Nepalese young adults. Asian Pacific J                                                            |
| 26     | 960        |      | Cancer Prev. 2012;13(7):3209–12.                                                                                                                                  |
| 27     | 961        | 113. | Fu J, Yang J, Tan Y, Jiang M, Wen F, Huang Y, et al. Young patients (≤35years old) with colorectal cancer                                                         |
| 28     | 962        |      | have worse outcomes due to more advanced disease: A 30-Year Retrospective Review. Med (United States).                                                            |
| 29     | 963        |      | 2014;93(23):1–7.                                                                                                                                                  |
| 30     | 964        | 114. | Kocián P, Svobodová I, Krejčí D, Blaha M, Gürlich R, Dušek L, et al. Is colorectal cancer a more aggressive                                                       |
| 31     | 965        |      | disease in young patients? A population-based study from the Czech Republic. Cancer Epidemiol.                                                                    |
| 32     | 966        | 115  | 2019;63(September):101621.                                                                                                                                        |
| 33     | 907        | 115. | Dana Knarisma D. Healthcare Access inequity within a Social Health Insurance Setting: A Kisk Faced by                                                             |
| 34     | 900        | 116  | Indonesia's Jaminan Kesenatan Nasional (JKN) Program. Bappenas work Pap. 2020;3(1):05–74.                                                                         |
| 35     | 909        | 110. | Bycon J-S, Tang S-K, Kim T H, Kim W H, Lau J F W, Leung W-K, et al. Colorectal neoplasm in                                                                        |
| 36     | 970<br>071 |      | 2007:65(7):1015_22                                                                                                                                                |
| 37     | 072        | 117  | 2007,05(7).1015-22.<br>You VN Ving V Faig BW Chang GL Cormier IN Young onset colorectal cancer: is it time to nav                                                 |
| 38     | 972        | 11/. | attention? Vol. 172 Archives of internal medicine. United States: 2012 p. 287_9                                                                                   |
| 39     | 974        | 118  | Lee PV Fletcher WS Sullivan FS Vetto IT Colorectal cancer in young patients: characteristics and                                                                  |
| 40     | 975        | 110. | outcome Am Surg 1994:60(8):607–12                                                                                                                                 |
| 41     | 976        | 119  | Domergue I Ismail M Astre C Saint-Aubert B Joyeux H Solassol C et al Colorectal carcinoma in                                                                      |
| 42     | 977        |      | patients younger than 40 years of age. Montpellier Cancer Institute experience with 78 patients. Cancer.                                                          |
| 43     | 978        |      | 1988:61(4):835–40.                                                                                                                                                |
| 44     | 979        | 120. | Ahnen DJ, Wade SW, Jones WF, Sifri R, Silveiras JM, Greenamver J, et al. The increasing incidence of                                                              |
| 45     | 980        |      | young-onset colorectal cancer: A call to action. Mayo Clin Proc. 2014;89(2):216–24.                                                                               |
| 46     | 981        | 121. | Gheju A, Jurescu A, Tăban S, Al-Jobory D, Lazăr F, Dema A. Different disease characteristics in young                                                             |
| 47     | 982        |      | patients with colorectal cancer: a large retrospective study in a city in Romania. J Int Med Res.                                                                 |
| 48     | 983        |      | 2021;49(5):030006052110166.                                                                                                                                       |
| 49     | 984        | 122. | Chew M-H, Yeo S-AE, Ng Z-P, Lim K-H, Koh P-K, Ng K-H, et al. Critical analysis of mucin and signet                                                                |
| 50     | 985        |      | ring cell as prognostic factors in an Asian population of 2,764 sporadic colorectal cancers. Int J Colorectal                                                     |
| 51     | 986        |      | Dis. 2010;25(10):1221–9.                                                                                                                                          |
| 52     | 987        | 123. | Börger ME, Gosens MJEM, Jeuken JWM, van Kempen LCLT, van de Velde CJH, van Krieken JHJM, et al.                                                                   |
| 53     | 988        |      | Signet ring cell differentiation in mucinous colorectal carcinoma. J Pathol. 2007;212(3):278-86.                                                                  |
| 54     | 989        | 124. | Sudarshan V, Hussain N, Gahine R, Mourya J. Colorectal cancer in young adults in a tertiary care hospital                                                         |
| 55     | 990        |      | in Chhattisgarh, Raipur. Indian J Cancer. 2013;50(4):337–40.                                                                                                      |
| 56     | 991        | 125. | Elferink MAG, Siesling S, Visser O, Rutten HJ, van Krieken JHJM, Tollenaar RAEM, et al. Large variation                                                           |
| 57     |            |      |                                                                                                                                                                   |
| 58     |            |      |                                                                                                                                                                   |
| 59     |            |      | 23                                                                                                                                                                |

- 992between hospitals and pathology laboratories in lymph node evaluation in colon cancer and its impact on993survival, a nationwide population-based study in the Netherlands. Ann Oncol Off J Eur Soc Med Oncol.9942011;22(1):110–7.
- 995 126. Dubecz A, Solymosi N, Schweigert M, Stadlhuber RJ, Peters JH, Ofner D, et al. Time trends and disparities in lymphadenectomy for gastrointestinal cancer in the United States: a population-based analysis of 326,243 patients. J Gastrointest Surg Off J Soc Surg Aliment Tract. 2013 Apr;17(4):611–9.
- 9
   998
   127. Shen SS, Haupt BX, Ro JY, Zhu J, Bailey HR, Schwartz MR. Number of lymph nodes examined and associated clinicopathologic factors in colorectal carcinoma. Arch Pathol Lab Med. 2009;133(5):781–6.
- 111000128.Zhang MR, Xie TH, Chi JL, Li Y, Yang L, Yu YY, et al. Prognostic role of the lymph node ratio in node121001positive colorectal cancer: A meta-analysis. Oncotarget. 2016;7(45):72898–907.
- 1002
   129. Elsamany SA, Alzahrani AS, Mohamed MM, Elmorsy SA, Zekri JE, Al-Shehri AS, et al. Clinicopathological patterns and survival outcome of colorectal cancer in young patients: western Saudi Arabia experience. Asian Pac J Cancer Prev. 2014;15(13):5239–43.
- 1005
   1006
   130. Bentzen SM, Balslev I, Pedersen M, Teglbjaerg PS, Hanberg-Sørensen F, Bone J, et al. Time to locoregional recurrence after resection of Dukes' B and C colorectal cancer with or without adjuvant postoperative radiotherapy. A multivariate regression analysis. Br J Cancer. 1992;65(1):102–7.
- 1008<br/>19131.Compton CC, Fielding LP, Burgart LJ, Conley B, Cooper HS, Hamilton SR, et al. Prognostic factors in<br/>colorectal cancer. College of American Pathologists Consensus Statement 1999. Arch Pathol Lab Med.<br/>2000;124(7):979–94.
- 1010
   1011
   1011
   1012
   1012
   1012
   1012
   1012
   1012
   1012
   1012
   1012
   1012
   1012
   1013
   1014
   1015
   1015
   1016
   1016
   1017
   1018
   1019
   1019
   1019
   1019
   1010
   1010
   1011
   1011
   1012
   1012
   1012
   1012
   1013
   1014
   1015
   1015
   1016
   1017
   1017
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   1018
   <li
  - 1013133.Ruiz-Tovar J, Jiménez-Miramón J, Valle A, Limones M. Endoscopic resection as unique treatment for early<br/>colorectal cancer. Rev Esp Enferm Dig. 2010;102(7):435–41.
  - 1015134.Wu Z-Y, Wan J, Li J-H, Zhao G, Yao Y, Du J-L, et al. Prognostic value of lateral lymph node metastasis for1016advanced low rectal cancer. World J Gastroenterol. 2007 Dec;13(45):6048–52.
  - 1017 135. Chen CH, Hsieh MC, Hsiao PK, Lin EK, Lu YJ, Wu SY. A critical reappraisal for the value of tumor size as a prognostic variable in rectal adenocarcinoma. J Cancer. 2017;8(10):1927–34.
  - 1019
    136. Shida D, Ahiko Y, Tanabe T, Yoshida T, Tsukamoto S, Ochiai H, et al. Shorter survival in adolescent and young adult patients, compared to adult patients, with stage IV colorectal cancer in Japan. BMC Cancer. 2018;18(1):1–8.

#### **Figure Legends**

Figure 1. Study flow diagram for retrospective data collection, selection process, analysis of the overall
 included sample, and subanalysis of complete data in the final report

Figure 2. Trend analysis using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during eleven years period of study counted by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by all, young, and old patients. Colon plus rectum indicated a total incidence of both locations. A positive trend for 2009-2019 was observed among colorectal, colon, right-sided, and left-sided cancer, while rectal cancer tended to be stable and more decreasing in all young and old patients. Plotted lines indicate APCs, \*Indicates that the APC is significantly different from zero at the alpha = 0.05 level using the logarithmically transformed data permutation model in Joinpoint regression analysis. 

Figure 3. Tumor subsites specific incidence rate using Joinpoint regression expressed by annual percentage
 changes (APC) of colorectal cancer incidence among 1,584 patients during 2009-2019 based on anatomical
 subsites of tumor in the colon in all patients. A sharp increment of cases by order in value was found in
 ascending, descending, transverse, and sigmoid colon, while a gradual decline was observed in the caecum.

\*Significant change in APC versus 0 (P < 0.050) using the logarithmically transformed data permutation model in Joinpoint regression analysis. Figure 4. Annual incidence trends, the equation for predicting cases, and the forecast number of cases in the next-ten year using the best fitted-model regression analysis (linear, quadratic, exponential growth, or S-shaped curve model) for colorectal cancer counted by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by in all, young, and old patients. Projection of positive trend for period 2020-2029 observed among colorectal, colon, and left-sided cancer while rectal cancer tended to be stable and more decreasing in all, young, and old patients. Right-sided colorectal cancer was forecasted increased burden in all and old patients but tended to decrease in young patients. \*Indicates significantly progression slope (p < 0.05; ANOVA statistical test); Blue straight connected points show actual rates, red loosely dotted connected line indicate a best-fitted trend, and green densely connected dotted line point the forecasting trend.  $Y_t$  is the variable (equation for predicted cases), and t is the value of the time unit (year). Abbreviation: CRC, colorectal cancer; MAPE, mean absolute 

Figure 5. Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) well-differentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in sub-serousal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x) 

percent error; MAD, mean absolute deviation; MSD, mean square deviation.





159x222mm (300 x 300 DPI)



**Figure 2.** Trend analysis using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during eleven years period of study counted by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by all, young, and old patients. Colon plus rectum indicated a total incidence of both locations. A positive trend for 2009-2019 was observed among colorectal, colon, right-sided, and left-sided cancer, while rectal cancer tended to be stable and more decreasing in all young and old patients. Plotted lines indicate APCs. \*Indicates that the APC is significantly different from zero at the alpha = 0.05 level using the logarithmically transformed data permutation model in Joinpoint regression analysis.

161x215mm (300 x 300 DPI)

Page 30 of 74

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



**Figure 3.** Tumor subsites specific incidence rate using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during 2009-2019 based on anatomical subsites of tumor in the colon in all patients. A sharp increment of cases by order in value was found in ascending, descending, transverse, and sigmoid colon, while a gradual decline was observed in the caecum. \*Significant change in APC versus 0 (P <0.050) using the logarithmically transformed data permutation model in Joinpoint regression analysis.

169x114mm (300 x 300 DPI)



**Figure 4.** Annual incidence trends, the equation for predicting cases, and the forecast number of cases in the next-ten year using the best fitted-model regression analysis (linear, quadratic, exponential growth, or S-shaped curve model) for colorectal cancer counted by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by in all, young, and old patients. Projection of positive trend for period 2020-2029 observed among colorectal, colon, and left-sided cancer while rectal cancer tended to be stable and more decreasing in all, young, and old patients. Right-sided colorectal cancer was forecasted increased burden in all and old patients but tended to decrease in young patients. \*Indicates significantly progression slope (p<0.05; ANOVA statistical test); Blue straight connected points show actual rates, red loosely dotted connected line indicate a best-fitted trend, and green densely connected dotted line point the forecasting trend. Yt is the variable (equation for predicted cases), t is the value of the time unit (year). Abbreviation: CRC, colorectal cancer; MAPE, mean absolute percent error; MAD, mean absolute deviation; MSD, mean square deviation.

163x222mm (300 x 300 DPI)

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



**Figure 5.** Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) welldifferentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in subserousal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x) BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

188x127mm (300 x 300 DPI)

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

|                  |                   | 1                 | Annual Percen    | t Change (APC)     |                   |                       |           |
|------------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment          | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
| 1                | 2009.00           | 2019.00           | 2.23             | -0.13              | 4.65              | 2.13                  | 0.062     |
| * Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                  |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Range            | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl          | Test<br>Statistic~    | P-Value~  |
| Full Range       | 2009.00           | 2019.00           | 2.23             | -0.13              | 4.65              | 2.13                  | 0.062     |

~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More



|                |                   | 1                 | Annual Percen    | t Change (APC)     |                   |                       |           |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
| 1              | 2009.00           | 2019.00           | 6.38*            | 3.66               | 9.18              | 5.39                  | < 0.001   |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
|                | Lower             | Upper             |                  |                    | United St.        | Test                  |           |
| Range          | Endpoint          | Endpoint          | AAPC             | Lower CI           | Upper Ci          | Statistic~            | P-Value~  |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



| Segment    | Lower<br>Endpoint | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|------------|-------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|
| 1          | 2009.00           | 2019.00           | -0.09         | -2.98           | 2.89     | -0.07                 | 0.948     |
|            |                   | Avera             | ge Annual Per | rcent Change (A | APC)     | 1                     |           |
| Range      | Lower<br>Endpoint | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value   |
| Full Range | 2009.00           | 2019.00           | -0.09         | -2.98           | 2.89     | -0.07                 | 0.948     |



| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower CI           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 6.52*            | 1.34               | 11.96             | 2.87                  | 0.019     |
| Indicates that | the Annual Per    | ent Change (AP    | C) is significan | tly different from | a zero at the alp | ha = 0.05 level       |           |
|                | Lower             | Honer             | ge Annual Fel    | cent change (A     | AFC)              | Tect                  |           |
| Range          | Endpoint          | Endpoint          | AAPC             | Lower Cl           | Upper Cl          | Statistic~            | P-Value~  |
| Full Danas     | 2009.00           | 2019.00           | 6.52*            | 1.34               | 11.96             | 2.87                  | 0.019     |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

e. Trend Analysis for Total Left-Sided CRC Cases



|                |                   |                   | Annual Percen    | t Change (APC)     | <u></u>           |                       |           |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
| 1              | 2009.00           | 2019.00           | 1.41             | -1.18              | 4.06              | 1.23                  | 0.252     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| 0              | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl          | Test<br>Statistic~    | P-Value~  |
| Kange          |                   |                   |                  |                    |                   |                       |           |



| Segment        | Lower<br>Endpoint | Upper<br>Endpoint        | APC                               | Lower Cl        | Upper Cl                  | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|--------------------------|-----------------------------------|-----------------|---------------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00                  | -0.98                             | -9.10           | 7.86                      | -0.26                 | 0.800     |
| Indicates that | the Annual Pero   | cent Change (AP<br>Avera | c) is significan<br>ge Annual Per | rcent Change (A | n zero at the alp<br>APC) | ha = 0.05 level       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint        | AAPC                              | Lower Cl        | Upper Cl                  | Test<br>Statistic~    | P-Value~  |
| Full Range     | 2009.00           | 2019.00                  | -0.98                             | -9.10           | 7.86                      | -0.26                 | 0.800     |

f. Trend Analysis for Total CRC Cases Originated from Caecum

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



#### g. Trend Analysis for Total CRC Cases Originated from Ascending Colon

| Segment | Lower<br>Endpoint | Upper<br>Endpoint | APC            | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|---------|-------------------|-------------------|----------------|-----------------|----------|-----------------------|-----------|
| 1       | 2009.00           | 2019.00           | 10.60*         | 2.67            | 19.13    | 3.07                  | 0.013     |
|         |                   | Avera             | ige Annual Per | rcent Change (A | APC)     |                       |           |
| Pango   | Lower             | Upper             |                | Lower Cl        | Upper Cl | Test                  | D. Value  |
| Range   | Enupoint          | 2010.00           | 10 60*         | Lower CI        | 10.12    | Didiistic~            | P-Value   |





| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 9.88*            | 1.39               | 19.09             | 2.65                  | 0.026     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                | 1 million         | Avera             | ge Annual Fel    | rcent change (A    | Arc)              | T                     |           |
| Range          | Endpoint          | Endpoint          | AAPC             | Lower Cl           | Upper Cl          | Statistic~            | P-Value   |
| Eull Dance     | 2009.00           | 2019.00           | 9.88*            | 1.39               | 19.09             | 2.65                  | 0.026     |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



### i. Trend Analysis for Total CRC Cases Originated from Descending Colon

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint        | APC                                | Lower Cl        | Upper Cl                  | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|--------------------------|------------------------------------|-----------------|---------------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00                  | 10.04*                             | 0.43            | 20.57                     | 2.37                  | 0.042     |
| Indicates that | the Annual Pero   | cent Change (AP<br>Avera | C) is significant<br>ge Annual Per | rcent Change (A | n zero at the alp<br>APC) | ha = 0.05 level       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint        | AAPC                               | Lower CI        | Upper Cl                  | Test<br>Statistic~    | P-Value~  |
| Full Range     | 2009.00           | 2019.00                  | 10.04*                             | 0.43            | 20.57                     | 2.37                  | 0.042     |



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|----------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 5.84*            | 2.59               | 9.19     | 4.12                  | 0.003     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different from | APC)     | ha = 0.05 level       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl | Test<br>Statistic~    | P-Value-  |
| Full Range     | 2009.00           | 2019.00           | 5.84*            | 2.59               | 9.19     | 4.12                  | 0.003     |

### Supplementary File 2. Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression analysis among young patients based on tumor location and tumor side involvement a. Trend Analysis for CRC Cases Among Young Patients 1. Chart



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment    | Lower<br>Endpoint | Upper<br>Endpoint | APC          | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|------------|-------------------|-------------------|--------------|-----------------|----------|-----------------------|-----------|
| 1          | 2009.00           | 2019.00           | 1.98         | -1.24           | 5.31     | 1.38                  | 0.200     |
|            |                   | Avera             | ge Annual Pe | rcent Change (A | APC)     |                       |           |
| Panga      | Lower             | Upper             |              | Lower Cl        | Unner Cl | Test                  | D. Value  |
| Kange      | Enapoint          | Endpoint          | AAPC         | Lower Ci        | opper Cr | Statistic~            | P-Value~  |
| Full Range | 2009.00           | 2019.00           | 1.98         | -1.24           | 5.31     | 1.38                  | 0.200     |





2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|----------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 9.24*            | 3.42               | 15.39    | 3.65                  | 0.005     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | APC)     | ha = 0.05 level       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl | Test<br>Statistic~    | P-Value~  |
| Full Range     | 2009.00           | 2019.00           | 9.24*            | 3.42               | 15.39    | 3.65                  | 0.005     |


#### c. Trend Analysis for Rectal Cancer Cases Among Young Patients

2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | -0.97            | -3.85              | 2.01              | -0.74                 | 0.477     |
| Indicates that | the Annual Per    | ent Change (AP    | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Pe     | rcent Change (A    | APC)              |                       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower CI           | Upper Cl          | Test<br>Statistic~    | P-Value   |
| Full Range     | 2009.00           | 2019.00           | -0.97            | -3.85              | 2.01              | -0.74                 | 0.477     |



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

|                |                   |                   | Annual Percen    | t Change (APC)     |                   |                       |           |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower CI           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
| 1              | 2009.00           | 2019.00           | 6.59             | -2.75              | 16.82             | 1.57                  | 0.150     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Pange          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower CI           | Upper Cl          | Test<br>Statistic~    | P-Value-  |
| Range          |                   |                   |                  |                    |                   |                       |           |



#### e. Trend Analysis for Left-Sided CRC Cases Among Young Patients



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for

|                  |                   | /                 | Annual Percen    | t Change (APC)     |                   |                       |           |
|------------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment          | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower CI           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
| 1                | 2009.00           | 2019.00           | 1.37             | -1.96              | 4.81              | 0.92                  | 0.380     |
| * Indicates that | the Annual Pero   | ent Change (AP    | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                  |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Range            | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl          | Test<br>Statistic~    | P-Value~  |
|                  | 2000.00           | 2010 00           | 1.37             | -1.96              | 4.81              | 0.92                  | 0.380     |



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC          | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|--------------|-----------------|----------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 2.38*        | 0.11            | 4.69     | 2.38                  | 0.041     |
| indicates that | the Annual Fell   | Avera             | ge Annual Pe | rcent Change (A | APC)     |                       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC         | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value-  |
| Full Range     | 2009.00           | 2019.00           | 2.38*        | 0.11            | 4.69     | 2.38                  | 0.041     |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



#### b. Trend Analysis for Colon Cancer Cases Among Old Patients

2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  t |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 5.11*            | 2.65               | 7.63              | 4.76                  | 0.001     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl          | Test<br>Statistic~    | P-Value   |
| Full Range     | 2009.00           | 2019.00           | 5.11*            | 2.65               | 7.63              | 4.76                  | 0.001     |



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

|                |                   | /                 | Annual Percen    | it Change (APC)    |                   |                       |           |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  1 |
| 1              | 2009.00           | 2019.00           | 0.58             | -2.98              | 4.27              | 0.36                  | 0.725     |
| Indicates that | the Annual Pero   | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower CI           | Upper CI          | Test<br>Statistic~    | P-Value-  |
|                |                   | 2010.00           | 0.50             | -2.08              | 4 27              | 0.36                  | 0.725     |



1

#### d. Trend Analysis for Right-Sided CRC Cases Among Old Patients

**Support of the second seco** 

2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment    | Lower<br>Endpoint | Upper<br>Endpoint | APC          | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |
|------------|-------------------|-------------------|--------------|-----------------|----------|-----------------------|-----------|
| 1          | 2009.00           | 2019.00           | 6.57*        | 1.35            | 12.07    | 2.87                  | 0.019     |
|            |                   | Avera             | ge Annual Pe | rcent Change (A | APC)     | 1                     |           |
| Range      | Lower             | Upper             | AAPC         | Lower Cl        | Unner Cl | Test                  | P-Value~  |
| Full Range | 2009.00           | 2019.00           | 6.57*        | 1.35            | 12.07    | 2.87                  | 0.019     |



2. Significance test uses a Monte Carlo permutation method to determine the best fit line(s) for analysis of the time series:

| Segment        | Lower<br>Endpoint | Upper<br>Endpoint | APC              | Lower Cl           | Upper Cl          | Test Statistic<br>(t) | Prob >  1 |
|----------------|-------------------|-------------------|------------------|--------------------|-------------------|-----------------------|-----------|
| 1              | 2009.00           | 2019.00           | 1.46             | -1.32              | 4.32              | 1.18                  | 0.267     |
| Indicates that | the Annual Per    | cent Change (AP   | C) is significan | tly different fron | n zero at the alp | ha = 0.05 level       |           |
|                |                   | Avera             | ge Annual Per    | rcent Change (A    | APC)              |                       |           |
| Range          | Lower<br>Endpoint | Upper<br>Endpoint | AAPC             | Lower Cl           | Upper Cl          | Test<br>Statistic~    | P-Value-  |
| F. II D.       | 2009.00           | 2019.00           | 1.46             | -1.32              | 4.32              | 1.18                  | 0.267     |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Detail analysis for forecasting future ten-years incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among all patients based on tumor location and tumor side involvement

#### a. Regression Model for Total CRC Cases





| Model               | Automatic Fitted-Curve                            | Accu   | racy Measu | urements |
|---------------------|---------------------------------------------------|--------|------------|----------|
|                     |                                                   | MAPE   | MAD        | MSD      |
| Linear              | Yt = 124.7 + 3.21t                                | 8.518  | 12.469     | 211.926  |
| Quadratic           | $Yt = 126.4 + 2.44t + 0.064t^2$                   | 8.509  | 12.446     | 211.606  |
| Exponential Growth* | $Yt = 125.235 \times (1.0223^t)$                  | 8.348  | 12.282     | 212.125  |
| S-shaped            | $Yt = 10^3 / (6.4744 + 9.5712 \times (0.5661^t))$ | 12.101 | 17.173     | 455.769  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS

|            |                | ANOV | A           |       |      |
|------------|----------------|------|-------------|-------|------|
|            | Sum of Squares | df   | Mean Square | F     | Sig. |
| Regression | .053           | 1    | .053        | 4.558 | .062 |
| Residual   | .106           | 9    | .012        |       |      |
| Total      | .159           | 10   |             |       |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Exponential growth curve model.

| 5.101000 |                   |
|----------|-------------------|
| Period   | <b> </b> Forecast |
| 2020     | 163.163           |
| 2021     | 166.800           |
| 2022     | 170.518           |
| 2023     | 174.319           |
| 2024     | 178.205           |
| 2025     | 182.177           |
| 2026     | 186.238           |
| 2027     | 190.389           |
| 2028     | 194.633           |
| 2029     | 198.972           |
| Mean     | 180.541           |
| Total    | 1,805.41          |
|          |                   |

#### b. Regression Model for Total Colon Cancer Cases



| Model               | Automatic Fitted-Curve                                | Accuracy Measurements |        |         |  |
|---------------------|-------------------------------------------------------|-----------------------|--------|---------|--|
|                     |                                                       | MAPE                  | MAD    | MSD     |  |
| Linear              | Yt = 31.60 + 3.309t                                   | 9.9302                | 5.2661 | 45.2926 |  |
| Quadratic           | $Yt = 39.78 - 0.47t + 0.315t^2$                       | 9.4024                | 5.0220 | 37.5685 |  |
| Exponential Growth* | $Yt = 34.58 \times (1.0638^t)$                        | 9.1430                | 4.9466 | 41.4342 |  |
| S-shaped            | $Yt = 10^3 / (14.8862 + 26.4553 \times (0.747822^t))$ | 10.9567               | 5.7949 | 66.4672 |  |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

**BMJ** Open

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS

| ANOVA      |                |    |             |        |      |
|------------|----------------|----|-------------|--------|------|
|            | Sum of Squares | df | Mean Square | F      | Sig. |
| Regression | .421           | 1  | .421        | 29.084 | .000 |
| Residual   | .130           | 9  | .014        |        |      |
| Total      | .551           | 10 |             |        |      |

The independent variable is Year.

jean 3. Forecasting following ten-year cases using Exponential growth curve model.

#### **Period Forecast**

| 2020  | 72.652  |
|-------|---------|
| 2021  | 77.288  |
| 2022  | 82.221  |
| 2023  | 87.468  |
| 2024  | 93.051  |
| 2025  | 98.989  |
| 2026  | 105.307 |
| 2027  | 112.027 |
| 2028  | 119.177 |
| 2029  | 126.783 |
| Mean  | 97.4963 |
| Total | 974.963 |

#### c. Regression Model for Total Rectal Cancer Cases

1. Curve Options





| Model               | Automatic Fitted-Curve                 | Accuracy Measurements |       | urements |
|---------------------|----------------------------------------|-----------------------|-------|----------|
|                     |                                        | MAPE                  | MAD   | MSD      |
| Linear              | Yt = 93.15 - 0.10t                     | 9.332                 | 8.731 | 139.602  |
| Quadratic           | $Yt = 86.6 + 2.91t + 0.25t^2$          | 9.481                 | 8.822 | 134.705  |
| Exponential Growth* | $Yt = 92.3161 \times (0.9991^t)$       | 9.042                 | 8.529 | 140.117  |
| S-shaped            | Error: Can not fit model to these data | n/a                   | n/a   | n/a      |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS

| ANOVA      |                |    |             |      |      |
|------------|----------------|----|-------------|------|------|
|            | Sum of Squares | df | Mean Square | F    | Sig. |
| Regression | .000           | 1  | .000        | .005 | .948 |
| Residual   | .167           | 9  | .019        |      |      |
| Total      | .167           | 10 |             |      |      |
|            |                |    |             |      |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Exponential growth curve model.

| Period | l Forecast |
|--------|------------|
| 2020   | 91.3487    |
| 2021   | 91.2685    |
| 2022   | 91.1884    |
| 2023   | 91.1084    |
| 2024   | 91.0284    |
| 2025   | 90.9486    |
| 2026   | 90.8688    |
| 2027   | 90.7890    |
| 2028   | 90.7094    |
| 2029   | 90.6298    |
| Mean   | 90.9888    |
| Total  | 909.888    |

#### d. Regression Model for Total Right-Sided CRC Cases

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

# 1. Curve Options



| Automatic Fitted-Curve Accuracy Measure |                                                      | urements                                                             |
|-----------------------------------------|------------------------------------------------------|----------------------------------------------------------------------|
| MAPE                                    | MAD                                                  | MSD                                                                  |
| 17.927                                  | 4.2628                                               | 26.6041                                                              |
| 17.8277                                 | 4.2554                                               | 26.4743                                                              |
| 17.6805                                 | 4.2926                                               | 26.6718                                                              |
| 22.8801                                 | 5.2995                                               | 41.2717                                                              |
| N<br>1<br>1<br>2                        | Accur<br>4APE<br>7.927<br>7.8277<br>7.6805<br>2.8801 | Accuracy MeasuIAPEMAD7.9274.26287.82774.25547.68054.29262.88015.2995 |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Quadratic model) using ANOVA test in SPSS

| ANOVA      |                |    |             |       |      |  |
|------------|----------------|----|-------------|-------|------|--|
|            | Sum of Squares | df | Mean Square | F     | Sig. |  |
| Regression | 272.109        | 1  | 272.109     | 8.369 | .018 |  |
| Residual   | 292.618        | 9  | 32.513      |       |      |  |
| Total      | 564.727        | 10 |             |       |      |  |
|            |                |    |             |       |      |  |

The independent variable is Year.

3. Forecasting following ten-year cases using Quadratic curve model.

| Perioc | l Forecast |
|--------|------------|
| 2020   | 36.0424    |
| 2021   | 38.1455    |
| 2022   | 40.3301    |
| 2023   | 42.5963    |
|        |            |

| 44.9441  |
|----------|
| 47.3734  |
| 49.8844  |
| 52.4769  |
| 55.1510  |
| 57.9068  |
| 46.48509 |
| 464.8509 |
|          |

#### e. Regression Model for Total Left-Sided CRC Cases

1. Curve Options



| Model               | Automatic Fitted-Curve                                | Accuracy Measurements |            | irements |
|---------------------|-------------------------------------------------------|-----------------------|------------|----------|
|                     |                                                       | MAPE                  | MAD        | MSD      |
| Linear              | Yt = 108.64 + 1.64t                                   | 9.177                 | 10.893     | 169.471  |
| Quadratic           | $Yt = 109.2 + 1.36t + 0.023t^2$                       | 9.170                 | 10.884     | 169.429  |
| Exponential Growth* | $Yt = 108.176 \times (1.0141^t)$                      | 8.952                 | 10.694     | 169.916  |
| S-shaped            | $Yt = 10^3 / (8.04899 + 13.6373 \times (0.518800^t))$ | 13.355                | 15.600     | 412.741  |
|                     |                                                       |                       | () ( ) D D | 1415 1   |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS

| ANOVA          |    |             |   |      |  |
|----------------|----|-------------|---|------|--|
| Sum of Squares | df | Mean Square | F | Sig. |  |

**BMJ** Open

| Regression | .022 | 1  | .022 | 1.501 | .252 |
|------------|------|----|------|-------|------|
| Residual   | .129 | 9  | .014 |       |      |
| Total      | .150 | 10 |      |       |      |

The independent variable is Year.

#### 3. Forecasting following ten-year cases using Exponential growth curve model.

|        | $\mathcal{O}$ | $\mathcal{O}$ | 5 | 0 1 | $\mathcal{O}$ |
|--------|---------------|---------------|---|-----|---------------|
| Period | Forecast      |               |   |     |               |
| 2020   | 127.936       |               |   |     |               |
| 2021   | 129.737       |               |   |     |               |
| 2022   | 131.564       |               |   |     |               |
| 2023   | 133.416       |               |   |     |               |
| 2024   | 135.294       |               |   |     |               |
| 2025   | 137.199       |               |   |     |               |
| 2026   | 139.131       |               |   |     |               |
| 2027   | 141.090       |               |   |     |               |
| 2028   | 143.076       |               |   |     |               |
| 2029   | 145.090       |               |   |     |               |
| Mean   | 136.3533      |               |   |     |               |
| Total  | 1363.533      |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |
|        |               |               |   |     |               |



Detail analysis for forecasting future ten-years incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among young patients based on tumor location and tumor side involvement

#### a. Regression Model for CRC Cases Among Young Patients

#### 1. Curve Options



| Model               | Automatic Fitted-Curve                 | Accuracy Measurements |        |         |
|---------------------|----------------------------------------|-----------------------|--------|---------|
|                     |                                        | MAPE                  | MAD    | MSD     |
| Linear              | Yt = 47.87 + 1.173t                    | 11.2518               | 6.3669 | 61.0570 |
| Quadratic           | $Yt = 49.1 + 0.60t + 0.049t^2$         | 11.2153               | 6.3496 | 60.8789 |
| Exponential Growth* | $Yt = 48.2453 \times (1.0198^t)$       | 10.9230               | 6.2589 | 61.3589 |
| S-shaped            | Error: Can not fit model to these data | n/a                   | n/a    | n/a     |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS.

|      | ANOVA   |                |    |             |       |      |
|------|---------|----------------|----|-------------|-------|------|
|      |         | Sum of Squares | df | Mean Square | F     | Sig. |
| Reg  | ression | .042           | 1  | .042        | 1.916 | .200 |
| Resi | dual    | .200           | 9  | .022        |       |      |
| Tota | 1       | .242           | 10 |             |       |      |
|      |         |                |    |             |       |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Exponential growth curve model.

| 5. T of cousting follo will |            |  |  |  |  |  |  |
|-----------------------------|------------|--|--|--|--|--|--|
| Perio                       | d Forecast |  |  |  |  |  |  |
| 2020                        | 61.0779    |  |  |  |  |  |  |
| 2021                        | 62.2902    |  |  |  |  |  |  |
| 2022                        | 63.5266    |  |  |  |  |  |  |
| 2023                        | 64.7875    |  |  |  |  |  |  |
| 2024                        | 66.0734    |  |  |  |  |  |  |
| 2025                        | 67.3849    |  |  |  |  |  |  |
| 2026                        | 68.7224    |  |  |  |  |  |  |
| 2027                        | 70.0864    |  |  |  |  |  |  |
| 2028                        | 71.4776    |  |  |  |  |  |  |
| 2029                        | 72.8963    |  |  |  |  |  |  |
| Mean                        | 66.83232   |  |  |  |  |  |  |
| Total                       | 668.3232   |  |  |  |  |  |  |
|                             |            |  |  |  |  |  |  |

#### b. Regression Model for Colon Cancer Cases Among Young Patients



| Model               | Automatic Fitted-Curve                                | Accuracy Measurements |        | irements |
|---------------------|-------------------------------------------------------|-----------------------|--------|----------|
|                     |                                                       | MAPE                  | MAD    | MSD      |
| Linear              | Yt = 7.84 + 1.527t                                    | 21.0186               | 3.6661 | 20.3107  |
| Quadratic           | $Yt = 9.96 + 0.55t + 0.082t^2$                        | 22.0265               | 3.8124 | 19.7916  |
| Exponential Growth* | $Yt = 9.351 \times (1.0924^t)$                        | 20.8294               | 3.7308 | 19.9062  |
| S-shaped            | $Yt = 10^3 / (49.5468 + (223.951 \times 0.576232^t))$ | 23.0526               | 3.9821 | 26.9480  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS.

| ANOVA      |                |    |             |        |      |
|------------|----------------|----|-------------|--------|------|
|            | Sum of Squares | df | Mean Square | F      | Sig. |
| Regression | .859           | 1  | .859        | 13.320 | .005 |
| Residual   | .581           | 9  | .065        |        |      |
| Total      | 1.440          | 10 |             |        |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Exponential growth curve model.

#### **Period Forecast**

| 1 01100 | i i oi ccast |
|---------|--------------|
| 2020    | 27.0046      |
| 2021    | 29.4998      |
| 2022    | 32.2256      |
| 2023    | 35.2031      |
| 2024    | 38.4559      |
| 2025    | 42.0091      |
| 2026    | 45.8907      |
| 2027    | 50.1310      |
| 2028    | 54.7630      |
| 2029    | 59.8230      |
| Mean    | 41.50058     |
| Total   | 415.0058     |

# yean c. Regression Model for Rectal Cancer Cases Among Young Patients





| Model               | Model Automatic Fitted-Curve           |        | Accuracy Measurements |         |  |
|---------------------|----------------------------------------|--------|-----------------------|---------|--|
|                     |                                        | MAPE   | MAD                   | MSD     |  |
| Linear              | Yt = 40.04 - 0.355t                    | 9.6025 | 3.6496                | 23.3711 |  |
| Quadratic           | $Yt = 39.16 + 0.05t - 0.034t^2$        | 9.6850 | 3.6619                | 23.2820 |  |
| Exponential Growth* | $Yt = 39.85 \times (0.9903^t)$         | 9.3215 | 3.5723                | 23.4688 |  |
| S-shaped            | Error: Can not fit model to these data | n/a    | n/a                   | n/a     |  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS.

| ANOVA      |                |    |             |      |      |  |
|------------|----------------|----|-------------|------|------|--|
|            | Sum of Squares | df | Mean Square | F    | Sig. |  |
| Regression | .010           | 1  | .010        | .551 | .477 |  |
| Residual   | .169           | 9  | .019        |      |      |  |
| Total      | .180           | 10 |             |      |      |  |
| 751 1 1    |                |    |             |      |      |  |

The independent variable is Year.

3. Forecasting following ten-year cases using Exponential growth curve model.

| Period | l Forecast |
|--------|------------|
| 2020   | 35.4703    |
| 2021   | 35.1278    |
| 2022   | 34.7886    |
| 2023   | 34.4527    |
| 2024   | 34.1201    |
| 2025   | 33.7906    |
| 2026   | 33.4644    |
| 2027   | 33.1413    |
| 2028   | 32.8213    |
| 2029   | 32.5044    |
| Mean   | 33.96815   |
| Total  | 339.6815   |

#### d. Regression Model for Right-Sided CRC Cases Among Young Patients



| Model              | Automatic Fitted-Curve                 | Accuracy Measurements |        |         |
|--------------------|----------------------------------------|-----------------------|--------|---------|
|                    |                                        | MAPE                  | MAD    | MSD     |
| Linear             | Yt = 5.73 + 0.5t                       | 36.7552               | 3.0165 | 12.7893 |
| Quadratic*         | $Yt = 2.79 + 1.86t - 0.113t^2$         | 34.2056               | 2.8790 | 11.7923 |
| Exponential Growth | $Yt = 5.407 \times (1.0659^t)$         | 33.1397               | 2.9503 | 13.4768 |
| S-shaped           | Error: Can not fit model to these data | n/a                   | n/a    | n/a     |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Quadratic curve model) using ANOVA test in SPSS.

| ANOVA      |                |    |             |       |      |  |  |
|------------|----------------|----|-------------|-------|------|--|--|
|            | Sum of Squares | df | Mean Square | F     | Sig. |  |  |
| Regression | 27.500         | 1  | 27.500      | 1.759 | .217 |  |  |
| Residual   | 140.682        | 9  | 15.631      |       |      |  |  |
| Total      | 168.182        | 10 |             |       |      |  |  |

The independent variable is Year.

3. Forecasting following ten-year cases using Quadratic curve model.

| Perio | d Forecast |
|-------|------------|
| 2020  | 8.78788    |
| 2021  | 7.81818    |
| 2022  | 6.62238    |
| 2023  | 5.20047    |
| 2024  | 3.55245    |
|       |            |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

| 1              |
|----------------|
| 2              |
| 3              |
| 4              |
| 5              |
| 6              |
| 7              |
| /<br>0         |
| 8              |
| 9              |
| 10             |
| 11             |
| 12             |
| 13             |
| 14             |
| 15             |
| 16             |
| 17             |
| 18             |
| 10             |
| 20             |
| ∠∪<br>21       |
| 21             |
| 22             |
| 23             |
| 24             |
| 25             |
| 26             |
| 27             |
| 28             |
| 29             |
| 30             |
| 21             |
| 21             |
| 32             |
| 33             |
| 34             |
| 35             |
| 36             |
| 37             |
| 38             |
| 39             |
| 40             |
| 41             |
| 42             |
| 12             |
| <del>ر ب</del> |
| 44             |
| 45             |
| 46             |
| 47             |
| 48             |
| 49             |
| 50             |
| 51             |
| 52             |
| 53             |
| 54             |
| 55             |
| 55             |
| 50             |
| 5/             |
| 58             |
| 59             |
| 60             |

| 2025  | 1.67832  |
|-------|----------|
| 2026  | -0.42191 |
| 2027  | -2.74825 |
| 2028  | -5.30070 |
| 2029  | -8.07925 |
| Mean  | 1.710957 |
| Total | 17.10957 |

#### e. Regression Model for Left-Sided CRC Cases Among Young Patients

1. Curve Options



| Model              | Automatic Fitted-Curve                 | Accu    | racy Measu | urements |
|--------------------|----------------------------------------|---------|------------|----------|
|                    |                                        | MAPE    | MAD        | MSD      |
| Linear             | Yt = 42.15 + 0.673t                    | 12.3297 | 5.5041     | 40.5322  |
| Quadratic*         | $Yt = 46.33 - 1.26t + 0.161t^2$        | 11.9922 | 5.4062     | 38.5144  |
| Exponential Growth | $Yt = 42.108 \times (1.0137^t)$        | 12.1815 | 5.4906     | 40.6512  |
| S-shaped           | Error: Can not fit model to these data | n/a     | n/a        | n/a      |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Exponential growth curve model) using ANOVA test in SPSS.

|            |                | ANOV | A           |       |      |
|------------|----------------|------|-------------|-------|------|
|            | Sum of Squares | df   | Mean Square | F     | Sig. |
| Regression | 49.828         | 1    | 49.828      | 1.006 | .342 |
| Residual   | 445.808        | 9    | 49.534      |       |      |

| T ( 1     |             | 405 (2)        | 10            |               |                    |
|-----------|-------------|----------------|---------------|---------------|--------------------|
| Total     | 1 .         | 495.636        | 10            |               |                    |
| The inde  | pendent var | iable is Year. |               |               |                    |
|           |             |                |               |               |                    |
| 3. Foreca | sting follo | wing ten-year  | cases using I | Exponential g | rowth curve model. |
| Period    | Forecast    |                |               |               |                    |
| 2020      | 54.4000     |                |               |               |                    |
| 2021      | 57.1636     |                |               |               |                    |
| 2022      | 60.2490     |                |               |               |                    |
| 2023      | 63.6559     |                |               |               |                    |
| 2024      | 67.3846     |                |               |               |                    |
| 2025      | 71.4350     |                |               |               |                    |
| 2026      | 75.8070     |                |               |               |                    |
| 2027      | 80.5007     |                |               |               |                    |
| 2028      | 85.5161     |                |               |               |                    |
| 2029      | 90.8531     |                |               |               |                    |
| Mean      | 70 6965     |                |               |               |                    |
| Total     | 706 965     |                |               |               |                    |
| <u></u>   | 100.905     |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |
|           |             |                |               |               |                    |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Detail analysis for forecasting future ten-years incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among old patients based on tumor location and tumor side involvement

#### a. Regression Model for CRC Cases Among Old Patients

#### 1. Curve Options



| Model              | Automatic Fitted-Curve                                | Accu   | racy Measu | urements |
|--------------------|-------------------------------------------------------|--------|------------|----------|
|                    |                                                       | MAPE   | MAD        | MSD      |
| Linear             | Yt = 76.87 + 2.036t                                   | 7.4181 | 6.4826     | 67.3421  |
| Quadratic*         | $Yt = 77.3 + 1.84t + 0.016t^2$                        | 7.4248 | 6.4832     | 67.3214  |
| Exponential Growth | $Yt = 76.8325 \times (1.02377^t)$                     | 7.4618 | 6.5439     | 67.4615  |
| S-shaped           | $Yt = 10^3 / (8.92496 + 5.70174 \times (0.865544^t))$ | 7.4304 | 6.7123     | 76.3698  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Quadratic curve model) using ANOVA test in SPSS.

|            |                | ANOV | A           |       |      |
|------------|----------------|------|-------------|-------|------|
|            | Sum of Squares | df   | Mean Square | F     | Sig. |
| Regression | 456.159        | 1    | 456.159     | 5.542 | .043 |
| Residual   | 740.750        | 9    | 82.306      |       |      |
| Total      | 1196.909       | 10   |             |       |      |
|            |                |      |             |       |      |

The independent variable is Year.

#### BMJ Open

3. Forecasting following ten-year cases using Quadratic curve model.

| . 1 01000 |            |
|-----------|------------|
| Period    | l Forecast |
| 2020      | 101.733    |
| 2021      | 103.982    |
| 2022      | 106.263    |
| 2023      | 108.577    |
| 2024      | 110.923    |
| 2025      | 113.302    |
| 2026      | 115.714    |
| 2027      | 118.158    |
| 2028      | 120.635    |
| 2029      | 123.145    |
| Mean      | 112.2432   |
| Total     | 1122.432   |
|           |            |

## b. Regression Model for Colon Cancer Cases Among Old Patients



| Model              | Automatic Fitted-Curve                                | Accu    | racy Measu | irements |
|--------------------|-------------------------------------------------------|---------|------------|----------|
|                    |                                                       | MAPE    | MAD        | MSD      |
| Linear             | Yt = 23.76 + 1.782t                                   | 8.6154  | 2.8165     | 12.4992  |
| Quadratic*         | $Yt = 29.82 - 1.02t + 0.233t^2$                       | 7.2590  | 2.40093    | 8.26099  |
| Exponential Growth | $Yt = 25.0934 \times (1.0511^{t})$                    | 8.1934  | 2.7177     | 11.1853  |
| S-shaped           | $Yt = 10^3 / (18.7237 + (30.8110 \times 0.845692^t))$ | 10.9444 | 3.6113     | 17.0476  |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

**BMJ** Open

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Quadratic curve model) using ANOVA test in SPSS.

|            |                | ANOV | A           |        |      |
|------------|----------------|------|-------------|--------|------|
|            | Sum of Squares | df   | Mean Square | F      | Sig. |
| Regression | 349.413        | 1    | 349.413     | 22.902 | .001 |
| Residual   | 137.314        | 9    | 15.257      |        |      |
| Total      | 486.727        | 10   |             |        |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Quadratic curve model.

#### **Period Forecast**

| Period | l Forecast |  |
|--------|------------|--|
| 2020   | 51.206     |  |
| 2021   | 56.018     |  |
| 2022   | 61.297     |  |
| 2023   | 67.041     |  |
| 2024   | 73.252     |  |
| 2025   | 79.929     |  |
| 2026   | 87.072     |  |
| 2027   | 94.681     |  |
| 2028   | 102.757    |  |
| 2029   | 111.298    |  |
| Mean   | 78.4551    |  |
| Total  | 784.551    |  |

#### c. Regression Model for Rectal Cancer Cases Among Old Patients

1. Curve Options





| Model              | Automatic Fitted-Curve                 | Accu    | racy Measu | urements |
|--------------------|----------------------------------------|---------|------------|----------|
|                    |                                        | MAPE    | MAD        | MSD      |
| Linear*            | Yt = 53.11 + 0.255t                    | 10.5491 | 5.5074     | 66.8562  |
| Quadratic          | $Yt = 47.5 + 2.86t - 0.217t^2$         | 10.9428 | 5.7462     | 63.1906  |
| Exponential Growth | $Yt = 52.172 \times (1.0958^t)$        | 10.7085 | 5.6658     | 67.2965  |
| S-shaped           | Error: Can not fit model to these data | n/a     | n/a        | n/a      |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

#### 2. Significance test for slope of curve estimation (Linear curve model) using ANOVA test in SPSS.

|            |                | ANOV | Α           |      |      |
|------------|----------------|------|-------------|------|------|
|            | Sum of Squares | df   | Mean Square | F    | Sig. |
| Regression | 7.127          | 1    | 7.127       | .087 | .774 |
| Residual   | 735.418        | 9    | 81.713      |      |      |
| Total      | 742.545        | 10   |             |      |      |

The independent variable is Year.

#### 3. Forecasting following ten-year cases using Linear curve model.

| 2020  | 56.1636  |
|-------|----------|
| 2021  | 56.4182  |
| 2022  | 56.6727  |
| 2023  | 56.9273  |
| 2024  | 57.1818  |
| 2025  | 57.4364  |
| 2026  | 57.6909  |
| 2027  | 57.9455  |
| 2028  | 58.2000  |
| 2029  | 58.4545  |
| Mean  | 57.30909 |
| Total | 573.0909 |
|       |          |

#### d. Regression Model for Right-Sided CRC Cases Among Old Patients

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.



| Model              | Automatic Fitted-Curve                                | Accu    | racy Measu | urements |
|--------------------|-------------------------------------------------------|---------|------------|----------|
|                    |                                                       | MAPE    | MAD        | MSD      |
| Linear             | Yt = 10.38 + 1.073t                                   | 17.2922 | 2.2975     | 8.2777   |
| Quadratic*         | $Yt = 14.38 - 0.77t + 0.154t^2$                       | 15.1707 | 2.0717     | 6.4315   |
| Exponential Growth | $Yt = 11.036 \times (1.0657^{t})$                     | 16.8371 | 2.2891     | 7.6788   |
| S-shaped           | $Yt = 10^2 / (3.70623 + (10.9109 \times 0.793150^t))$ | 21.1872 | 3.0669     | 12.2758  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (Quadratic curve model) using ANOVA test in SPSS.

|            |                | ANOV | A           |        |      |
|------------|----------------|------|-------------|--------|------|
|            | Sum of Squares | df   | Mean Square | F      | Sig. |
| Regression | 126.652        | 1    | 126.652     | 12.528 | .006 |
| Residual   | 90.984         | 9    | 10.109      |        |      |
| Total      | 217.636        | 10   |             |        |      |

The independent variable is Year.

3. Forecasting following ten-year cases using Quadratic curve model.

| Perio | d Forecast |
|-------|------------|
| 2020  | 27.2545    |
| 2021  | 30.3273    |
| 2022  | 33.7077    |
| 2023  | 37.3958    |
| 2024  | 41.3916    |
| 2024  | 41.3910    |

| 2025  | 45.6951  |
|-------|----------|
| 2026  | 50.3063  |
| 2027  | 55.2252  |
| 2028  | 60.4517  |
| 2029  | 65.9860  |
| Mean  | 44.77412 |
| Total | 447.7412 |
|       |          |

### e. Regression Model for Left-Sided CRC Cases Among Old Patients

1. Curve Options



| Model              | Automatic Fitted-Curve                                | Accu   | racy Measu | urements |
|--------------------|-------------------------------------------------------|--------|------------|----------|
|                    |                                                       | MAPE   | MAD        | MSD      |
| Linear             | Yt = 66.49 + 0964t                                    | 8.2684 | 5.8579     | 69.8215  |
| Quadratic          | $Yt = 62.8 + 2.61t - 0.138t^2$                        | 8.7701 | 6.2598     | 68.3462  |
| Exponential Growth | $Yt = 65.7358 \times (1.0146^t)$                      | 7.9933 | 5.7101     | 70.2739  |
| S-shaped*          | $Yt = 10^3 / (10.0061 + (5.88632 \times 0.938146^t))$ | 7.6702 | 5.5748     | 71.8833  |

\*the best fitted model is the one who has the lower values for three parameters (MAPE, MAD, and MSD), or at least for two parameters, or having the lowest value for MAPE

2. Significance test for slope of curve estimation (S-shaped curve model) using ANOVA test in SPSS.

|            | ANOVA          |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
|            | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | .023           | 1  | .023        | 1.400 | .267 |

**BMJ** Open

| Residual | .149 | 9  | .017 |  |
|----------|------|----|------|--|
| Total    | .172 | 10 |      |  |

The independent variable is Year.

#### 3. Forecasting following ten-year cases using S-shaped curve model.

| 2020       78.4808         2021       79.5371         2022       80.5543         2023       81.5325         2024       82.4720         2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090 | 0       78.4808         1       79.5371         2       80.5543         3       81.5325         4       82.4720         5       83.3733         5       84.2369 |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 2021       79.5371         2022       80.5543         2023       81.5325         2024       82.4720         2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                            | 1       79.5371         2       80.5543         3       81.5325         4       82.4720         5       83.3733         5       84.2369                         |  |
| 2022       80.5543         2023       81.5325         2024       82.4720         2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                                                       | 2       80.5543         3       81.5325         4       82.4720         5       83.3733         5       84.2369                                                 |  |
| 2023       81.5325         2024       82.4720         2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                                                                                  | 3       81.5325         4       82.4720         5       83.3733         5       84.2369                                                                         |  |
| 2024       82.4720         2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                                                                                                             | 4 82.4720<br>5 83.3733<br>5 84.2369                                                                                                                             |  |
| 2025       83.3733         2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                                                                                                                                        | 5 83.3733<br>5 84.2369                                                                                                                                          |  |
| 2026       84.2369         2027       85.0636         2028       85.8540         2029       86.6090                                                                                                                                                                   | 5 84.2369                                                                                                                                                       |  |
| 2027         85.0636           2028         85.8540           2029         86.6090                                                                                                                                                                                    |                                                                                                                                                                 |  |
| 2028 85.8540                                                                                                                                                                                                                                                          | 7 85.0636                                                                                                                                                       |  |
| 029 86 6090                                                                                                                                                                                                                                                           | 8 85.8540                                                                                                                                                       |  |
| 00.0070                                                                                                                                                                                                                                                               | 9 86.6090                                                                                                                                                       |  |
| Mean 82.77135                                                                                                                                                                                                                                                         | n 82.77135                                                                                                                                                      |  |
| Total 827.7135                                                                                                                                                                                                                                                        | 1 827.7135                                                                                                                                                      |  |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                 |  |

 75 of 74
 BMJ Open

 Supplementary Table 1.
 Summary of a best-fitted model, predicted case equation, and number of forecasting cases during the period betweer 2020 and 2029.

| L                                                                           | Young Patients (<50 years old)                                          |                                                                  |                                                           | rs old)                                                         | Old Patients (≥50 years old)                         |                                |                                                |                           |                                                |                                                           | All Patients                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                | 1                                |                              |                         |
|-----------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------|--------------------------------|------------------------------------------------|---------------------------|------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|----------------------------------|------------------------------|-------------------------|
|                                                                             | Tumor Locations                                                         |                                                                  | Side Involvement                                          |                                                                 | Tumor Locations                                      |                                | Side Involvement                               |                           | ing                                            | Tumor Locations                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Side Involvement               |                                  |                              |                         |
|                                                                             | CRC                                                                     | Colon                                                            | Rectum                                                    | Right-<br>sided CRC                                             | Left-sided<br>CRC                                    | CRC                            | Colon                                          | Rectum                    | Right-<br>sided CRC                            | Left-sided<br>CRC                                         | Qar c<br>Qar c<br>Sep                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Colon                          | Rectum                           | Right-<br>sided CRC          | Left-side<br>CRC        |
| Best-<br>Fitted<br>Model                                                    | Exponential<br>Growth                                                   | Exponential<br>Growth                                            | Exponential<br>Growth                                     | Quadratic                                                       | Quadratic                                            | Quadratic                      | Quadratic                                      | Linear                    | Quadratic                                      | S-shaped                                                  | Experiente<br>Experiente<br>Greense<br>Greense                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Exponential<br>Growth          | Exponential<br>Growth            | Quadratic                    | Exponent<br>Growth      |
| Predicted<br>Case<br>Equation                                               | Yt = 48.2453<br>× (1.0198 <sup>t</sup> )                                | $Yt = 9.351 \times (1.0924^t)$                                   | $Yt = 39.85 \times (0.9903^t)$                            | $Yt = 2.79 + 1.86t - 0.113t^2$                                  | Yt = 46.33<br>- 1.26t + 0.161t <sup>2</sup>          | $Yt = 77.3 + 1.84t + 0.016t^2$ | Yt = 29.82<br>- 1.02t +<br>0.233t <sup>2</sup> | Yt =<br>53.11 +<br>0.255t | Yt = 14.38<br>- 0.77t +<br>0.154t <sup>2</sup> | $Yt = 10^{3} / (10.0061 + (5.88632 \times 0.938146^{t}))$ | Yt = 102<br>× (102<br>× (102<br>× (102<br>× (100<br>× (10)<br>× (100<br>× (100)× (100<br>× (100<br>× (100)× (100<br>× (100)× (100)× (100)× (100)× (100) | $Yt = 34.58 \times (1.0638^t)$ | $Yt = 92.3161 \times (0.9991^t)$ | Yt = 17.17 + 1.08t + 0.041t2 | Yt = 108.1<br>× (1.014) |
| MAPE                                                                        | 10.9230                                                                 | 20.8294                                                          | 9.3215                                                    | 34.2056                                                         | 11.9922                                              | 7.4248                         | 7.2590                                         | 10.5491                   | 15.1707                                        | 7.6702                                                    | 876460 9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 9.1430                         | 9.042                            | 17.8277                      | 8.952                   |
| MAD                                                                         | 6.2589                                                                  | 3.7308                                                           | 3.5723                                                    | 2.8790                                                          | 5.4062                                               | 6.4832                         | 2.40093                                        | 5.5074                    | 2.0717                                         | 5.5748                                                    | 1 <b>2 8 8</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 4.9466                         | 8.529                            | 4.2554                       | 10.694                  |
| MSD                                                                         | 61.3589                                                                 | 19.9062                                                          | 23.4688                                                   | 11.7923                                                         | 38.5144                                              | 67.3214                        | 8.26099                                        | 66.8562                   | 6.4315                                         | 71.8833                                                   | 212,125                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 41.4342                        | 140.117                          | 26.4743                      | 169.916                 |
| o-value of<br>slope                                                         | 0.200                                                                   | 0.005                                                            | 0.477                                                     | 0.217                                                           | 0.342                                                | 0.043                          | 0.001                                          | 0.774                     | 0.006                                          | 0.267                                                     | ade<br>ïe⊮r<br>ìd⊖da                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | < 0.001                        | 0.948                            | 0.018                        | 0.252                   |
| 2020                                                                        | 61.08                                                                   | 27.00                                                            | 35.47                                                     | 8.79                                                            | 54.40                                                | 101.73                         | 51.21                                          | 56.16                     | 27.25                                          | 78.48                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 72.65                          | 91.35                            | 36.04                        | 127.94                  |
| 2021                                                                        | 62.29                                                                   | 29.50                                                            | 35.13                                                     | 7.82                                                            | 57.16                                                | 103.98                         | 56.02                                          | 56.42                     | 30.33                                          | 79.54                                                     | 165.505                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 77.29                          | 91.27                            | 38.15                        | 129.74                  |
| 2022                                                                        | 63.53                                                                   | 32.23                                                            | 34.79                                                     | 6.62                                                            | 60.25                                                | 106.26                         | 61.30                                          | 56.67                     | 33.71                                          | 80.55                                                     | 11 <b>1</b> 1 <b>11111111111</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 82.22                          | 91.19                            | 40.33                        | 131.56                  |
| 2023                                                                        | 64.79                                                                   | 35.20                                                            | 34.45                                                     | 5.20                                                            | 63.66                                                | 108.58                         | 67.04                                          | 56.93                     | 37.40                                          | 81.53                                                     | 17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 87.47                          | 91.11                            | 42.60                        | 133.42                  |
| 2024                                                                        | 66.07                                                                   | 38.46                                                            | 34.12                                                     | 3.55                                                            | 67.38                                                | 110.92                         | 73.25                                          | 57.18                     | 41.39                                          | 82.47                                                     | 198.21 🗧                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 93.05                          | 91.03                            | 44.94                        | 135.29                  |
| 2025                                                                        | 67.38                                                                   | 42.01                                                            | 33.79                                                     | 1.68                                                            | 71.44                                                | 113.30                         | 79.93                                          | 57.44                     | 45.70                                          | 83.37                                                     | 189.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 98.99                          | 90.95                            | 47.37                        | 137.20                  |
| 2026                                                                        | 68.72                                                                   | 45.89                                                            | 33.46                                                     | -0.42                                                           | 75.81                                                | 115.71                         | 87.07                                          | 57.69                     | 50.31                                          | 84.24                                                     | 184.24 号                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 105.31                         | 90.87                            | 49.88                        | 139.13                  |
| 2027                                                                        | 70.09                                                                   | 50.13                                                            | 33.14                                                     | -2.75                                                           | 80.50                                                | 118.16                         | 94.68                                          | 57.95                     | 55.23                                          | 85.06                                                     | 199.39                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 112.03                         | 90.79                            | 52.48                        | 141.09                  |
| 2028                                                                        | 71.48                                                                   | 54.76                                                            | 32.82                                                     | -5.30                                                           | 85.52                                                | 120.64                         | 102.76                                         | 58.20                     | 60.45                                          | 85.85                                                     | 1 🖳 63 🔁                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 119.18                         | 90.71                            | 55.15                        | 143.08                  |
| 2029                                                                        | 72.90                                                                   | 59.82                                                            | 32.50                                                     | -8.08                                                           | 90.85                                                | 123.15                         | 111.30                                         | 58.45                     | 65.99                                          | 86.61                                                     | 18 .97 🖁                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 126.78                         | 90.63                            | 57.91                        | 145.09                  |
| Fotal ten<br>years                                                          | 66.83                                                                   | 41.50                                                            | 33.97                                                     | 1.71                                                            | 70.70                                                | 112.24                         | 78.46                                          | 57.31                     | 44.77                                          | 82.77                                                     | 189.54                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 97.50                          | 90.99                            | 46.49                        | 136.35                  |
| Mean per                                                                    | 668.32                                                                  | 415.01                                                           | 339.68                                                    | 17.11                                                           | 706.97                                               | 1122.43                        | 784.55                                         | 573.09                    | 447.74                                         | 827.71                                                    | 1806.418                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 974.96                         | 909.89                           | 464.85                       | 1363.53                 |
| Y <sub>t</sub> is the<br>The bes<br>paramet<br>p-value<br><b>bbreviatio</b> | e variable (e<br>st-fitted moc<br>eters was the<br>e was obtaine<br>on: | equation for J<br>del and predi<br>lowest or ha<br>ed from the A | predicted cas<br>cted case equaving the low<br>ANOVA test | ses) and t is tuation was d<br>west value fo<br>t for curve est | the value of<br>lecided from<br>r MAPE.<br>stimation | the time ur<br>the one w       | nit (year).<br>ho has the l                    | ower accu                 | racy for three                                 | ee parameters                                             | n Julie 8, 2<br>(MACE, MADOO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | AD, and MSI                    | D) measurem                      | ent or at lea                | st two                  |

### Research Checklist STROBE Checklist 2007 (v4) Statement For Reporting A Cross-Sectional Study

| Section/Topic        | Item #   | Recommendation                                                                            | Reported<br>on page # |
|----------------------|----------|-------------------------------------------------------------------------------------------|-----------------------|
| Title and abstract   | 1        | (a) Indicate the study's design with a commonly used term in the title or the abstract    | 1                     |
|                      |          | (b) Provide in the abstract an informative and balanced summary of what was done          | 1                     |
|                      |          | and what was found                                                                        |                       |
| Introduction         |          |                                                                                           |                       |
| Background/rationale | 2        | Explain the scientific background and rationale for the investigation being reported      | 2                     |
| Objectives           | 3        | State specific objectives, including any prespecified hypotheses                          | 2                     |
| Methods              | 1        |                                                                                           |                       |
| Study design         | 4        | Present key elements of study design early in the paper                                   | 2-4                   |
| Setting              | 5        | Describe the setting locations and relevant dates including periods of recruitment        | 2-4                   |
| Setting              |          | exposure follow-up and data collection                                                    |                       |
| Participants         | 6        | (a) Give the eligibility criteria and the sources and methods of selection of             | 2-4                   |
| i untroipunto        |          | narticipants                                                                              | 21                    |
|                      |          |                                                                                           |                       |
| Variables            | 7        | Clearly define all outcomes, exposures, predictors, potential confounders, and effect     | 3                     |
|                      |          | modifiers. Give diagnostic criteria, if applicable                                        |                       |
| Data sources/        | 8*       | For each variable of interest, give sources of data and details of methods of             | 2-3                   |
| measurement          |          | assessment (measurement). Describe comparability of assessment methods if there           |                       |
|                      |          | is more than one group                                                                    |                       |
| Bias                 | 9        | Describe any efforts to address potential sources of bias                                 | 16                    |
| Study size           | 10       | Explain how the study size was arrived at                                                 | 2-3                   |
| Quantitative         | 11       | Explain how quantitative variables were handled in the analyses. If applicable,           | 3                     |
| variables            |          | describe which groupings were chosen and why                                              |                       |
| Statistical methods  | 12       | (a) Describe all statistical methods, including those used to control for confounding     | 4                     |
|                      |          | (b) Describe any methods used to examine subgroups and interactions                       | 4                     |
|                      |          | (c) Explain how missing data were addressed                                               | 4                     |
|                      |          | (d) If applicable, describe analytical methods taking account of sampling strategy        | 4                     |
|                      |          | (e) Describe any sensitivity analyses                                                     | 4                     |
| Results              |          |                                                                                           |                       |
| Participants         | 13*      | (a) Report numbers of individuals at each stage of study—eg numbers potentially           | 4                     |
|                      |          | eligible, examined for eligibility, confirmed eligible, included in the study,            |                       |
|                      |          | completing follow-up, and analysed                                                        |                       |
|                      |          | (b) Give reasons for non-participation at each stage                                      | 4-5                   |
|                      |          | (c) Consider use of a flow diagram                                                        | 3                     |
| Descriptive data     | 14*      | (a) Give characteristics of study participants (eg demographic, clinical, social) and     | 4-8                   |
| r · · · ·            |          | information on exposures and potential confounders                                        |                       |
|                      |          | (b) Indicate number of participants with missing data for each variable of interest       | 4                     |
| Outcome data         | 15*      | Report numbers of outcome events or summary measures                                      | 4-8                   |
| Main results         | 16       | (a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and       | 4-8                   |
|                      |          | their precision (eg. 95% confidence interval). Make clear which confounders were          |                       |
|                      |          | adjusted for and why they were included                                                   |                       |
|                      | <u> </u> | (b) Report category boundaries when continuous variables were categorized                 | 4-8                   |
|                      |          | (a) If relevant, consider translating estimates of relative risk into absolute risk for a | N/A                   |

|                   |    | meaningful time period                                                                 |          |
|-------------------|----|----------------------------------------------------------------------------------------|----------|
| Other analyses    | 17 | Report other analyses done-eg analyses of subgroups and interactions, and              | 4-8      |
|                   |    | sensitivity analyses                                                                   |          |
| Discussion        |    |                                                                                        |          |
| Key results       | 18 | Summarise key results with reference to study objectives                               | 8-9      |
| Limitations       | 19 | Discuss limitations of the study, taking into account sources of potential bias or     | 1-2, and |
|                   |    | imprecision. Discuss both direction and magnitude of any potential bias                | 16       |
| Interpretation    | 20 | Give a cautious overall interpretation of results considering objectives, limitations, | 8-16     |
|                   |    | multiplicity of analyses, results from similar studies, and other relevant evidence    |          |
| Generalisability  | 21 | Discuss the generalisability (external validity) of the study results                  | 16       |
| Other information |    |                                                                                        |          |
| Funding           | 22 | Give the source of funding and the role of the funders for the present study and, if   | 17       |
|                   |    | applicable, for the original study on which the present article is based               |          |

\*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

# **BMJ Open**

#### Analyzing Eleven Years of Incidence Trends, Clinicopathological Characteristics, and Forecasts of Colorectal Cancer in Young and Old Patients: A Retrospective Cross-Sectional Study in An Indonesian National Referral Hospital.

| Journal:                             | BMJ Open                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manuscript ID                        | bmjopen-2022-060839.R2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Article Type:                        | Original research                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Date Submitted by the Author:        | 12-Aug-2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Complete List of Authors:            | Rahadiani, Nur; University of Indonesia Faculty of Medicine, Department<br>of Anatomical Pathology; Rumah Sakit Dr Cipto Mangunkusumo,<br>Department of Anatomical Pathology<br>Habiburrahman, Muhammad; University of Indonesia Faculty of<br>Medicine; Rumah Sakit Dr Cipto Mangunkusumo<br>Abdullah, Murdani ; University of Indonesia Faculty of Medicine, Division<br>of Gastroenterology, Pancreatobilliary, and Endoscopy, Department of<br>Internal Medicine; Rumah Sakit Dr Cipto Mangunkusumo, Division of<br>Gastroenterology, Pancreatobilliary, and Endoscopy, Department of<br>Internal Medicine<br>Jeo, Wifanto Saditya; University of Indonesia Faculty of Medicine,<br>Division of Digestive Surgery, Department of Surgery; Rumah Sakit Dr<br>Cipto Mangunkusumo, Division of Digestive Surgery, Department of<br>Surgery<br>Stephanie, Marini; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Handjari, Diah Rini ; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Krisnuhoni, Ening; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Krisnuhoni, Ening; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology<br>Krisnuhoni, Ening; University of Indonesia Faculty of Medicine,<br>Department of Anatomical Pathology; Rumah Sakit Dr Cipto<br>Mangunkusumo, Department of Anatomical Pathology |
| <b>Primary Subject<br/>Heading</b> : | Pathology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Secondary Subject Heading:           | Epidemiology, Gastroenterology and hepatology, Surgery, Public health, Oncology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Keywords:                            | PATHOLOGY, ONCOLOGY, Gastrointestinal tumours < ONCOLOGY,<br>Colorectal surgery < SURGERY, EPIDEMIOLOGY, Gastrointestinal<br>tumours < GASTROENTEROLOGY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| 1                 |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| 2                 |                                                                           |
| 3                 |                                                                           |
| 4                 | SCHOLARONE                                                                |
| 5                 | Manuscripts                                                               |
| 6                 |                                                                           |
| 7                 |                                                                           |
| 8                 |                                                                           |
| 9                 |                                                                           |
| 10                |                                                                           |
| 11                |                                                                           |
| 12                |                                                                           |
| 13                |                                                                           |
| 14                |                                                                           |
| 15                |                                                                           |
| 16                |                                                                           |
| 17                |                                                                           |
| 18                |                                                                           |
| 19                |                                                                           |
| 20                |                                                                           |
| 21                |                                                                           |
| 22                |                                                                           |
| 23                |                                                                           |
| 24                |                                                                           |
| 25                |                                                                           |
| 26                |                                                                           |
| 27                |                                                                           |
| 28                |                                                                           |
| 29                |                                                                           |
| 30                |                                                                           |
| 31                |                                                                           |
| 37                |                                                                           |
| 32                |                                                                           |
| 34                |                                                                           |
| 35                |                                                                           |
| 36                |                                                                           |
| 37                |                                                                           |
| 38                |                                                                           |
| 30                |                                                                           |
| 40                |                                                                           |
| 40                |                                                                           |
| יד<br>42          |                                                                           |
| -τ <u>-</u><br>Δ3 |                                                                           |
| чэ<br>44          |                                                                           |
| 45                |                                                                           |
| 46                |                                                                           |
| 47                |                                                                           |
| 48                |                                                                           |
| 49                |                                                                           |
| 50                |                                                                           |
| 51                |                                                                           |
| 52                |                                                                           |
| 53                |                                                                           |
| 54                |                                                                           |
| 55                |                                                                           |
| 55                |                                                                           |
| 57                |                                                                           |
| 58                |                                                                           |
| 50                |                                                                           |
| 60                | For peer review only - http://bmjopen.bmj.com/site/about/auidelines.xhtml |
|                   | , , , , , , , , ,                                                         |
|                   |                                                                           |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

#### Analyzing Eleven Years of Incidence Trends, Clinicopathological Characteristics, and Forecasts of Colorectal Cancer in Young and Old Patients: A Retrospective Cross-Sectional Study in An Indonesian National **Referral Hospital.** Nur Rahadiani<sup>1\*</sup>, Muhammad Habiburrahman<sup>2</sup>, Murdani Abdullah<sup>3,4</sup>, Wifanto Saditya Jeo<sup>5,4</sup>, Marini Stephanie<sup>1</sup>, Diah Rini Handjari<sup>1</sup>, Ening Krisnuhoni<sup>1</sup> <sup>1.</sup> Department of Anatomical Pathology, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>2</sup> Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>3.</sup> Division of Gastroenterology, Department of Internal Medicine, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>4.</sup> Human Cancer Research Center, IMERI, Faculty of Medicine Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia <sup>5</sup> Division of Digestive Surgery, Department of Surgery, Faculty of Medicine, Universitas Indonesia/ Dr. Cipto Mangunkusumo Hospital, Jakarta, Indonesia Corresponding author: nur.rahadiani@ui.ac.id Running Title: Trends of Colorectal Cancer in Indonesian Patients Abstract **Objective:** To obtain annual incidence trends, understand clinicopathological characteristics, and forecast the future burden of colorectal cancer (CRC) in Indonesia. **Design:** 11-year retrospective cross-sectional study. Setting: A national referral hospital in Jakarta, Indonesia. Participants: Data from 1,584 eligible cases were recorded for trends and forecasting analyses; 433 samples were analyzed to determine clinicopathological differences between young ( $\leq 50$ years) and old ( $\geq 50$ years) patients. Methods: Trend analyses were done using Joinpoint, expressed in annual percentage change (APC), and a regression analysis was executed to generate a forecasting model. Patients' characteristics were compared using chi-square or nonparametric tests. **Main outcomes:** Analysis of trends, forecasting model, and clinicopathological features between the age groups. **Results:** A significant increase in APC was observed among old patients (+2.38%) for CRC cases. Colon cancer increased remarkably (+9.24%) among young patients; rectal cancer trends were either stable or declining. The trend for right-sided CRC increased in the general population (+6.52%) and old patients (+6.57%), while the trend for left-sided CRC was stable. These cases are expected to be a significant health burden within the next ten years. Patients had a mean age of 53.17±13.94, 38.1% were young, and the sex ratio was 1.21. Prominent characteristics were left-sided CRC, tumor size $\geq 5$ cm, exophytic growth, adenocarcinoma, histologically low-grade, pT3, pN0, inadequately dissected lymph nodes (LN), LN ratio (LNR) <0.05, no distant metastasis, early-stage cancer, no lymphovascular invasion (LVI), and no perineural invasion (PNI). Distinct features between young and old patients were found in the subtype, histology, number of dissected LN, and PNI of the tumor. Conclusions: Epidemiological trends and forecasting analyses of CRC cases in Indonesian patients showed an enormous increase in colon cancer in young patients, a particularly concerning trend. Additionally, young patients exhibited particular clinicopathological characteristics that contributed to disease severity. Keywords: clinicopathological characteristics, colorectal cancer, histopathological characteristics, Indonesia, retrospective analysis, young patients, trend analysis. Strengths and limitations of this study This is the first retrospective cross-sectional study of Indonesian colorectal cancer (CRC) patients with a substantial data coverage period from 2009 to 2019.
- We provide trend analysis to determine changes in the annual incidence of CRC in Indonesia based on age, tumor location, and side involvement of cancer, along with a CRC forecasting model to estimate case patterns over the next ten years.
   This epidemiological study comprehensively analyzed the difference in clinicopathological characteristics of
  - This epidemiological study comprehensively analyzed the difference in clinicopathological characteristics of CRC in young and old patients.
  - Data were taken from a single center and might not be fully representative of other centers in Indonesia. Also, being a retrospective study, this study is susceptible to record bias and data loss from medical record retention and deterioration of microscope slides.
  - Data that could help explain the CRC trends, such as lifestyle, diet, alcohol use, tobacco use, family history, hereditary cancer syndromes, socioeconomic characteristics, and diagnostic test frequency, were not recorded.

## 63 Introduction

Colorectal cancer (CRC) is the fourth most common cancer globally and is becoming more common in developing countries.<sup>1</sup> CRC is usually diagnosed through endoscopic biopsy or polypectomy. Microscopic examination is conducted to search for invasions. In the new era of personalized medicine, the role of anatomical pathologists has been dramatically expanded. Their role is no longer limited to providing histopathologic diagnosis but also assessing staging, margins, and prognostic parameters that can only be made available by microscopic examinations such as tumor grade, lymphovascular invasion (LVI), and perineural invasion (PNI). Further research about the pathological characteristics of CRC is essential for treatment approaches and policymaking.

Recent long-term studies discovered that young people under 50 years old are more likely to get colon cancer, especially in high-income countries.<sup>2,3</sup> These studies showed changes in CRC epidemiology clinically, histopathologically, and prognostically.<sup>4</sup> By 2030, the incidence of colon and rectal cancer in young people, for whom routine screening is currently not recommended, is projected to increase by 28-30% and 46-124%, respectively.<sup>5</sup> This phenomenon is presumably due to rapid changes in lifestyle, diet, and genetic alterations in high-risk populations. A study in the US found that cancer incidence rose by 17% in young patients. Similar trends were seen in several Asian countries, including China, Japan, India, and South Korea, where a huge rise in the number of young patients with CRC has been documented.<sup>2,6</sup> 

Epidemiological studies on CRC from other parts of Asia, including Southeast Asia, are needed since CRC cases are relatively less researched and are becoming a public health threat. Furthermore, in the population younger than 50, CRC shows a rising incidence and appears to display a more aggressive phenotype with unique genetic profiles, critical differences in somatic gene mutations, and gene methylation.<sup>7</sup> Distinct molecular carcinogeneses and genomic profiles of CRC in Indonesia drove us to present a broader view of CRC in terms of epidemiology and clinicopathological characteristics,<sup>8-10</sup> which has not been published by any previous thorough investigation in Indonesia. These knowledge gaps motivated us to research how colorectal cancers have changed from 2009 to 2019 in young patients compared to their older counterparts. We also aimed to obtain annual incidence trends, understand clinicopathological characteristics, and forecast the future burden of CRC in Indonesia. 

## 91 Materials and Methods

## 92 Study Design, Ethical Clearance, Data Collection, and Selection Process

This retrospective cross-sectional study was conducted at the Dr. Cipto Mangunkusumo Hospital,
Jakarta, Indonesia, to analyze CRC incidence from 2009 to 2019 using pathological archives and hospital
medical records. Ethical approval (KET-139/UN2.F1/ETIK/PPM.00.02/2020, protocol number: 10-111416) was obtained from the Institutional Ethical Review Board (IERB) of the Faculty of Medicine,
Universitas Indonesia. General consent for the use of medical record data and residual material had already

Page 5 of 76

#### **BMJ** Open

been obtained, in line with ethical approval.<sup>11–13</sup> Data from 2020 were not included to avoid bias due to the COVID-19 pandemic, which caused a decrease in the number of CRC patients attending the hospital. In total, 1.958 patients have had a malignant tumor of the colon or rectum based on ICD-10 topography (C18-C20) and morphology (M8140/3, M8480/3, and M8490/3) codes with adequate biopsy or resection specimens eligible for enrollment in this study.<sup>14</sup> For the analysis of trends, forecasting, and clinical data, 1,584 patients were selected by exclusion criteria (i.e., duplication of inputted cases, change of diagnosis, or metastasis), with 433 resection samples undergoing a further analysis of pathological characteristics between two age groups, as shown in Figure 1.

#### <Figure 1.>

*Extraction and Definition of Variables* 

110 The variables of age, registration year, sex, tumor location, site, side involvement, and specimen 111 type were extracted directly from cancer registry data. Data on tumor size, growth pattern, histological 112 subtypes, and metastasis characteristics were retrieved from hospital medical records and pathological 113 reports of patients who underwent surgery.

The young patient population was defined as subjects under 50 years of age, agreeing with previous studies.<sup>15</sup> Pathological specimens of each patient were examined under the microscope by two independent pathologists who recorded the histopathology characteristics of pathological tumor staging, histological subtypes, growth pattern, tumor grade, LVI, and PNI. We evaluated the number of dissected lymph nodes (LNs) in agreement with other studies and WHO guidelines, with a minimum of 12 LNs taken for each case.<sup>16–18</sup> Along with LNs, we also calculated the lymph node ratio (LNR), defined as the number of positive LNs divided by the number of LNs examined. LNR was a significant predictor of survival in other malignancies and could be classified into subgroups according to the following cutoffs: <0.05 (LNR1), 0.05-0.20 (LNR2), 0.20-0.40 (LNR3), and 0.40-1.00 (LNR4).19

The tumor site was defined as the location where the primary tumor originated. A category of cancers known as right-sided CRC (RSCRC) originated from the caecum, ascending colon, hepatic flexure, and transverse colon. Meanwhile, left-sided CRC (LSCRC) originated from the splenic flexure, descending colon, sigmoid colon, and rectum.<sup>20</sup> Cancer of the caecum, ascending colon, or transverse colon was referred to as proximal colon cancer. The descending colon or the sigmoid colon were the sites of distal colon cancer.<sup>14,21</sup> Tumor size was defined as the largest dimension of the three-dimensional tumor, classified into <5 cm and  $\geq 5$  cm. Metastasis (distant metastasis) was confirmed by radiography or pathological diagnostic procedure. The World Health Organization (WHO) guideline and the American Joint Committee on Cancer (AJCC) 8th edition were the basis for pathological staging.<sup>17,18</sup> Tumors with a stage of pT3-T4 or a pathological staging of pTNM III-IV were considered to be in the advanced stage.<sup>17,18</sup> Tumors were also divided into three categories based on their subtypes: adenocarcinoma not otherwise specified (NOS), mucinous adenocarcinoma, and signet-ring cell carcinoma. The tumor growth pattern was classified into exophytic, endophytic, ulcerative, and linitis plastica.<sup>22</sup> According to a WHO categorization based on the percentage of gland formation in the tumor mass, tumor grade was grouped as well-differentiated, moderately differentiated, and poorly differentiated.<sup>17</sup> LVI and PNI were defined as the occurrence of each parameter in at least one slide of the pathology specimen sample.<sup>23</sup> 

53 139 54 140

140 Statistical Analysis and Presentation of Data

 BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

- To address the missing data, we performed a sub-analysis for each outcome measured during the sampling process (Figure 1). A comprehensive dataset from biopsy and resection specimens was utilized to extrapolate the CRC trend over eleven years and conduct a comparative analysis of the recorded variables. In order to conduct a more thorough analysis of pathological data, we used only resection specimens. Missing data from the retention of the medical records and deteriorated slides were omitted.
- Data were then recorded and processed using the Statistical Package for Social Sciences (SPSS) v.25.0 statistical software with Chi-Square and its alternative tests (Fisher's exact, Kruskal-Wallis, or Mann-Whitney tests). Analysis was performed for the young and old patient populations for clinicopathological characteristics. The mean value of quantitative parameters (number of positive and dissected LNs, LNR, and tumor size) was compared between two age groups with the t-student test. Annual incidence rates were quantified using the Joinpoint regression package provided by the US National Cancer Institute Surveillance Research Program and National Cancer Institute (version 4.9.1.0).<sup>24</sup> Joinpoint regression analysis, established by Kim and colleagues<sup>25</sup>, is a well-known approach used to study varying trends over time with Bonferroni adjustment.<sup>26</sup> It automatically joined separated time series of points (years) of cases on a logarithmic scale, expressed the trends as an annual percentage change (APC), and therefore quantified the short-term increase or decrease between two successive points of change.<sup>24,25</sup> A Monte Carlo permutation test assessed the significance of changing trends (i.e., APC).<sup>27</sup> Joinpoint regression analysis might be employed when the temporal trend of a given quantity (e.g., proportions, rates, counts), such as incidence and mortality (e.g., referring to cancer-related scenarios), was of interest.<sup>28–30</sup> It is valuable to generate quantitative inferences instead of qualitative ones in epidemiological studies.<sup>24,31</sup>
- We also performed linear and non-linear regression analyses to construct the best-fitted model to forecast the increasing trend of CRC cases in the next ten years (2020-2029) using Minitab® 19.1 (64-bit).<sup>32–38</sup> The model trend equation to predict CRC cases can be visualized in linear  $[Y_t = b_0 + (b_1 * t)]$ . quadratic  $[Y_t = b_0 + b_1 * t + (b_2 * t^2)]$ , exponential  $[Y_t = b_0 + (b_1 t)]$ , or S-curve (Pearl-Reed logistic)  $[Y_t = b_0 + (b_1 t)]$  $(10^{a})/(b_{0} + b_{1} * b_{2}t)$  functions, with Y<sub>1</sub> being the variable, b<sub>0</sub> being a constant, b<sub>1</sub> and b<sub>2</sub> being coefficients, and t as the value of the time unit. The best-fitted model is the model which has the lower values for three of these parameters: MAPE, mean absolute percent error; MAD, mean absolute deviation; and MSD, mean square deviation, or at least for two parameters, or having the lowest value for MAPE.<sup>36,39,40</sup> The MAPE expresses accuracy as a percentage of the error. The MAD expresses accuracy in the same units as the data, which helps conceptualize the amount of error. The MSD measures the accuracy of the fitted time series. After deciding on the models, we measured the significance of their slope using the ANOVA test for curve estimation in SPSS. Statistical analyses with a p-value <0.05 and a 95% confidence interval (CI) for probability were considered significant.

### Patient and Public Involvement Statement

It was not possible to involve patients or the public in our research's design, conduction, reporting,
 or dissemination plans. This report complied with the Strengthening the Reporting of Observational Studies
 in Epidemiology (STROBE) guidelines for observational studies (including cross-sectional studies), as
 stated in the **Research Checklist**.<sup>41</sup>

**Results** 

Of the 1,584 people diagnosed with CRC in this study, males dominated the CRC cases registered
in our center, with a sex ratio (male: female) of 1.21. Distribution based on age groups, as shown in Table
1, demonstrated that the highest proportion of CRC was found in ages 51–60 years old; the mean age was

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

| 1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10<br>11 | 185<br>186<br>187<br>188<br>189<br>190<br>191 | 53.17 ± 13.94 years old, with females (52.28 ± 13.98 years old) generally being younger than males (53.90 ± 13.89 years old), p=0.021. Looking at the more specific age groupings, we found that the number and proportion of our patients' age was: 11–20 (11; 0.7%), 21–30 (81; 5.8%), 31–40 (225; 14.2%), 41–50 (339; 21.4%), 51–60 (432; 27.3%), 61–70 (334; 21.2%), 71–80 (135; 8.5%), 81–90 (20; 1.3%), and $\geq$ 91 (7; 0.4%). The mean age of the young patient population was surprisingly very young (38.82 ± 7.46 years old). The proportion of young patients in this center reached 38.10% (n = 604) of the total incidence (n = 1,584). The biggest proportion of CRC in our center was rectal cancer (64.3% vs. 35.7%). Proximal and distal colon |                      |                           |                      |                          |                 |                |                 |          |
|-------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------|----------------------|--------------------------|-----------------|----------------|-----------------|----------|
| 12                                                    | 192                                           | cancer were similar in number (49.6%)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | VS. 50.4             | 4%). LS                   | OCKU                 | was sti                  | ii nign         | er in p        | roportion (82   | 3%). The |
| 13                                                    | 193                                           | sigmoid colon is the most often affected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | l area.              |                           |                      |                          |                 |                |                 |          |
| 14<br>15                                              | 194                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                      |                           |                      |                          |                 |                |                 |          |
| 16                                                    | 195                                           | Table 1. Clinicopathological cha                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | aracteris            | tics of t                 | umors                | in your                  | ng and          | old pat        | ients (n = 1,58 | 4)       |
| 17<br>18                                              |                                               | Characteristics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Young<br>(<50<br>(n= | patients<br>y.o.)<br>604) | Old p<br>(≥50<br>(n= | atients<br>y.o.)<br>980) | All pa<br>(n=1. | tients<br>584) | p-value         |          |
| 19                                                    |                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Ň                    | %                         | n                    | %                        | N               | %              |                 |          |
| 20<br>21                                              |                                               | Registration year                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                      |                           |                      |                          |                 |                | 0.931ª          |          |
| 22                                                    |                                               | 2009                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 49                   | 8.1                       | 70                   | 7.1                      | 119             | 7.5            |                 |          |
| 23                                                    |                                               | 2010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 52                   | 8.6                       | 94                   | 9.6                      | 146             | 9.2            |                 |          |

| Table 1 Cliniconathological characteristics of tumors in young and       | l old natients | (n = 1.584)     |
|--------------------------------------------------------------------------|----------------|-----------------|
| <b>Table 1.</b> Chineopanological characteristics of tumors in young and | i olu patients | $(\Pi = 1,304)$ |

| Characteristics   | Young | patients | Old p | atients | All pa    | p-value |                    |  |
|-------------------|-------|----------|-------|---------|-----------|---------|--------------------|--|
|                   | (<50  | ) y.o.)  | (≥50  | ) y.o.) |           |         |                    |  |
|                   | (n=   | 604)     | (n=   | 980)    | (n=1,584) |         |                    |  |
|                   | N     | %        | n     | %       | Ν         | %       |                    |  |
| Registration year |       |          |       |         |           |         | 0.931ª             |  |
| 2009              | 49    | 8.1      | 70    | 7.1     | 119       | 7.5     |                    |  |
| 2010              | 52    | 8.6      | 94    | 9.6     | 146       | 9.2     |                    |  |
| 2011              | 47    | 7.8      | 83    | 8.5     | 130       | 8.2     |                    |  |
| 2012              | 52    | 8.6      | 76    | 7.8     | 128       | 8.1     |                    |  |
| 2013              | 50    | 8.3      | 89    | 9.1     | 139       | 8.8     |                    |  |
| 2014              | 69    | 11.4     | 103   | 10.5    | 172       | 10.9    |                    |  |
| 2015              | 64    | 10.6     | 91    | 9.3     | 155       | 9.8     |                    |  |
| 2016              | 48    | 7.9      | 81    | 8.3     | 129       | 8.1     |                    |  |
| 2017              | 47    | 7.8      | 91    | 9.3     | 138       | 8.7     |                    |  |
| 2018              | 54    | 8.9      | 96    | 9.8     | 150       | 9.5     |                    |  |
| 2019              | 72    | 11.9     | 106   | 10.8    | 178       | 11.2    |                    |  |
| Sex               |       |          |       |         |           |         | 0.056ª             |  |
| Male              | 313   | 51.8     | 556   | 56.7    | 869       | 54.9    |                    |  |
| Female            | 291   | 48.2     | 424   | 43.3    | 715       | 45.1    |                    |  |
| Tumor site        |       |          |       |         |           |         | 0.002 <sup>a</sup> |  |
| Colon             | 187   | 31.0     | 379   | 38.7    | 566       | 35.7    |                    |  |
| Rectal            | 417   | 69.0     | 601   | 61.3    | 1,018     | 64.3    |                    |  |
| Tumor location    |       |          |       |         |           |         | 0.572ª             |  |
| Proximal colon    | 96    | 51.3     | 185   | 48.8    | 281       | 49.6    |                    |  |
| Distal colon      | 91    | 48.7     | 194   | 51.2    | 285       | 50.4    |                    |  |
| Side involvement  |       |          |       |         |           |         | 0.131ª             |  |
| RSCRC             | 96    | 15.9     | 185   | 18.9    | 281       | 17.7    |                    |  |
| LSCRC             | 508   | 84.1     | 795   | 81.1    | 1,303     | 82.3    |                    |  |
| Tumor subsites    |       |          |       |         |           |         | 0.002ª             |  |
| Caecum            | 20    | 3.3      | 58    | 5.9     | 78        | 4.9     |                    |  |
| Ascending colon   | 52    | 8.6      | 75    | 7.7     | 127       | 8.0     |                    |  |
| Transverse colon  | 24    | 4.0      | 52    | 5.3     | 76        | 4.8     |                    |  |
| Descending colon  | 33    | 5.5      | 46    | 4.7     | 79        | 5.0     |                    |  |
| Sigmoid           | 58    | 9.6      | 148   | 15.1    | 206       | 13.0    |                    |  |
| Rectum            | 417   | 69.0     | 601   | 61.3    | 1,018     | 64.3    |                    |  |
| Specimen          |       |          |       |         |           |         | 0.135ª             |  |
| Biopsy            | 267   | 44.2     | 471   | 48.1    | 748       | 46.6    |                    |  |
| Resection         | 337   | 55.8     | 509   | 51.9    | 846       | 53.4    |                    |  |

aIndependent samples t-test aChi-Square test; \*Significant value for all tumor subsites

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de l Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Figure 2 elucidates changes in the trend of CRC cases in Indonesian patients (denoted as an APC) over eleven years among all patients, as well as subcategorized by age groups (i.e., young and old patients), anatomical location of the tumor (i.e., colon, rectum, or colon plus rectum) and side involvement of CRC (right-sided vs. left-sided). Using Joinpoint regression analysis, a significant APC was observed among all patients, specifically in the annual incidence of colon cancer (+6.38%) and RSCRC (+6.52%). Among young patients, notable APC was only found in colon cancer (+9.24%); meanwhile, in the old patient group, a remarkable APC was noticed in CRC as a whole (+2.38%), colon cancer (+5.11%), and RSCRC (+6.57%). Trend patterns were positive for all CRC sites, except the rectum, which experienced stagnation in old patients (+0.58%) and dropped among the general population (-0.09%) and young patients (-0.97%) with p>0.05. More detailed data on the trend analysis of our CRC patients have been provided in Supplementary Files 1-3.

#### <Figure 2.>

This study also investigated the increase of colon cancer based on their subsites (i.e., caecum, ascending colon, transverse colon, descending colon, and sigmoid colon), which is visualized in **Figure 3**. Significantly positive APC values were observed highest in the ascending colon (+10.60%), followed by the descending colon (+10.04%), the transverse colon (+9.88%), and the sigmoid colon (+5.84%).

#### <Figure 3.>

Additionally, as illustrated in Figure 4, several forecasting models of CRC incidences were generated using the best-fitted regression analysis. This approach predicted subsequent ten-year annual incidence rates for CRC cases using a specific case-equation-formula. The linearity of cancer incidence trends over eleven years based on our institutional cancer registry data was evaluated with the p-value for the slope in linear regression models. P-values from ANOVA tests for curve estimation of the slope were reported for each regression. The precise number of predicted cases for the next ten years (2020–2029) can be found in Supplementary Files 4-6 and Supplementary Table 1. The average future burden of CRC from 2020 to 2029 compared to the current 11-year data in all, young, and old patients (Table 2) was ~180 cases/year (vs. 144 cases/year), ~67 cases/year (vs. 55 cases/year), and ~112 cases/year (vs. 89 cases/year) respectively. 

#### <Figure 4.>

As described in **Table 2**, most tumor sizes were equal to or more than 5 cm (61%), with a predominant brown color. Distant metastasis occurred in 6.9% of all cases. Most tumors were exophytic lesions (83.1%), adenocarcinoma NOS (85.2%), well-differentiated (67.7%), with a pathological tumor staging of pT3 (66.5%), having inadequately dissected LN (56.4%) and LNR1 (57.5%), tumor stage IIA (34.2%), early stage (55.2%), without LVI (61.7%) and PNI (88.7%). Comparing young and old patients, we found no significant differences in clinicopathological and histopathological characteristics except for histological subtypes, adequacy of LN sampling, and PNI. Adenocarcinoma NOS is most prevalent in old patients, while the mucinous variant dominates in young patients (p<0.05). Old patients were more likely to have inadequately dissected LN than young patients (p < 0.01). Young patients had more PNI than their older counterparts (p<0.001).

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57 58 59

60

Table 2. Pathological characteristics of tumor in young and old patients who underwent surgical resection 244 with complete data (n=433)Old patients All patients Characteristics Young patients p-value (<50 y.o.) (≥50 y.o.) (n=144) (n=289) (n=403) % % % n n n 0.559ª Tumor size <5 cm 59 41.0 110 38.1 169 39.0  $\geq$  5 cm 85 59.0 179 61.9 264 61.0 Growth pattern 0.814<sup>b</sup> 240 120 Exophytic 83.3 83 360 83.1 21 7.3 Endophytic 15 10.4 36 8.3 Ulcerative 8 22 6.9 5.6 7.6 30 Linitis Plastica 1 0.7 2.1 7 1.6 6 0.025<sup>b</sup> Histological subtypes 115 79.9 87.9 369 Adenocarcinoma NOS 254 85.2 19.4 Mucinous 19.4 35 12.1 63 14.5 Signet-Ring Cell 0 0.2 0.7 0.7 0.01 Tumor grade 0.591ª Well-differentiated 97 67.4 196 67.8 293 67.7 Moderately differentiated 31 21.5 69 23.9 100 23.1 Poorly differentiated 16 11.1 24 8.3 40 9.2 0.587<sup>b</sup> Pathological tumor staging 3 2.1 8 11 2.5 pT1 2.8 22 pT2 15.3 44 15.2 66 15.2 pT3 94 194 67.1 288 66.5 65.3 pT4 25 14.9 14.9 15.7 17.4 68 Pathological node status 0.734<sup>a</sup> pN0 80 55.6 168 58.1 248 57.3 pN1a 18 12.5 42 14.5 60 13.9 pN1b 18 12.5 34 11.8 52 12.0 pN2a 18 12.5 33 11.4 51 11.8 pN2b 10 10.0 12 4.2 22 5.1 Adequacy of dissected node Inadequate (<12) 67 46.5 61.2 244 56.4 0.004<sup>a</sup> 177 Adequate ( $\geq 12$ ) 77 53.5 112 38.8 189 43.6 Lymph node ratio (LNR) 0.967<sup>a</sup> LNR1 (<0.05) 81 56.3 168 58.1 249 57.5 LNR2 (0.05-0.20) 21 13.6 14.6 38 13.1 59 LNR3 (0.20-0.40) 9.9 15 10.4 28 9.7 43 27 18.9 LNR4 (≥0.40) 55 19.0 82 18.8 Lymph Node Metastasis 0.610<sup>a</sup> Yes 80 55.6 168 58.1 248 57.3 No 64 44.4 121 41.9 185 42.7 **Distant Metastasis** 0.110<sup>a</sup> M0 138 95.8 91.7 403 93.1 265 M1 4.2 8.3 6 24 30 6.9 0.431a Staging 19 I 13.2 41 14.2 60 13.9 IIA 48 33.3 100 34.6 148 34.2 IIB 12 8.3 19 6.6 31 7.2 IIIA 6 4.2 10 3.5 16 3.7 39 IIIB 27.1 83 28.7 122 28.2 IIIC 15 10.4 5.5 31 7.2 16 IV 5 3.5 20 6.9 25 5.8 0.921ª **Degree of Staging** 79 54.9 160 55.4 239 Early stage (I-II) 55.2 Advanced stage (III-IV) 65 45.1 129 44.6 194 44.8

| Lymphovascular                                                                                                                                                                         | invasion                                                           |                                |                                       |                            |                           |                              | 0.314ª                            | -                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------|---------------------------------------|----------------------------|---------------------------|------------------------------|-----------------------------------|-------------------|
| Negative                                                                                                                                                                               | 84                                                                 | 58.3                           | 183                                   | 63.3                       | 267                       | 61.7                         |                                   |                   |
| Positive                                                                                                                                                                               | 60                                                                 | 41.7                           | 106                                   | 36.7                       | 166                       | 38.3                         |                                   | _                 |
| Perineural invasio                                                                                                                                                                     | on                                                                 |                                |                                       |                            |                           | <b>-</b>                     | <0.001ª                           |                   |
| Negative                                                                                                                                                                               | 114                                                                | 79.2                           | 270                                   | 93.4                       | 384                       | 88.7                         |                                   |                   |
| <sup>a</sup> Chi-Square: <sup>a</sup> Mann-Y                                                                                                                                           | 30<br>Whitney: Percentage (                                        | 20.8                           | column: N                             | 0.0<br>NOS no              | 49<br>nspecif             | 11.3                         |                                   | -                 |
| em-square, mani-                                                                                                                                                                       | winniey, i creentage c                                             |                                | column, i                             | 105, 10                    | ispecii                   |                              |                                   |                   |
| We detected a significant                                                                                                                                                              |                                                                    |                                |                                       |                            | 22                        |                              |                                   | 4 <b>1.</b>       |
| we detected a significar                                                                                                                                                               | it difference in r                                                 | nean ag                        | e (more                               | e than                     | 23 ye                     | ears) b                      | etween                            | the you           |
| patient groups, as described in T                                                                                                                                                      | able 3. Addition                                                   | ally, the                      | e numb                                | er of d                    | 1ssec                     | ted LN                       | s was si                          | gnifica           |
| in the young patient group comp                                                                                                                                                        | ared to the old p                                                  | patient g                      | group.                                |                            |                           |                              |                                   |                   |
|                                                                                                                                                                                        |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
| Table 3. Comparison of the me                                                                                                                                                          | ean value of clin                                                  | icopath                        | ologica                               | l para                     | meter                     | s of tu                      | umor bet                          | ween y            |
|                                                                                                                                                                                        | C                                                                  | old natie                      | ents                                  | 1                          |                           |                              |                                   | 5                 |
| Parameters                                                                                                                                                                             |                                                                    | N N                            | lean + S                              | D or N                     | ımher                     |                              |                                   | n-                |
| T at anicters                                                                                                                                                                          | Young                                                              | natients                       | $\frac{100 \text{ m}}{100 \text{ m}}$ | atients                    | amoei                     | All na                       | tients                            | _ P−<br>valu∈     |
|                                                                                                                                                                                        | (<50                                                               | v.o.)                          | (≥5)                                  | ) v.o.)                    |                           | · · · · pu                   |                                   | vurue             |
| CRC cases per year                                                                                                                                                                     | 54.91                                                              | ± 9.07                         | 89.09                                 | $\pm 10.94$                | L :                       | 144.00 =                     | ± 18.61                           |                   |
| Colon cancer cases per year                                                                                                                                                            | r 17.00                                                            | ± 6.93                         | 34.45                                 | $\pm 6.98$                 |                           | 51.45 ±                      | = 13.05                           |                   |
| Rectal cancer cases per yea                                                                                                                                                            | ır 37.91 :                                                         | ± 5.20                         | 54.64                                 | ± 8.62                     |                           | 92.55 ±                      | = 12.40                           |                   |
| RSCRC cases per year                                                                                                                                                                   | 8.73 ±                                                             | = 4.10                         | 16.82                                 | ± 4.67                     |                           | 25.55 =                      | ± 7.15                            |                   |
| LSCRC cases per year                                                                                                                                                                   | 46.18 :                                                            | ± 7.04                         | 72.27                                 | ' ± 9.33                   |                           | 118.45 =                     | ± 14.69                           |                   |
| Age (years old)*                                                                                                                                                                       | 38.82 :                                                            | ± 7.46                         | 62.01                                 | ± 8.65                     |                           | 53.17 ±                      | = 13.94                           | <0.001            |
| Tumor size (cm) <sup>#</sup>                                                                                                                                                           | 5.92 ±                                                             | = 3.12                         | 5.99                                  | ± 2.98                     |                           | 5.97 ±                       | = 3.02                            | 0.818             |
| Smallest tumor size (cm) <sup>#</sup>                                                                                                                                                  | 1.                                                                 | 3                              | 1                                     | 1.0                        |                           | 1.                           | 0                                 |                   |
| Largest tumor size (cm) <sup>#</sup>                                                                                                                                                   | 17                                                                 | .0                             | 1                                     | 8.0                        |                           | 1                            | 8                                 |                   |
| Total count of positive LNs                                                                                                                                                            | s <sup>#</sup> 26                                                  | 55                             | 4                                     | -02                        |                           | 66                           | 57                                |                   |
| Total count of dissected LN                                                                                                                                                            | Js <sup>#</sup> 1,5                                                | 87                             | 2,                                    | 726                        |                           | 4,3                          | 13                                |                   |
| Positive LNs <sup>#</sup>                                                                                                                                                              | 1.84 ±                                                             | = 3.37                         | 1.39                                  | ± 2.34                     |                           | 1.54 ±                       | = 2.73                            | 0.107             |
| Dissected LNs <sup>#</sup>                                                                                                                                                             | 11.02 :                                                            | ± 6.10                         | 9.43                                  | ± 5.04                     |                           | 9.96 ±                       | = 5.46                            | 0.004             |
| LNR#                                                                                                                                                                                   | 0.18 ±                                                             | = 0.29                         | 0.18                                  | $\pm 0.30$                 |                           | 0.18 ±                       | = 0.29                            | 0.964             |
| *Independent samples t-test for<br>*Assessed among 1 584 patient                                                                                                                       | equality of means (2-                                              | tailed)                        |                                       |                            |                           |                              |                                   |                   |
| #Assessed among 433 patients                                                                                                                                                           | .5                                                                 |                                |                                       |                            |                           |                              |                                   |                   |
| *Abbreviation: CRC, colorecta                                                                                                                                                          | l cancer; LNs, lymph                                               | nodes; LN                      | R, lymph                              | node rat                   | io; RSC                   | CRC, rig                     | ht-sided col                      | orectal ca        |
| left-sided colorectal cancer                                                                                                                                                           |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
| <b>T1 1 1 1</b>                                                                                                                                                                        |                                                                    | 1.0                            | 0                                     | ~                          | ~                         |                              |                                   |                   |
| Figure 5 describes the l                                                                                                                                                               | nistopathologica                                                   | u teatur                       | res of o                              | ur CR                      | C ca                      | ses. D                       | escriptiv                         | e prop            |
| presented in Tables 1, 2, and 3.                                                                                                                                                       |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
|                                                                                                                                                                                        |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
|                                                                                                                                                                                        | <                                                                  | Figure                         | 5.>                                   |                            |                           |                              |                                   |                   |
|                                                                                                                                                                                        |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
| Discussion                                                                                                                                                                             |                                                                    |                                |                                       |                            |                           |                              |                                   |                   |
|                                                                                                                                                                                        |                                                                    | 4 -                            |                                       | -14                        | 1. (                      |                              |                                   |                   |
| I his observational study                                                                                                                                                              | was conducted                                                      | to asses                       | s clinic                              | al trer                    | as of                     | CKC                          | over 11                           | years, i          |
| future burden of CRC over the n                                                                                                                                                        | ext ten years, ar                                                  | nd analy                       | ze the                                | pathol                     | ogy c                     | of 1,58                      | 4 CRC                             | cases in          |
| referral hospital in Indonesia. T                                                                                                                                                      | 'he current inve                                                   | stigation                      | n corro                               | borate                     | d pre                     | vious                        | findings                          | s regar           |
|                                                                                                                                                                                        | e. This could be                                                   | becaus                         | e men a                               | are mo                     | ore lil                   | celv to                      | smoke                             | and dr            |
| predominance in CRC incidence                                                                                                                                                          | for CRC) when                                                      | eas wo                         | men ha                                | ve hi                      | oher l                    | evele                        | of endo                           | genous            |
| predominance in CRC incidence<br>(both of which are risk factors                                                                                                                       |                                                                    | JUD WU                         |                                       | we mg                      |                           | 0,013                        | or chuo                           | Senous            |
| (both of which are risk factors)                                                                                                                                                       | in a general $\frac{4^2}{2}$                                       |                                | formal                                | that                       | oct (                     | יה ית מי                     |                                   | 0 100             |
| (both of which are risk factors)<br>which protect against CRC care                                                                                                                     | inogenesis. <sup>42</sup> Ou                                       | ır study                       | found                                 | that m                     | lost C                    | CRC ca                       | ases wer                          | e ident           |
| (both of which are risk factors<br>which protect against CRC care<br>middle-aged population, with pe                                                                                   | inogenesis. <sup>42</sup> Ou<br>ak incidence oc                    | ır study<br>curring            | found<br>betwee                       | that m<br>n 51–            | iost C<br>50 ye           | CRC ca<br>ars old            | ases wer<br>l, consis             | te ident          |
| (both of which are risk factors)<br>which protect against CRC care<br>middle-aged population, with pe<br>findings. <sup>43</sup> Female patients had a                                 | inogenesis. <sup>42</sup> Ou<br>ak incidence occ<br>a mean age you | r study<br>curring<br>nger tha | found<br>betwee<br>an male            | that m<br>n 51–<br>e patie | iost C<br>50 ye<br>nts, c | CRC ca<br>ars old<br>consist | ases wer<br>l, consis<br>ent with | tent wi<br>findin |
| predominance in CRC incidence<br>(both of which are risk factors<br>which protect against CRC carc<br>middle-aged population, with pe<br>findings. <sup>43</sup> Female patients had a | inogenesis. <sup>42</sup> Ou<br>ak incidence oc<br>a mean age you  | r study<br>curring<br>nger tha | found<br>betwee<br>an male            | that m<br>n 51–<br>e patie | iost C<br>60 ye<br>nts, c | CRC ca<br>ars olc<br>consist | ases wer<br>l, consis<br>ent with | tent wi<br>findin |

Page 11 of 76

#### **BMJ** Open

investigation conducted in Brunei Darussalam.<sup>44</sup> The definition of "young patients" in an epidemiological study of CRC is arbitrary; we used 50 years as the cutoff age since this is the recommended age for first CRC screening in most screening programs that have gained global adoption.<sup>15</sup> Early-onset CRC is more likely to arise sporadically in third-world nations and is hypothetically a biologically and clinically unique entity, accounting for its aggressive presentation and poor prognosis.<sup>45-47</sup> We report that CRC incidence among young patients reached nearly 40%, significantly higher than the rate reported in a previous Indonesian study on CRC between 2014 and 2016 with 275 samples (31.3%),<sup>48</sup> Western countries (7%),<sup>49</sup> and other Asian studies (6.7-35.5%).<sup>50,51</sup> Other findings from South Asia were comparable to ours, with CRC incidence in young individuals ranging from 38% to 52%.<sup>46,52</sup> The increasing proportion of young patients in our population may be influenced by the demographic profile of Indonesia, which had a high proportion of people aged 50 or lower in 2019 (213,984,600 of 268,074,600; percentage: 79.82%).<sup>53</sup> 

#### 1. Trend Analysis of CRC

The Joinpoint regression has significant analytic advantages for disease surveillance and, therefore, is valuable to portray trends in CRC incidence over time. Furthermore, it is already widely used in CRC trend analyses in many regions of the world, including North America (USA<sup>54</sup> and Canada<sup>55</sup>), Latin America (Brazil<sup>56</sup> and Mexico<sup>57</sup>), Europe (e.g., England<sup>58</sup>, Spain<sup>59</sup>, and Netherland,<sup>60</sup>), East Asia (e.g., China<sup>61</sup> and South Korea<sup>62</sup>), the Middle East (e.g., Iran<sup>63</sup> and Lebanon<sup>64</sup>), and Southeast Asia (e.g., Vietnam<sup>65</sup> and Thailand<sup>66</sup>). In our investigation, the Joinpoint regression analysis allowed for identifying patterns of short-term trends that differed between young and old patients. CRC incidence rates were modestly elevated in all and young patients with APC +2.23% and +1.98%, respectively. The rise of cases among subjects aged  $\geq$ 50 years was statistically significant, with an APC of +2.38% (p=0.041). Indonesia experienced a more significant increase in CRC incidence among old patients.<sup>6</sup> A similar conclusion was reached by Pham et al<sup>65</sup> in the Vietnamese population (APC +5.3%; 95% CI 2.8–7.9%). Hypothetically, this might happen because older patients were more likely to be included in screening programs than young patients.<sup>65</sup> Since the population-based CRC screening program has not been implemented in routine clinical practice in Indonesia, the actual rate of early-onset CRC might have been undervalued. The estimated cost of treatment for CRC patients in Indonesia is \$116,083.37,67 representing 0.000011% of the gross domestic product (GDP) in 2020.68 The cost burden of treatment increases significantly as the disease progresses. In terms of screening costs, colonoscopy and fecal testing range from \$207–765 and \$2.75–11, respectively. Given the high cost of treatment, rising CRC incidence, and low cost of screening, our research suggests that Indonesia may benefit from implementing a population-based CRC screening program for high-risk populations, particularly those born after 1980, to detect CRC early and reduce the economic burden.

According to WHO, the prediction of CRC incidence in Indonesia from 2020 to 2025 was higher than the APC of trend analyses done in our study (CRC +17.7% vs. +2.23%, colon cancer +18.1% vs. +6.38%, and rectal cancer +17.3% vs. -0.09%).<sup>69</sup> Also, we found a lower APC in our population than a study conducted in Thailand among young patients between 1989 and 2012 (+5.7%)<sup>66</sup> and a study of CRC patients in Tunisia from 1994 to 2009 (+3.9%).<sup>70</sup> Trend analysis in Figure 2 reveals a sharp rise in colon cancer annually among young patients with a higher APC than in old and overall patients (+9.24% vs. +5.11% and +6.38%, respectively). In the last few decades, the incidence of CRC has been increasing in Asia, particularly in Southeast Asian countries, including Indonesia and Malaysia.<sup>71</sup> If this trend continues, the number of CRC cases may suddenly overwhelm the healthcare system. Thus, better health policies should be constructed by the government. 

The rise of CRC in young patients has not vet been fully elucidated. Early life exposure to the deleterious effects of risk factors, such as frequent smoking, alcohol consumption, obesity, a Western diet, reduced physical activity, and early-life antibiotic exposure, has been thought to increase susceptibility to CRC. Smoking is associated with hypermethylation, microsatellite instability, and BRAF mutations in CRC carcinogenesis.<sup>72</sup> Smoking early in life may play a part in the increasing incidence of CRC observed in young Indonesian people, as frequent daily smoking was found in 13.4% and 27.3% of Indonesian teenagers (95%CI: 12.9–13.9%) and youth (95%CI: 26.8–27.8%) respectively.<sup>73</sup> The risk of CRC is also increased by alcohol consumption, which is positively associated with the risk of distal colon cancer and rectum among the Asian population.<sup>74,75</sup> In Indonesia, alcohol consumption rose strikingly from 2000 to 2020, with the current proportion of alcohol consumption in teenagers and youth being 4.0% (95%CI: 3.8-4.3%) and 6.4% (95%CI: 6.1–6.6%) respectively.<sup>73</sup> Obesity has been linked with a higher risk of colon cancer in Asians. According to national survey data in 2019, overweight and obese individuals comprised roughly 4–8,8% of Indonesians aged 13–18 and nearly 21% of those over 18.73,76 It is not surprising that the obesity epidemic and the rise in colon cancer happen simultaneously. Many behaviors that are thought to cause weight gain, like unhealthy eating habits and sedentary lifestyles, also raise the risk of CRC. Obesity can promote cancer formation through metabolic abnormalities, hyperinsulinemia, systemic inflammation, and alteration of the gut microbiota.<sup>77</sup> An upward trend in CRC in Indonesia is also probably due to the acquisition of the Western diet.<sup>78</sup> This lifestyle trend has been seen in Indonesian teenagers who consume inadequate amounts of protein, fruits, and vegetables, but excessive amounts of sodium and fast food.<sup>79</sup> A recent study found that the de novo introduction of a Western-style high-fat, low-fiber diet induces inflammation and proliferation in the colonic mucosa within two weeks.<sup>80</sup> Increasing obesity is concurrent with reductions in physical activity levels.<sup>81</sup> A study in Japan found an inverse association between physical activity and CRC, and this association was stronger for colon cancer than rectal cancer.<sup>82</sup> This fact agrees with a survey in Indonesia that found 33.5% (95%CI: 33.3–33.8%) of the Indonesian population lacked suitable physical activity according to time and frequency standards.<sup>73</sup> Another related risk factor for CRC among Indonesians is early-life and improper antibiotic use.<sup>83</sup> These early-life exposures and improper antibiotic use could change the gut microbiota and metabolic profile, making a person more likely to have obesity later in life.84 

Almost two-thirds of patients had rectal cancer, more common in young (69%) than in old (61.3%) patients. The rectum being the most common tumor site followed by the sigmoid colon is consistent with a previous study conducted in Saudi Arabia.<sup>85</sup> Instead of the proximal colon being a predominant site in young patients, the greater proportion of rectal cancer in our young patients implies additional factors behind these changes. Certain lifestyle factors relevant to young patients have contributed to colorectal carcinogeneses, such as processed meat consumption which is more linked to rectal than colon cancer.<sup>86</sup> We found that the rate of increase differed for colon and rectal cancer, 5.11% to 6.38% for colon cancer compared with 0.58% to 0.97% for rectal cancer. In contrast with colon cancer, rectal cancer incidence has generally declined overall and in the young age group and remains stable in the old age group. These results may be because precancerous lesions or suspected tumors can be found and removed during clinical examination of the rectum in screening. This study has not demonstrated the positive trend of rectal cancer as WHO predicted.<sup>69</sup> Consistent with findings from our study, in Canada, after 1985, rectal cancer incidence slightly declined, with an APC of -0.38% in the general population.<sup>87</sup> The trend of CRC subsite distribution progressively shifting to the proximal colon also occurred in various countries, such as the US (1970–2000),<sup>88</sup> Japan (1974-1994)<sup>89</sup> and Norway (1962-2006).<sup>90</sup> 

Our findings emphasize that colon cancer incidence rose faster than rectal cancer in young patients (APC +9.24% vs. -0.97%), similar to results among Canadian young patients from 1969 to 2010 (APC +6.2% vs. +1.5%).<sup>91</sup> The APC of colon cancer in our institution was higher than in Tunisia (+6.38% vs. +4.5%).<sup>70</sup> Some well-known risk factors do not exactly give a similar susceptibility towards colon and rectal cancer. The carcinogenic process may be different depending on where it happens.<sup>87</sup> Diet patterns, physical inactivity, and high body mass index have been linked to a higher risk of colon cancer, but not rectal cancer.<sup>74,92</sup> Meanwhile, smoking and alcohol consumption have been linked to a higher risk of rectal cancer.<sup>93,94</sup> Obesity, insulin resistance, and high blood glucose levels are connected with a higher risk of colon cancer because the colon is more insulin-sensitive than the rectum.<sup>95,96</sup> We also hypothesized that women may have benefited from the preventive effect of hormones against distal colon and rectal cancer. Endogenous hormones may have protected some women from developing distal colon cancer and rectal cancer. Increased use of exogenous hormones, such as hormone replacement therapy or oral contraceptives, may also have resulted in further reductions in these cancers. Between 2005 and 2012, 61% of Indonesian women used contraceptive management.<sup>97</sup> This preventive effect has not been observed for proximal (right-sided) colon tumors.87

In contrast to earlier findings and the widely held belief that RSCRC was always more common in young patients, we found that RSCRC was more frequent in old patients, supported by evidence from Germany.<sup>98</sup> Our results showed that most young patients had lesions in the left colon, in agreement with a hospital-based study in the Memorial Sloan Kettering Cancer Center, in the US, where their young patients were more likely to have LSCRC.<sup>99</sup> A cohort study has found that LSCRC occurs worrisomely more frequently after 50 years of age, with a frequency of cases more than that of RSCRC<sup>20</sup> 

The trend analyses in Figure 2. show that the APC of RSCRC rose statistically significantly among all patients (+6.52%) and old patients (+6.57%) over the study's eleven-year period, with the largest APC seen in young patients (+6.59%). The causes of these patterns are unknown; they might be due to inconsistent plotting of several incidences each year to follow a particular joined line to figure out a trend. The rising trend of RSCRC from 2009 to 2019 could be influenced by a lack of genetic counseling addressing age, specific syndromes, and family history in Indonesia, as RSCRC is usually associated with a genetic predisposition.<sup>100</sup> It is also challenging to detect nonpolypoid tumors (flat or depressed), more common in the right colon. These lesions are more likely to include carcinoma but are more difficult to detect and occur more frequently in high-risk individuals.<sup>101</sup> Higher colonoscopy miss rates may impede screening and identification of precancer and cancer lesions in the right-side colon, contributing to the rising trend of RSCRC.<sup>102–104</sup> RSCRC has a worse prognosis than LSCRC and rectal cancer.<sup>105</sup> A recent study found left-sided tumors to be increasingly observed in young patients, although not statistically significant among all (APC +1.41%), young (APC +1.37%), and old patients (APC +1.46%), similar to a report from Siegel et al.<sup>106</sup> The clinical implications of different proportion of side involvement between young and old patients was to the aggressiveness of the disease. RSCRCs are typically bulky, exophytic, polypoid lesions projecting into the lumen and causing significant anemia. LSCRCs are infiltrating, constricting lesions encircling the lumen, often leading to obstruction.<sup>107</sup> A study implied that LSCRCs are genetically more unstable and phenotypically more aggressive due to distinct molecular biology patterns between RSCRC and LSCRC in DNA euploidy status, KRAS, and p53 mutation rates.98 

Observing more specifically the trend of colon cancer based on its subsites, what can be seen in Figure 3 is the significant growth of 4 of 5 colon subsites during the study period. In our study, the APC of ascending colon rose more quickly than APC in China from 2000 to 2004 (+10.60% vs. +2.25%).<sup>94</sup> The transverse and descending colon had opposite results (+9.88% vs. -1.95% and +10.04% vs. -1.02%,

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

respectively), while the sigmoid colon had a more positive trend (+5.84% vs. +4.19%).<sup>108</sup> Surprisingly, no
differences in APC were found in the caecum (-0.98%), which had a slow and steady decline in cases.
These trends aligned with the right-sided dominance during eleven years of study. Different parts of the
colon may be more or less vulnerable to carcinogens because of biological differences in the
intestine.<sup>109</sup> For example, genetic factors may play a significant role in developing RSCRC, but factors like
diet, exercise, and hormone use are more likely linked to LSCRC.<sup>109</sup>

The trend analysis in this study enlightens us to narrow down patients in danger. Given the rapid economic transition and urbanization occurring in Indonesia, it is possible to generalize the upward CRC incidence trend in a single center in Jakarta to all of Indonesia,<sup>110,111</sup> similar to what a study in Vietnam suggested.<sup>65</sup> However, as this is a single-center study, the data presented may not be fully representative of other centers. Further research is needed to see if the trend can be reversed, for example, by evaluating current CRC screening standards and lowering the age at which people should begin screening. To reduce the upward trend, more studies are also required to investigate CRC risk factors in Indonesia. Our current study did not record data on risk factors of CRC that might help explain the trend of CRC found in the study. Furthermore, the cross-sectional design of this study did not allow us to establish any causal relationship. 

#### 420 2. Forecasting the CRC Burden

In Figure 4, we forecasted the future burden of CRC by performing a fit-model regression analysis to predict colon and rectal cancer incidences along with RSCRC and LSCRC. The model with a significant slope was found in all and old patients with colon cancer and RSCRC. Meanwhile, in young patients, the model with a significant slope was found only for colon cancer. Projection models for CRC, colon cancer, and rectal cancer follow the exponential growth curve pattern in the overall and young patient groups. While, in the old patient group, colon cancer and CRC forecasting models use the quadratic model. In contrast, the projection model for rectal cancer follows the linear model in the old patient group. Compared to RSCRC, which follows the quadratic model, LSCRC was more varied, with the overall group following the exponential growth curve, the young patients' cases following the quadratic model, and the old patients' cases following the S-shaped model (sigmoid) curve.

The best-fitted model for forecasting CRC cases had different clinical implications based on curve shape. Addressing the interpretation of each curve was challenging since little robust research explains forecasting cancer incidence.<sup>112</sup> A linear trend is a forecasting model that develops a linear relationship between time and the response variable (incidence of disease). The linear model observed in rectal cancer among old patients means that cases increase gradually and linearly at a constant rate over time. This model assumption was based on forecast accuracy metrics and was supported by what has been pictured in trend analysis of rectal cancer with stable APC.<sup>113</sup> What should be highlighted in this paper is that although the rectum was the most prevalent tumor site, we identified a negative trend or stable growth for this site in both Joinpoint analysis and fit-model regression analysis for forecasting, similar to what was reported in Japan (APC -1.9%; CI: -2.6% to -1.1%).89

Seven of fifteen scenarios were fitted into the quadratic curve model, a forecasting method that developed a non-linear relationship between time series and the response variable. The quadratic trend resembles a polynomial regression model that accurately captures the data trend.<sup>113</sup> All RSCRC scenarios follow a quadratic model, with a positive trend line of forecasting in all and old patients and a negative trend line in young patients. Forecasting of RSCRC remains upward for the trend until 2029 among all old patients. However, contrary to expectations, this study projected RSCRC to gradually decline in incidence 

#### BMJ Open

until 2029 in young patients following the quadratic model as a best-fitted model instead of following the continuous increase in incidence over the previous eleven years. This assumption is similar to a study in the US, which found that RSCRC will increase, remain stable, and decrease by 2.3–2.6% annually.<sup>100</sup> The reasons for these conflicting findings remain unclear but might be explained by the complex attributions of risk factors on a different side of tumor involvement. Increased use of colonoscopy and improved techniques and training for conducting colonoscopy in the right colon to screen, detect, and diagnose may contribute to reducing RSCRC lesions among subclinical diseases in the future.<sup>114</sup> Another possible explanation for this result might be that in 2009–2019, a higher proportion of patients having genetic factors resulted in a higher trend of RSCRC. Nevertheless, in the next ten years, we project that the trend will be shifting to increasing rates of distal cancer due to greater exposure to specific risk factors that cause cancers at these subsites, especially the increasing adoption of a Westernized lifestyle in Indonesia which is also currently occurring in other Asian countries.<sup>65,87,109,115,116</sup> However, RSCRC among old patients is increasing significantly. This linear forecast is similar to the current literature, suggesting that RSCRC is associated with several adverse prognostic factors: older age, advanced stage, and mucinous histological subtype.<sup>20,117,118</sup> We suggest that further studies are needed to find the associated factors for each CRC subsite in Indonesia to explain the subsite and side-involvement incidence trend. 

Most cases followed the exponential growth curve as the best-fitted model. This curve has a J-shape, which refers to a growth whose rate is proportional to the size of the population over a specific period. Exponential growth curve modeling is a regression-based method for analyzing longitudinal data (i.e., tracking the same sample at different points in time), suited to the projection of trends in one disease entity into a different period. The advantage of growth curve modeling over other methods is that this technique permits the testing of several types of trajectories until the one with the best fit to the data is found, and an output is far more precise than other statistical means.<sup>119,120</sup> Exponential growth is distinguished by its slow start and, at some point, accelerating growth rate. The exponential growth curve has the fastest growth compared with the S-shaped, quadratic, and linear curves. This pattern causes an explosion of cases, relatively more than the S-shaped, which causes a relatively constant growth rate in the population. 

One scenario of LSCRC among old patients following the sigmoid-shaped (S-shaped) curve trend model refers to a case whose growth rate decreases with the increasing number of individuals. It is a forecasting method that develops a sigmoid relationship between time and the response variable.<sup>113</sup> An S-shaped curve is symmetric around the inflection point, which means that the case increases rapidly initially, followed by a slower rate after the inflection point than the rate postulated by the curve. The cases following this pattern will have initial slow growth, a growth explosion, then at their upper limit, cases will be gradually steady. However, this can lead to underestimation and overestimation of the actual disease risk at the lower and upper tails.<sup>121</sup> The S-curve trend model is best for time series that follow a logistic.<sup>113</sup> 

482 Projected CRC cases in Indonesia for the next ten years confirm the future global burden of CRC,
483 which is expected to increase by 60%, to over 2.2 million new cases in 2030.<sup>122</sup> Looking specifically at
484 Supplementary Table 1 regarding cases predicted for 2020–2029, the burden of CRC remained high in
485 our institution.

#### **3. Distinct Clinical and Pathological Features in Young Patients**

Young individuals may be more susceptible to CRC due to genetic alterations and dietary changes;
 hence molecular profiles of young Indonesian CRC patients have been identified to understand better the
 specific pathway involved in this group.<sup>8</sup> Our young cases, mainly found in distal locations for CRC, are

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

not in line with the characteristics of hereditary CRC, primarily found in proximal sites. They also did not follow the conventional pathways of sporadic CRC (the CIN pathway). Instead, carcinogenesis in these patients seems to have originated with MSI and inflammatory pathways, including cyclooxygenase-2 (COX-2) and nucleus factor  $\kappa B$  (NF- $\kappa B$ ). Also, lower mutation rates of the pro-oncogene KRAS are found among young Indonesian patients.8 Sudoyo et al<sup>123</sup> found that 56.5% of CRC cases were positively stained for MSH2 and 16.5% stained for MLH1. Moreover, signet-ring cell carcinoma-an aggressive subtype of CRC that spreads rapidly and is characterized by late symptom manifestations—disproportionately affects young individuals.<sup>124</sup> It is also possible that the differences in the immune systems of young patients could play a role in age-related immunosenescence, T-cell dysfunction, and systemic inflammation.<sup>125</sup> 

Age is crucial due to its impact on prognosis. Although study results are still inconsistent, some suggest worse outcomes in young age, <sup>126,127</sup> whereas others imply equal prognosis between young and old age<sup>128</sup> depending on the staging reported.<sup>43,127</sup> Contrary to other studies,<sup>46,129,130</sup> where stage III-IV cancer predominates in the young age group, we found more than half of our young patients with stage I-II cancer. However, our study reported no statistically significant difference in advanced disease between young and old patients, similar to a prior investigation.<sup>131</sup> This might reflect increased awareness of the disease among patients and primary care physicians, better access to colonoscopy, and more widespread use of CT with improved quality. Also, the introduction of national health insurance in the middle of the study period (2014) made access to healthcare more accessible, increasing people's concern for their health. Providing better facilities for cancer diagnosis may result in an inflation of the number of CRC and earlier detection of CRC through screening.<sup>132</sup> Cancer patients found through screening show up at a much earlier stage of the disease than those not found through screening. Our study found no distinct clinical characteristics between young and old patients regarding sex, side involvement, location, site, or specimen type. There is no tendency for proximalization of colon cancer in young patients compared to old patients in our study. Overall, the proximal and distal colon had an equal proportion of all CRC cases. However, if we included rectal cancer in the calculation of distal CRC, the proportion was in line with an extensive colonoscopy survey in Asia, which found that more patients had distal than proximal CRC.<sup>133</sup> 

Single-institution and population-based studies have found that young patients with CRC have unique tumor locations, stages at presentation, and histologic features. Our findings were similar to those of these studies.<sup>134–137</sup> The proportion of rectal cancer among young patients was significantly higher than in their old counterparts; as previously mentioned in an American study, 32% of CRC occurred in the rectum.<sup>137</sup> Looking more specifically at colon subsites, young patients with CRC mainly have lesions originating from the ascending and descending colon. Meanwhile, the caecum, transverse colon, and sigmoid colon were the most affected sites among old populations. Lesions with poorly-defined histologic features, such as mucinous and signet ring features, are more likely associated with poor outcomes.<sup>126</sup> They are also more resistant to chemotherapy.<sup>131</sup> Our results showed that the proportion of adenocarcinoma NOS in young patients was less than in old patients, agreeing with a study by Chan et al<sup>43</sup> (84% vs. 92%) and Gheju et al<sup>138</sup> (86.7% vs. 84.7%). The mucinous histological variant was significantly higher in young than in old patients. Signet-ring cell cancer was only observed in young patients, accounting for only 0.6–1.0% of all CRC cases globally.<sup>138</sup> Our patient who has signet-ring cell cancer has the following characteristics: 48 years old, female, located in the caecum, right-sided, size 5.5 cm, brown-colored surface, exophytic, adequate LNR 5/13, pT3N2aM0 (IIIB), no LVI, no PNI, and with poor tumor differentiation. However, only one patient with signet-ring cell carcinoma was found in a Romanian study, and that patient was >50 vears old.<sup>138</sup> Signet-ring cancers have intracellular mucin pushing the nucleus to one side and are associated with a more advanced stage at diagnosis, a higher incidence of LVI, LNM, and liver metastases, a higher

rate of recurrence, and higher aggression.<sup>139,140</sup> The literature stated that mucinous histopathology was a significant predictor of poor outcomes and more advanced node stage.<sup>141</sup>

The average number of dissected LNs in our study was lower than that in a recent Romanian study  $(9.96 \pm 5.46 \text{ vs.} 35.7 \text{ LNs removed})$ , indicating that optimal LN sampling was a challenge in our institution.<sup>138</sup> Meanwhile, the average number of positive LNs per patient was lower than positive cases in Romania  $(1.54 \pm 2.73 \text{ vs. } 3.7 (1-62))$ .<sup>138</sup> The interpretation of LNM is thus more complicated because the number of dissected LNs was not ideal, but the positive number was satisfactory. More insufficiently removed LNs resulted in a higher probability of positive LNs in actual conditions due to unsuccessful LNs sampling, which could harm detection of cancer spread. This issue will have a significant impact on patient staging. In contrast, increasing the number of dissected LNs leads to more accurate information about node status and the best treatment for patients. In a recent Dutch nationwide study,<sup>142</sup> authors found that with an increasing number of evaluated nodes, the risk of mortality is decreased, related to a better quality of surgical resection (yielding more LN for the pathologist to assess). 

A closer inspection of the dissected LNs in **Table 3** shows significant differences between the two age groups. The number of adequate LNs dissected in young patients was higher than in old patients, a favorable finding in young patients. Old patients are more likely to receive inadequate LN dissection during operative therapy. Old patients are at a higher surgical risk for various postoperative complications and have numerous comorbid diseases, possibly making surgeons consider the risks and benefits of a more thorough LN dissection.<sup>143</sup> The number of LNs dissected from resection specimens depends on several factors, including the surgeon's technique, bowel resection length, and tumor location.<sup>144</sup> The data supporting a minimal LN count of 12 is problematic, and a more realistic and practical LN count should be measured using LNR, a ratio of positive LNs to dissected LNs. Our average LNR was  $0.18 \pm 0.29$ , which was lower than a prior study in Romania (0.221 (0.139-1)),<sup>138</sup> which were more insufficient but had fewer positive LNs, presumably resulting in a lower class for LNR. LNR provides a superior prognostic power than the number of positive nodes alone and is significantly associated with poor survival of CRC.<sup>145</sup> However, given the absence of difference between the two age groups, it is advised that LNR be included as a predictive indicator in future CRC staging systems for all patients. 

We found a lesser proportion of PNI in all patients compared to findings by Elsamany et al.<sup>146</sup> (11.3% vs. 24.4%). However, we found a higher proportion of PNI in young patients than in old patients, similar to a study by Zahir et al<sup>45</sup>, showing that 22% of young patients with CRC had positive PNI. PNI is associated with a higher rate of metastatic disease, recurrence, and reduced survival. Several studies have recognized it as a notable independent prognostic factor in CRC multivariate analysis.<sup>147</sup> 

Although some pathological features had significant differences between the two age groups, no evidence was found for significant differences in tumor size, growth pattern, tumor grade, pT, pN, LNR, LNM, distant metastasis, and LVI. Two-thirds of patients had tumor size  $\geq 5$  cm, the most significant size being 18 cm. Although some authors believe that tumor size does not affect prognosis, others believe that tumor size partially affects prognosis.<sup>148,149</sup> Increasing tumor size is associated with decreased loco-regional control, resulting in an increased risk of malignant potential.<sup>150</sup> Bigger tumors are more likely to be more invasive and invade neighboring organs.<sup>151</sup> Local recurrence was significantly higher in patients with tumors measuring  $\geq 5$  cm in size, poorly differentiated adenocarcinoma, pT4 stage, and having adjuvant radiotherapy. Moreover, the 5-year overall survival rates in patients with tumors  $\geq$ 5 cm were lower than those with a size <5 cm (log-rank, p=0.001).<sup>152</sup>

According to our findings, the proportion of growth patterns was (from highest to lowest) exophytic in both age groups, endophytic, linitis plastica, and ulcerative. These findings agree with a previous study

in Thailand, which found that fungating and polyp mass (exophytic) were more common compared to ulcerative masses.<sup>152</sup> Our study demonstrated that the more common growth pattern is exophytic or polypoid growth (85.2%), which tends to be higher in old patients than in young patients (87.9% vs. 79.9%). Ulcerative growth and linitis plastica were much less common, which is favorable since both growth modes entail a worse prognosis. Linitis plastica suggests de novo origin, associated with a reduced proportion of KRAS mutations. Clinically, de novo tumors may represent a more aggressive subtype of CRC with a poorer prognosis, poorer disease progression, and higher aggressiveness.<sup>107</sup> These results call for more awareness and persistence in detecting non-polypoid lesions, more intensive monitoring of colonoscopically treated cases, and surgery for selected patients. 

Concerning tumor grading, most tumors in both age categories were well-differentiated, similar to the results of a study from India.<sup>141</sup> These findings differed from those of a study by Chan et al<sup>52</sup>, who discovered that both age groups were primarily affected by cases of moderately differentiated tumors. We found that young patients were more likely to have poorly differentiated CRC than old patients. This finding shows how young patients have predilections for more aggressive tumor biology and implies a poorer prognosis regarding distinct differentiation and histological subtypes distribution.<sup>127,153</sup> However, despite significant results in histological subtypes, we found no significant difference in tumor grade. 

595 LVI was detected less frequently in our study (38.3%) compared to a previous report.<sup>146</sup> However, 596 the proportion of positive LVI was higher in young patients than in old ones (41.7% vs. 36.7%). These 597 results show that LVI is an important histopathological feature that needs to be evaluated in every young 598 patient with CRC.

In short, all empirical findings related to clinicopathological characteristics of CRC in this study have provided a new understanding of this disease entity in Indonesia. Our study collected CRC data archived in one of Indonesia's national referral hospitals for cancer with a lengthy study period and the most robust data accessible in our nation. Its coverage could represent CRC epidemiology on a regional scale since primary data for the whole country is not readily available. Another strength of this study was that we applied an efficient and noteworthy statistical method called Joinpoint regression analysis to study the in-depth dynamics of CRC cases in Indonesia.<sup>31,154,155</sup> This approach has allowed estimation of the magnitude of incidences, testing the movement of cases statistically, and clearly illustrating the direction of CRC trends.<sup>24,25,156</sup> This study also provided several best-fitted models and computed forecasts that predict future trend patterns statistically. 

However, our study should be interpreted with caution in light of the following limitations related to our research methodologies. As a retrospective study, the quality of our database depends on the patient records and is subjective to record bias. We also excluded patients from our study due to retention of medical records or microscopic slide deterioration. We may also have missed some old, frail patients with symptoms of CRC who were treated at home or in nursing homes without further investigation. Furthermore, several drawbacks might also arise concerning Joinpoint regression analysis to measure the trend of cases. This method's common impediment was that it only offered a description of the time series based solely on yearly aggregated data;<sup>157</sup> thus, it could not draw a causal relationship between possible risk factors that contributed to the findings.<sup>158</sup> As such, we could only hypothesize associations between CRC trends changes highlighted by our data and their possible influential factors supported by existing scientific evidence. Also, relying on the length of the study period, the software could only measure a certain number of year segments at a time.<sup>156</sup> A longer research term would have offered more freedom to measure the APC in several segmented sequences.<sup>156</sup> As a result, we could not compare several Joinpoint segments to gain additional clarity regarding the impact of a specific intervention or event. The analysis 

#### **BMJ** Open

could only be limited to 1 joinpoint because our samples only had 11 data points (i.e., 2009-2019).<sup>156</sup> To exemplify, given that Indonesia initially implemented universal health coverage in 2014, we might be unable to distinguish different APCs between 2009–2013 and 2014–2019. 

In addition, the projections of future CRC incidence discussed in this study should be carefully interpreted.<sup>112</sup> Predictions of future cancer incidence inherently depend upon several uncertain factors, could be part of a larger cycle, and may not persist into the future. Our projection of CRC in 2020–2029 was assumed to have similar clinicopathological characteristics as the circumstances observed from 2009 to 2019. Any changes affecting future cancer incidence rates beyond those included in the model's base vears could not be statistically calculated by the forecasting models.<sup>159</sup> Dynamic evolutions in the population (e.g., advancing obesity or smoking rates and introducing new screening programs with more cutting-edge technologies), governmental policy adjustments, and emerging public health threats (e.g., pandemics) may influence the record of a predictive number of cases.<sup>159</sup> Trends and projections could be volatile, and thus we could only forecast cases over a short period (e.g., ten years in our study) to maintain forecasting accuracy. Moreover, this work did not include population-level data, and the mathematical prediction of cases in this study should be further validated using multicenter data.<sup>160</sup> Therefore, population and multicenter epidemiological studies are highly suggested to further predict trends in this disease entity 

Despite all methodology-related limitations, our data showed a similar trend to other countries worldwide, primarily Asian countries. The incidence rates fit well into forecasting models, allowing clinicians and policymakers to predict and anticipate future disease burdens of CRC. 

#### Conclusion

This study sets out to assess clinical trends in CRC over 11 years based on tumor locations and side involvement, forecast the future incidence of CRC for the next ten years, and analyze the clinicopathological profile among Indonesian patients in a single center. Epidemiological trends and forecasting of CRC cases in Indonesian patients showed an enormous increase, notably for colon cancer, with a particularly concerning trend in young patients. Forecasts for the next ten years using fit-model regression analysis found a significantly high number of CRC burdens in the future, particularly for colon cancer compared to rectal cancer, which is stable and declining. Additionally, young patients exhibited particular clinicopathological characteristics regarding tumor location, tumor subsites, histological subtypes, adequacy of dissected LNs, and PNI, contributing to the disease's severity, aggressiveness, and prognosis. Multidisciplinary policies encompassing specialized screening protocols, extensive educational efforts, and lifestyle adjustments are required immediately to address this perplexing problem.

Acknowledgments

None

**Contributors** 

NR was the principal investigator of this study, conceptualized the study, acquired funding, accepted full responsibility for the work, and controlled the decision to publish. NR and MH did the investigation, designed the methodology, had full access to the data, contributed to the analysis, drafted the paper, and did the project administration. MH was entirely responsible for software utilization, data cleaning, and visualization of research findings. NR, MS, DRH, EK, MA, and WSJ collected the data, provided resources, and validated all data analyses. NR, EK, MA, and WSJ supervised the study process thoroughly. All authors

1

59

| 2        |     |                                                                                                               |
|----------|-----|---------------------------------------------------------------------------------------------------------------|
| 3        | 666 | critically revised the manuscript for important intellectual content, and all authors gave final approval for |
| 4        | 667 | the version to be published.                                                                                  |
| с<br>С   | 668 | -                                                                                                             |
| 7        | 669 | Funding                                                                                                       |
| 8        | 670 | This research received no specific grant from any funding agency in the public commercial or not-for-         |
| 9        | 671 | profit sectors                                                                                                |
| 10       | 672 |                                                                                                               |
| 11       | 673 | Compating interests                                                                                           |
| 12       | 674 | None dealared                                                                                                 |
| 15<br>14 | 074 | None declared.                                                                                                |
| 15       | 075 |                                                                                                               |
| 16       | 6/6 | Patient consent for publication                                                                               |
| 17       | 677 | General consent was obtained from the patient for the use of medical record data and residual specimens       |
| 18       | 678 | on admission, conforming with the ethics approval.                                                            |
| 19       | 679 |                                                                                                               |
| 20       | 680 | Ethics approval                                                                                               |
| ∠ı<br>22 | 681 | This study did not involve the active participation of human subjects but employed medical records and        |
| 23       | 682 | biological materials stored as formalin-fixed paraffin-embedded (FFPE). It also has been approved by the      |
| 24       | 683 | Institutional Ethical Review Board (ERB) of the Faculty of Medicine, Universitas Indonesia - Dr. Cipto        |
| 25       | 684 | Mangkunkusumo Hospital, Jakarta, with the ethical approval number: KET-                                       |
| 26       | 685 | 139/UN2.F1/ETIK/PPM.00.02/2020 and protocol number: 10-11-1416. The chart of cancer registry data             |
| 27       | 686 | was anonymized before the authors gained access to it for this study.                                         |
| 28       | 687 |                                                                                                               |
| 29<br>30 | 688 | Provenance and peer review                                                                                    |
| 31       | 689 | Not commissioned: externally peer-reviewed.                                                                   |
| 32       | 690 |                                                                                                               |
| 33       | 691 | Data availability statement                                                                                   |
| 34       | 692 | All data relevant to the study are included in the article                                                    |
| 35<br>26 | 693 | The data refer tank to the study are moraded in the article.                                                  |
| 37       | 694 | Supplementary Information                                                                                     |
| 38       | 605 | Supplementary File 1 Trend Analysis of All Dationts                                                           |
| 39       | 095 | • Supplementary File I. Frend Analysis of An Fatients                                                         |
| 40       | 696 | Description: Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression        |
| 41       | 697 | analysis among young patients based on tumor location and tumor side involvement                              |
| 42       | 698 | Supplementary File 2. Trend Analysis of Young Patients                                                        |
| 45<br>44 | 699 | Description: Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression        |
| 45       | 700 | analysis among young patients based on tumor location and tumor side involvement                              |
| 46       | 701 | Supplementary File 3. Trend Analysis of Old Patients                                                          |
| 47       | 702 | Description: Detail analysis of annual incidence trend of colorectal cancer using Joinpoint regression        |
| 48       | 703 | analysis among old patients based on tumor location and tumor side involvement                                |
| 49<br>50 | 704 | Supplementary File 4. Forecasting Analysis of All Patients                                                    |
| 5U<br>51 | 705 | Description: Detail analysis for forecasting future ten-years incidence of colorectal cancer using the        |
| 52       | 706 | best-fitted curve model obtained from regression analysis among all patients based on tumor location          |
| 53       | 707 | and tumor side involvement                                                                                    |
| 54       | 708 | <ul> <li>Supplementary File 5 Forecasting Analysis of Voung Patients</li> </ul>                               |
| 55       | ,00 | - Supprementary rite of roteasting marysis of roung ratents                                                   |
| 56       |     |                                                                                                               |
| 5/<br>50 |     |                                                                                                               |
| 20       |     |                                                                                                               |

| 1        |            |     |                                                                                                                                                                                                        |      |
|----------|------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 2        |            |     |                                                                                                                                                                                                        | _    |
| 5<br>∕I  | 709        |     | Description: Detail analysis for forecasting future ten-years incidence of colorectal cancer using                                                                                                     | the  |
| 5        | 710        |     | best-fitted curve model obtained from regression analysis among young patients based on tun                                                                                                            | nor  |
| 6        | 711        |     | location and tumor side involvement                                                                                                                                                                    |      |
| 7        | 712        | •   | Supplementary File 6. Forecasting Analysis of Old Patients                                                                                                                                             |      |
| 8        | 713        |     | Description. Detail analysis for forecasting future ten-years incidence of colorectal cancer using                                                                                                     | the  |
| 9        | 714        |     | best-fitted curve model obtained from regression analysis among old natients based on tumor locat                                                                                                      | ion  |
| 10       | 715        |     | and tumor side involvement                                                                                                                                                                             | 1011 |
| 11       | 715        |     |                                                                                                                                                                                                        |      |
| 12       | 716        | •   | Supplementary Table 1. Summary of Forecasted Cases 2020-2029                                                                                                                                           |      |
| 13       | 717        |     | Description: Summary of a best-fitted model, predicted case equation, and number of forecasting ca                                                                                                     | ses  |
| 14<br>15 | 718        |     | during the period between 2020 and 2029                                                                                                                                                                |      |
| 15       | 719        |     |                                                                                                                                                                                                        |      |
| 17       | 720        | Re  | ferences                                                                                                                                                                                               |      |
| 18       | 721        | 1.  | Bray F. Ferlay J. Soeriomataram I. Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018:                                                                                                        |      |
| 19       | 722        |     | GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer                                                                                                     | r J  |
| 20       | 723        |     | Clin. 2018;68(6):394–424.                                                                                                                                                                              |      |
| 21       | 724        | 2.  | Siegel RL, Torre LA, Soerjomataram I, Hayes RB, Bray F, Weber TK, et al. Global patterns and trends in                                                                                                 | i.   |
| 22       | 725        | •   | colorectal cancer incidence in young adults. Gut. 2019;68(12):2179–85.                                                                                                                                 |      |
| 23       | /26<br>727 | 3.  | Araghi M, Soerjomataram I, Bardot A, Ferlay J, Cabasag CJ, Morrison DS, et al. Changes in colorectal                                                                                                   |      |
| 24       | 728        |     | cancel incluence in seven high-income countries, a population-based study, lancet Gastroenteror repator.<br>2010.4(7).511-8                                                                            |      |
| 25       | 729        | 4   | Guastadisegni C Colafranceschi M Ottini L Dogliotti E Microsatellite instability as a marker of program                                                                                                | sis  |
| 26       | 730        |     | and response to therapy: A meta-analysis of colorectal cancer survival data. Eur J Cancer.                                                                                                             | 010  |
| 27       | 731        |     | 2010;46(15):2788–98.                                                                                                                                                                                   |      |
| 20       | 732        | 5.  | Bailey CE, Hu C-Y, You YN, Bednarski BK, Rodriguez-Bigas MA, Skibber JM, et al. Increasing disparit                                                                                                    | ies  |
| 30       | 733        |     | in the age-related incidences of colon and rectal cancers in the United States, 1975-2010. JAMA Surg. 20                                                                                               | )15  |
| 31       | 734        | (   | Jan;150(1):17–22.                                                                                                                                                                                      |      |
| 32       | 735        | 6.  | Sung JJY, Chiu HM, Jung KW, Jun JK, Sekiguchi M, Matsuda I, et al. Increasing Frend in Young-Onset                                                                                                     |      |
| 33       | 730        |     | $2019 \cdot 114(2) \cdot 322 = 9$                                                                                                                                                                      |      |
| 34       | 738        | 7.  | Chang DT, Pai RK, Rybicki LA, Dimaio MA, Limaye M, Jayachandran P, et al. Clinicopathologic and                                                                                                        |      |
| 35       | 739        |     | molecular features of sporadic early-onset colorectal adenocarcinoma: an adenocarcinoma with frequent                                                                                                  |      |
| 36       | 740        |     | signet ring cell differentiation, rectal and sigmoid involvement, and adverse morphologic features. Mod                                                                                                |      |
| 3/       | 741        |     | Pathol an Off J United States Can Acad Pathol Inc. 2012 Aug;25(8):1128–39.                                                                                                                             |      |
| 38<br>20 | 742        | 8.  | Abdullah M, Sudoyo AW, Utomo AR, Fauzi A, Rani AA. Molecular profile of colorectal cancer in                                                                                                           |      |
| 39<br>40 | 743<br>744 | 0   | Indonesia: Is there another pathway? Gastroenterol Hepatol from Bed to Bench. 2012;5(2): /1-8.<br>Vusuf L Pardamean B. Baurley IW. Budiarto A. Miskad IIA. Lusikoov RE et al. Genetic risk factors for |      |
| 41       | 745        | ).  | colorectal cancer in multiethnic Indonesians Sci Rep 2021:11(1):1–9                                                                                                                                    |      |
| 42       | 746        | 10. | Abdullah M, Meilany S, Trimarsanto H, Malik SG, Sukartini N, Idrus F, et al. Genomic profiles of                                                                                                       |      |
| 43       | 747        |     | Indonesian colorectal cancer patients [version 1; peer review : awaiting peer review ]. 2022;1-11.                                                                                                     |      |
| 44       | 748        | 11. | Borovecki A, Mlinaric A, Horvat M, Smolcic VS. Informed consent and ethics committee approval in                                                                                                       |      |
| 45       | 749        | 10  | laboratory medicine. Biochem Medica. 2018;28(3):1–9.                                                                                                                                                   |      |
| 46       | /50<br>751 | 12. | Junod V, Elger B. Retrospective research: What are the ethical and legal requirements? Swiss Med Wkly.                                                                                                 |      |
| 47       | 751        | 12  | 2010;140(JULY):1-9.<br>Gill SK Gunta V Bansal B Informed concent status in observational studies with retrospective design: A                                                                          |      |
| 48       | 753        | 15. | poor show Asian J Pharm Clin Res 2017.10(3):480–7                                                                                                                                                      |      |
| 49<br>50 | 754        | 14. | Lin JS, Piper MA, Perdue LA, Rutter C, Webber EM, O'Connor E, et al. Screening for Colorectal Cancer                                                                                                   | : A  |
| 50<br>51 | 755        |     | Systematic Review for the U.S. Preventive Services Task Force. Evid Synth no 135. 2016;(135):239p.                                                                                                     |      |
| 52       | 756        | 15. | Mueller M, Schneider MA, Deplazes B, Cabalzar-Wondberg D, Rickenbacher A, Turina M. Colorectal                                                                                                         |      |
| 53       | 757        |     | cancer of the young displays distinct features of aggressive tumor biology: A single-center cohort study.                                                                                              |      |
| 54       | /58<br>750 | 14  | World J Gastrointest Surg. 2021;13(2):164–75.<br>Rayter NN, Virnig DJ, Rothenberger DA, Morris AM, Jossimun J, Virnig DA, Lymph node evolution in                                                      |      |
| 55       | 760        | 10. | colorectal cancer nationts: A nonulation-based study I Natl Cancer Inst 2005;97(3):210–25                                                                                                              |      |
| 56       | , 50       |     | controlari cancor pariono. 11 population oused study, 3 Paul Cancor 115t. 2005,77(5).217-25.                                                                                                           |      |
| 57       |            |     |                                                                                                                                                                                                        |      |
| 58       |            |     |                                                                                                                                                                                                        |      |
| 59<br>60 |            |     | For peer review only - http://bmjopen.bmj.com/site/about/auidelines.xhtml                                                                                                                              | 19   |
| 00       |            |     |                                                                                                                                                                                                        |      |

1

| 1<br>2   |            |           |                                                                                                                                    |
|----------|------------|-----------|------------------------------------------------------------------------------------------------------------------------------------|
| 3        | 761        | 17        | WHO WHO Classification of Tumours: Digestive System Tumours, 5th ed, WHO Classification of                                         |
| 4        | 762        | 17.       | Tumours Editorial Board editor Classification of Tumours Geneva Switzerland World Health                                           |
| 5        | 763        |           | Organization; 2019. 1–537 p.                                                                                                       |
| 6        | 764        | 18.       | Amin MB, Edge S, Greene F, Byrd DR, Brookland RK, Washington MK, et al. AJCC Cancer Staging                                        |
| 7        | 765        |           | Manual [Internet]. 8th ed. New York: Springer; 2017. 252–254 p. Available from:                                                    |
| 8        | 766        |           | https://www.springer.com/gp/book/9783319406176                                                                                     |
| 9        | 767        | 19.       | Akagi Y, Adachi Y, Kinugasa T, Oka Y, Mizobe T, Shirouzu K. Lymph node evaluation and survival in                                  |
| 10       | 768        | •         | colorectal cancer: Review of population-based, prospective studies. Anticancer Res. 2013;33(7):2839–48.                            |
| 11       | /69        | 20.       | Baran B, Mert Ozupek N, Yerli Tetik N, Acar E, Bekcioglu O, Baskin Y. Difference Between Left-Sided                                |
| 12       | //U<br>771 |           | and Right-Sided Colorectal Cancer: A Focused Review of Literature. Gastroenterol Res. 2018;11(4):264–                              |
| 13       | 772        | 21        | /J.<br>Huyahe IR Harrison TA Rien SA Hampel H Figueiredo IC Schmit SI, et al Genetic architectures of                              |
| 14       | 773        | 21.       | proximal and distal colorectal cancer are partly distinct. Gut. 2021;70(7):1325–34                                                 |
| 15       | 774        | 22        | Wittekind C. Oberschmid B. Colorectal Cancer Pathology. In: Schwab M. editor. Encyclopedia of Cancer                               |
| 16       | 775        | <i></i> . | [Internet], 11th ed. Berlin, Heidelberg: Springer: 2017, p. 925. Available from: https://doi.org/10.1007/978-                      |
| 1/       | 776        |           | 3-642-16483-5 6772                                                                                                                 |
| 10       | 777        | 23.       | Chen K, Collins G, Wang H, Toh JWT. Pathological features and prognostication in colorectal cancer. Curr                           |
| 19       | 778        |           | Oncol. 2021;28(6):5356–83.                                                                                                         |
| 20       | 779        | 24.       | National Cancer Institute. Statistical Research and Applications Branch Joinpoint Trend Analysis Software                          |
| 21       | 780        |           | [Internet]. Surveillance Research Program. 2021 [cited 2021 Jun 9]. Available from:                                                |
| 22       | 781        |           | https://surveillance.cancer.gov/joinpoint/                                                                                         |
| 23       | 782        | 25.       | Kim HJ, Fay MP, Feuer EJ, Midthune DN. Permutation tests for joinpoint regression with applications to                             |
| 25       | 783        | 26        | cancer rates. Stat Med. 2000 Feb; 19(3):335–51.                                                                                    |
| 26       | /84<br>705 | 26.       | Hung B1, Long NP, Hung LP, Luan N1, Ann NH, Nghi 1D, et al. Research trends in evidence-based                                      |
| 27       | 705        |           | medicine: a joinpoint regression analysis of more than 50 years of publication data. PLoS One.<br>$2015 \cdot 10(A) \cdot 012105A$ |
| 28       | 787        | 27        | Langton S. Lowe D. Rogers SN. Plüddemann A. Bankhead C. The impact of the UK 'two-week rule' on                                    |
| 29       | 788        | 27.       | stage-on-diagnosis of oral cancer and the relationship to socio-economic inequalities. I Cancer Policy                             |
| 30       | 789        |           | 2019:20(January):100191–8.                                                                                                         |
| 31       | 790        | 28.       | Tyczynski JE, Berkel HJ. Mortality from lung cancer and tobacco smoking in Ohio (U.S.): will increasing                            |
| 32       | 791        |           | smoking prevalence reverse current decreases in mortality? Cancer Epidemiol biomarkers Prev a Publ Am                              |
| 33       | 792        |           | Assoc Cancer Res cosponsored by Am Soc Prev Oncol. 2005 May;14(5):1182-7.                                                          |
| 34       | 793        | 29.       | John U, Hanke M. Liver cirrhosis mortality, alcohol consumption and tobacco consumption over a 62 year                             |
| 35       | 794        |           | period in a high alcohol consumption country: a trend analysis. BMC Res Notes [Internet]. 2015;8(1):822.                           |
| 36       | 795        | •         | Available from: https://doi.org/10.1186/s13104-015-1808-2                                                                          |
| 37       | 796<br>707 | 30.       | Doucet M, Rochette L, Hamel D. Incidence, Prevalence, and Mortality Trends in Chronic Obstructive                                  |
| 38       | 797        |           | Pulmonary Disease over 2001 to 2011: A Public Health Point of View of the Burden. Can Kespir J.                                    |
| 39       | 790        | 21        | 2010,2010./51828/.<br>Rea E. Ragan E. Compagnoni MM. Contarutti A. Rugni P. Ragnardi V. et al. Joinnoint regression analysis       |
| 40       | 800        | 51.       | with time-on-study as time-scale. Application to three Italian population-based cohort studies. Enidemial                          |
| 41       | 801        |           | Biostat Public Heal 2017:14(3):e12616-1-e12616-7                                                                                   |
| 42       | 802        | 32.       | Hu YJ, Chen J, Zhong WS, Ling TY, Jian XC, Lu RH, et al. Trend Analysis of Betel Nut-associated Oral                               |
| 43       | 803        |           | Cancer and Health Burden in China. Chinese J Dent Res. 2017;20(2):69–78.                                                           |
| 44       | 804        | 33.       | Claudio D, Miller A, Huggins A. Time series forecasting in an outpatient cancer clinic using common-day                            |
| 45       | 805        |           | clustering. IIE Trans Healthc Syst Eng. 2014;4(1):16–26.                                                                           |
| 46       | 806        | 34.       | Burkhamer J, Kriebel D, Clapp R. The increasing toll of adolescent cancer incidence in the US. PLoS One.                           |
| 4/       | 807        |           | 2017;12(2):1–16.                                                                                                                   |
| 48       | 808        | 35.       | Ashoor AS, Kazem AAK, Gore S. An Interactive Network security for Evaluating Linear Regression                                     |
| 49<br>50 | 809        |           | Models in Cancer Mortality Analysis and Self-Correlation of Errors by Using Durbin-Watson Tests in                                 |
| 50       | 810        | 26        | Babylon/Iraq. J Phys Conf Ser. 2021;1804(1):012127.                                                                                |
| 52       | 011<br>Q12 | 30.       | Wusa D. Comparison of various models on cancer rate and forecasting. J Appl Sci Environ Manag.                                     |
| 52       | 012<br>813 | 37        | 2017,21(5).957-9.<br>Wah W. Stirling R.G. Ahern S. Farnest A. Forecasting of lung cancer incident cases at the small area level in |
| 54       | 814        | 57.       | Victoria Australia Int I Environ Res Public Health 2021.18(10).1-13                                                                |
| 55       | 815        | 38        | Rashed ER Eissa ME Long-Term Quantitative Assessment of Women Survivability from Cancer <sup>1</sup> A                             |
| 56       | 816        | 50.       | Unique Descriptive Analysis. Highlights Biosci. 2020:3:1–8.                                                                        |
| 57       |            |           | 1 ··· ··· ··· ··· ··· ··· ··· ··· ··· ·                                                                                            |
| 58       |            |           |                                                                                                                                    |
| 59       |            |           | 20                                                                                                                                 |

#### BMJ Open

| 1         |            |     |                                                                                                               |
|-----------|------------|-----|---------------------------------------------------------------------------------------------------------------|
| 2         |            |     |                                                                                                               |
| 3         | 817        | 39. | Minitab Inc. Interpret all statistics and graphs for trend analysis [Internet]. Minitab Express Support. 2021 |
| 4         | 818        |     | [cited 2021 Jun 19]. Available from: https://support.minitab.com/en-us/minitab-express/1/help-and-how-        |
| 5         | 819        |     | to/modeling-statistics/time-series/how-to/trend-analysis/interpret-the-results/all-statistics-and-graphs/     |
| 6         | 820        | 40. | Tofallis C. A better measure of relative prediction accuracy for model selection and model estimation. J      |
| 7         | 821        |     | Oper Res Soc. 2015;66(8):1352–62.                                                                             |
| 8         | 822        | 41. | Elm E von, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP. Strengthening the reporting          |
| 9         | 823        |     | of observational studies in epidemiology (STROBE) statement: guidelines for reporting observational           |
| 10        | 824        |     | studies. BMJ [Internet]. 2007 Oct 18;335(7624):806 LP – 808. Available from:                                  |
| 11        | 825        |     | http://www.bmj.com/content/335/7624/806.abstract                                                              |
| 12        | 826        | 42. | Murphy N, Strickler HD, Stanczyk FZ, Xue X, Wassertheil-Smoller S, Rohan TE, et al. A Prospective             |
| 13        | 827        |     | Evaluation of Endogenous Sex Hormone Levels and Colorectal Cancer Risk in Postmenopausal Women.               |
| 14        | 828        |     | JNCI J Natl Cancer Inst. 2015;107(10):djv210.                                                                 |
| 15        | 829        | 43. | O'Connell JB, Maggard MA, Liu JH, Etzioni DA, Livingston EH, Ko CY. Do young colon cancer patients            |
| 16        | 830        |     | have worse outcomes? World J Surg. 2004;28(6):558–62.                                                         |
| 17        | 831        | 44. | CS Wong M, Ding H, Wang J, SF Chan P, Huang J. Prevalence and risk factors of colorectal cancer in Asia.      |
| 18        | 832        |     | Intest Res. 2019;17(3):317–29.                                                                                |
| 10        | 833        | 45. | Zahir MN, Mahpara E, Rafiq S, Ghias K, Shabbir-Moosajee M. Clinical features and outcome of sporadic          |
| 20        | 834        |     | colorectal carcinoma in young adults: A single center, cross sectional analysis. J Clin Oncol.                |
| 20        | 835        |     | 2013;31(15_suppl):e14680–e14680.                                                                              |
| 21        | 836        | 46. | Gupta S, Bhattacharya D, Acharya AN, Majumdar S, Ranjan P, Das S. Colorectal carcinoma in young               |
| 22        | 837        |     | adults: a retrospective study on Indian patients: 2000-2008. Colorectal Dis. 2010;12(10 Online):e182-9.       |
| 25        | 838        | 47. | Bhurgri Y, Khan T, Kayani N, Ahmad R, Usman A, Bhurgri A, et al. Incidence and current trends of              |
| 24        | 839        |     | colorectal malignancies in an unscreened, low risk Pakistan population. Asian Pac J Cancer Prev.              |
| 25        | 840        |     | 2011;12(3):703–8.                                                                                             |
| 26        | 841        | 48. | Anthonysamy MA, Indrayani Maker LPL, Gotra IM, Saputra H. Prevalence of colorectal carcinoma based            |
| 2/        | 842        |     | on microscopic type, sex, age and anatomical location in Sanglah General Hospital. Intisari Sains Medis.      |
| 28        | 843        |     | 2020;11(1):272–6.                                                                                             |
| 29        | 844        | 49. | O'Connell JB, Maggard MA, Livingston EH, Yo CK. Colorectal cancer in the young. Am J Surg. 2004               |
| 30        | 845        |     | Mar;187(3):343–8.                                                                                             |
| 31        | 846        | 50. | Chiang J-M, Chen M-C, Changchien CR, Chen J-S, Tang R, Wang J-Y, et al. Favorable influence of age on         |
| 32        | 847        |     | tumor characteristics of sporadic colorectal adenocarcinoma: patients 30 years of age or younger may be a     |
| 33        | 848        |     | distinct patient group. Dis Colon Rectum. 2003;46(7):904–10.                                                  |
| 34        | 849        | 51. | Nath J, Wigley C, Keighley MRB, Perakath B. Rectal cancer in young adults: a series of 102 patients at a      |
| 35        | 850        |     | tertiary care centre in India. Colorectal Dis. 2009;11(5):475–9.                                              |
| 36        | 851        | 52. | Chan KK, Dassanayake B, Deen R, Wickramarachchi RE, Kumarage SK, Samita S, et al. Young patients              |
| 37        | 852        |     | with colorectal cancer have poor survival in the first twenty months after operation and predictable survival |
| 38        | 853        |     | in the medium and long-term: Analysis of survival and prognostic markers. World J Surg Oncol. 2010;8:1–       |
| 39        | 854        |     |                                                                                                               |
| 40        | 855        | 53. | Central Bureau of Statistics Indonesia. Total Population by Age Group and Gender, 2019 [in Indonesian]        |
| 41        | 856        |     | [Internet]. BPS Indonesia. 2020 [cited 2022 May 2]. Available from:                                           |
| 42        | 857        |     | https://www.bps.go.id/indikator/indikator/view_data_pub/0000/api_pub/YW40a21pdTUTcnJxOGt6dm43ZE               |
| 43        | 858        |     |                                                                                                               |
| 44        | 859        | 54. | Cho MY, Siegel DA, Demb J, Richardson LC, Gupta S. Increasing Colorectal Cancer Incidence Before and          |
| 45        | 860        |     | After Age 50: Implications for Screening Initiation and Promotion of "On-Time" Screening. Dig Dis Sci         |
| 46        | 861        |     | [Internet]. 2021;6/(8):4086–91. Available from: https://doi.org/10.100//s10620-021-0/213-w                    |
| 47        | 862        | 33. | Brenner DK, Heer E, Sutherland KL, Kuan Y, Tinmouth J, Heitman SJ, et al. National Trends in Colorectal       |
| 48        | 863        |     | Cancer Incidence Among Older and Younger Adults in Canada. JAMA Netw Open [Internet]. 2019 Jul                |
| 70<br>/10 | 864        |     | 31;2(/):e198090–e198090. Available from: https://doi.org/10.1001/jamanetworkopen.2019.8090                    |
| 50        | 865        | 56. | Dutra VGP, Parreira VAG, Guimaraes RM. Evolution of mortality for colorectal cancer in Brazil and             |
| 50        | 866        | - 7 | regions, by sex, 1996-2015. Arg Gastroenterol. $2018;55(1):61-5$ .                                            |
| 51        | 00/        | 57. | HOHMAN KIVI, ESPEY DK, KNYNE KL, GONZALES M, KAJPUL A, MISNYA SI, et al. Colorectal cancer incidence          |
| 52<br>52  | 868<br>860 | 50  | and mortality disparities in New Mexico. J Cancer Epidemiol. 2014;2014.                                       |
| 55        | 869<br>070 | 38. | Exarchakou A, Donaldson LJ, Girardi F, Coleman MP. Colorectal cancer incidence among young adults in          |
| 54        | 0/U<br>071 | 50  | England: Trends by anatomical subsite and deprivation. PLoS One. 2019;14(12):1–13.                            |
| 55        | 0/1<br>072 | 39. | Lopez-Adenie G, Ardanaz E, Torrella-Kamos A, Mateos A, Delgado-Sanz C, Chirlaque MD, et al. Changes           |
| 56        | 0/2        |     | in colorectal cancer incluence and mortality trends in Spain. Ann Oncol. 2010;21(SUPPL.3).                    |
| 57        |            |     |                                                                                                               |
| 58        |            |     |                                                                                                               |
| 59        |            |     | 21                                                                                                            |

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **BMJ** Open

1 2 3

4

5

6

7

8

9

873 60. Swartjes H, Brouwer NPM, de Nes LCF, van Erning FN, Verhoeven RHA, Vissers PAJ, et al. Incidence, 874 treatment and relative survival of early-onset colorectal cancer in the Netherlands since 1989. Eur J Cancer 875 [Internet]. 2022;166:134–44. Available from: https://doi.org/10.1016/j.ejca.2022.01.029 876 Liu X, Bi Y, Wang H, Meng R, Zhou W, Zhang G, et al. Different trends in colorectal cancer mortality 61. 877 between age groups in China: an age-period-cohort and joinpoint analysis. Public Health. 878 2019:166(185):45-52. 879 62. Khil H, Kim SM, Hong SE, Gil HM, Cheon E, Lee DH, et al. Time trends of colorectal cancer incidence and 880 associated lifestyle factors in South Korea. Sci Rep [Internet]. 2021;11(1):1–12. Available from: 10 881 https://doi.org/10.1038/s41598-021-81877-2 11 Mohammadi G, Akbari ME, Mehrabi Y, Motlagh AG, Heidari M, Ghanbari S. Analysis of cancer incidence 882 63. 12 883 and mortality in Iran using joinpoint regression analysis. Iran Red Crescent Med J. 2017;19(3). 13 884 64. Lakkis NA, El-kibbi O, Osman MH. Colorectal Cancer in Lebanon : Incidence, Temporal Trends, and 14 885 Comparison to Regional and Western Countries. 2021;28:1-12. 15 886 Pham DX, Phung AHT, Nguyen HD, Bui TD, Mai LD, Tran BNH, et al. Trends in colorectal cancer 65. 16 887 incidence in Ho Chi Minh City, Vietnam (1996–2015): Joinpoint regression and age-period-cohort 17 888 analyses. Cancer Epidemiol. 2022;77(July 2021):102113. 18 889 66. Sarakarn P, Suwanrungruang K, Vatanasapt P, Wiangnon S, Promthet S, Jenwitheesuk K, et al. Joinpoint 19 890 Analysis Trends in the Incidence of Colorectal Cancer in Khon Kaen, Thailand (1989 – 2012). Asian Pac J 20 891 Cancer Prev. 2017;18(4):1039-43. 21 892 67. Kristina SA, Endarti D, Wiedyaningsih C, Yuliawati AN, Astyamalia S. Estimating the burden of cancer 22 893 and treatment cost related to alcohol consumption in Indonesia: A descriptive study. Asian Pacific J Cancer 23 894 Prev. 2018;19(7):1845-9. 24 895 The World Bank. GDP (current US\$) - Indonesia [Internet]. 2021 [cited 2021 Sep 11]. Available from: 68. 25 896 https://data.worldbank.org/indicator/NY.GDP.MKTP.CD?locations=ID 26 897 69. World Health Organization. Estimated number of new cases from 2020 to 2025. Both sexes, age [0-85+] 27 898 Indonesia [Internet]. WHO. 2021 [cited 2021 Jun 25]. p. Cancer Tomorrow. Available from: 28 899 https://gco.iarc.fr/tomorrow/en/dataviz/bubbles?types=0&sexes=0&mode=cancer&group populations=1&m 29 900 ultiple populations=0&multiple cancers=1&cancers=8 9&populations=360&group cancers=0&years=202 30 901 5&single unit=1000&bar mode=grouped&key=total&show bar mode prop 31 902 70. Khiari H, Ben Ayoub HW, Khadhra H Ben, Hsairi M. Colorectal cancer incidence trend and projections in 903 Tunisia (1994 - 2024). Asian Pacific J Cancer Prev. 2017;18(10):2733-9. 32 904 71. Magaji BA, Moy FM, Roslani AC, Law CW. Descriptive epidemiology of colorectal cancer in University 33 905 Malaya Medical Centre, 2001 to 2010. Asian Pac J Cancer Prev. 2014;15(15):6059-64. 34 906 72. Limsui D, Vierkant RA, Tillmans LS, Wang AH, Weisenberger DJ, Laird PW, et al. Cigarette smoking and 35 907 colorectal cancer risk by molecularly defined subtypes. J Natl Cancer Inst. 2010;102(14):1012-22. 36 908 73. National Institute of Health Research and Development Indonesia, Basic Health Research [In Indonesian] 37 909 [Internet], Jakarta: 2019. Available from: https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-38 910 riskesdas/ 39 911 74. Shin A, Joo J, Bak J, Yang H-R, Kim J, Park S, et al. Site-specific risk factors for colorectal cancer in a 40 912 Korean population. PLoS One. 2011;6(8):e23196. 41 913 75. Akhter M, Kuriyama S, Nakaya N, Shimazu T, Ohmori K, Nishino Y, et al. Alcohol consumption is 42 914 associated with an increased risk of distal colon and rectal cancer in Japanese men: the Miyagi Cohort 43 915 Study. Eur J Cancer. 2007;43(2):383-90. 44 Oddo VM, Maehara M, Rah JH. Overweight in Indonesia: An observational study of trends and risk factors 916 76. 45 917 among adults and children. BMJ Open. 2019;9(9):1-14. 46 918 77. Wong SH, Yu J, Gut microbiota in colorectal cancer: mechanisms of action and clinical applications. Nat 47 919 Rev Gastroenterol Hepatol. 2019;16(11):690-704. 48 920 78. Yee YK, Tan VPY, Chan P, Hung IFN, Pang R, Wong BCY. Epidemiology of colorectal cancer in Asia. J 49 921 Gastroenterol Hepatol. 2009;24(12):1810-6. 50 922 79. Rachmi CN, Jusril H, Ariawan I, Beal T, Sutrisna A. Eating behaviour of Indonesian adolescents: A 51 923 systematic review of the literature. Public Health Nutr. 2020;24(S2):S84-97. 52 924 O'Keefe SJD, Li J V, Lahti L, Ou J, Carbonero F, Mohammed K, et al. Fat, fibre and cancer risk in African 80. 53 925 Americans and rural Africans. Nat Commun. 2015 Apr;6:6342. 926 54 81. Akimoto N, Ugai T, Zhong R, Hamada T, Fujiyoshi K, Giannakis M, et al. Rising incidence of early-onset 927 colorectal cancer — a call to action. Nat Rev Clin Oncol. 2021;18(4):230-43. 55 928 82. Pham NM, Mizoue T, Tanaka K, Tsuji I, Tamakoshi A, Matsuo K, et al. Physical activity and colorectal 56 57 58 59 22 For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml 60

#### BMJ Open

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Ope                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. Jpn J Clin Oncol. 2012;42(1):2–13.<br>Parathon H, Kuntmana K, Widiastoter JTH, Muliawan BT, Karuniawati A, Qibtiyah M, et al. Progress towards antimicrobial resistance containment and control in Indonesia. BMJ. 2017;358:31–5.<br>Chen LW, Xu J, Soh SE, Aris JM, Tint MT, Gluckman PD, et al. Implication of gut microbiota in the association between infant antibiotic exposure and childhood obesity and adiposity accumulation. Int J Obes. 2002;44(7):1508–20.<br>Aljebreen AM. Clinico-pathological patterns of colorectal cancer in Saudi Arabia: younger with an advanced stage presentation. Saudi J Gastroenterol Off J Saudi Gastroenterol Assoc. 2007;13(2):84–7.<br>Chao A, Thun MJ, Connell CJ, McCullough ML, Jacobs EJ, Flanders WD, et al. Meat consumption and ri of colorectal cancer. J MAA. 2005;293(2):172–82.<br>Gibbons L, Waters C, Mao Y, Ellison L. Trends in colorectal cancer incidence and mortality. Health Rep. 2001;12(2):41–55.<br>Cueino C, Buchmer AM, Sonnenberg A. Continued rightward shift of colorectal cancer. Dis Colon Rectur 2002;45(8):1035–40.<br>Nakagawa H, Ito H, Hosono S, Oze I, Mikami H, Hattori M, et al. Changes in trends in colorectal cancer incidence tare by anatomic sub-stevene 1978 and 2004 in Japan. Eur J Cancer Prev. 2017;26(4):269–76.<br>Larsen IK, Bray F. Trends in colorectal cancer incidence in Norway 1962-2006; an interpretation of the temporal patterns by anatomic sub-site. Int J cancer. 2010;12(3):721–32.<br>Patel P, De P. Trends in colorectal cancer incidence and related lifestyle risk factors in 15-49-year-olds in Canada, 1969–2010. Cancer Fipdemiol. 2016;42:90–100.<br>Wei EK, Giovannucci E, Wu K, Rosner B, Fuchs CS, Willett WC, et al. Comparison of risk factors for colon and rectal cancer. The Lancer Cause Control. 1995;6(2):164–79.<br>Kominou D, Ayonote A, Richie JPJ, Rigas B. Insulin resistance and its contribution to colon carer. Ansu NU, Monree KR, Haiman CA, Le Marchanal L. Alcohol Intake and Colore | Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibli<br>Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies. |
| the United States. Cancer Epidemiol Biomarkers Prev. 2009;18(6):1695–8.<br>Papagiorgis PC, Zizi AE, Tseleni S, Oikonomakis IN, Nikiteas NI. Clinicopathological differences of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Biblio                                                                                                                                                                                                                                                                  |
| colorectal cancers according to tumor origin: Identification of possibly de novo lesions. Biomed Reports.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ographiq                                                                                                                                                                                                                                                                |
| For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 23 de de                                                                                                                                                                                                                                                                |

BMJ

| 4      | 930              |             | population. Jpn J Clin Oncol. 2012;42(1):2–13.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------|------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5      | 931              | 83.         | Parathon H. Kuntaman K. Widiastoety TH. Muliawan BT. Karuniawati A. Oibtivah M. et al. Progress                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 6      | 932              |             | towards antimicrobial resistance containment and control in Indonesia BMI 2017:358-31–5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 7      | 933              | 84          | Chen I W Xu I Soh SE Aris IM Tint MT Gluckman PD et al Implication of out microbiota in the                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| ,<br>Q | 934              | 04.         | association between infant antibiotic exposure and childhood obesity and adiposity accumulation in L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 0      | 025              |             | $Obeg = 2020 \cdot 1/(7) \cdot 1508 = 20$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 9      | 026              | 05          | Alishraan AM Clinica nathalagical natterns of coloraatal concer in Soudi Archie, younger with an                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 10     | 930              | 85.         | Aljebreen AM. Clinico-pathological patients of colorectal cancer in Saudi Arabia: younger with an                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 11     | 937              | 0.6         | advanced stage presentation. Saudi J Gastroenterol Off J Saudi Gastroenterol Assoc. 2007;13(2):84–7.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 12     | 938              | 86.         | Chao A, Thun MJ, Connell CJ, McCullough ML, Jacobs EJ, Flanders WD, et al. Meat consumption and ris                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 13     | 939              |             | of colorectal cancer. JAMA. 2005;293(2):172–82.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 14     | 940              | 87.         | Gibbons L, Waters C, Mao Y, Ellison L. Trends in colorectal cancer incidence and mortality. Health Rep.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 15     | 941              |             | 2001;12(2):41–55.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 16     | 942              | 88.         | Cucino C, Buchner AM, Sonnenberg A. Continued rightward shift of colorectal cancer. Dis Colon Rectum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 17     | 943              |             | 2002;45(8):1035–40.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 10     | 944              | 89.         | Nakagawa H, Ito H, Hosono S, Oze I, Mikami H, Hattori M, et al. Changes in trends in colorectal cancer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 10     | 945              |             | incidence rate by anatomic site between 1978 and 2004 in Japan. Eur J Cancer Prev. 2017;26(4):269–76.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 19     | 946              | 90.         | Larsen IK, Bray F. Trends in colorectal cancer incidence in Norway 1962-2006: an interpretation of the                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 20     | 947              |             | temporal patterns by anatomic subsite Int J cancer 2010:126(3):721–32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 21     | 948              | 91          | Patel P De P Trends in colorectal cancer incidence and related lifestyle risk factors in 15-49-year-olds in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 22     | 949              | <i>)</i> 1. | Canada 1969-2010 Cancer Epidemiol 2016:42:90–100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 23     | 950              | 92          | Wei FK Giovannucci F Wu K Rosner B Fuchs CS Willett WC et al Comparison of risk factors for                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 24     | 051              | 92.         | colon and rootal concer. Int L concer. 2004:108(2):422-42                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 25     | 951              | 02          | Chang I Chan V. Wang V. Wang I. Van Z. Cang C. et al. Mata analysis of prograduly aphort studies of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 26     | 952              | 95.         | Cheng J, Chen Y, Wang X, Wang J, Yan Z, Gong G, et al. Meta-analysis of prospective conort studies of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 20     | 953              | 0.4         | cigarette smoking and the incidence of colon and rectal cancers. Eur J Cancer Prev. 2015;24(1):6–15.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 27     | 954              | 94.         | Park S-Y, Wilkens LR, Setiawan VW, Monroe KR, Haiman CA, Le Marchand L. Alcohol Intake and                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 28     | 955              |             | Colorectal Cancer Risk in the Multiethnic Cohort Study. Am J Epidemiol. 2019;188(1):67–76.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 29     | 956              | 95.         | Giovannucci E. Insulin and colon cancer. Cancer Causes Control. 1995;6(2):164–79.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 30     | 957              | 96.         | Komninou D, Ayonote A, Richie JPJ, Rigas B. Insulin resistance and its contribution to colon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 31     | 958              |             | carcinogenesis. Exp Biol Med (Maywood). 2003;228(4):396–405.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 32     | 959              | 97.         | Ministry of Health of Indonesia. The Situation of Family Planning in Indonesia [In Indonesian]. Bul Jendel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 33     | 960              |             | Data dan Inf Kesehat. 2013;(2):1–44.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 34     | 961              | 98.         | Benedix F, Kube R, Meyer F, Schmidt U, Gastinger I, Lippert H. Comparison of 17,641 patients with right                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 35     | 962              |             | and left-sided colon cancer: differences in epidemiology, perioperative course, histology, and survival. Dis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 36     | 963              |             | Colon Rectum. 2010;53(1):57–64.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 37     | 964              | 99.         | Ouah HM, Joseph R, Schrag D, Shia J, Guillem JG, Paty PB, et al. Young age influences treatment but not                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 20     | 965              |             | outcome of colon cancer Ann Surg Oncol 2007:14(10):2759–65                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 38     | 966              | 100         | Siegel RL. Ward FM. Jemal A. Trends in colorectal cancer incidence rates in the United States by tumor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 39     | 967              | 100.        | location and stage 1992-2008 Cancer Enidemiol Biomarkers Prev. 2012:21(3):411_6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 40     | 968              | 101         | Society of M. Kaltenbach T. Pouse P.V. Dark W. Mahashwari A. Sato T. et al. Prevalence of nonnolymoid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 41     | 060              | 101.        | Solution of downsed a constant account of the solution of the |
| 42     | 070              |             | (nat and depressed) colorectar neoprasms in asymptomatic and symptomatic addits. JAWA.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 43     | 970              | 100         | 2008;299(9):1027-35.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 44     | 9/1              | 102.        | Bressier B, Paszat LF, Chen Z, Rothwell DM, Vinden C, Rabeneck L. Rates of new or missed colorectal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 45     | 972              |             | cancers after colonoscopy and their risk factors: a population-based analysis. Gastroenterology.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 16     | 973              |             | 2007;132(1):96–102.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 40     | 974              | 103.        | Boursi B, Halak A, Umansky M, Galzan L, Guzner-Gur H, Arber N. Colonoscopic screening of an average                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 47     | 975              |             | risk population for colorectal neoplasia. Endoscopy. 2009;41(6):516–21.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 48     | 976              | 104.        | Singh A, Kuo Y-F, Riall TS, Raju GS, Goodwin JS. Predictors of colorectal cancer following a negative                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 49     | 977              |             | colonoscopy in the Medicare population. Dig Dis Sci. 2011;56(11):3122–8.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 50     | 978              | 105.        | Imperial R, Ahmed Z, Toor OM, Erdoğan C, Khaliq A, Case P, et al. Comparative proteogenomic analysis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 51     | 979              |             | of right-sided colon cancer, left-sided colon cancer and rectal cancer reveals distinct mutational profiles.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 52     | 980              |             | Mol Cancer. 2018;17(1):177.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 53     | 981              | 106.        | Siegel RL, Jemal A, Ward EM. Increase in incidence of colorectal cancer among young men and women ir                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 54     | 982              |             | the United States. Cancer Epidemiol Biomarkers Prev 2009 18(6):1695–8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 55     | 983              | 107         | Panagiorgis PC Zizi AE Tseleni S Oikonomakis IN Nikiteas NI Cliniconathological differences of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 55     | 984              | 107.        | colorectal cancers according to tumor origin. Identification of possibly de novo lesions. Riomed Reports                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 50     | 70 <del>-1</del> |             | consistent cancers according to tumor origin. Identification of possibily de novo resions. Diomed Reports.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 5/     |                  |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 58     |                  |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 59     |                  |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 60     |                  |             | For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

### BMJ Open

| 2  |              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----|--------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3  | 985          |      | 2013;1(1):97–104.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 4  | 986          | 108. | Zhou Q, Li K, Lin G-Z, Shen J-C, Dong H, Gu Y-T, et al. Incidence trends and age distribution of colorectal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 5  | 987          |      | cancer by subsite in Guangzhou, 2000–2011. Chin J Cancer. 2015;34(3):1–7.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 6  | 988          | 109. | Bufill JA. Colorectal cancer: evidence for distinct genetic categories based on proximal or distal tumor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 7  | 989          |      | location. Ann Intern Med. 1990;113(10):779-88.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 8  | 990          | 110. | Schröders J, Wall S, Hakimi M, Dewi FST, Weinehall L, Nichter M, et al. How is Indonesia coping with its                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 9  | 991          |      | epidemic of chronic noncommunicable diseases? A systematic review with meta-analysis. PLoS One.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 10 | 992          |      | 2017;12(6):e0179186.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 11 | 993          | 111. | Angkurawaranon C, Jiraporncharoen W, Chenthanakij B, Doyle P, Nitsch D. Urbanization and non-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 12 | 994          |      | communicable disease in Southeast Asia: A review of current evidence. Public Health. 2014;128(10):886–                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 13 | 995          | 110  | 95.<br>DE ENCIE DE L'AL CALLER DE LE CONCECCE 2000 (CCE) (2. 74                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 14 | 996          | 112. | Bray F, Møller B. Predicting the future burden of cancer. Nat Rev Cancer. 2006;6(1):63–74.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 15 | 997          | 113. | Ismail L, Materwala H, Znati I, Turaev S, Khan MAB. Tailoring time series models for forecasting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 16 | 998          | 114  | coronavirus spread: Case studies of 187 countries. Comput Struct Biotechnol J. 2020;18:2972–3206.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 17 | 999          | 114. | Sieger RL, Fedewa SA, Anderson WF, Miller RD, Ma J, Rosenberg PS, et al. Colorectal Cancer Incidence                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 18 | 1000         | 115  | Fatterns III the Office States, 1974-2015. J Nati Cancel Inst. 2017,109(6).27-52.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 19 | 1001         | 115. | Dis Prim 2015:1:15065                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 20 | 1002         | 116  | Center MM Jemal A Smith RA Ward F. Worldwide variations in colorectal cancer. CA Cancer I Clin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 21 | 1003         | 110. | 2000-59(6):366_78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 22 | 1001         | 117  | Wang CB Shahiehan F Merchea A Li Z Bekaji-Saah TS Grothey A et al Impact of Tumor Location and                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 23 | 1006         | 117. | Variables Associated With Overall Survival in Patients. With Colorectal Cancer: A Mayo Clinic Colon and                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 24 | 1007         |      | Rectal Cancer Registry Study Front Oncol 2019.9.76                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 25 | 1008         | 118. | Warschkow R. Sulz MC, Marti L. Tarantino I. Schmied BM, Cerny T. et al. Better survival in right-sided                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 26 | 1009         |      | versus left-sided stage I - III colon cancer patients. BMC Cancer. 2016;16:554.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 27 | 1010         | 119. | Hardy MA, Bryman A. Handbook of Data Analysis [Internet]. London: SAGE Publications Ltd; 2004. 1-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 28 | 1011         |      | 728 p. Available from: https://us.sagepub.com/en-us/nam/handbook-of-data-analysis/book209824                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 29 | 1012         | 120. | Nini A, Corradini C, Guo D, Grieve J. The application of growth curve modeling for the analysis of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 30 | 1013         |      | diachronic corpora. Lang Dyn Chang. 2017;7(1):102–25.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 31 | 1014         | 121. | Devlin SM, Satagopan JM. Statistical Interactions from a Growth Curve Perspective. Hum Hered.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 32 | 1015         |      | 2016;82(1-2):21-36.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 33 | 1016         | 122. | Rawla P, Sunkara T, Barsouk A. Epidemiology of colorectal cancer: Incidence, mortality, survival, and risk                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 34 | 1017         |      | factors. Prz Gastroenterol. 2019;14(2):89–103.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 35 | 1018         | 123. | Sudoyo AW, Hernowo B, Krisnuhoni E, Reksodiputro AH, Hardjodisastro D, Sinuraya ES. Colorectal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 36 | 1019         |      | cancer among young native indonesians: A clinicopathological and molecular assessment on microsatellite                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 37 | 1020         | 10.4 | instability. Med J Indones. 2010;19(4):245–51.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 38 | 1021         | 124. | Gopalan V, Smith RA, Ho Y-H, Lam AK-Y. Signet-ring cell carcinoma of colorectumcurrent perspectives                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 39 | 1022         | 105  | and molecular biology. Int J Colorectal Dis. $2011;26(2):127-33$ .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 40 | 1023         | 125. | Foster AD, Sivarapatna A, Gress RE. The aging immune system and its relationship with cancer. Aging                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 41 | 1024<br>1025 | 126  | nearth. $2011$ ; $7(5)$ : $707-18$ .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 42 | 1025         | 120. | nonvilation based study in Taiwan. Inn I Clin Oncol. 2017:47(11):1010.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 43 | 1020         | 127  | Lieu CH Renfro I A. de Gramont A. Meyers IP. Maughan TS. Seymour MT. et al. Association of age with                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 44 | 1027         | 127. | survival in patients with metastatic colorectal cancer: analysis from the ARCAD Clinical Trials Program I                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 45 | 1029         |      | Clin Oncol 2014·32(27):2975–84                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 46 | 1030         | 128  | Blanke CD Bot BM Thomas DM Blever A Kohne C-H Seymour MT et al Impact of young age on                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 47 | 1031         | 120. | treatment efficacy and safety in advanced colorectal cancer: a pooled analysis of patients from nine first-line                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 48 | 1032         |      | phase III chemotherapy trials. J Clin Oncol. 2011;29(20):2781–6.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 49 | 1033         | 129. | Kansakar P, Singh Y. Changing trends of colorectal carcinoma in Nepalese young adults. Asian Pacific J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 50 | 1034         |      | Cancer Prev. 2012;13(7):3209–12.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 51 | 1035         | 130. | Fu J, Yang J, Tan Y, Jiang M, Wen F, Huang Y, et al. Young patients (≤35years old) with colorectal cancer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 52 | 1036         |      | have worse outcomes due to more advanced disease: A 30-Year Retrospective Review. Med (United States).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 53 | 1037         |      | 2014;93(23):1–7.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 54 | 1038         | 131. | Kocián P, Svobodová I, Krejčí D, Blaha M, Gürlich R, Dušek L, et al. Is colorectal cancer a more aggressive                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 55 | 1039         |      | disease in young patients? A population-based study from the Czech Republic. Cancer Epidemiol.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 56 | 1040         |      | 2019;63(September):101621.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 57 |              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 58 |              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 59 |              |      | Ear near review only latter //heritar and heritary / its /share / its |
| 60 |              |      | For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## BMJ Open

| Enseignement Superieur (ABES) .<br>Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies. | MJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de l |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| 1<br>ว |      |      |                                                                                                               |
|--------|------|------|---------------------------------------------------------------------------------------------------------------|
| 2<br>3 | 1011 | 120  |                                                                                                               |
| 4      | 1041 | 132. | Dana Kharisma D. Healthcare Access Inequity within a Social Health Insurance Setting: A Kisk Faced by         |
| 5      | 1042 | 122  | Ruson LS, Vang S, K, Kim T II, Kim WH, Lau IVW, Laung W, K, et al. Colorectal neonlasm in                     |
| 6      | 1045 | 155. | asymptomatic Asians: a prospective multipational multicenter colonoscopy survey. Castrointest Endosc          |
| 7      | 1044 |      | 2007.65(7).1015_22                                                                                            |
| ,<br>8 | 1045 | 134  | You VN Xing V Feig BW Chang GI Cormier IN Young-onset colorectal cancer: is it time to nav                    |
| a      | 1047 | 154. | attention? Vol 172 Archives of internal medicine United States: 2012 n 287-9                                  |
| 10     | 1048 | 135  | Lee PY Fletcher WS Sullivan ES Vetto IT Colorectal cancer in young patients: characteristics and              |
| 11     | 1049 | 155. | outcome Am Surg 1994:60(8):607–12                                                                             |
| 12     | 1050 | 136  | Domergue J Ismail M Astre C Saint-Aubert B Joyeux H Solassol C et al Colorectal carcinoma in                  |
| 12     | 1051 | 100. | patients younger than 40 years of age. Montpellier Cancer Institute experience with 78 patients. Cancer.      |
| 1/     | 1052 |      | 1988;61(4):835–40.                                                                                            |
| 15     | 1053 | 137. | Ahnen DJ, Wade SW, Jones WF, Sifri R, Silveiras JM, Greenamyer J, et al. The increasing incidence of          |
| 16     | 1054 |      | young-onset colorectal cancer: A call to action. Mayo Clin Proc. 2014;89(2):216–24.                           |
| 17     | 1055 | 138. | Gheju A, Jurescu A, Tăban S, Al-Jobory D, Lazăr F, Dema A. Different disease characteristics in young         |
| 12     | 1056 |      | patients with colorectal cancer: a large retrospective study in a city in Romania. J Int Med Res.             |
| 10     | 1057 |      | 2021;49(5):030006052110166.                                                                                   |
| 20     | 1058 | 139. | Chew M-H, Yeo S-AE, Ng Z-P, Lim K-H, Koh P-K, Ng K-H, et al. Critical analysis of mucin and signet            |
| 20     | 1059 |      | ring cell as prognostic factors in an Asian population of 2,764 sporadic colorectal cancers. Int J Colorectal |
| 21     | 1060 |      | Dis. 2010;25(10):1221–9.                                                                                      |
| 22     | 1061 | 140. | Börger ME, Gosens MJEM, Jeuken JWM, van Kempen LCLT, van de Velde CJH, van Krieken JHJM, et al.               |
| 25     | 1062 |      | Signet ring cell differentiation in mucinous colorectal carcinoma. J Pathol. 2007;212(3):278–86.              |
| 24     | 1063 | 141. | Sudarshan V, Hussain N, Gahine R, Mourya J. Colorectal cancer in young adults in a tertiary care hospital     |
| 25     | 1064 |      | in Chhattisgarh, Raipur. Indian J Cancer. 2013;50(4):337–40.                                                  |
| 20     | 1065 | 142. | Elferink MAG, Siesling S, Visser O, Rutten HJ, van Krieken JHJM, Tollenaar RAEM, et al. Large variation       |
| 27     | 1066 |      | between hospitals and pathology laboratories in lymph node evaluation in colon cancer and its impact on       |
| 28     | 1067 |      | survival, a nationwide population-based study in the Netherlands. Ann Oncol Off J Eur Soc Med Oncol.          |
| 29     | 1068 | 1.40 | 2011;22(1):110-7.                                                                                             |
| 30     | 1069 | 143. | Dubecz A, Solymosi N, Schweigert M, Stadinuber RJ, Peters JH, Otner D, et al. Time trends and disparities     |
| 31     | 1070 |      | in lymphadenectomy for gastrointestinal cancer in the United States: a population-based analysis of 326,243   |
| 32     | 10/1 | 144  | patients. J Gastrointest Surg Off J Soc Surg Aliment Tract. 2013 Apr;17(4):611–9.                             |
| 33     | 1072 | 144. | Shen SS, Haupt BA, KO JY, Zhu J, Balley HK, Schwartz MK. Number of tymph nodes examined and                   |
| 34     | 1073 | 145  | Zhang MP. Via TH. Chi II. Li V. Vang L. Vu VV. et al. Prognatic role of the lumph node ratio in node          |
| 35     | 1074 | 145. | nositive colorectal cancer: A meta analysis. Oncotorget 2016;7(45):72808, 007                                 |
| 36     | 1075 | 146  | Elsamany SA Alzahrani AS Mohamed MM Elmorsy SA Zakri IE Al Shahri AS at al Clinico                            |
| 37     | 1070 | 140. | nathological natterns and survival outcome of colorectal cancer in young nationts: western Saudi Arabia       |
| 38     | 1077 |      | experience Asian Pac I Cancer Prev. 2014:15(13):5239–43                                                       |
| 39     | 1070 | 147  | Bentzen SM Balsley I. Pedersen M. Teglbiaerg PS. Hanberg-Sørensen F. Bone I. et al. Time to loco-             |
| 40     | 1080 | 147. | regional recurrence after resection of Dukes' B and C colorectal cancer with or without adjuvant              |
| 41     | 1081 |      | postoperative radiotherapy. A multivariate regression analysis Br J Cancer 1992:65(1):102–7                   |
| 42     | 1082 | 148  | Compton CC Fielding LP Burgart LJ Conley B Cooper HS Hamilton SR et al Prognostic factors in                  |
| 43     | 1083 |      | colorectal cancer. College of American Pathologists Consensus Statement 1999. Arch Pathol Lab Med.            |
| 44     | 1084 |      | 2000;124(7):979–94.                                                                                           |
| 45     | 1085 | 149. | Compton C, Fenoglio-Preiser CM, Pettigrew N, Fielding LP. American Joint Committee on Cancer                  |
| 46     | 1086 |      | Prognostic Factors Consensus Conference: Colorectal Working Group. Cancer. 2000;88(7):1739-57.                |
| 47     | 1087 | 150. | Ruiz-Tovar J, Jiménez-Miramón J, Valle A, Limones M. Endoscopic resection as unique treatment for early       |
| 48     | 1088 |      | colorectal cancer. Rev Esp Enferm Dig. 2010;102(7):435-41.                                                    |
| 49     | 1089 | 151. | Wu Z-Y, Wan J, Li J-H, Zhao G, Yao Y, Du J-L, et al. Prognostic value of lateral lymph node metastasis for    |
| 50     | 1090 |      | advanced low rectal cancer. World J Gastroenterol. 2007 Dec;13(45):6048-52.                                   |
| 51     | 1091 | 152. | Chen CH, Hsieh MC, Hsiao PK, Lin EK, Lu YJ, Wu SY. A critical reappraisal for the value of tumor size as      |
| 52     | 1092 |      | a prognostic variable in rectal adenocarcinoma. J Cancer. 2017;8(10):1927-34.                                 |
| 53     | 1093 | 153. | Shida D, Ahiko Y, Tanabe T, Yoshida T, Tsukamoto S, Ochiai H, et al. Shorter survival in adolescent and       |
| 54     | 1094 |      | young adult patients, compared to adult patients, with stage IV colorectal cancer in Japan. BMC Cancer.       |
| 55     | 1095 |      | 2018;18(1):1–8.                                                                                               |
| 56     | 1096 | 154. | Chaurasia AR. COVID-19 Trend and Forecast in India: A Joinpoint Regression Analysis. medRxiv                  |
| 57     |      |      |                                                                                                               |
| 58     |      |      |                                                                                                               |
| 59     |      |      | <b>5</b>                                                                                                      |
| 60     |      |      | For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml                                     |

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

[Internet]. 2020 Jan 1;2020.05.26.20113399. Available from: http://medrxiv.org/content/earlv/2020/06/03/2020.05.26.20113399.abstract Ajbar S, Asif M, Ajbar AM. Did domestic travel restrictions slow down the COVID-19 pandemic in Saudi 155. Arabia? A joinpoint regression analysis. J Glob Heal Reports. 2021;5(March 2020):1-9. 156. U.S. Department of Health and Human Services, National Institute of Health, National Cancer Institute, Methodology for Characterizing Trends [Internet]. Online Summary of Trends in US Cancer Control Measures. 2022 [cited 2022 Aug 1]. Available from: https://progressreport.cancer.gov/methodology 157. Guimarães RM, Magalhães M de AFM, Xavier DR, Saldanha R de F, Catão R de C. Is it time to talk about the end of social distancing? A joinpoint analysis of COVID-19 time series in Brazilian capitals. Rev Soc Bras Med Trop. 2020;53(July):1-7. 158. Dragomirescu I, Llorca J, Gómez-Acebo I, Dierssen-Sotos T. A join point regression analysis of trends in mortality due to osteoporosis in Spain. Sci Rep [Internet]. 2019;9(1):4264. Available from: https://doi.org/10.1038/s41598-019-40806-0 159. AIHW. Cancer mortality trends and projections: 2014 to 2025 [Internet]. Australian Institute of Health and Welfare. 2017 [cited 2022 Aug 1]. p. Australian Government. Available from: https://www.aihw.gov.au/reports/cancer/cancer-mortality-trends-and-projections-2014-to-2025/data 160. González-Padilla DA, España-Navarro R, Subiela JD, Kumar R, Medina LG, Aumatell J, et al. Is "Movember" an Effective Prostate Cancer Awareness Campaign Beyond the English Language? Insights From Google Trends Among Spanish Speakers. Société Int d'Urologie J. 2021;2(6):362-9.

#### **Figure Legends**

**Figure 1.** Study flow diagram for retrospective data collection, selection process, analysis of overall included samples, and subanalysis of complete data in the final report.

Figure 2. Trend analysis using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during eleven years period of study classified by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping in overall, young, and old patients. Colon plus rectum indicated a total incidence of both locations. A positive trend for 2009-2019 was observed among colorectal, colon, right-sided, and left-sided cancer, while rectal cancer tended to have stagnation and decrease in all young and old patients. Plotted lines indicate APCs. \*indicates that the APC significantly differs from zero at the alpha = 0.05 level using the logarithmically transformed data permutation model in Joinpoint regression analysis.

1132Figure 3. Tumor subsites specific incidence rate using Joinpoint regression expressed by annual percentage1133changes (APC) of colorectal cancer incidence among 1,584 patients during 2009-2019 based on anatomical1134subsites of tumor in the colon in all patients. A sharp increase of cases by order in value was found in1135ascending, descending, transverse, and sigmoid colon, respectively, while a gradual decline was observed1136in the caecum. \*denotes a significant change in APC versus 0 (P <0.050) using the logarithmically</td>1137transformed data permutation model in Joinpoint regression analysis.

47 1137 48 1138

Figure 4. Annual incidence trends, the equation for predicting cases, and the forecast number of cases in the next-ten year using the best fitted-model regression analysis (linear, quadratic, exponential growth, or S-shaped curve model) for colorectal cancer classified by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by in all, young, and old patients. Projection of a positive trend for the period 2020-2029 is observed among colorectal, colon, and left-sided cancer, while rectal cancer tended to have stagnation and decrease in all, young, and old patients. Right-sided colorectal cancer was forecasted to have an increased burden in overall and old patients but 

#### **BMJ** Open

tended to decrease in young patients. \* indicates significant progression slope (p<0.05; ANOVA statistical test); Blue connected points show actual rates, red loosely dotted connected line indicate a best-fitted trend, and the green densely connected dotted line indicates the forecasting trend.  $Y_t$  is the variable (equation for predicted cases), and t is the time unit (year) value. Abbreviations: CRC, colorectal cancer; MAPE, mean absolute percent error; MAD, mean absolute deviation; MSD, mean square deviation. Figure 5. Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) well-differentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in subserosal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x). W arrow, Iverse 



**Figure 1.** Study flow diagram for retrospective data collection, selection process, analysis of overall included samples, and subanalysis of complete data in the final report.

159x222mm (600 x 600 DPI)



**Figure 2.** Trend analysis using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during eleven years period of study classified by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping in overall, young, and old patients. Colon plus rectum indicated a total incidence of both locations. A positive trend for 2009-2019 was observed among colorectal, colon, right-sided, and left-sided cancer, while rectal cancer tended to have stagnation and decrease in all young and old patients. Plotted lines indicate APCs. \*indicates that the APC significantly differs from zero at the alpha = 0.05 level using the logarithmically transformed data permutation model in Joinpoint regression analysis.

161x215mm (600 x 600 DPI)

Page 32 of 76

BMJ Open: first published as 10.1136/bmjopen-2022-060839 on 7 September 2022. Downloaded from http://bmjopen.bmj.com/ on June 8, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



**Figure 3.** Tumor subsites specific incidence rate using Joinpoint regression expressed by annual percentage changes (APC) of colorectal cancer incidence among 1,584 patients during 2009-2019 based on anatomical subsites of tumor in the colon in all patients. A sharp increase of cases by order in value was found in ascending, descending, transverse, and sigmoid colon, respectively, while a gradual decline was observed in the caecum. \*denotes a significant change in APC versus 0 (P <0.050) using the logarithmically transformed data permutation model in Joinpoint regression analysis.

170x114mm (600 x 600 DPI)

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml





**Figure 4.** Annual incidence trends, the equation for predicting cases, and the forecast number of cases in the next-ten year using the best fitted-model regression analysis (linear, quadratic, exponential growth, or S-shaped curve model) for colorectal cancer classified by tumor locations (colorectal, colon, and rectum), and side involvement (right-sided and left-sided colorectal cancer) grouping by in all, young, and old patients. Projection of a positive trend for the period 2020-2029 is observed among colorectal, colon, and left-sided cancer, while rectal cancer tended to have stagnation and decrease in all, young, and old patients. Right-sided colorectal cancer tended to have an increased burden in overall and old patients but tended to decrease in young patients. \* indicates significant progression slope (p<0.05; ANOVA statistical test); Blue connected points show actual rates, red loosely dotted connected line indicate a best-fitted trend, and the green densely connected dotted line indicates the forecasting trend. Yt is the variable (equation for predicted cases), and t is the time unit (year) value. **Abbreviations:** CRC, colorectal cancer; MAPE, mean absolute percent error; MAD, mean absolute deviation; MSD, mean square deviation.

163x222mm (600 x 600 DPI)

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



**Figure 5.** Histopathological features of colorectal cancer resection specimen (all in HE staining). (a) welldifferentiated adenocarcinoma NOS (M40x); (b) poorly differentiated adenocarcinoma NOS (M40x); (c) mucinous adenocarcinoma (M40x, inlet 100x); (d) signet-ring cell carcinoma (M40x, inlet 400x); (e) pT2 stage tumor infiltrating muscular layer (M40x); (f) pT3 stage tumor infiltrating adipose tissue in subserosal layer (M40x); (g) lymphovascular invasion (pointed by red arrow, M40x); (h) perineural invasion (highlighted by yellow arrow, M40x); (i) lymph node metastasis (M100x).

188x127mm (300 x 300 DPI)

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

## Supplementary File 1.

Detailed analysis of annual incidence trend of colorectal cancer using Joinpoint regression analysis among all patients based on tumor location and tumor side involvement.

a. Trend Analysis for Total CRC Cases



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |      |          |          |                       |           |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|------|----------|----------|-----------------------|-----------|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC  | Lower Cl | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 2.23 | -0.13    | 4.65     | 2.13                  | 0.062     |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |      |          |          |                       |           |  |  |
| Average Annual Percent Change (AAPC)                                                                                                                                                                                     |                   |                   |      |          |          |                       |           |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC | Lower Cl | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |
| Full Range 2009.00 2019.00 2.23 -0.13 4.65 2.13 0.062                                                                                                                                                                    |                   |                   |      |          |          |                       |           |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |      |          |          |                       |           |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |       |          |          |                       |           |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-------|----------|----------|-----------------------|-----------|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC   | Lower Cl | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 6.38* | 3.66     | 9.18     | 5.39                  | < 0.001   |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |       |          |          |                       |           |  |  |
| Average Annual Percent Change (AAPC)                                                                                                                                                                                     |                   |                   |       |          |          |                       |           |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC  | Lower Cl | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |
| Full Range                                                                                                                                                                                                               | 2009.00           | 2019.00           | 6.38* | 3.66     | 9.18     | 5.39                  | < 0.001   |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |       |          |          |                       |           |  |  |

## b. Trend Analysis for Total Colon Cancer Cases

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

c. Trend Analysis for Total Rectal Cancer Cases



# 2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |       |          |          |                       |           |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-------|----------|----------|-----------------------|-----------|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC   | Lower Cl | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | -0.09 | -2.98    | 2.89     | -0.07                 | 0.948     |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |       |          |          |                       |           |  |  |
| Average Annual Percent Change (AAPC)                                                                                                                                                                                     |                   |                   |       |          |          |                       |           |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC  | Lower Cl | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |
| Full Range 2009.00 2019.00 -0.09 -2.98 2.89 -0.07 0.948                                                                                                                                                                  |                   |                   |       |          |          |                       |           |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |       |          |          |                       |           |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                     |                   |                   |       |          |          |                       |           |  |  |
|-----------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-------|----------|----------|-----------------------|-----------|--|--|
| Segment                                                                                                         | Lower<br>Endpoint | Upper<br>Endpoint | APC   | Lower Cl | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |
| 1                                                                                                               | 2009.00           | 2019.00           | 6.52* | 1.34     | 11.96    | 2.87                  | 0.019     |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                   |                   |       |          |          |                       |           |  |  |
| Average Annual Percent Change (AAPC)                                                                            |                   |                   |       |          |          |                       |           |  |  |
| Range                                                                                                           | Lower<br>Endpoint | Upper<br>Endpoint | AAPC  | Lower Cl | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |
| Full Range                                                                                                      | 2009.00           | 2019.00           | 6.52* | 1.34     | 11.96    | 2.87                  | 0.019     |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.                       |                   |                   |       |          |          |                       |           |  |  |

~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More

## d. Trend Analysis for Total Right-Sided CRC Cases




2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                     |                   |                    |                                   |                                       |                              |                       |            |  |  |  |
|-----------------------------------------------------------------------------------------------------------------|-------------------|--------------------|-----------------------------------|---------------------------------------|------------------------------|-----------------------|------------|--|--|--|
| Segment                                                                                                         | Lower<br>Endpoint | Upper<br>Endpoint  | APC                               | Lower Cl                              | Upper Cl                     | Test Statistic<br>(t) | Prob >  t  |  |  |  |
| 1                                                                                                               | 2009.00           | 2019.00            | 1.41                              | -1.18                                 | 4.06                         | 1.23                  | 0.252      |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                   |                    |                                   |                                       |                              |                       |            |  |  |  |
|                                                                                                                 |                   | Avera              | ge Annual Pe                      | rcent Change (A                       | APC)                         |                       |            |  |  |  |
| Range                                                                                                           | Lower<br>Endpoint | Upper<br>Endpoint  | AAPC                              | Lower Cl                              | Upper Cl                     | Test<br>Statistic~    | P-Value~   |  |  |  |
| Full Range                                                                                                      | 2009.00           | 2019.00            | 1.41                              | -1.18                                 | 4.06                         | 1.23                  | 0.252      |  |  |  |
| * Indicates that<br>~ If the AAPC is                                                                            | the AAPC is sig   | nificantly differe | nt from zero a<br>ibution is used | t the alpha = 0.05<br>L Otherwise the | i level.<br>normal (z) distr | ibution is used.      | Learn More |  |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

|                                                                                                                                                                                                                          | Annual Percent Change (APC) |                   |               |                 |          |                       |           |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint           | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00                     | 2019.00           | -0.98         | -9.10           | 7.86     | -0.26                 | 0.800     |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                             |                   |               |                 |          |                       |           |  |  |  |  |
|                                                                                                                                                                                                                          |                             | Avera             | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint           | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |
| Full Range 2009.00 2019.00 -0.98 -9.10 7.86 -0.26 0.800                                                                                                                                                                  |                             |                   |               |                 |          |                       |           |  |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                             |                   |               |                 |          |                       |           |  |  |  |  |



# 2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

|                                                                                                                 | Annual Percent Change (APC)                                                             |                   |               |                 |          |                       |           |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|--|--|
| Segment                                                                                                         | Lower<br>Endpoint                                                                       | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |  |
| 1                                                                                                               | 2009.00                                                                                 | 2019.00           | 10.60*        | 2.67            | 19.13    | 3.07                  | 0.013     |  |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                                                                                         |                   |               |                 |          |                       |           |  |  |  |  |  |
|                                                                                                                 |                                                                                         | Aver              | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |  |  |
| Range                                                                                                           | Lower<br>Endpoint                                                                       | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |  |
| Full Range                                                                                                      | 2009.00                                                                                 | 2019.00           | 10.60*        | 2.67            | 19.13    | 3.07                  | 0.013     |  |  |  |  |  |
| * Indicates that                                                                                                | Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level. |                   |               |                 |          |                       |           |  |  |  |  |  |

## g. Trend Analysis for Total CRC Cases Originated from Ascending Colon



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| •                                                                                                               |                                                                                                                                                                                                                                 |                   |               |                 |          |                       |           |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|--|
|                                                                                                                 | Annual Percent Change (APC)                                                                                                                                                                                                     |                   |               |                 |          |                       |           |  |  |  |  |
| Segment                                                                                                         | Lower<br>Endpoint                                                                                                                                                                                                               | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |
| 1                                                                                                               | 1 2009.00 2019.00 9.88* 1.39 19.09 2.65 0.026                                                                                                                                                                                   |                   |               |                 |          |                       |           |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                                                                                                                                                                                                                                 |                   |               |                 |          |                       |           |  |  |  |  |
|                                                                                                                 |                                                                                                                                                                                                                                 | Aver              | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |  |
| Range                                                                                                           | Lower<br>Endpoint                                                                                                                                                                                                               | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |
| Full Range 2009.00 2019.00 9.88* 1.39 19.09 2.65 0.026                                                          |                                                                                                                                                                                                                                 |                   |               |                 |          |                       |           |  |  |  |  |
| * Indicates that<br>~ If the AAPC is                                                                            | * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. <u>Learn More</u> |                   |               |                 |          |                       |           |  |  |  |  |

# h. Trend Analysis for Total CRC Cases Originated from Transverse Colon

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |               |                 |          |                       |           |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 10.04*        | 0.43            | 20.57    | 2.37                  | 0.042     |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |               |                 |          |                       |           |  |  |  |
|                                                                                                                                                                                                                          |                   | Aver              | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |
| Full Range 2009.00 2019.00 10.04* 0.43 20.57 2.37 0.042                                                                                                                                                                  |                   |                   |               |                 |          |                       |           |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |               |                 |          |                       |           |  |  |  |

# i. Trend Analysis for Total CRC Cases Originated from Descending Colon





2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

|                                                                                                                                                                                                                          | Annual Percent Change (APC) |                   |               |                 |          |                       |           |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint           | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00                     | 2019.00           | 5.84*         | 2.59            | 9.19     | 4.12                  | 0.003     |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                             |                   |               |                 |          |                       |           |  |  |  |  |
|                                                                                                                                                                                                                          |                             | Avera             | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint           | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |
| Full Range 2009.00 2019.00 5.84* 2.59 9.19 4.12 0.003                                                                                                                                                                    |                             |                   |               |                 |          |                       |           |  |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                             |                   |               |                 |          |                       |           |  |  |  |  |

j. Trend Analysis for Total CRC Cases Originated from Sigmoid

# Supplementary File 2.

Detailed analysis of annual incidence trend of colorectal cancer using Joinpoint regression analysis among young patients based on tumor location and tumor side involvement

# a. Trend Analysis for CRC Cases Among Young Patients



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

|                                                                                                                                                                                                                          | Annual Percent Change (APC) |                   |               |                 |          |                       |           |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint           | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00                     | 2019.00           | 1.98          | -1.24           | 5.31     | 1.38                  | 0.200     |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                             |                   |               |                 |          |                       |           |  |  |  |
|                                                                                                                                                                                                                          |                             | Avera             | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint           | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |
| Full Range 2009.00 2019.00 1.98 -1.24 5.31 1.38 0.200                                                                                                                                                                    |                             |                   |               |                 |          |                       |           |  |  |  |
| ' Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                             |                   |               |                 |          |                       |           |  |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

|                                                                                                                                                                                                                          | Annual Percent Change (APC) |                   |               |                 |          |                       |           |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint           | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00                     | 2019.00           | 9.24*         | 3.42            | 15.39    | 3.65                  | 0.005     |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                             |                   |               |                 |          |                       |           |  |  |  |  |
|                                                                                                                                                                                                                          |                             | Avera             | age Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint           | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |
| Full Range 2009.00 2019.00 9.24* 3.42 15.39 3.65 0.005                                                                                                                                                                   |                             |                   |               |                 |          |                       |           |  |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                             |                   |               |                 |          |                       |           |  |  |  |  |

# b. Trend Analysis for Colon Cancer Cases Among Young Patients

c. Trend Analysis for Rectal Cancer Cases Among Young Patients



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

|                                                                                                                 | Annual Percent Change (APC)                                                             |                   |                |                 |          |                       |           |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|----------------|-----------------|----------|-----------------------|-----------|--|--|--|--|--|
| Segment                                                                                                         | Lower<br>Endpoint                                                                       | Upper<br>Endpoint | APC            | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |  |
| 1                                                                                                               | 2009.00                                                                                 | 2019.00           | -0.97          | -3.85           | 2.01     | -0.74                 | 0.477     |  |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                                                                                         |                   |                |                 |          |                       |           |  |  |  |  |  |
|                                                                                                                 |                                                                                         | Aver              | age Annual Per | rcent Change (A | APC)     |                       |           |  |  |  |  |  |
| Range                                                                                                           | Lower<br>Endpoint                                                                       | Upper<br>Endpoint | AAPC           | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |  |
| Full Range                                                                                                      | 2009.00                                                                                 | 2019.00           | -0.97          | -3.85           | 2.01     | -0.74                 | 0.477     |  |  |  |  |  |
| * Indicates that                                                                                                | Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level. |                   |                |                 |          |                       |           |  |  |  |  |  |

the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z)



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

|                                                                                                                                                                                                                          | Annual Percent Change (APC)                            |                   |                |                |          |                       |           |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|-------------------|----------------|----------------|----------|-----------------------|-----------|--|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint                                      | Upper<br>Endpoint | APC            | Lower Cl       | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00                                                | 2019.00           | 6.59           | -2.75          | 16.82    | 1.57                  | 0.150     |  |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                                                        |                   |                |                |          |                       |           |  |  |  |  |
|                                                                                                                                                                                                                          |                                                        | Avera             | age Annual Per | cent Change (A | APC)     |                       |           |  |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint                                      | Upper<br>Endpoint | AAPC           | Lower Cl       | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |  |
| Full Range                                                                                                                                                                                                               | Full Range 2009.00 2019.00 6.59 -2.75 16.82 1.57 0.150 |                   |                |                |          |                       |           |  |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                                                        |                   |                |                |          |                       |           |  |  |  |  |

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



# e. Trend Analysis for Left-Sided CRC Cases Among Young Patients

function
 function

2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis.

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |               |                 |          |                       |           |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 1.37          | -1.96           | 4.81     | 0.92                  | 0.380     |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |               |                 |          |                       |           |  |  |  |
|                                                                                                                                                                                                                          |                   | Avera             | ige Annual Pe | rcent Change (A | APC)     |                       |           |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |
| Full Range 2009.00 2019.00 1.37 -1.96 4.81 0.92 0.380                                                                                                                                                                    |                   |                   |               |                 |          |                       |           |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |               |                 |          |                       |           |  |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis:

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |                |                |          |                       |           |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|----------------|----------------|----------|-----------------------|-----------|--|--|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC            | Lower Cl       | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |  |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 2.38*          | 0.11           | 4.69     | 2.38                  | 0.041     |  |  |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |                |                |          |                       |           |  |  |  |
|                                                                                                                                                                                                                          |                   | Aver              | age Annual Per | cent Change (A | APC)     |                       |           |  |  |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC           | Lower Cl       | Upper Cl | Test<br>Statistic~    | P-Value~  |  |  |  |
| Full Range 2009.00 2019.00 2.38* 0.11 4.69 2.38 0.041                                                                                                                                                                    |                   |                   |                |                |          |                       |           |  |  |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |                |                |          |                       |           |  |  |  |



2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis:

| Annual Percent Change (APC)                                                                                                                                                                                              |                   |                   |               |                 |          |                       |           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |
| 1                                                                                                                                                                                                                        | 2009.00           | 2019.00           | 5.11*         | 2.65            | 7.63     | 4.76                  | 0.001     |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                   |                   |               |                 |          |                       |           |  |
|                                                                                                                                                                                                                          |                   | Avera             | ige Annual Pe | rcent Change (A | APC)     |                       |           |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |
| Full Range                                                                                                                                                                                                               | 2009.00           | 2019.00           | 5.11*         | 2.65            | 7.63     | 4.76                  | 0.001     |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                   |                   |               |                 |          |                       |           |  |

## b. Trend Analysis for Colon Cancer Cases Among Old Patients





2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis:

|                                                                                                                                                                                                                          | Annual Percent Change (APC)                                                                                     |                   |      |          |          |                       |           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------|------|----------|----------|-----------------------|-----------|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint                                                                                               | Upper<br>Endpoint | APC  | Lower Cl | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |
| 1                                                                                                                                                                                                                        | 2009.00                                                                                                         | 2019.00           | 0.58 | -2.98    | 4.27     | 0.36                  | 0.725     |  |
| * Indicates that                                                                                                                                                                                                         | * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level |                   |      |          |          |                       |           |  |
|                                                                                                                                                                                                                          | Average Annual Percent Change (AAPC)                                                                            |                   |      |          |          |                       |           |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint                                                                                               | Upper<br>Endpoint | AAPC | Lower Cl | Upper Cl | Test<br>Statistic~    | P-Value~  |  |
| Full Range                                                                                                                                                                                                               | 2009.00                                                                                                         | 2019.00           | 0.58 | -2.98    | 4.27     | 0.36                  | 0.725     |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                                                                                                                 |                   |      |          |          |                       |           |  |

# c. Trend Analysis for Rectal Cancer Cases Among Old Patients



# d. Trend Analysis for Right-Sided CRC Cases Among Old Patients

2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis:

|                                                                                                                                                                                                                          | Annual Percent Change (APC) |                   |               |                 |          |                       |           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|---------------|-----------------|----------|-----------------------|-----------|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint           | Upper<br>Endpoint | APC           | Lower Cl        | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |
| 1                                                                                                                                                                                                                        | 2009.00                     | 2019.00           | 6.57*         | 1.35            | 12.07    | 2.87                  | 0.019     |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                             |                   |               |                 |          |                       |           |  |
|                                                                                                                                                                                                                          |                             | Aver              | age Annual Pe | rcent Change (A | APC)     |                       |           |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint           | Upper<br>Endpoint | AAPC          | Lower Cl        | Upper Cl | Test<br>Statistic~    | P-Value~  |  |
| Full Range                                                                                                                                                                                                               | 2009.00                     | 2019.00           | 6.57*         | 1.35            | 12.07    | 2.87                  | 0.019     |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                             |                   |               |                 |          |                       |           |  |





2. The significance test results using the Monte Carlo permutation statistical method to determine the time series's best-fitted line segment(s) to represent substantial trend changes (referred to as APC value) in Joinpoint regression analysis:

| Annual Percent Change (APC)                                                                                                                                                                                              |                                                       |                   |                |                |          |                       |           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------|----------------|----------------|----------|-----------------------|-----------|--|
| Segment                                                                                                                                                                                                                  | Lower<br>Endpoint                                     | Upper<br>Endpoint | APC            | Lower Cl       | Upper Cl | Test Statistic<br>(t) | Prob >  t |  |
| 1                                                                                                                                                                                                                        | 2009.00                                               | 2019.00           | 1.46           | -1.32          | 4.32     | 1.18                  | 0.267     |  |
| * Indicates that the Annual Percent Change (APC) is significantly different from zero at the alpha = 0.05 level                                                                                                          |                                                       |                   |                |                |          |                       |           |  |
|                                                                                                                                                                                                                          |                                                       | Avera             | ige Annual Per | cent Change (A | APC)     |                       |           |  |
| Range                                                                                                                                                                                                                    | Lower<br>Endpoint                                     | Upper<br>Endpoint | AAPC           | Lower Cl       | Upper Cl | Test<br>Statistic~    | P-Value~  |  |
| Full Range                                                                                                                                                                                                               | Full Range 2009.00 2019.00 1.46 -1.32 4.32 1.18 0.267 |                   |                |                |          |                       |           |  |
| * Indicates that the AAPC is significantly different from zero at the alpha = 0.05 level.<br>~ If the AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used. Learn More |                                                       |                   |                |                |          |                       |           |  |

e. Trend Analysis for Left-Sided CRC Cases Among Old Patients

Detailed analysis for forecasting future ten-year incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among all patients based on tumor location and tumor side involvement

# a. Regression Model for Total CRC Cases





| Model                      | Automatic Fitted-Curve                            | Accuracy Measurements |        |         |  |
|----------------------------|---------------------------------------------------|-----------------------|--------|---------|--|
|                            |                                                   | MAPE                  | MAD    | MSD     |  |
| Linear                     | Yt = 124.7 + 3.21t                                | 8.518                 | 12.469 | 211.926 |  |
| Quadratic                  | $Yt = 126.4 + 2.44t + 0.064t^2$                   | 8.509                 | 12.446 | 211.606 |  |
| <b>Exponential Growth*</b> | $Yt = 125.235 \times (1.0223^t)$                  | 8.348                 | 12.282 | 212.125 |  |
| S-shaped                   | $Yt = 10^3 / (6.4744 + 9.5712 \times (0.5661^t))$ | 12.101                | 17.173 | 455.769 |  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |  |  |
|------------|----------------|----|-------------|-------|------|--|--|
|            | Sum of Squares | df | Mean Square | F     | Sig. |  |  |
| Regression | .053           | 1  | .053        | 4.558 | .062 |  |  |
| Residual   | .106           | 9  | .012        |       |      |  |  |
| Total      | .159           | 10 |             |       |      |  |  |

The independent variable is Year.

| 3. The forecast of the number | r of cases in the following ten-year period using the Exponential |
|-------------------------------|-------------------------------------------------------------------|
| growth model.                 |                                                                   |
| Year Forecasted Cases         |                                                                   |

| Year  | Forecasted Cases |
|-------|------------------|
| 2020  | 163.163          |
| 2021  | 166.800          |
| 2022  | 170.518          |
| 2023  | 174.319          |
| 2024  | 178.205          |
| 2025  | 182.177          |
| 2026  | 186.238          |
| 2027  | 190.389          |
| 2028  | 194.633          |
| 2029  | 198.972          |
| Mean  | 180.541          |
| Total | 1,805.41         |

# b. Regression Model for Total Colon Cancer Cases

1. Curve Options



| Model               | Automatic Fitted-Curve                                | Accuracy Measurements |        |         |  |
|---------------------|-------------------------------------------------------|-----------------------|--------|---------|--|
|                     |                                                       | MAPE                  | MAD    | MSD     |  |
| Linear              | Yt = 31.60 + 3.309t                                   | 9.9302                | 5.2661 | 45.2926 |  |
| Quadratic           | $Yt = 39.78 - 0.47t + 0.315t^2$                       | 9.4024                | 5.0220 | 37.5685 |  |
| Exponential Growth* | $Yt = 34.58 \times (1.0638^t)$                        | 9.1430                | 4.9466 | 41.4342 |  |
| S-shaped            | $Yt = 10^3 / (14.8862 + 26.4553 \times (0.747822^t))$ | 10.9567               | 5.7949 | 66.4672 |  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |        |      |  |  |  |
|------------|----------------|----|-------------|--------|------|--|--|--|
|            | Sum of Squares | df | Mean Square | F      | Sig. |  |  |  |
| Regression | .421           | 1  | .421        | 29.084 | .000 |  |  |  |
| Residual   | .130           | 9  | .014        |        |      |  |  |  |
| Total      | .551           | 10 |             |        |      |  |  |  |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Exponential growth model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 72.652                  |
| 2021  | 77.288                  |
| 2022  | 82.221                  |
| 2023  | 87.468                  |
| 2024  | 93.051                  |
| 2025  | 98.989                  |
| 2026  | 105.307                 |
| 2027  | 112.027                 |
| 2028  | 119.177                 |
| 2029  | 126.783                 |
| Mean  | 97.4963                 |
| Total | 974.963                 |

## c. Regression Model for Total Rectal Cancer Cases

1. Curve Options



| Model                      | Automatic Fitted-Curve                     | Accuracy Measurements |       | urements |
|----------------------------|--------------------------------------------|-----------------------|-------|----------|
|                            |                                            | MAPE                  | MAD   | MSD      |
| Linear                     | Yt = 93.15 - 0.10t                         | 9.332                 | 8.731 | 139.602  |
| Quadratic                  | $Yt = 86.6 + 2.91t + 0.25t^2$              | 9.481                 | 8.822 | 134.705  |
| <b>Exponential Growth*</b> | $Yt = 92.3161 \times (0.9991^t)$           | 9.042                 | 8.529 | 140.117  |
| S-shaped                   | Error: Can not fit the model to these data | n/a                   | n/a   | n/a      |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |      |      |  |  |
|------------|----------------|----|-------------|------|------|--|--|
|            | Sum of Squares | df | Mean Square | F    | Sig. |  |  |
| Regression | .000           | 1  | .000        | .005 | .948 |  |  |
| Residual   | .167           | 9  | .019        |      |      |  |  |
| Total      | .167           | 10 |             |      |      |  |  |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Exponential μ growth model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 91.3487                 |
| 2021  | 91.2685                 |
| 2022  | 91.1884                 |
| 2023  | 91.1084                 |
| 2024  | 91.0284                 |
| 2025  | 90.9486                 |
| 2026  | 90.8688                 |
| 2027  | 90.7890                 |
| 2028  | 90.7094                 |
| 2029  | 90.6298                 |
| Mean  | 90.9888                 |
| Total | 909.888                 |

# d. Regression Model for Total Right-Sided CRC Cases

1. Curve Options



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



| Model              | Automatic Fitted-Curve                                | Accuracy Measurements |        |         |
|--------------------|-------------------------------------------------------|-----------------------|--------|---------|
|                    |                                                       | MAPE                  | MAD    | MSD     |
| Linear             | Yt = 16.11 + 1.573t                                   | 17.927                | 4.2628 | 26.6041 |
| Quadratic*         | $Yt = 17.17 + 1.08t + 0.041t^2$                       | 17.8277               | 4.2554 | 26.4743 |
| Exponential Growth | $Yt = 16.796 \times (1.0652^t)$                       | 17.6805               | 4.2926 | 26.6718 |
| S-shaped           | $Yt = 10^3 / (33.9465 + 155.941 \times (0.534593^t))$ | 22.8801               | 5.2995 | 41.2717 |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

|            | ANOVA          |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
|            | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | 272.109        | 1  | 272.109     | 8.369 | .018 |
| Residual   | 292.618        | 9  | 32.513      |       |      |
| Total      | 564.727        | 10 |             |       |      |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Quadratic model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 36.0424                 |
| 2021  | 38.1455                 |
| 2022  | 40.3301                 |
| 2023  | 42.5963                 |
| 2024  | 44.9441                 |
| 2025  | 47.3734                 |
| 2026  | 49.8844                 |
| 2027  | 52.4769                 |
| 2028  | 55.1510                 |
| 2029  | 57.9068                 |
| Mean  | 46.48509                |
| Total | 464.8509                |
|       |                         |









| Model               | Automatic Fitted-Curve                                  | Accuracy Measurements |        |         |   |
|---------------------|---------------------------------------------------------|-----------------------|--------|---------|---|
|                     |                                                         | MAPE                  | MAD    | MSD     |   |
| Linear              | Yt = 108.64 + 1.64t                                     | 9.177                 | 10.893 | 169.471 |   |
| Quadratic           | $Yt = 109.2 + 1.36t + 0.023t^2$                         | 9.170                 | 10.884 | 169.429 |   |
| Exponential Growth* | $Yt = 108.176 \times (1.0141^t)$                        | 8.952                 | 10.694 | 169.916 |   |
| S-shaped            | $Yt = 10^3 / (8.04899 + 13.6373 \times (0.518800^{t}))$ | 13.355                | 15.600 | 412.741 |   |
|                     |                                                         |                       |        | 144.5   | 1 |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |  |  |
|------------|----------------|----|-------------|-------|------|--|--|
|            | Sum of Squares | df | Mean Square | F     | Sig. |  |  |
| Regression | .022           | 1  | .022        | 1.501 | .252 |  |  |
| Residual   | .129           | 9  | .014        |       |      |  |  |
| Total      | .150           | 10 |             |       |      |  |  |

The independent variable is Year.

#### BMJ Open

| owth r | model.        |
|--------|---------------|
| Year   | Forecasted Ca |
| 2020   | 127.936       |
| 2021   | 129.737       |
| 2022   | 131.564       |
| 2023   | 133.416       |
| 2024   | 135.294       |
| 2025   | 137.199       |
| 2026   | 139.131       |
| 2027   | 141.090       |
| 2028   | 143.076       |
| 2029   | 145.090       |
| Mean   | 136.3533      |
| Total  | 1363.533      |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |
|        |               |

3. The forecast of the number of cases in the following ten-year period using the Exponential

1



Detailed analysis for forecasting future ten-year incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among young patients based on tumor location and tumor side involvement

# a. Regression Model for CRC Cases Among Young Patients

## 1. Curve Options



| Model                      | Automatic Fitted-Curve Accuracy Mea        |         | acy Measu | surements |  |
|----------------------------|--------------------------------------------|---------|-----------|-----------|--|
|                            |                                            | MAPE    | MAD       | MSD       |  |
| Linear                     | Yt = 47.87 + 1.173t                        | 11.2518 | 6.3669    | 61.0570   |  |
| Quadratic                  | $Yt = 49.1 + 0.60t + 0.049t^2$             | 11.2153 | 6.3496    | 60.8789   |  |
| <b>Exponential Growth*</b> | $Yt = 48.2453 \times (1.0198^t)$           | 10.9230 | 6.2589    | 61.3589   |  |
| S-shaped                   | Error: Can not fit the model to these data | n/a     | n/a       | n/a       |  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |  |  |
|------------|----------------|----|-------------|-------|------|--|--|
|            | Sum of Squares | df | Mean Square | F     | Sig. |  |  |
| Regression | .042           | 1  | .042        | 1.916 | .200 |  |  |
| Residual   | .200           | 9  | .022        |       |      |  |  |
| Total      | .242           | 10 |             |       |      |  |  |

The independent variable is Year.

| . The fo | recast of the number of |
|----------|-------------------------|
| rowth m  | nodel.                  |
| Year     | Forecasted Cases        |
| 2020     | 61.0779                 |
| 2021     | 62.2902                 |
| 2022     | 63.5266                 |
| 2023     | 64.7875                 |
| 2024     | 66.0734                 |
| 2025     | 67.3849                 |
| 2026     | 68.7224                 |
| 2027     | 70.0864                 |
| 2028     | 71.4776                 |
| 2029     | 72.8963                 |
| Mean     | 66.83232                |
| Total    | 668.3232                |

n the following ten-year period using the Exponential

# er Cases Among Young Patients



| Model               | Automatic Fitted-Curve                                | Accuracy Measurements |        | urements |
|---------------------|-------------------------------------------------------|-----------------------|--------|----------|
|                     |                                                       | MAPE                  | MAD    | MSD      |
| Linear              | Yt = 7.84 + 1.527t                                    | 21.0186               | 3.6661 | 20.3107  |
| Quadratic           | $Yt = 9.96 + 0.55t + 0.082t^2$                        | 22.0265               | 3.8124 | 19.7916  |
| Exponential Growth* | $Yt = 9.351 \times (1.0924^t)$                        | 20.8294               | 3.7308 | 19.9062  |
| S-shaped            | $Yt = 10^3 / (49.5468 + (223.951 \times 0.576232^t))$ | 23.0526               | 3.9821 | 26.9480  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

|            |                | ANOV | A           |        |      |
|------------|----------------|------|-------------|--------|------|
|            | Sum of Squares | df   | Mean Square | F      | Sig. |
| Regression | .859           | 1    | .859        | 13.320 | .005 |
| Residual   | .581           | 9    | .065        |        |      |
| Total      | 1.440          | 10   |             |        |      |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Exponential growth model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 27.0046                 |
| 2021  | 29.4998                 |
| 2022  | 32.2256                 |
| 2023  | 35.2031                 |
| 2024  | 38.4559                 |
| 2025  | 42.0091                 |
| 2026  | 45.8907                 |
| 2027  | 50.1310                 |
| 2028  | 54.7630                 |
| 2029  | 59.8230                 |
| Mean  | 41.50058                |
| Total | 415.0058                |

# c. Regression Model for Rectal Cancer Cases Among Young Patients

1. Curve Options



| Model                      | Automatic Fitted-Curve                     | Accuracy Measurements |        | urements |
|----------------------------|--------------------------------------------|-----------------------|--------|----------|
|                            |                                            | MAPE                  | MAD    | MSD      |
| Linear                     | Yt = 40.04 - 0.355t                        | 9.6025                | 3.6496 | 23.3711  |
| Quadratic                  | $Yt = 39.16 + 0.05t - 0.034t^2$            | 9.6850                | 3.6619 | 23.2820  |
| <b>Exponential Growth*</b> | $Yt = 39.85 \times (0.9903^t)$             | 9.3215                | 3.5723 | 23.4688  |
| S-shaped                   | Error: Can not fit the model to these data | n/a                   | n/a    | n/a      |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Exponential growth model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |      |      |
|------------|----------------|----|-------------|------|------|
|            | Sum of Squares | df | Mean Square | F    | Sig. |
| Regression | .010           | 1  | .010        | .551 | .477 |
| Residual   | .169           | 9  | .019        |      |      |
| Total      | .180           | 10 |             |      |      |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Exponential growth model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 35.4703                 |
| 2021  | 35.1278                 |
| 2022  | 34.7886                 |
| 2023  | 34.4527                 |
| 2024  | 34.1201                 |
| 2025  | 33.7906                 |
| 2026  | 33.4644                 |
| 2027  | 33.1413                 |
| 2028  | 32.8213                 |
| 2029  | 32.5044                 |
| Mean  | 33.96815                |
| Total | 339.6815                |

# d. Regression Model for Right-Sided CRC Cases Among Young Patients

1. Curve Options



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



| Model              | Automatic Fitted-Curve                     | Accuracy Measurements |        |         |
|--------------------|--------------------------------------------|-----------------------|--------|---------|
|                    |                                            | MAPE                  | MAD    | MSD     |
| Linear             | Yt = 5.73 + 0.5t                           | 36.7552               | 3.0165 | 12.7893 |
| Quadratic*         | $Yt = 2.79 + 1.86t - 0.113t^2$             | 34.2056               | 2.8790 | 11.7923 |
| Exponential Growth | $Yt = 5.407 \times (1.0659^t)$             | 33.1397               | 2.9503 | 13.4768 |
| S-shaped           | Error: Can not fit the model to these data | n/a                   | n/a    | n/a     |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

|            | ANOVA          |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
|            | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | 27.500         | 1  | 27.500      | 1.759 | .217 |
| Residual   | 140.682        | 9  | 15.631      |       |      |
| Total      | 168.182        | 10 |             |       |      |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Quadratic model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 8.78788                 |
| 2021  | 7.81818                 |
| 2022  | 6.62238                 |
| 2023  | 5.20047                 |
| 2024  | 3.55245                 |
| 2025  | 1.67832                 |
| 2026  | -0.42191                |
| 2027  | -2.74825                |
| 2028  | -5.30070                |
| 2029  | -8.07925                |
| Mean  | 1.710957                |
| Total | 17.10957                |
|       |                         |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

# e. Regression Model for Left-Sided CRC Cases Among Young Patients

# 1. Curve Options



| Model              | Automatic Fitted-Curve                     | Accuracy Measurements |        |         |
|--------------------|--------------------------------------------|-----------------------|--------|---------|
|                    |                                            | MAPE                  | MAD    | MSD     |
| Linear             | Yt = 42.15 + 0.673t                        | 12.3297               | 5.5041 | 40.5322 |
| Quadratic*         | $Yt = 46.33 - 1.26t + 0.161t^2$            | 11.9922               | 5.4062 | 38.5144 |
| Exponential Growth | $Yt = 42.108 \times (1.0137^t)$            | 12.1815               | 5.4906 | 40.6512 |
| S-shaped           | Error: Can not fit the model to these data | n/a                   | n/a    | n/a     |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
|            | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | 49.828         | 1  | 49.828      | 1.006 | .342 |
| Residual   | 445.808        | 9  | 49.534      |       |      |
| Total      | 495.636        | 10 |             |       |      |

The independent variable is Year.

| 2        | 3. The fo | recast of the numbe | r of cases in the following ten-year period using the Quadratic model. |
|----------|-----------|---------------------|------------------------------------------------------------------------|
| 3        | Year      | Forecasted Cases    |                                                                        |
| 4<br>5   | 2020      | 54.4000             |                                                                        |
| 6        | 2021      | 57.1636             |                                                                        |
| 7        | 2022      | 60.2490             |                                                                        |
| 8<br>9   | 2023      | 63.6559             |                                                                        |
| 10       | 2024      | 67.3846             |                                                                        |
| 11       | 2025      | 71.4350             |                                                                        |
| 12<br>13 | 2026      | 75.8070             |                                                                        |
| 13       | 2027      | 80.5007             |                                                                        |
| 15       | 2028      | 85.5161             |                                                                        |
| 16<br>17 | 2029      | 90.8531             |                                                                        |
| 17       | Mean      | 70.6965             |                                                                        |
| 19       | Total     | 706.965             |                                                                        |
| 20       |           |                     |                                                                        |
| 21<br>22 |           |                     |                                                                        |
| 23       |           |                     |                                                                        |
| 24       |           |                     |                                                                        |
| 25<br>26 |           |                     |                                                                        |
| 20       |           |                     |                                                                        |
| 28       |           |                     |                                                                        |
| 29       |           |                     |                                                                        |
| 30<br>31 |           |                     |                                                                        |
| 32       |           |                     |                                                                        |
| 33       |           |                     |                                                                        |
| 34       |           |                     |                                                                        |
| 35<br>36 |           |                     |                                                                        |
| 37       |           |                     |                                                                        |
| 38       |           |                     |                                                                        |
| 39       |           |                     |                                                                        |
| 40<br>41 |           |                     |                                                                        |
| 42       |           |                     |                                                                        |
| 43       |           |                     |                                                                        |
| 44       |           |                     |                                                                        |
| 45<br>46 |           |                     |                                                                        |
| 47       |           |                     |                                                                        |
| 48       |           |                     |                                                                        |
| 49       |           |                     |                                                                        |
| 50<br>51 |           |                     |                                                                        |
| 52       |           |                     |                                                                        |
| 53       |           |                     |                                                                        |
| 54<br>55 |           |                     |                                                                        |
| 55<br>56 |           |                     |                                                                        |
| 57       |           |                     |                                                                        |
| 58       |           |                     |                                                                        |
| 59<br>60 |           |                     |                                                                        |
| Uơ       |           |                     |                                                                        |
|          |           |                     |                                                                        |

Supplementary File 6.

Detailed analysis for forecasting future ten-year incidence of colorectal cancer using the bestfitted curve model obtained from regression analysis among old patients based on tumor location and tumor side involvement

## a. Regression Model for CRC Cases Among Old Patients





| Model              | Automatic Fitted-Curve                                | Accuracy Measurements |        | urements |
|--------------------|-------------------------------------------------------|-----------------------|--------|----------|
|                    |                                                       | MAPE                  | MAD    | MSD      |
| Linear             | Yt = 76.87 + 2.036t                                   | 7.4181                | 6.4826 | 67.3421  |
| Quadratic*         | $Yt = 77.3 + 1.84t + 0.016t^2$                        | 7.4248                | 6.4832 | 67.3214  |
| Exponential Growth | $Yt = 76.8325 \times (1.02377^t)$                     | 7.4618                | 6.5439 | 67.4615  |
| S-shaped           | $Yt = 10^3 / (8.92496 + 5.70174 \times (0.865544^t))$ | 7.4304                | 6.7123 | 76.3698  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
|            | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | 456.159        | 1  | 456.159     | 5.542 | .043 |
| Residual   | 740.750        | 9  | 82.306      |       |      |
| Total      | 1196.909       | 10 |             |       |      |

The independent variable is Year.

| 5. The lo | reeast of the numbe     |
|-----------|-------------------------|
| Year      | <b>Forecasted Cases</b> |
| 2020      | 101.733                 |
| 2021      | 103.982                 |
| 2022      | 106.263                 |
| 2023      | 108.577                 |
| 2024      | 110.923                 |
| 2025      | 113.302                 |
| 2026      | 115.714                 |
| 2027      | 118.158                 |
| 2028      | 120.635                 |
| 2029      | 123.145                 |
| Mean      | 112.2432                |

3. The forecast of the number of cases in the following ten-year period using the Quadratic model.

## b. Regression Model for Colon Cancer Cases Among Old Patients

1. Curve Options

Total

1122.432



| Model              | Automatic Fitted-Curve                                | Accuracy Measurements |         | irements |
|--------------------|-------------------------------------------------------|-----------------------|---------|----------|
|                    |                                                       | MAPE                  | MAD     | MSD      |
| Linear             | Yt = 23.76 + 1.782t                                   | 8.6154                | 2.8165  | 12.4992  |
| Quadratic*         | $Yt = 29.82 - 1.02t + 0.233t^2$                       | 7.2590                | 2.40093 | 8.26099  |
| Exponential Growth | $Yt = 25.0934 \times (1.0511^t)$                      | 8.1934                | 2.7177  | 11.1853  |
| S-shaped           | $Yt = 10^3 / (18.7237 + (30.8110 \times 0.845692^t))$ | 10.9444               | 3.6113  | 17.0476  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |        |      |  |
|------------|----------------|----|-------------|--------|------|--|
|            | Sum of Squares | df | Mean Square | F      | Sig. |  |
| Regression | 349.413        | 1  | 349.413     | 22.902 | .001 |  |
| Residual   | 137.314        | 9  | 15.257      |        |      |  |
| Total      | 486.727        | 10 |             |        |      |  |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Quadratic model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 51.206                  |
| 2021  | 56.018                  |
| 2022  | 61.297                  |
| 2023  | 67.041                  |
| 2024  | 73.252                  |
| 2025  | 79.929                  |
| 2026  | 87.072                  |
| 2027  | 94.681                  |
| 2028  | 102.757                 |
| 2029  | 111.298                 |
| Mean  | 78.4551                 |
| Total | 784.551                 |

# c. Regression Model for Rectal Cancer Cases Among Old Patients

1. Curve Options



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

| Model              | Automatic Fitted-Curve                     | Accuracy Measurements |        | irements |
|--------------------|--------------------------------------------|-----------------------|--------|----------|
|                    |                                            | MAPE                  | MAD    | MSD      |
| Linear*            | Yt = 53.11 + 0.255t                        | 10.5491               | 5.5074 | 66.8562  |
| Quadratic          | $Yt = 47.5 + 2.86t - 0.217t^2$             | 10.9428               | 5.7462 | 63.1906  |
| Exponential Growth | $Yt = 52.172 \times (1.0958^t)$            | 10.7085               | 5.6658 | 67.2965  |
| S-shaped           | Error: Can not fit the model to these data | n/a                   | n/a    | n/a      |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Linear model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |      |      |  |
|------------|----------------|----|-------------|------|------|--|
|            | Sum of Squares | df | Mean Square | F    | Sig. |  |
| Regression | 7.127          | 1  | 7.127       | .087 | .774 |  |
| Residual   | 735.418        | 9  | 81.713      |      |      |  |
| Total      | 742.545        | 10 |             |      |      |  |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using a Linear model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 56.1636                 |
| 2021  | 56.4182                 |
| 2022  | 56.6727                 |
| 2023  | 56.9273                 |
| 2024  | 57.1818                 |
| 2025  | 57.4364                 |
| 2026  | 57.6909                 |
| 2027  | 57.9455                 |
| 2028  | 58.2000                 |
| 2029  | 58.4545                 |
| Mean  | 57.30909                |
| Total | 573 0000                |

# d. Regression Model for Right-Sided CRC Cases Among Old Patients

1. Curve Options





| Model              | Automatic Fitted-Curve                                | Accuracy Measurements |        | urements |
|--------------------|-------------------------------------------------------|-----------------------|--------|----------|
|                    |                                                       | MAPE                  | MAD    | MSD      |
| Linear             | Yt = 10.38 + 1.073t                                   | 17.2922               | 2.2975 | 8.2777   |
| Quadratic*         | $Yt = 14.38 - 0.77t + 0.154t^2$                       | 15.1707               | 2.0717 | 6.4315   |
| Exponential Growth | $Yt = 11.036 \times (1.0657^t)$                       | 16.8371               | 2.2891 | 7.6788   |
| S-shaped           | $Yt = 10^2 / (3.70623 + (10.9109 \times 0.793150^t))$ | 21.1872               | 3.0669 | 12.2758  |

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., Quadratic model) employing the ANOVA statistical test in SPSS.

|            | ANOVA          |    |             |        |      |
|------------|----------------|----|-------------|--------|------|
|            | Sum of Squares | df | Mean Square | F      | Sig. |
| Regression | 126.652        | 1  | 126.652     | 12.528 | .006 |
| Residual   | 90.984         | 9  | 10.109      |        |      |
| Total      | 217.636        | 10 |             |        |      |

The independent variable is Year.

3. The forecast of the number of cases in the following ten-year period using the Quadratic model.

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 27.2545                 |
| 2021  | 30.3273                 |
| 2022  | 33.7077                 |
| 2023  | 37.3958                 |
| 2024  | 41.3916                 |
| 2025  | 45.6951                 |
| 2026  | 50.3063                 |
| 2027  | 55.2252                 |
| 2028  | 60.4517                 |
| 2029  | 65.9860                 |
| Mean  | 44.77412                |
| Total | 447.7412                |
|       |                         |

# e. Regression Model for Left-Sided CRC Cases Among Old Patients

# 1. Curve Options



| Model              | Automatic Fitted-Curve                                | Accuracy Measurements |        |         |
|--------------------|-------------------------------------------------------|-----------------------|--------|---------|
|                    |                                                       | MAPE                  | MAD    | MSD     |
| Linear             | Yt = 66.49 + 0964t                                    | 8.2684                | 5.8579 | 69.8215 |
| Quadratic          | $Yt = 62.8 + 2.61t - 0.138t^2$                        | 8.7701                | 6.2598 | 68.3462 |
| Exponential Growth | $Yt = 65.7358 \times (1.0146^t)$                      | 7.9933                | 5.7101 | 70.2739 |
| S-shaped*          | $Yt = 10^3 / (10.0061 + (5.88632 \times 0.938146^t))$ | 7.6702                | 5.5748 | 71.8833 |

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

\*The best-fitted model is the one that has the lowest value for three parameters (MAPE, MAD, and MSD), or at least for two parameters out of three, or at least having the lowest value for MAPE.

2. The significance test results for the slope of curve estimation (i.e., S-shaped curve model) employing the ANOVA statistical test in SPSS.

| ANOVA      |                |    |             |       |      |
|------------|----------------|----|-------------|-------|------|
| _          | Sum of Squares | df | Mean Square | F     | Sig. |
| Regression | .023           | 1  | .023        | 1.400 | .267 |
| Residual   | .149           | 9  | .017        |       |      |
| Total      | .172           | 10 |             |       |      |

The independent variable is Year.
## **BMJ** Open

| 3. The forecast of the number of cases in the following ten-year period using an S-shaped curv |
|------------------------------------------------------------------------------------------------|
| model.                                                                                         |

| Year  | <b>Forecasted Cases</b> |
|-------|-------------------------|
| 2020  | 78.4808                 |
| 2021  | 79.5371                 |
| 2022  | 80.5543                 |
| 2023  | 81.5325                 |
| 2024  | 82.4720                 |
| 2025  | 83.3733                 |
| 2026  | 84.2369                 |
| 2027  | 85.0636                 |
| 2028  | 85.8540                 |
| 2029  | 86.6090                 |
| Mean  | 82.77135                |
| Total | 827.7135                |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |
|       |                         |

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

77 of 76 Supplementary Table 1. The summary of best-fitted models, equations of the predicted case, and several forecasted scenarios between 2020 and 2029.

## Research Checklist STROBE Checklist 2007 (v4) Statement For Reporting A Cross-Sectional Study

| Section/Topic        | Item #                                                         | Recommendation                                                                                  | Reported<br>on page # |  |  |
|----------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------|--|--|
| Title and abstract   | 1                                                              | ( <i>a</i> ) Indicate the study's design with a commonly used term in the title or the abstract | 1                     |  |  |
|                      |                                                                | (b) Provide in the abstract an informative and balanced summary of what was done                | 1                     |  |  |
|                      |                                                                | and what was found                                                                              |                       |  |  |
| Introduction         |                                                                |                                                                                                 |                       |  |  |
| Background/rationale | 2                                                              | Explain the scientific background and rationale for the investigation being reported            | 2                     |  |  |
| Objectives           | 3                                                              | State specific objectives including any prespecified hypotheses                                 | 2                     |  |  |
| Mathads              | Size specific objectives, metuding any prespecifica hypotheses |                                                                                                 |                       |  |  |
| Study design         | 4                                                              | Present key elements of study design early in the paper                                         | 2-4                   |  |  |
| Setting              | 5                                                              | Describe the setting locations and relevant dates including periods of recruitment              | 2-4                   |  |  |
| Setting              |                                                                | exposure follow-up and data collection                                                          |                       |  |  |
| Participants         | 6                                                              | (a) Give the eligibility criteria and the sources and methods of selection of                   | 2-4                   |  |  |
| 1 unterpuites        | 0                                                              | narticipants                                                                                    |                       |  |  |
|                      |                                                                |                                                                                                 |                       |  |  |
| Variables            | 7                                                              | Clearly define all outcomes, exposures, predictors, potential confounders, and effect           | 3                     |  |  |
|                      |                                                                | modifiers. Give diagnostic criteria, if applicable                                              |                       |  |  |
| Data sources/        | 8*                                                             | For each variable of interest, give sources of data and details of methods of                   | 2-3                   |  |  |
| measurement          |                                                                | assessment (measurement). Describe comparability of assessment methods if there                 |                       |  |  |
|                      |                                                                | is more than one group                                                                          |                       |  |  |
| Bias                 | 9                                                              | Describe any efforts to address potential sources of bias                                       | 16-17                 |  |  |
| Study size           | 10                                                             | Explain how the study size was arrived at                                                       | 2-3                   |  |  |
| Quantitative         | 11                                                             | Explain how quantitative variables were handled in the analyses. If applicable,                 | 3                     |  |  |
| variables            |                                                                | describe which groupings were chosen and why                                                    |                       |  |  |
| Statistical methods  | 12                                                             | (a) Describe all statistical methods, including those used to control for confounding           | 4                     |  |  |
|                      |                                                                | (b) Describe any methods used to examine subgroups and interactions                             | 4                     |  |  |
|                      |                                                                | (c) Explain how missing data were addressed                                                     | 4                     |  |  |
|                      |                                                                | (d) If applicable, describe analytical methods taking account of sampling strategy              | 4                     |  |  |
|                      |                                                                | (e) Describe any sensitivity analyses                                                           | 4                     |  |  |
| Results              |                                                                |                                                                                                 |                       |  |  |
| Participants         | 13*                                                            | (a) Report numbers of individuals at each stage of study—eg numbers potentially                 | 4-5                   |  |  |
|                      |                                                                | eligible, examined for eligibility, confirmed eligible, included in the study,                  |                       |  |  |
|                      |                                                                | completing follow-up, and analysed                                                              |                       |  |  |
|                      |                                                                | (b) Give reasons for non-participation at each stage                                            | 3, 4-5                |  |  |
|                      |                                                                | (c) Consider use of a flow diagram                                                              | 3                     |  |  |
| Descriptive data     | 14*                                                            | (a) Give characteristics of study participants (eg demographic, clinical, social) and           | 4-8                   |  |  |
|                      |                                                                | information on exposures and potential confounders                                              |                       |  |  |
|                      |                                                                | (b) Indicate number of participants with missing data for each variable of interest             | 3, 4                  |  |  |
| Outcome data         | 15*                                                            | Report numbers of outcome events or summary measures                                            | 4-8                   |  |  |
| Main results         | 16                                                             | (a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and             | 4-8                   |  |  |
|                      |                                                                | their precision (eg, 95% confidence interval). Make clear which confounders were                |                       |  |  |
|                      |                                                                | adjusted for and why they were included                                                         |                       |  |  |
|                      |                                                                | (b) Report category boundaries when continuous variables were categorized                       | 4-8                   |  |  |
|                      |                                                                | (c) If relevant, consider translating estimates of relative risk into absolute risk for a       | N/A                   |  |  |

|                   |    | meaningful time period                                                                 |          |
|-------------------|----|----------------------------------------------------------------------------------------|----------|
| Other analyses    | 17 | Report other analyses done-eg analyses of subgroups and interactions, and              | 4-8      |
|                   |    | sensitivity analyses                                                                   |          |
| Discussion        |    |                                                                                        |          |
| Key results       | 18 | Summarise key results with reference to study objectives                               | 8-9      |
| Limitations       | 19 | Discuss limitations of the study, taking into account sources of potential bias or     | 1-2, 12, |
|                   |    | imprecision. Discuss both direction and magnitude of any potential bias                | and 16   |
| Interpretation    | 20 | Give a cautious overall interpretation of results considering objectives, limitations, | 8-17     |
|                   |    | multiplicity of analyses, results from similar studies, and other relevant evidence    |          |
| Generalisability  | 21 | Discuss the generalisability (external validity) of the study results                  | 17       |
| Other information |    |                                                                                        |          |
| Funding           | 22 | Give the source of funding and the role of the funders for the present study and, if   | 18       |
|                   |    | applicable, for the original study on which the present article is based               |          |

\*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.