



BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

Quiet quitting among healthcare professionals in healthcare environments: A scoping review and Concept analysis protocol

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2023-077811
Article Type:	Protocol
Date Submitted by the Author:	15-Jul-2023
Complete List of Authors:	Kang, Jaejin; The Catholic University of Korea Kim, Hyekyung; Catholic Kwandong University Cho, Ok-Hee; Kongju National University,
Keywords:	Occupational Stress, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, COVID-19

SCHOLARONE™
Manuscripts

Quiet quitting among healthcare professionals in healthcare environments: A scoping review and concept analysis protocol

Abstract

Introduction: The coronavirus disease pandemic has brought about significant changes in various aspects of society, including workforce and organizational dynamics. One noticeable phenomenon is the rise of quiet quitting, in which employees limit their efforts to fulfill assigned tasks without going beyond their designated responsibilities. This behavior can have detrimental effects on organizational culture and patient safety in healthcare settings. This article outlines the protocol for a scoping review of the published literature and a concept analysis of quiet quitting among healthcare professionals in the healthcare environment. The scoping review will address the broad research question, ‘How can the concept of quiet quitting be characterized among healthcare professionals within the context of healthcare settings?’ Aiming to provide an overview of the concept, environmental factors, and contextual factors of the occurrence and impacts on healthcare settings.

Methods and analysis: This literature review will adopt the Aromataris and Munn methodological framework for scoping reviews and the Walker and Avant method for concept analysis. The review will utilize the framework developed by the Joanna Briggs Institute, incorporating the Preferred Reporting Items for Systematic Reviews and Meta Analysis Scoping Review Checklist. The following databases have been identified to retrieve the peer reviewed quantitative and qualitative studies within the scope of the review. Additionally, grey literature will be searched. The review will focus on literature published between January 1, 2009, and July 1, 2023.

Ethics and dissemination: This scoping review does not require ethical approval. The results

of this scoping review will be reported in peer reviewed publications.

Keywords: health personnel; COVID-19; occupational stress; work engagement

For peer review only

Enseignement Supérieur (ABES).
Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Strengths and limitations of this study

- This will be the first scoping review of 'quiet quitting' in healthcare settings.
- We will conduct a comprehensive review of all literature pertaining to 'quiet quitting,' utilizing various search engines and including grey literature sources.
- The publication dates of the researched literature will include all materials published after the emergence of the term 'quiet quitting.'
- This study will utilize the framework developed by the Joanna Briggs Institute, incorporating the Preferred Reporting Items for Systematic Reviews and Meta Analysis Scoping Review checklist. In addition, a concept analysis will be conducted following Walker and Avant's method.
- This review will include documents written only in English and Korean, leading to the potential omission of relevant materials written in other languages.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.
Enseignement Supérieur (ABES).

1. INTRODUCTION

Occupational perceptions evolve over time, and are influenced by changing social dynamics.¹ Recently, a phenomenon known as "quiet quitting" has been observed to be on the rise. This behavior entails employees limiting their dedication solely to assigned tasks, strictly adhering to the job description without engaging in any additional work.² It differs from the previously prevalent trend "hustle culture," which emphasizes work over personal life. In 2020, over 50% of American workers engaged in "quiet quitting," with the trend being more prominent among the Millennial and Generation Z cohorts. This phenomenon indicates a psychological detachment from job-related responsibilities.³

The concept of "quiet quitting" was introduced by Mark Boldger in 2009.⁴ However, it gained widespread recognition and renewed attention when "quiet quitting" went viral on social media in summer 2022.⁵ The COVID-19 pandemic brought about significant changes in working conditions, particularly with a surge in remote work.⁶ Following the pandemic, individuals started reassessing the costs and intensity associated with traditional jobs, leading to a notable increase in voluntary resignations, referred to as the "Great Resignation".⁷ Consequently, the remaining employees bear heavier workloads without adequate compensation. Additionally, a low-growth environment, economic recession, and inflation have made job transitions more challenging. Hence, "quiet quitting" has become a method employed by remaining employees to maintain a work-life balance.⁸

However, even if it is argued that such choices are made in pursuit of individuals' work-life balance, the phenomenon of quiet quitting within organizations has been reported to result in compromised work efficiency, diminished organizational commitment, and adverse impacts on organizational culture.⁹ There is also a perspective that views these occurrences as

manifestations of individual deviance and work disengagement. Moreover, deliberately slowing down the completion of tasks that could be expedited, while still adhering to all work-related standards and diminishing one's effort in their own job, can be likened to the concept of an “work to rule” or “Italian strike”.¹⁰ However, the context, intent, and characteristics of the phenomenon of quiet quitting differ from those of work to rule or the Italian strike, requiring a multifaceted approach to understand the phenomenon fully.

Moreover, a similar phenomenon is observed in China, referred to as “tang-ping.” Tang-ping, which literally translates to “lying flat,” reflects the idea of individuals lying down comfortably.¹¹ After the COVID-19 pandemic, many young people in China feel that they are not adequately rewarded for their work and experience frustration due to rising costs of living, housing prices, and long working hours. As a result, they choose to lower their professional commitment and economic ambitions, simplify their goals, while still being financially productive for their essential needs, and prioritize psychological well-being over materialistic pursuits.¹² Similarly, in other countries, similar phenomena can occur due to societal changes following the COVID-19 pandemic. Therefore, comparing these phenomena can clarify quiet quitting.¹¹

The phenomenon of quiet quitting has emerged following the COVID-19 pandemic, and even if COVID-19 is not the direct cause, it has certainly contributed to the emergence of this phenomenon.¹³ In other words, various social changes resulting from the COVID-19 pandemic have influenced this phenomenon. One profession that has undergone the most significant changes due to COVID-19 is the healthcare setting.¹⁴ Healthcare professionals have experienced a different reality than other professionals due to the impact of the COVID-19 pandemic. They face a more vulnerable working environment, including higher risk of infection, personnel and equipment shortages, increased workload, exclusion from the benefits

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignment Supérieur (ABES).

of remote work, and inadequate financial compensation.⁹ It is worth noting whether the phenomenon of quiet quitting, which has been reported as a social phenomenon following the COVID-19 pandemic, is perceived differently in the context of the healthcare setting, which has experienced the most significant changes due to COVID-19.

Despite the unique circumstances in the healthcare setting, "quiet quitting" has also been reported among healthcare professionals.¹⁵ However, the consequences of quiet quitting in healthcare may extend beyond the employees and the workplace. In hospitals, patients rely on healthcare professionals to possess the skills specified in their job descriptions. Additionally, patients depend on healthcare professionals to deliver qualitative aspects of care, including responsive communication that addresses their emotional needs.¹⁶ These aspects are not easily quantifiable or explicitly outlined in job descriptions. As a result, the quiet quitting of healthcare professionals can potentially create issues in these qualitative aspects and significantly impact patient satisfaction and safety.

Furthermore, hospitals consist of various professions such as doctors, nurses, and others, who interact, communicate, exchange opinions, and collaborate with each other as a multidisciplinary in-hospital team.¹⁷ Unique relationships based on prescribing and reporting exist within this environment. If quiet quitting occurs within one profession, it may have a cascading negative impact on collaboration among different professions.¹⁵ Teamwork among healthcare professionals, job satisfaction, perception of stress, and the working environment are closely linked to the patient safety culture.¹⁸

Additionally, quiet quitting in the healthcare setting can be considered a violation of work ethic.¹⁹ In healthcare, where the connection to patients' lives is profound, ethics are treated with utmost importance.²⁰ Therefore, it is necessary to thoroughly investigate and define the phenomenon and its outcomes specific to quiet quitting within this unique context of the

healthcare setting. On the other hand, there is a viewpoint that interprets the concept of “quiet quitting” implies the need for systemic changes in working conditions, rather than individual acts of deviance.⁹ This can be viewed as a transitional phase toward cultivating a healthier professional culture. Considering the potential negative impacts of “quiet quitting,” understanding this phenomenon is essential for identifying the elements necessary to promote a desirable work culture.²¹ Quiet quitting serves as an important concept in comprehending the rapidly evolving organizational culture, such as multidisciplinary collaboration, early large-scale resignations in healthcare, and developing strategies to address these issues.

In the healthcare setting, there is also an opinion that "quiet quitting" has existed among healthcare professionals for a long time, and there are opinions suggesting that it is merely a new term for a pre-existing concept.¹⁵ Therefore, it is essential to review existing research and gain insights in order to provide a comprehensive understanding. To achieve this, it is necessary to examine the concepts previously used to describe similar phenomena and establish a clear definition of "quiet quitting" specifically in the context of healthcare professionals. By exploring the phenomenon of "quiet quitting" within the context of organizational culture, we can gain valuable insights into contemporary issues related to healthcare settings.⁹ Understanding this phenomenon can help guide efforts towards cultivating a more supportive and sustainable work environment.

Hence, it is crucial to employ a research method called concept analysis.²² which involves exploring the attributes of a phenomenon represented by a particular term, clarifying the concept, and providing a precise definition. In this study, we aim to define the concept of quiet quitting specifically within the healthcare setting, which has experienced significant changes and challenges due to the COVID-19 pandemic. By conducting a scoping review, we will examine the existing literature on this topic to gain a comprehensive understanding and propose

future research directions. A scoping review is a research method that maps the characteristics and breadth of evidence on a specific topic, guiding the direction of further research.²³ In this study, it is essential to examine the general characteristics of research related to quiet quitting in healthcare settings and explore different categories of research conducted thus far. Furthermore, conducting a concept analysis will help us examine and clarify any similar existing concepts, thereby contributing to a deeper understanding of the essence of quiet quitting within the healthcare context.

Consequently, this study aims to explore the existing literature on quiet quitting among healthcare professionals, identify directions for future research, investigate the meaning of quiet quitting within the healthcare field, examine the factors that influence it, and explore the implications of quiet quitting in healthcare settings. To achieve these objectives, we will conduct a scoping review and perform a concept analysis to provide valuable insights for addressing this phenomenon in the healthcare. This examination will contribute to improved clarity and comprehension of this phenomenon, providing a wealth of information for understanding various issues within healthcare settings.

2. METHODS AND ANALYSIS

Scoping Review and concept analysis

This study will combine concept analysis and a scoping review to analyze the concept of quiet quitting in a clear manner. Concept analysis involves investigating the current state of knowledge about a concept and constructing precise meanings that are useful in research applications.²⁴ A scoping review examines the extent and nature of available evidence for key concepts across various research areas.²⁵ Quiet quitting has emerged as a concept that reflects

the recent social atmosphere. To understand the meaning of this concept in the context of healthcare professionals, it is essential to analyze its definition and characteristics through literature applied in healthcare settings. Walker and Avant²² recommend conducting a broad and multidisciplinary literature review to gain a comprehensive understanding of this concept. This review will follow the scoping review methodology outlined by the Joanna Briggs Institute as described by Aromataris and Munn.²⁶ The protocol process of this study will be reported following the PRISMA-ScR guidelines (Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for scoping reviews).²⁷ This quiet quitting scoping review has been registered in the Open Science Framework (OSF); <https://osf.io/kv3p8>

Step 1: Identify the Purpose

The research question guides the review, and the concept analysis must be broad and comprehensive (26). In the scoping review protocol, we defined the following research question, adapting the population, concept, and context (PCC) framework: How can the concept of quiet quitting (Concept) be characterized among healthcare professionals (Population) within the context of healthcare settings (Context)?

Population

This study will consider studies involving all types of healthcare professionals engaged in a healthcare setting. The healthcare professionals include not only nurses and doctors, but also physicians, surgeons, medicine, pharmacists, and practitioners.

Concept

This study will review the studies on ‘quiet quitting’ among healthcare professionals. Additionally, the concept of ‘silent resignation’ will be explored, which, like quiet quitting,

refers to the behavior of fulfilling assigned tasks within the job description without quitting the job.⁹

Context

The healthcare setting of this study will be reviewed including hospital, clinic, bedside, and community.

Step 2: Search Strategy

The search strategy is based on published data and includes qualitative research, quantitative research, mixed methods, and a literature review. For this review, eight databases will be searched for relevant literature, including PubMed, Google Scholar, Excerpta Medica database (EMBASE), EBSCOhost Research Platform (selecting CINAHL Complete and MEDLINE Complete databases), Scopus, Research Information Sharing Service (RISS), DataBase Periodical Information Academic (DBPIA), and Korean studies Information Service System (KISS). Grey literature will also be included because of its status as a relatively new concept. Grey literature can provide valuable insights into topics currently under review. Both published and unpublished grey literature sources, including major reports, such as white papers, frameworks, and dissertations, will be considered for inclusion in this scoping review. Grey literature will be searched using the ProQuest Dissertations and Theses (ProQuest) and Google databases. To include grey literature, we will also manually search the reference lists of the selected articles. The literature includes both English and Korean texts.

As recommended by Aromataris and Munn,²⁶ the search terms should strike a balance between specificity and breadth to capture the relevant literature for a thorough understanding while managing the volume of literature for the review. The search parameters will include the term

"quiet quitting" in the abstract or title and restrict the results to publications from January 1, 2009, onwards, as the concept only emerged after 2009. Since the review will commence in July 2023, it is possible that new literature will be published, and any relevant publications will be included in the scoping review. Once the protocol has been published, formal data collection for the scoping review will begin and will encompass more recent publications (Table 1).

Databases filter

When running the search terms in the selected databases, the asterisk symbol will be used as an indicator for truncating the ends of word roots. The relevant literature identified will be imported into the Covidence software program to ensure the removal of duplicate records.

Step 3: Selection Process

The literature screening will involve two distinct reviews. The scoping review will be managed using the Covidence software, and each citation will be independently assessed for eligibility by two members of the research team. The eligibility process will consist of two stages: an initial screening of eligible titles and abstracts, followed by a thorough review of the full-text articles for eligible citations. Given the anticipated extensive body of literature, the eligibility criteria will be refined during the screening of titles and abstracts. In addition, to identify further relevant literature, the reference lists of the identified articles will be examined. This screening process aligns with the strategy proposed by Aromataris and Munn.²⁶ The research team will hold regular meetings, typically every 1-2 weeks, to discuss the project, refine the eligibility criteria, and address any conflicts that arise regarding the eligibility of the articles. Disagreements will be resolved during these team meetings, with majority consensus determining eligibility. The project leader will make the final decision if a consensus cannot

be reached.

Title and Abstract Screening

Before commencing the literature screening process, the project leader will provide education to the research team members to ensure consistency in evaluating the literature. During the initial team meeting, each member will receive detailed instructions on how to effectively utilize Covidence software. Furthermore, there will be a thorough discussion of the inclusion and exclusion criteria to address any questions that may arise. The team members will then conduct a preliminary review of the literature based on the established criteria, followed by an assessment of the inter-rater reliability (IRR) between each pair of team members. The target IRR achievement between each pair is set at >0.75 , following the guidelines of Aromataris and Munn.²⁶

Full Text Screening for Eligibility

Before initiating the full-text screening, the research team will upload the full-text articles into the Covidence software and hold a meeting to discuss the screening process, specifically focusing on the utilization of the Covidence software at this stage of the review. Once preparation is completed, each team member will independently review the articles and an IRR calculation will be conducted. The target IRR achievement for each pair of team members is set at >0.75 . If the expected IRR is not met, the research team will convene for additional instructions and discussions to address any discrepancies. During the full-text screening, the team will also conduct a reference list scan. Team members will share relevant citations with project leaders. After completing the full-text screening, the project leader will present the articles identified from the reference lists to the research team for consideration. The final

1
2
3
4 decision regarding eligibility will be made through a majority agreement. The project leader
5
6 will intervene to resolve any unresolved disagreements. The process of selecting and managing
7
8 literature for the scoping review will be presented in a PRISMA flow diagram.
9
10

11
12
13 ***Step 4: Charting the Data***
14

15
16 The research team has developed a draft charting table for data extraction (Table 2). Selected
17
18 articles will be subjected to independent data extraction by two researchers. Any disagreements
19
20 regarding the extracted data will be discussed during a full team meeting. If a consensus cannot
21
22 be reached, the project leader will carefully consider all opinions and make the final decision.
23
24
25

26
27 ***Step 5: Data Analysis***
28

29
30 Data analysis will be guided by Walker and Avant's 8-step concept analysis process.²² The
31
32 specific process of Walker and Avant's analysis method is Select a concept, Determine the aims
33
34 or purpose of analysis, Identify all uses of the concept that you can discover, Determine the
35
36 defining attributes, Identify a model case, Identify borderline, related, contrary cases, Identify
37
38 antecedents and consequences, Define empirical referents, and in this study, it is applied from
39
40 the step 4 (Table 3). For the analysis, researchers will independently review the data and group
41
42 them to gain a comprehensive understanding of the concept of quiet quitting. The fourth step
43
44 in the concept analysis process, involves identifying the characteristics or attributes that are
45
46 frequently mentioned in relevant literature regarding the concept being analyzed.²² In this study,
47
48 the attributes are defined to ensure that each attribute independently captures the essential
49
50 qualities of quiet quitting. The fifth step, the model case, illustrates the concept clearly through
51
52 examples to aid in understanding. It also states that all attributes of the previously mentioned
53
54 concepts are included in the model case. The sixth step involves developing additional cases,
55
56
57
58
59
60

including borderline, related, and contrary cases, to explore concepts closely related to quiet quitting but that may not fully encompass the defining attributes. The borderline case includes most of the attributes of the concept but not all of them, while a contrast case consists of cases that do not possess any of the defined attributes. Additionally, the related case is similar to a model case but lacks some of the important attributes. In the seventh step, once clarity is achieved regarding the defining attributes, the antecedents and consequences of the concept will be identified. Antecedents are events or circumstances that must occur or be present before the concept of quiet quitting occurs, whereas consequences are events or circumstances that occur as a result of the concept. This step of the analysis helps establish a theoretical understanding of how concepts are interconnected and sheds light on their resolution. Step eight involves identifying empirical referents, which are indicators of everyday life that represent familiarity with a concept. These studies support the development of measurement tools and indicators for attributes.

3. ETHICS and DISSEMINATION

This scoping review does not require ethical approval. The results of this scoping review will be reported in peer-reviewed publications. The scoping review and concept analysis of "quiet quitting" is scheduled to commence in July 2023. The process of selecting and managing literature for the scoping review will be presented as a flowchart. The concept analysis will follow the method proposed by Walker and Avant.²² The findings of this study will be disseminated through conference presentations and submissions to peer-reviewed scholarly journals.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

4. DISCUSSION

This scoping review and concept analysis aim to investigate the phenomenon of "quiet quitting" in the healthcare setting and explore its impact on healthcare professionals. As a phenomenon that reflects the psychological state of employees, "quiet quitting" has received limited attention within the healthcare setting. Therefore, there is a need to clarify the concept and conduct a scoping review to examine it further. Through a literature review process, we anticipate gaining insights into whether "quiet quitting" has been a preexisting concept in the healthcare setting or if it is a newly emerging concept. Understanding these attributes is expected to play a crucial role in addressing the issue. In a healthcare setting, individuals are required to possess additional qualitative aspects, such as empathy, devotion, and therapeutic communication, in addition to the job-specific skills outlined in their job descriptions. Qualitative aspects are crucial determinants of healthcare service quality and influence patients' clinical outcomes.²⁸ Consequently, the potential impact of "quiet quitting" on patient safety and satisfaction can be significant. Therefore, it is expected that this study will contribute to understanding the potential outcomes associated with "quiet quitting." Consequently, the "quiet quitting" of healthcare professionals has a distinct impact compared with other sectors or organizations. Hence, the findings of this study can enhance the awareness of changes in the healthcare environment and provide evidence for organizational improvements aimed at advancing healthcare services.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

Contributors

JK: Conceptualization, Methodology, Investigation, Writing – Original Draft, Writing – Review & Editing, Supervision, Project administration. HK: Conceptualization, Methodology, Data Collection, Writing – Original Draft. OHC: Conceptualization, Methodology, Data Analysis, Writing – Original Draft, Writing – Review & Editing.

Patient and Public Involvement Statement

The present review protocol did not involve individual patients or public agencies.

Funding

This research received no external funding.

Competing interests

None declared

REFERENCES

1. Martela F, Pessi AB. Significant work is about self-realization and broader purpose: Defining the key dimensions of meaningful work. *Front Psychol*. 2018;9:363. doi: 10.3389/fpsyg.2018.00363

2. Nseir S. Post-pandemic disengagement: What is quiet quitting? *Ariz Nurse*. 2013;76(1):8-9.

3. Jeon J. A study on the characteristics and improvement plan of 'quiet quitting' centered on the mz generation. *J Humanit Soc Sci*. 2022;13(6):5117-5132. doi: 10.22143/HSS21.13.6.355

4. Formica S, Sfodera F. The great resignation and quiet quitting paradigm shifts: An overview of the current situation and future research directions. *J Hosp Mark Manage*. 2022;31(8):899-907. doi: 10.1080/19368623.2022.2136601

5. Hamouche S, Koritos C, Papastathopoulos A. Quiet quitting: Relationship with other concepts and implications for tourism and hospitality. *Int J Contemp Hosp Manage*. 2023. doi: 10.1108/IJCHM-11-2022-1362

6. Brynjolfsson E, Horton JJ, Ozimek A, Rock D, Sharma G, TuYe HY. Covid-19 and remote work: An early look at US data. *NBER Working Paper Series*. 2020;27344. doi: 10.3386/w27344

7. Tessema MT, Tesfom G, Faircloth MA, Tesfagiorgis M, Teckle P. The "great resignation": Causes, consequences, and creative HR management strategies. *J Hum Resour Sustain Stud*. 2022;10(1):161-178. doi: 10.4236/jhrss.2022.101011

8. Aydın E, Azizoğlu Ö. A new term for an existing concept: Quiet quitting—a self-determination perspective. In: *International Congress on Critical Debates in Social Sciences*; 2022 Oct 7-9; Balıkesir, Turkey.

9. Boy Y, Sürmeli M. Quiet quitting: A significant risk for global healthcare. *J Glob Health*. 2023;13:03014. doi: 10.7189/jogh.13.03014

10. Johnson JR. What's new about quiet quitting (and what's not). *Transdiscip J Manag*. 2023.

11. Nordgren H, Ingemarsson Björs A. Quiet quitting, loud consequences: The role of management in employee engagement [dissertation]. 2023. Available from: <http://urn.kb.se/resolve?urn=urn:nbn:se:uu:diva-498675>

12. Yikilmaz I. Quiet quitting: A conceptual investigation. In: *Anadolu International Conference on Social Science*.

13. Ng E, Stanton P. The great resignation: Managing people in a post COVID-19 pandemic world. *Personnel Review*. 2023;52(2):401-407. doi: 10.1108/PR-03-2023-

14. Sethi BA, Sethi A, Ali S, Aamir HS. Impact of coronavirus disease (COVID-19) pandemic on health professionals. *Pak J Med Sci.* 2020;36(COVID19-S4):S6-11. doi: 10.12669/pjms.36.COVID19-S4.2779
15. Kumar S. Quiet quitting and its relevance to the medical profession. *MGM J Med Sci.* 2023;10(1):1. doi: 10.4103/mgmj.mgmj_42_23
16. Hannawa AF, Wu AW, Kolyada A, Potemkina A, Donaldson LJ. The aspects of healthcare quality that are important to health professionals and patients: A qualitative study. *Patient Educ Couns.* 2022;105(6):1561-1570. doi: 10.1016/j.pec.2021.10.01617
17. Epstein NE. Multidisciplinary in-hospital teams improve patient outcomes: A review. *Surg Neurol Int.* 2014;5(Suppl 7):S295-S303. doi: 10.4103/2152-7806.139612
18. Toso GL, Golle L, Magnago TSB de S, Herr GEG, Loro MM, Aozane F, Kolankiewicz ACB. Patient safety culture in hospitals within the nursing perspective. *Rev Gaucha Enferm.* 2016;37:e58662. doi: 10.1590/1983-1447.2016.04.58662
19. Scheyett A. Quiet quitting. *Soc Work.* 2023;68(1):5-7. doi: 10.1093/sw/swac051
20. Summers J, Morrison E. Principles of healthcare ethics. In: *Health Care Ethics*, 2nd ed. Sudbury: Jones Bartlett Publ; 2009. p. 41-58.
21. Haselden L, Barsotti C. Practice Management: EPs and Quiet Quitting: Hospitals Must Value Workers More Than Money. *Emerg Med News.* 2023;45(2B):1-2.
22. Walker LO, Avant KC. *Strategies for theory construction in nursing.* 6th ed. New York: Pearson; 2018.
23. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Med Res Methodol.* 2018;18:143. doi: 10.1186/s12874-018-0611-x
24. Penrod J, Hupcey JE. Concept advancement: Extending science through concept-driven research. *Res Theory Nurs Pract.* 2005;19(3):231-241. doi: 10.1891/rtnp.2005.19.3.231
25. Colquhoun HL, Levac D, O'Brien KK, Straus S, Tricco AC, Perrier L, et al. Scoping reviews: time for clarity in definition, methods, and reporting. *J Clin Epidemiol.* 2014;67(12):1291-1294. doi: 10.1016/j.jclinepi.2014.03.013
26. Aromataris E, Munn Z. *JBIM Manual for Evidence Synthesis.* JBI; 2020. Available from: <https://synthesismanual.jbi.global>. doi: 10.46658/JBIMES-20-01
27. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA

extension for scoping reviews (PRISMA-ScR): checklist and explanation. Ann Intern Med. 2018;169(7):467-473. doi: 10.7326/M18-0850

28. Nembhard IM, David G, Ezzeddine I, Betts D, Radin J. A systematic review of research on empathy in healthcare. Health Serv Res. 2023;58(2):250-263. doi: 10.1111/1475-6773.14016

For peer review only

Enseignement Supérieur (ABES) .
Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Table 1. Initial search strategy

Framework Component	Criteria
Population	nurse OR doctor OR physician OR surgeon OR medicine OR pharmacist OR practitioner OR “healthcare professional” OR “healthcare worker” OR “healthcare personnel” OR “healthcare provider” OR “healthcare staff” OR “health worker” OR “health personnel” OR “health staff” OR “medical resident” OR “attending resident” OR “hospital technician” OR “paramedical personnel” OR “paramedical staff” OR “hospital support personnel”
Concept	“quiet quitting” OR “silent resignation”
Context	hospital OR clinic OR bedside OR community
Other criteria	<ul style="list-style-type: none"> • Define or directly discuss quiet quitting as a concept • Among healthcare professionals or take place in healthcare settings • Indicate a study result or finding on quiet quitting • English and Korean language literature • Studies of a qualitative and quantitative nature, of all types, whether experimental, quasi-experimental, literature reviews, meta-analyses, theses, and dissertations • Studies published in Jan 2009–July 2023.
Exclusion Criteria	<ul style="list-style-type: none"> • Publications that do not deliver any substantial contribution regarding the clarification of the concepts are to be excluded.
Database	<ul style="list-style-type: none"> • PubMed, Google Scholar, Embase, EBSCO, Scopus, RISS, DBPIA, KISS • ProQuest Dissertations and Theses (ProQuest)
Language	English, Korean
Time	2009–2023

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 2. Article information

Title	Author	Year of Publication	City	Type of study	Study population	Types of data sources	Definition or description	Relevant finding
entry 1	data							
entry 2	data							

For peer review only

Enseignement Supérieur (ABES) .
Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Table 3. Walker and Avant's 8-step concept analysis process

1. Select a concept.	4. Determine the defining attributes.
2. Determine the aims or purpose of analysis.	5. Identify a model case.
3. Identify all uses of the concept that you can discover.	6. Identify borderline, related, contrary cases.
	7. Identify antecedents and consequences.
	8. Define empirical referents.

For peer review only

BMJ Open

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2023-077811.R1
Article Type:	Protocol
Date Submitted by the Author:	10-Oct-2023
Complete List of Authors:	Kang, Jaejin; The Catholic University of Korea Kim, Hyekyung; Catholic Kwandong University Cho, Ok-Hee; Kongju National University,
Primary Subject Heading:	Health policy
Secondary Subject Heading:	Nursing, Medical management
Keywords:	Occupational Stress, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, COVID-19

SCHOLARONE™
Manuscripts

Title Page

1. Title:

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

2. Authors: Jaejin Kang, Hyekyung Kim, Ok-Hee Cho*

Jaejin Kang, PhD, RN
Research instructor, College of Nursing, The Catholic University of Korea, Seoul, Republic of Korea.
E-mail: jjkang@catholic.ac.kr
ORCID <https://orcid.org/>

Hyekyung Kim, PhD, RN
Assistant Professor, Department of Nursing, Catholic Kwandong University, Gangneung, Republic of Korea.
E-mail: hk1224@cku.ac.kr
ORCID <https://orcid.org/0000-0002-5504-9288>

Ok-Hee Cho, PhD, RN
Professor, Department of Nursing, College of Nursing and Health, Kongju National University, Gongju, Republic of Korea.
E-mail: ohcho@kongju.ac.kr
ORCID <https://orcid.org/0000-0002-8882-675X>

3. *Corresponding author

Ok-Hee Cho, PhD, RN
Professor, Department of Nursing, College of Nursing and Health, Kongju National University, Gongju, Republic of Korea.

Address: 56 Gongjudeahak-ro, Gongju-si, Chungcheong nam-do 32588, Republic of Korea
Tel: +82-41-850-0306
Fax: + 82-41-850-0315
E-mail: ohcho@kongju.ac.kr

4. Key words:

health personnel; COVID-19; occupational stress; work engagement

5. Word count: 3,887

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

Abstract

Introduction: The post-COVID-19 pandemic era has seen a rise in "quiet quitting," with employees limiting their efforts to fulfill assigned tasks without going beyond their designated responsibilities. The occurrence of quiet quitting in hospitals can have detrimental effects not only on organizational culture but also on patient safety and satisfaction. Therefore, the aim of this study is to define quiet quitting among healthcare professionals in hospitals through concept analysis, identify the associated factors and outcomes of quiet quitting, and conduct a scoping review based on this defined concept.

Methods and analysis: This study will adopt Walker and Avant method for concept analysis and Aromataris and Munn methodological framework as well as the Joanna Briggs Institute Reviewer's manual for scoping reviews. The concept analysis will follow eight steps: (1) choosing the concept; (2) outlining the objectives of the analysis; (3) recognizing the concept's uses; (4) selecting the concept's defining attributes; (5) constructing a model case; (6) constructing additional cases; (7) defining the consequences and antecedents of the concept; and (8) determining empirical referents. This study used databases of PubMed, Embase, PsycINFO, Scopus, ProQuest Dissertations and Theses Global for the English language, and NDSL, KCI, RISS, KISS, and DBpia for the Korean language. Additionally, grey literature will be searched.

Ethics and dissemination: This concept analysis and scoping review does not require ethical approval. The results of this study will be reported in peer reviewed publications.

Strengths and limitations of this study

- We rigorously adhere to Walker and Avant's method in conducting a concept analysis to precisely define the concept of 'quiet quitting'.
- Our scoping review is conducted in accordance with the guidelines of the Joanna Briggs Institute (JBI) and Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews, ensuring the provision of trustworthy evidence.
- We conducted a systematic literature search from 2009, when the term 'quiet quitting' was first introduced, through 2023, encompassing all electronic databases and grey literature sources, to identify all available evidence.
- This review will include documents written only in English and Korean, leading to the potential omission of relevant materials written in other languages.
- The study focuses on healthcare professionals in the hospital setting, which may limit the generalizability of findings to other healthcare contexts.

1. INTRODUCTION

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignement Supérieur (ABES).

Occupational perceptions evolve over time, and are influenced by changing social dynamics [1]. Recently, a phenomenon known as "quiet quitting" has been observed to be on the rise. This behavior entails employees limiting their dedication solely to assigned tasks, strictly adhering to the job description without engaging in any additional work [2]. It differs from the previously prevalent trend "hustle culture," which emphasizes work over personal life. In 2020, over 50% of American workers engaged in "quiet quitting," with the trend being more prominent among the Millennial and Generation Z cohorts. This phenomenon indicates a psychological detachment from job-related responsibilities [3].

The concept of "quiet quitting" was introduced by Mark Boldger in 2009 [4]. However, it gained widespread recognition and renewed attention when "quiet quitting" went viral on social media in summer 2022 [5]. The COVID-19 pandemic brought about significant changes in working conditions, particularly with a surge in remote work [6]. Following the pandemic, individuals started reassessing the costs and intensity associated with traditional jobs, leading to a notable increase in voluntary resignations, referred to as the "Great Resignation" [7]. Consequently, the remaining employees bear heavier workloads without adequate compensation. Additionally, a low-growth environment, economic recession, and inflation have made job transitions more challenging. Hence, "quiet quitting" has become a method employed by remaining employees to maintain a work-life balance [8].

However, even if it is argued that such choices are made in pursuit of individuals' work-life balance, the phenomenon of quiet quitting within organizations has been reported to result in compromised work efficiency, diminished organizational commitment, and adverse impacts on organizational culture [9]. There is also a perspective that views these occurrences as manifestations of individual deviance and work disengagement. Moreover, deliberately

1
2
3
4 slowing down the completion of tasks that could be expedited, while still adhering to all work-
5 related standards and diminishing one's effort in their own job, can be likened to the concept
6 of an “work to rule” or "Italian strike" [10]. However, the context, intent, and characteristics
7 of the phenomenon of quiet quitting differ from those of work to rule or the Italian strike,
8 requiring a multifaceted approach to understand the phenomenon fully.

9
10
11 Moreover, a similar phenomenon is observed in China, referred to as "tang-ping." Tang-ping,
12 which literally translates to "lying flat," reflects the idea of individuals lying down comfortably
13 [11]. After the COVID-19 pandemic, many young people in China feel that they are not
14 adequately rewarded for their work and experience frustration due to rising costs of living,
15 housing prices, and long working hours. As a result, they choose to lower their professional
16 commitment and economic ambitions, simplify their goals, while still being financially
17 productive for their essential needs, and prioritize psychological well-being over materialistic
18 pursuits [12]. Similarly, in other countries, similar phenomena can occur due to societal
19 changes following the COVID-19 pandemic. Therefore, comparing these phenomena can
20 clarify quiet quitting [11].

21
22 The phenomenon of quiet quitting has emerged following the COVID-19 pandemic, and
23 even if COVID-19 is not the direct cause, it has certainly contributed to the emergence of this
24 phenomenon [13]. Professions that has undergone the most significant changes due to COVID-
25 19 is the healthcare professionals in hospitals [14]. They face a more vulnerable working
26 environment, including higher risk of infection, personnel and equipment shortages, increased
27 workload, exclusion from the benefits of remote work, and inadequate financial compensation
28 [9]. Therefore, it is worth noting whether the phenomenon of quiet quitting, which has been
29 reported as a social phenomenon following the COVID-19 pandemic, is perceived differently
30 in the context of the hospital, which has experienced the most significant changes due to

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.
Enseignement Supérieur (ABES)

COVID-19.

Despite the unique circumstances in the hospital, "quiet quitting" has also been reported among healthcare professionals [15]. However, the consequences of quiet quitting in hospitals may extend beyond the employees and the workplace. In hospitals, patients rely on healthcare professionals to possess the skills specified in their job descriptions. In addition to technical skills, patients also value emotional care, kindness, and a genuine concern for their well-being from healthcare professionals. These aspects contribute to overall patient satisfaction and a positive patient experience [16]. These aspects are not easily quantifiable or explicitly outlined in job descriptions. As a result, the quiet quitting of healthcare professionals can potentially create issues in these qualitative aspects and significantly impact patient satisfaction.

Furthermore, hospitals consist of various professions such as doctors and nurses, who interact, communicate, exchange opinions, and collaborate with each other as a multidisciplinary in-hospital team [17]. If quiet quitting occurs within one profession, it may have a cascading negative impact on collaboration among different professions [15]. Teamwork among healthcare professionals, job satisfaction, perception of stress, and the working environment are closely linked to the patient safety culture [18].

In the hospital environment, advancements in medical technology continually introduce new tasks, and the job descriptions within the hospital setting tend to be more vague and basic rather than highly detailed [19]. For instance, the characteristics of such a hospital can cause role ambiguity among nurses [20], who make up the largest portion of the healthcare workforce, as the job description of "assisting physicians in patient care" may vary from one nurse to another. Therefore, due to these characteristics of the hospital setting, there is a potential for even more serious consequences when quiet quitting occurs.

Additionally, quiet quitting in the hospital can be considered a violation of work ethic [21].

In hospitals, where the connection to patients' lives is profound, ethics are treated with utmost importance [22]. As a result, quiet quitting among healthcare professionals may occur more discreetly, making it challenging to identify and address the issue effectively [23]. Moreover, due to its distinct characteristics compared to quiet quitting in other professions, it is necessary to thoroughly investigate and define the phenomenon and its outcomes specific to quiet quitting within this unique context of the hospital.

The concept of “quiet quitting” implies the need for systemic changes in working conditions, rather than individual acts of deviance [9]. Moreover, since "quiet quitting" is related to healthcare professionals' work-life balance, comprehending it can potentially provide assistance in addressing psychological problems [24] such as depression, anxiety, post traumatic stress disorder, burnout, and suicide among healthcare workers, which can ultimately have a profound impact on a hospital's performance and patient safety. Considering the potential negative impacts of “quiet quitting,” understanding this phenomenon is essential for identifying the elements necessary to promote a desirable work culture [25]. Quiet quitting serves as an important concept in comprehending the rapidly evolving organizational culture, and developing strategies to address these issues.

In the hospital, there is also an opinion that "quiet quitting" has existed among healthcare professionals for a long time, and it is merely a new term for a pre-existing concept [15]. If "quiet quitting" is defined as when workers of an organization, faced with undesirable working conditions, opt to stay and perform their tasks without enthusiasm rather than seeking new employment opportunities, it can be quite reasonable. Hospitals have chronic understaffing issues and often require tasks like supply management and mandatory training beyond regular working hours, relying on healthcare professionals for extra work [23]. Therefore, it is essential to establish a clear definition of "quiet quitting" specifically in the context of healthcare

professionals. Subsequently, conducting a scoping review to explore existing research and gain insights becomes essential to provide a comprehensive understanding of this phenomenon.

If "quiet quitting" is clearly defined through concept analysis, it is anticipated that we can ascertain how long it has been prevalent and in what forms, what aspects of hospital culture are associated with "quiet quitting," and what outcomes result from it. Additionally, by investigating previously used similar concepts, we can compare and gain valuable insights into the issue of "quiet quitting" in hospitals. Furthermore, understanding this phenomenon can contribute to fostering a more supportive and sustainable work environment.

Therefore, it is crucial to employ a research method called concept analysis [26]. which involves exploring the attributes of a phenomenon represented by a particular term, clarifying the concept, and providing a precise definition. In this study, we aim to define the concept of quiet quitting specifically within the hospital, which has experienced significant changes and challenges due to the COVID-19 pandemic. By conducting a concept analysis will help us examine and clarify any similar existing concepts, thereby contributing to a deeper understanding of the essence of quiet quitting within the hospital context. Furthermore, conducting a scoping review, we will examine the existing literature on this topic to gain a comprehensive understanding and propose future research directions. A scoping review is a research method that maps the characteristics and breadth of evidence on a specific topic, guiding the direction of further research [27].

Therefore, the aim of this study is to define the phenomenon of "quiet quitting" among healthcare professionals in hospitals through a concept analysis. Additionally, through a scoping review of the defined concept, we intend to examine how this phenomenon is described and researched in existing literature. Furthermore, we aim to investigate and summarize the factors associated with quiet quitting, its consequences, and research efforts aimed at mitigating

and understanding this phenomenon. This examination will contribute to improved clarity and comprehension of this phenomenon, providing a wealth of information for understanding various issues within hospitals.

2. METHODS AND ANALYSIS

Concept analysis and scoping review

This study will combine concept analysis and a scoping review to analyze the concept of quiet quitting in a clear manner. Concept analysis involves investigating the current state of knowledge about a concept and constructing precise meanings that are useful in research applications [28]. A scoping review examines the extent and nature of available evidence for key concepts across various research areas [29]. Quiet quitting has emerged as a concept that reflects the recent social atmosphere. To understand the meaning of this concept in the context of healthcare professionals, it is essential to analyze its definition and characteristics through literature applied in hospitals. Walker and Avant [26] recommend conducting a broad and multidisciplinary literature review to gain a comprehensive understanding of concept. The concept analysis will be conducted in eight steps: (1) choosing the concept; (2) outlining the objectives of the analysis; (3) recognizing the concept’s uses; (4) selecting the concept’s defining attributes; (5) constructing a model case; (6) constructing additional cases; (7) defining the consequences and antecedents of the concept; and (8) determining empirical referents.

After defining 'quiet quitting,' we will conduct a scoping review following the methodology outlined by the Joanna Briggs Institute, as described by Aromataris and Munn [30]. The protocol process of this study will be reported following the PRISMA-ScR guidelines

(Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for scoping reviews) [31]. This quiet quitting concept analysis and scoping review has been registered in the Open Science Framework (OSF); <https://osf.io/kv3p8>

Step 1: choosing the concept

In the reviewed literature, the concept of "quiet quitting" has been expressed using different terms. Instead of "quiet," the term "silent" has been used, and "quitting" has been replaced with "resignation," among others. Additionally, similar concepts like "tang-ping" have also been utilized. This phenomenon of using similar words during the translation process might arise independently in different countries, or the concept itself could be similar. In our research, we have chosen to analyze the expression "quiet quitting" coined by Mark Boldger in 2009 as the concept to investigate.

Step 2: outlining the objectives of the analysis

In this study, our primary objectives are to provide a clear definition of 'quiet quitting' within healthcare professions in a hospital setting and to offer guidance for future research on this phenomenon. 'Quiet quitting' is currently used without a clear definition and is often interchangeable with various terms. Some consider it a new label for an existing phenomenon. Therefore, establishing a precise definition will assist research efforts in addressing and resolving this phenomenon and will contribute to shaping the future work environment in hospital healthcare professions.

Step 3: recognizing the concept's uses

The third step involves examining how the concept of 'quiet quitting' has been used in the existing literature within the healthcare field. We will start by introducing the concept as initially proposed by Mark Boldger, acknowledging it as a newly coined concept. Subsequently,

we will explore how this phenomenon manifests and how the concept is employed within the healthcare field.

Step 4: selecting the concept’s defining attributes

The fourth step in the concept analysis process, involves identifying the characteristics or attributes that are frequently mentioned in relevant literature regarding the concept being analyzed.²⁶ In this study, the attributes are defined to ensure that each attribute independently captures the essential qualities of quiet quitting.

Step 5: constructing a model case

The fifth step, the model case, illustrates the concept clearly through examples to aid in understanding. It also states that all attributes of the previously mentioned concepts are included in the model case.

Step 6: constructing additional cases

The sixth step involves developing additional cases, including borderline, related, and contrary cases, to explore concepts closely related to quiet quitting but that may not fully encompass the defining attributes. The borderline case includes most of the attributes of the concept but not all of them, while a contrast case consists of cases that do not possess any of the defined attributes. Additionally, the related case is similar to a model case but lacks some of the important attributes.

Step 7: defining the consequences and antecedents of the concept

In the seventh step, once clarity is achieved regarding the defining attributes, the antecedents and consequences of the concept will be identified. Antecedents are events or circumstances that must occur or be present before the concept of quiet quitting occurs, whereas consequences are events or circumstances that occur as a result of the concept. This step of the analysis helps establish a theoretical understanding of how concepts are interconnected and

sheds light on their resolution.

Step 8: determining empirical referents

Step eight involves identifying empirical referents, which are indicators of everyday life that represent familiarity with a concept. These studies support the development of measurement tools and indicators for attributes.

Scoping review process

Step 1: Identify the Purpose

The research question guides the review, and the review must be broad and comprehensive [30]. In the scoping review protocol, we defined the following research question, adapting the population, concept, and context (PCC) framework: How is the phenomenon of 'quiet quitting' manifesting among healthcare professionals in the hospitals? What are some strategies to reduce 'quiet quitting'?

Population

This study will consider studies involving all types of healthcare professionals engaged in a hospital. The healthcare professionals include not only nurses and doctors, but also physicians, surgeons, medicine, pharmacists, and practitioners.

Concept

This study will review research on 'quiet quitting' among healthcare professionals. The term 'quiet quitting' as used here is based on the definition established in the previously conducted concept analysis.

Context

We will exclusively focus on healthcare settings within hospitals. Healthcare environments can vary widely, ranging from hospitals to local communities, but due to their

distinct characteristics, we have chosen to narrow down the scope of this concept analysis to hospitals in order to provide a clearer definition of the concept's applicability.

Step 2: Search Strategy

The search strategy is based on published data and includes qualitative research, quantitative research, mixed methods, and a literature review. For this review, eight databases will be searched for relevant literature, including PubMed, Google Scholar, Excerpta Medica database (EMBASE), EBSCOhost Research Platform (selecting CINAHL Complete and MEDLINE Complete databases), Scopus, Research Information Sharing Service, DataBase Periodical Information Academic, and Korean studies Information Service System. Grey literature will also be included because of its status as a relatively new concept. Grey literature can provide valuable insights into topics currently under review. Both published and unpublished grey literature sources, including major reports, such as white papers, frameworks, and dissertations, will be considered for inclusion in this scoping review. Grey literature will be searched using the ProQuest Dissertations and Theses (ProQuest) and Google databases. To include grey literature, we will also manually search the reference lists of the selected articles. The literature includes both English and Korean texts.

The search terms should strike a balance between specificity and breadth to capture the relevant literature for a thorough understanding while managing the volume of literature for the review [30]. The search parameters will include the term "quiet quitting" in the abstract or title and restrict the results to publications from January 1, 2009, onwards, as the concept only emerged after 2009. Since the review will commence in July 2023, it is possible that new literature will be published, and any relevant publications will be included in the scoping review. Once the protocol has been published, formal data collection for the scoping review will begin and will encompass more recent publications (Table 1).

Table 1. Scoping review search strategy

Framework Component	Criteria
Population	nurse OR doctor OR physician OR surgeon OR medicine OR pharmacist OR practitioner OR “healthcare professional” OR “healthcare worker” OR “healthcare personnel” OR “healthcare provider” OR “healthcare staff” OR “health worker” OR “health personnel” OR “health staff” OR “medical resident” OR “attending resident” OR “hospital technician” OR “paramedical personnel” OR “paramedical staff” OR “hospital support personnel”
Concept	“quiet quitting”; definition established in the concept analysis
Context	hospital OR clinic OR bedside OR ICU OR “general ward” OR clini* OR “Intensive care unit” OR “medical institution” OR hospice OR “medical center” OR “health center”
Other criteria	<ul style="list-style-type: none"> • Define or directly discuss quiet quitting as a concept • Among healthcare professionals or take place in hospital settings • Indicate a study result or finding on quiet quitting • English and Korean language literature • Studies of a qualitative and quantitative nature, of all types, whether experimental, quasi-experimental, literature reviews, meta-analyses, theses, and dissertations • Studies published in Jan 2009–July 2023.
Exclusion Criteria	• Publications that do not deliver any substantial contribution regarding the clarification of the concepts are to be excluded.
Database	<ul style="list-style-type: none"> • PubMed, Google Scholar, Embase, EBSCO, Scopus, RISS, DBPIA, KISS • ProQuest Dissertations and Theses (ProQuest)
Language	English, Korean
Time	2009–2023

Databases filter

When running the search terms in the selected databases, the asterisk symbol will be used as an indicator for truncating the ends of word roots. The relevant literature identified will be imported into the Covidence software program to ensure the removal of duplicate records.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Step 3: Selection Process

The literature screening will involve two distinct reviews. The scoping review will be managed using the Covidence software, and each citation will be independently assessed for eligibility by two members of the research team. The eligibility process will consist of two stages: an initial screening of eligible titles and abstracts, followed by a thorough review of the full-text articles for eligible citations. Given the anticipated extensive body of literature, the eligibility criteria will be refined during the screening of titles and abstracts. In addition, to identify further relevant literature, the reference lists of the identified articles will be examined. This screening process aligns with the strategy proposed by Aromataris and Munn [30]. The research team will hold regular meetings, typically every 1-2 weeks, to discuss the project, refine the eligibility criteria, and address any conflicts that arise regarding the eligibility of the articles. Disagreements will be resolved during these team meetings, with majority consensus determining eligibility. The project leader will make the final decision if a consensus cannot be reached.

Title and Abstract Screening

Before commencing the literature screening process, the project leader will provide education to the research team members to ensure consistency in evaluating the literature. During the initial team meeting, each member will receive detailed instructions on how to effectively utilize Covidence software. Furthermore, there will be a thorough discussion of the inclusion and exclusion criteria to address any questions that may arise. The team members will then conduct a preliminary review of the literature based on the established criteria, followed by an assessment of the inter-rater reliability (IRR) between each pair of team

members. The target IRR achievement between each pair is set at >0.75 , following the guidelines of Aromataris and Munn [30].

Full Text Screening for Eligibility

Before initiating the full-text screening, the research team will upload the full-text articles into the Covidence software and hold a meeting to discuss the screening process. Once preparation is completed, each team member will independently review the articles and an IRR calculation will be conducted. The target IRR achievement for each pair of team members is set at >0.75 . If the expected IRR is not met, the research team will convene for additional instructions and discussions to address any discrepancies. During the full-text screening, the team will also conduct a reference list scan. Team members will share relevant citations with project leaders. After completing the full-text screening, the project leader will present the articles identified from the reference lists to the research team for consideration. The final decision regarding eligibility will be made through a majority agreement. The project leader will intervene to resolve any unresolved disagreements. The process of selecting and managing literature for the scoping review will be presented in a PRISMA flow diagram.

Step 4: Charting the Data

The research team has developed a draft charting table for data extraction (Table 2). Selected articles will be subjected to independent data extraction by two researchers. Any disagreements regarding the extracted data will be discussed during a full team meeting. If a consensus cannot be reached, the project leader will carefully consider all opinions and make the final decision.

Table 2. Article information

Title	Author	Year of Publication	City	Type of study	Study population	Types of data sources	Definition or description	Relevant finding
entry 1	data							
entry 2	data							

Step 5: Data Analysis

The analysis of the collected data using the data extraction framework will showcase how 'quiet quitting' manifests and provide insights into research findings regarding potential solutions. For instance, we will categorize the phenomenon of 'quiet quitting' by different professions to demonstrate how it manifests in similar patterns and to explore which solutions may be more effective or worth implementing. The results will be presented in an appropriate format, such as tables and charts, to aggregate and visually represent the information (Table 3).

Table 3. Quiet quitting manifests by professions and potential solution

	Relationship with co-worker	Relationship with other professions	Deliberately avoided tasks	Inappropriate reward
Doctor				
Nurse				
Technician				
Etc.				
Solution				

Patient and Public Involvement

None.

3. ETHICS and DISSEMINATION

This scoping review does not require ethical approval. The results of this scoping review will be reported in peer-reviewed publications. The process of selecting and managing literature for the scoping review will be presented as a flowchart. The findings of this study will be disseminated through conference presentations and submissions to peer-reviewed scholarly journals.

4. DISCUSSION

Our concept analysis and scoping review exhibit several significant strengths. Firstly, we will systematically search multiple databases to comprehensively identify relevant studies related to 'quiet quitting' within the hospital context. Secondly, our review will encompass the entire spectrum of available literature, beginning with the concept's inception in 2009 and extending up to the present year, 2023. Thirdly, our search strategy will include both electronic databases and grey literature sources to ensure inclusivity. Lastly, our concept analysis will rigorously adhere to Walker and Avant's method, while our scoping review will strictly follow the guidelines outlined by the Joanna Briggs Institute (JBI) and the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews. Consequently, the findings of this study are poised to provide a robust foundation for scholarly discourse.

We anticipate several limitations in our study. Firstly, our inclusion criteria are limited to English and Korean literature, potentially excluding documents published in other languages. Additionally, we will not conduct quality assessments or assess the risk of bias for the selected literature, as these aspects are typically not applied in scoping reviews. Finally, our study is limited by its focus on healthcare professionals within the hospital setting, which does not encompass the entirety of the healthcare environment. We recognize this limitation and suggest that future research should consider a broader scope to include various healthcare contexts.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Contributors

JK: Conceptualization, Methodology, Investigation, Writing – Original Draft, Writing – Review & Editing, Supervision, Project administration. HK: Conceptualization, Methodology, Data Collection, Writing – Original Draft. OHC: Conceptualization, Methodology, Data Analysis, Writing – Original Draft, Writing – Review & Editing.

Funding

This research received no external funding.

Competing interests

None declared

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.
Enseignement Supérieur (ABES).

REFERENCES

1. Martela F, Pessi AB. Significant work is about self-realization and broader purpose: Defining the key dimensions of meaningful work. *Front Psychol*. 2018;9:363. doi: 10.3389/fpsyg.2018.00363
2. Nseir S. Post-pandemic disengagement: What is quiet quitting? *Ariz Nurse*. 2013;76(1):8-9.
3. Jeon J. A study on the characteristics and improvement plan of 'quiet quitting' centered on the mz generation. *J Humanit Soc Sci*. 2022;13(6):5117-5132. doi: 10.22143/HSS21.13.6.355
4. Formica S, Sfodera F. The great resignation and quiet quitting paradigm shifts: An overview of the current situation and future research directions. *J Hosp Mark Manage*. 2022;31(8):899-907. doi: 10.1080/19368623.2022.2136601
5. Hamouche S, Koritos C, Papastathopoulos A. Quiet quitting: Relationship with other concepts and implications for tourism and hospitality. *Int J Contemp Hosp Manage*. 2023. doi: 10.1108/IJCHM-11-2022-1362
6. Brynjolfsson E, Horton JJ, Ozimek A, Rock D, Sharma G, TuYe HY. Covid-19 and remote work: An early look at US data. *NBER Working Paper Series*. 2020;27344. doi: 10.3386/w27344
7. Tessema MT, Tesfom G, Faircloth MA, Tesfagiorgis M, Teckle P. The "great resignation": Causes, consequences, and creative HR management strategies. *J Hum Resour Sustain Stud*. 2022;10(1):161-178. doi: 10.4236/jhrss.2022.101011
8. Aydın E, Azizoğlu Ö. A new term for an existing concept: Quiet quitting—a self-determination perspective. In: *International Congress on Critical Debates in Social Sciences*; 2022 Oct 7-9; Balıkesir, Turkey.
9. Boy Y, Sürmeli M. Quiet quitting: A significant risk for global healthcare. *J Glob Health*. 2023;13:03014. doi: 10.7189/jogh.13.03014
10. Johnson JR. What's new about quiet quitting (and what's not). *Transdiscip J Manag*. 2023.
11. Nordgren H, Ingemarsson Björs A. Quiet quitting, loud consequences: The role of management in employee engagement [dissertation]. 2023. Available from: <http://urn.kb.se/resolve?urn=urn:nbn:se:uu:diva-498675>
12. Yikilmaz I. Quiet quitting: A conceptual investigation. In: *Anadolu International Conference on Social Science*.
13. Ng E, Stanton P. The great resignation: Managing people in a post COVID-19 pandemic world. *Personnel Review*. 2023;52(2):401-407. doi: 10.1108/PR-03-2023-

14. Sethi BA, Sethi A, Ali S, Aamir HS. Impact of coronavirus disease (COVID-19) pandemic on health professionals. *Pak J Med Sci.* 2020;36(COVID19-S4):S6-11. doi: 10.12669/pjms.36.COVID19-S4.2779

15. Kumar S. Quiet quitting and its relevance to the medical profession. *MGM J Med Sci.* 2023;10(1):1. doi: 10.4103/mgmj.mgmj_42_23

16. Hannawa AF, Wu AW, Kolyada A, Potemkina A, Donaldson LJ. The aspects of healthcare quality that are important to health professionals and patients: A qualitative study. *Patient Educ Couns.* 2022;105(6):1561-1570. doi: 10.1016/j.pec.2021.10.01617

17. Epstein NE. Multidisciplinary in-hospital teams improve patient outcomes: A review. *Surg Neurol Int.* 2014;5(Suppl 7):S295-S303. doi: 10.4103/2152-7806.139612

18. Toso GL, Golle L, Magnago TSB de S, Herr GEG, Loro MM, Aozane F, Kolankiewicz ACB. Patient safety culture in hospitals within the nursing perspective. *Rev Gaucha Enferm.* 2016;37:e58662. doi: 10.1590/1983-1447.2016.04.58662

19. Eagar SC, Cowin LS, Gregory L, Firtko A. Scope of practice conflict in nursing: A new war or just the same battle?. *Contemporary Nurse.* 2010;36(1-2):86-95. doi: 10.5172/conu.2010.36.1-2.086

20. Cengiz A, Yoder LH, Danesh V. A concept analysis of role ambiguity experienced by hospital nurses providing bedside nursing care. *Nursing & Health Sciences.* 2021;23(4):807–817. doi:10.1111/nhs.12888

21. Scheyett A. Quiet quitting. *Soc Work.* 2023;68(1):5-7. doi: 10.1093/sw/swac051

22. Summers J, Morrison E. Principles of healthcare ethics. In: *Health Care Ethics*, 2nd ed. Sudbury: Jones Bartlett Publ; 2009. p. 41-58.

23. Rosanne R. Quiet quitting: Checking in on checking out. *Nursing Management.* 2023;54(7):4. Doi:10.1097/nmg.0000000000000029

24. Yayla A, İlgin VE. The relationship of nurses’ psychological well-being with their coronaphobia and work–life balance during the covid-19 pandemic: A cross-sectional study. *J Clin Nurs.* 2021;(30):3153-3162. doi:10.1111/jocn.15783

25. Haselden L, Barsotti C. Practice Management: EPs and Quiet Quitting: Hospitals Must Value Workers More Than Money. *Emerg Med News.* 2023;45(2B):1-2.

26. Walker LO, Avant KC. *Strategies for theory construction in nursing.* 6th ed. New York: Pearson; 2018.

27. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic

- or scoping review approach. BMC Med Res Methodol. 2018;18:143. doi: 10.1186/s12874-018-0611-x
28. Penrod J, Hupcey JE. Concept advancement: Extending science through concept-driven research. Res Theory Nurs Pract. 2005;19(3):231-241. doi: 10.1891/rtnp.2005.19.3.231
29. Colquhoun HL, Levac D, O'Brien KK, Straus S, Tricco AC, Perrier L, et al. Scoping reviews: time for clarity in definition, methods, and reporting. J Clin Epidemiol. 2014;67(12):1291-1294. doi: 10.1016/j.jclinepi.2014.03.013
30. Aromataris E, Munn Z. JBI Manual for Evidence Synthesis. JBI; 2020. Available from: <https://synthesismanual.jbi.global>. doi: 10.46658/JBIMES-20-01
31. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. Ann Intern Med. 2018;169(7):467-473. doi: 10.7326/M18-0850

BMJ Open

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2023-077811.R2
Article Type:	Protocol
Date Submitted by the Author:	03-Nov-2023
Complete List of Authors:	Kang, Jaejin; The Catholic University of Korea Kim, Hyekyung; Catholic Kwandong University Cho, Ok-Hee; Kongju National University,
Primary Subject Heading:	Health policy
Secondary Subject Heading:	Nursing, Medical management
Keywords:	Occupational Stress, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, COVID-19

SCHOLARONE™
Manuscripts

Title Page

1. Title:

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

2. Authors: Jaejin Kang, Hyekyung Kim, Ok-Hee Cho*

Jaejin Kang, PhD, RN
Research instructor, College of Nursing, The Catholic University of Korea, Seoul, Republic of Korea.
E-mail: jjkang@catholic.ac.kr
ORCID <https://orcid.org/>

Hyekyung Kim, PhD, RN
Assistant Professor, Department of Nursing, Catholic Kwandong University, Gangneung, Republic of Korea.
E-mail: hk1224@cku.ac.kr
ORCID <https://orcid.org/0000-0002-5504-9288>

Ok-Hee Cho, PhD, RN
Professor, Department of Nursing, College of Nursing and Health, Kongju National University, Gongju, Republic of Korea.
E-mail: ohcho@kongju.ac.kr
ORCID <https://orcid.org/0000-0002-8882-675X>

3. *Corresponding author

Ok-Hee Cho, PhD, RN
Professor, Department of Nursing, College of Nursing and Health, Kongju National University, Gongju, Republic of Korea.

Address: 56 Gongjudeahak-ro, Gongju-si, Chungcheong nam-do 32588, Republic of Korea
Tel: +82-41-850-0306
Fax: + 82-41-850-0315
E-mail: ohcho@kongju.ac.kr

4. Key words:

health personnel; COVID-19; occupational stress; work engagement

5. Word count: 3,711

Quiet quitting among healthcare professionals in hospital environments: A concept analysis and scoping review protocol

Abstract

Introduction: The post-COVID-19 pandemic era has seen a rise in "quiet quitting," with employees limiting their efforts to fulfill assigned tasks without going beyond their designated responsibilities. The occurrence of quiet quitting in hospitals can have detrimental effects not only on organizational culture but also on patient safety and satisfaction. Therefore, the aim of this study is to define quiet quitting among healthcare professionals in hospitals through concept analysis, identify the associated factors and outcomes of quiet quitting, and conduct a scoping review based on this defined concept.

Methods and analysis: This study will adopt Walker and Avant method for concept analysis and Aromataris and Munn methodological framework as well as the Joanna Briggs Institute Reviewer's manual for scoping reviews. The concept analysis will follow eight steps: (1) choosing the concept; (2) outlining the objectives of the analysis; (3) recognizing the concept's uses; (4) selecting the concept's defining attributes; (5) constructing a model case; (6) constructing additional cases; (7) defining the consequences and antecedents of the concept; and (8) determining empirical referents. This study used databases of PubMed, Embase, PsycINFO, Scopus, ProQuest Dissertations and Theses Global for the English language, and NDSL, KCI, RISS, KISS, and DBpia for the Korean language. Additionally, grey literature will be searched.

Ethics and dissemination: This concept analysis and scoping review does not require ethical approval. The results of this study will be reported in peer reviewed publications.

Strengths and limitations of this study

- We rigorously adhere to Walker and Avant's method in conducting a concept analysis to precisely define the concept of 'quiet quitting'.
- Our scoping review is conducted in accordance with the guidelines of the Joanna Briggs Institute (JBI) and Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews, ensuring the provision of trustworthy evidence.
- We conducted a systematic literature search from 2009, when the term 'quiet quitting' was first introduced, through 2023, encompassing all electronic databases and grey literature sources, to identify all available evidence.
- This review will include documents written only in English and Korean, leading to the potential omission of relevant materials written in other languages.
- The study focuses on healthcare professionals in the hospital setting, which may limit the generalizability of findings to other healthcare contexts.

1. INTRODUCTION

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

Occupational perceptions evolve over time, and are influenced by changing social dynamics [1]. Recently, a phenomenon known as "quiet quitting" has been observed to be on the rise. This behavior entails employees limiting their dedication solely to assigned tasks, strictly adhering to the job description without engaging in any additional work [2]. It differs from the previously prevalent trend "hustle culture," which emphasizes work over personal life. In 2020, over 50% of American workers engaged in "quiet quitting," with the trend being more prominent among the Millennial and Generation Z cohorts. This phenomenon indicates a psychological detachment from job-related responsibilities [3].

The concept of "quiet quitting" was introduced by Mark Boldger in 2009 [4]. However, it gained widespread recognition and renewed attention when "quiet quitting" went viral on social media in summer 2022 [5]. The COVID-19 pandemic brought about significant changes in working conditions, particularly with a surge in remote work [6]. Following the pandemic, individuals started reassessing the costs and intensity associated with traditional jobs, leading to a notable increase in voluntary resignations, referred to as the "Great Resignation" [7]. Consequently, the remaining employees bear heavier workloads without adequate compensation. Additionally, a low-growth environment, economic recession, and inflation have made job transitions more challenging. Hence, "quiet quitting" has become a method employed by remaining employees to maintain a work-life balance [8].

However, even if it is argued that such choices are made in pursuit of individuals' work-life balance, the phenomenon of quiet quitting within organizations has been reported to result in compromised work efficiency, diminished organizational commitment, and adverse impacts on organizational culture [9]. There is also a perspective that views these occurrences as manifestations of individual deviance and work disengagement. Moreover, deliberately

1
2
3
4 slowing down the completion of tasks that could be expedited, while still adhering to all work-
5 related standards and diminishing one's effort in their own job, can be likened to the concept
6 of an “work to rule” or "Italian strike" [10]. However, the context, intent, and characteristics
7 of the phenomenon of quiet quitting differ from those of work to rule or the Italian strike,
8 requiring a multifaceted approach to understand the phenomenon fully.

9
10
11 Moreover, a similar phenomenon is observed in China, referred to as "tang-ping." Tang-ping,
12 which literally translates to "lying flat," reflects the idea of individuals lying down comfortably
13 [11]. After the COVID-19 pandemic, many young people in China feel that they are not
14 adequately rewarded for their work and experience frustration due to rising costs of living,
15 housing prices, and long working hours. As a result, they choose to lower their professional
16 commitment and economic ambitions, simplify their goals, while still being financially
17 productive for their essential needs, and prioritize psychological well-being over materialistic
18 pursuits [12]. Similarly, in other countries, similar phenomena can occur due to societal
19 changes following the COVID-19 pandemic. Therefore, comparing these phenomena can
20 clarify quiet quitting [11].

21
22 The phenomenon of quiet quitting has emerged following the COVID-19 pandemic, and
23 even if COVID-19 is not the direct cause, it has certainly contributed to the emergence of this
24 phenomenon [13]. Professions that has undergone the most significant changes due to COVID-
25 19 is the healthcare professionals in hospitals [14]. They face a more vulnerable working
26 environment, including higher risk of infection, personnel and equipment shortages, increased
27 workload, exclusion from the benefits of remote work, and inadequate financial compensation
28 [9]. Therefore, it is worth noting whether the phenomenon of quiet quitting, which has been
29 reported as a social phenomenon following the COVID-19 pandemic, is perceived differently
30 in the context of the hospital, which has experienced the most significant changes due to

COVID-19.

Despite the unique circumstances in the hospital, "quiet quitting" has also been reported among healthcare professionals [15]. However, the consequences of quiet quitting in hospitals may extend beyond the employees and the workplace. In hospitals, patients rely on healthcare professionals to possess the skills specified in their job descriptions. In addition to technical skills, patients also value emotional care, kindness, and a genuine concern for their well-being from healthcare professionals. These aspects contribute to overall patient satisfaction and a positive patient experience [16]. These aspects are not easily quantifiable or explicitly outlined in job descriptions. As a result, the quiet quitting of healthcare professionals can potentially create issues in these qualitative aspects and significantly impact patient satisfaction.

Furthermore, hospitals consist of various professions such as doctors and nurses, who interact, communicate, exchange opinions, and collaborate with each other as a multidisciplinary in-hospital team [17]. If quiet quitting occurs within one profession, it may have a cascading negative impact on collaboration among different professions [15]. Teamwork among healthcare professionals, job satisfaction, perception of stress, and the working environment are closely linked to the patient safety culture [18].

In the hospital environment, advancements in medical technology continually introduce new tasks, and the job descriptions within the hospital setting tend to be more vague and basic rather than highly detailed [19]. For instance, the characteristics of such a hospital can cause role ambiguity among nurses [20]. Therefore, due to these characteristics of the hospital setting, there is a potential for even more serious consequences when quiet quitting occurs.

Additionally, quiet quitting in the hospital can be considered a violation of work ethic [21]. In hospitals, where the connection to patients' lives is profound, ethics are treated with utmost importance [22]. As a result, quiet quitting among healthcare professionals may occur more

discreetly, making it challenging to identify and address the issue effectively [23]. Moreover, due to its distinct characteristics compared to quiet quitting in other professions, it is necessary to thoroughly investigate and define the phenomenon and its outcomes specific to quiet quitting within this unique context of the hospital.

The concept of “quiet quitting” implies the need for systemic changes in working conditions, rather than individual acts of deviance [9]. Moreover, since "quiet quitting" is related to healthcare professionals' work-life balance, comprehending it can potentially provide assistance in addressing psychological problems [24] such as depression, anxiety, post traumatic stress disorder, burnout, and suicide among healthcare workers, which can ultimately have a profound impact on a hospital's performance and patient safety. Considering the potential negative impacts of “quiet quitting,” understanding this phenomenon is essential for identifying the elements necessary to promote a desirable work culture [25]. Quiet quitting serves as an important concept in comprehending the rapidly evolving organizational culture, and developing strategies to address these issues.

In the hospital, there is also an opinion that "quiet quitting" has existed among healthcare professionals for a long time, and it is merely a new term for a pre-existing concept [15]. If "quiet quitting" is defined as when workers of an organization, faced with undesirable working conditions, opt to stay and perform their tasks without enthusiasm rather than seeking new employment opportunities, it can be quite reasonable. Hospitals have chronic understaffing issues and often require tasks like supply management and mandatory training beyond regular working hours, relying on healthcare professionals for extra work [23]. Therefore, it is essential to establish a clear definition of "quiet quitting" specifically in the context of healthcare professionals. Subsequently, conducting a scoping review to explore existing research and gain insights becomes essential to provide a comprehensive understanding of this phenomenon.

If "quiet quitting" is clearly defined through concept analysis, it is anticipated that we can ascertain how long it has been prevalent and in what forms, what aspects of hospital culture are associated with "quiet quitting," and what outcomes result from it. Additionally, by investigating previously used similar concepts, we can compare and gain valuable insights into the issue of "quiet quitting" in hospitals. Furthermore, understanding this phenomenon can contribute to fostering a more supportive and sustainable work environment.

Therefore, it is crucial to employ a research method called concept analysis [26], which involves exploring the attributes of a phenomenon represented by a particular term, clarifying the concept, and providing a precise definition. In this study, we aim to define the concept of quiet quitting specifically within the hospital, which has experienced significant changes and challenges due to the COVID-19 pandemic. By conducting a concept analysis will help us examine and clarify any similar existing concepts, thereby contributing to a deeper understanding of the essence of quiet quitting within the hospital context. Furthermore, conducting a scoping review, we will examine the existing literature on this topic to gain a comprehensive understanding and propose future research directions. A scoping review is a research method that maps the characteristics and breadth of evidence on a specific topic, guiding the direction of further research [27].

Therefore, the aim of this study is to define the phenomenon of "quiet quitting" among healthcare professionals in hospitals through a concept analysis. Additionally, through a scoping review of the defined concept, we intend to examine how this phenomenon is described and researched in existing literature. Furthermore, we aim to investigate and summarize the factors associated with quiet quitting, its consequences, and research efforts aimed at mitigating and understanding this phenomenon. This examination will contribute to improved clarity and comprehension of this phenomenon, providing a wealth of information for understanding

various issues within hospitals.

2. METHODS AND ANALYSIS

Concept analysis and scoping review

This study will combine concept analysis and a scoping review to analyze the concept of quiet quitting in a clear manner. Concept analysis involves investigating the current state of knowledge about a concept and constructing precise meanings that are useful in research applications [28]. A scoping review examines the extent and nature of available evidence for key concepts across various research areas [29]. Quiet quitting has emerged as a concept that reflects the recent social atmosphere. To understand the meaning of this concept in the context of healthcare professionals, it is essential to analyze its definition and characteristics through literature applied in hospitals. Walker and Avant [26] recommend conducting a broad and multidisciplinary literature review to gain a comprehensive understanding of concept. The concept analysis will be conducted in eight steps: (1) choosing the concept; (2) outlining the objectives of the analysis; (3) recognizing the concept’s uses; (4) selecting the concept’s defining attributes; (5) constructing a model case; (6) constructing additional cases; (7) defining the consequences and antecedents of the concept; and (8) determining empirical referents.

After defining 'quiet quitting,' we will conduct a scoping review following the methodology outlined by the Joanna Briggs Institute, as described by Aromataris and Munn [30]. The protocol process of this study will be reported following the PRISMA-ScR guidelines (Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for scoping reviews) [31]. This quiet quitting concept analysis and scoping review has been registered in

the Open Science Framework (OSF); <https://osf.io/kv3p8>

Step 1: choosing the concept

In the reviewed literature, the concept of "quiet quitting" has been expressed using different terms. Instead of "quiet," the term "silent" has been used, and "quitting" has been replaced with "resignation," among others. Additionally, similar concepts like "tang-ping" have also been utilized. This phenomenon of using similar words during the translation process might arise independently in different countries, or the concept itself could be similar. In our research, we have chosen to analyze the expression "quiet quitting" coined by Mark Boldger in 2009 as the concept to investigate.

Step 2: outlining the objectives of the analysis

In this study, our primary objectives are to provide a clear definition of 'quiet quitting' within healthcare professions in a hospital setting and to offer guidance for future research on this phenomenon. 'Quiet quitting' is currently used without a clear definition and is often interchangeable with various terms. Some consider it a new label for an existing phenomenon. Therefore, establishing a precise definition will assist research efforts in addressing and resolving this phenomenon and will contribute to shaping the future work environment in hospital healthcare professions.

Step 3: recognizing the concept's uses

The third step involves examining how the concept of 'quiet quitting' has been used in the existing literature within the healthcare field. We will start by introducing the concept as initially proposed by Mark Boldger, acknowledging it as a newly coined concept. Subsequently, we will explore how this phenomenon manifests and how the concept is employed within the healthcare field.

Step 4: selecting the concept’s defining attributes

The fourth step in the concept analysis process, involves identifying the characteristics or attributes that are frequently mentioned in relevant literature regarding the concept being analyzed.²⁶ In this study, the attributes are defined to ensure that each attribute independently captures the essential qualities of quiet quitting.

Step 5: constructing a model case

The fifth step, the model case, illustrates the concept clearly through examples to aid in understanding. It also states that all attributes of the previously mentioned concepts are included in the model case.

Step 6: constructing additional cases

The sixth step involves developing additional cases, including borderline, related, and contrary cases, to explore concepts closely related to quiet quitting but that may not fully encompass the defining attributes. The borderline case includes most of the attributes of the concept but not all of them, while a contrast case consists of cases that do not possess any of the defined attributes. Additionally, the related case is similar to a model case but lacks some of the important attributes.

Step 7: defining the consequences and antecedents of the concept

In the seventh step, once clarity is achieved regarding the defining attributes, the antecedents and consequences of the concept will be identified. Antecedents are events or circumstances that must occur or be present before the concept of quiet quitting occurs, whereas consequences are events or circumstances that occur as a result of the concept. This step of the analysis helps establish a theoretical understanding of how concepts are interconnected and sheds light on their resolution.

Step 8: determining empirical referents

Step eight involves identifying empirical referents, which are indicators of everyday life that represent familiarity with a concept. These studies support the development of measurement tools and indicators for attributes.

Scoping review process

Step 1: Identify the Purpose

The research question guides the review, and the review must be broad and comprehensive [30]. In the scoping review protocol, we defined the following research question, adapting the population, concept, and context (PCC) framework: How is the phenomenon of 'quiet quitting' manifesting among healthcare professionals in the hospitals? What are some strategies to reduce 'quiet quitting'?

Population

This study will consider studies involving all types of healthcare professionals engaged in a hospital. The healthcare professionals include not only nurses and doctors, but also physicians, surgeons, medicine, pharmacists, and practitioners.

Concept

This study will review research on 'quiet quitting' among healthcare professionals. The term 'quiet quitting' as used here is based on the definition established in the previously conducted concept analysis.

Context

We will exclusively focus on healthcare settings within hospitals. Healthcare environments can vary widely, ranging from hospitals to local communities, but due to their distinct characteristics, we have chosen to narrow down the scope of this concept analysis to hospitals in order to provide a clearer definition of the concept's applicability.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Step 2: Search Strategy

The search strategy is based on published data and includes qualitative research, quantitative research, mixed methods, and a literature review. For this review, eight databases will be searched for relevant literature, including PubMed, Google Scholar, Excerpta Medica database (EMBASE), EBSCOhost Research Platform (selecting CINAHL Complete and MEDLINE Complete databases), Scopus, Research Information Sharing Service, DataBase Periodical Information Academic, and Korean studies Information Service System. Grey literature will also be included because of its status as a relatively new concept. Grey literature can provide valuable insights into topics currently under review. Both published and unpublished grey literature sources, including major reports, such as white papers, frameworks, and dissertations, will be considered for inclusion in this scoping review. Grey literature will be searched using the ProQuest Dissertations and Theses (ProQuest) and Google databases. To include grey literature, we will also manually search the reference lists of the selected articles. The literature includes both English and Korean texts.

The search terms should strike a balance between specificity and breadth to capture the relevant literature for a thorough understanding while managing the volume of literature for the review [30]. The search parameters will include the term "quiet quitting" in the abstract or title and restrict the results to publications from January 1, 2009, onwards, as the concept only emerged after 2009. Since the review will commence in July 2023, it is possible that new literature will be published, and any relevant publications will be included in the scoping review. Once the protocol has been published, formal data collection for the scoping review will begin and will encompass more recent publications (Table 1).

Table 1. Scoping review search strategy

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignment Superior (ABES).

Framework Component	Criteria
Population	nurse OR doctor OR physician OR surgeon OR medicine OR pharmacist OR practitioner OR “healthcare professional” OR “healthcare worker” OR “healthcare personnel” OR “healthcare provider” OR “healthcare staff” OR “health worker” OR “health personnel” OR “health staff” OR “medical resident” OR “attending resident” OR “hospital technician” OR “paramedical personnel” OR “paramedical staff” OR “hospital support personnel”
Concept	“quiet quitting”; definition established in the concept analysis
Context	hospital OR clinic OR bedside OR ICU OR “general ward” OR clini* OR “Intensive care unit” OR “medical institution” OR hospice OR “medical center” OR “health center”
Other criteria	<ul style="list-style-type: none"> • Define or directly discuss quiet quitting as a concept • Among healthcare professionals or take place in hospital settings • Indicate a study result or finding on quiet quitting • English and Korean language literature • Studies of a qualitative and quantitative nature, of all types, whether experimental, quasi-experimental, literature reviews, meta-analyses, theses, and dissertations • Studies published in Jan 2009–July 2023.
Exclusion Criteria	<ul style="list-style-type: none"> • Publications that do not deliver any substantial contribution regarding the clarification of the concepts are to be excluded.
Database	<ul style="list-style-type: none"> • PubMed, Google Scholar, Embase, EBSCO, Scopus, RISS, DBPIA, KISS • ProQuest Dissertations and Theses (ProQuest)
Language	English, Korean
Time	2009–2023

Databases filter

When running the search terms in the selected databases, the asterisk symbol will be used as an indicator for truncating the ends of word roots. The relevant literature identified will be imported into the Covidence software program to ensure the removal of duplicate records.

Step 3: Selection Process

The literature screening will involve two distinct reviews. The scoping review will be managed using the Covidence software, and each citation will be independently assessed for eligibility by two members of the research team. The eligibility process will consist of two stages: an initial screening of eligible titles and abstracts, followed by a thorough review of the full-text articles for eligible citations. Given the anticipated extensive body of literature, the eligibility criteria will be refined during the screening of titles and abstracts. In addition, to identify further relevant literature, the reference lists of the identified articles will be examined. This screening process aligns with the strategy proposed by Aromataris and Munn [30]. The research team will hold regular meetings, typically every 1-2 weeks, to discuss the project, refine the eligibility criteria, and address any conflicts that arise regarding the eligibility of the articles. Disagreements will be resolved during these team meetings, with majority consensus determining eligibility. The project leader will make the final decision if a consensus cannot be reached.

Title and Abstract Screening

Before commencing the literature screening process, the project leader will provide education to the research team members to ensure consistency in evaluating the literature. During the initial team meeting, each member will receive detailed instructions on how to effectively utilize Covidence software. Furthermore, there will be a thorough discussion of the inclusion and exclusion criteria to address any questions that may arise. The team members will then conduct a preliminary review of the literature based on the established criteria, followed by an assessment of the inter-rater reliability (IRR) between each pair of team members. The target IRR achievement between each pair is set at >0.75, following the guidelines of Aromataris and Munn [30].

Full Text Screening for Eligibility

Before initiating the full-text screening, the research team will upload the full-text articles into the Covidence software and hold a meeting to discuss the screening process. Once preparation is completed, each team member will independently review the articles and an IRR calculation will be conducted. The target IRR achievement for each pair of team members is set at >0.75 . If the expected IRR is not met, the research team will convene for additional instructions and discussions to address any discrepancies. During the full-text screening, the team will also conduct a reference list scan. Team members will share relevant citations with project leaders. After completing the full-text screening, the project leader will present the articles identified from the reference lists to the research team for consideration. The final decision regarding eligibility will be made through a majority agreement. The project leader will intervene to resolve any unresolved disagreements. The process of selecting and managing literature for the scoping review will be presented in a PRISMA flow diagram.

Step 4: Charting the Data

The research team has developed a draft charting table for data extraction (Table 2). Selected articles will be subjected to independent data extraction by two researchers. Any disagreements regarding the extracted data will be discussed during a full team meeting. If a consensus cannot be reached, the project leader will carefully consider all opinions and make the final decision.

Table 2. Article information

Title	Author	Year of Publication	City	Type of study	Study population	Types of data sources	Definition or description	Relevant finding
entry 1	data							
entry 2	data							

Step 5: Data Analysis

The analysis of the collected data using the data extraction framework will showcase how 'quiet quitting' manifests and provide insights into research findings regarding potential solutions. For instance, we will categorize the phenomenon of 'quiet quitting' by different professions to demonstrate how it manifests in similar patterns and to explore which solutions may be more effective or worth implementing. The results will be presented in an appropriate format, such as tables and charts, to aggregate and visually represent the information (Table 3).

Table 3. Quiet quitting manifests by professions and potential solution

	Relationship with co-worker	Relationship with other professions	Deliberately avoided tasks	Inappropriate reward
Doctor				
Nurse				
Technician				
Etc.				
Solution				

Patient and Public Involvement

None.

3. ETHICS and DISSEMINATION

This scoping review does not require ethical approval. The results of this scoping review will be reported in peer-reviewed publications. The process of selecting and managing literature for

the scoping review will be presented as a flowchart. The findings of this study will be disseminated through conference presentations and submissions to peer-reviewed scholarly journals.

4. DISCUSSION

Our concept analysis and scoping review exhibit several significant strengths. Firstly, we will systematically search multiple databases to comprehensively identify relevant studies related to 'quiet quitting' within the hospital context. Secondly, our review will encompass the entire spectrum of available literature, beginning with the concept's inception in 2009 and extending up to the present year, 2023. Thirdly, our search strategy will include both electronic databases and grey literature sources to ensure inclusivity. Lastly, our concept analysis will rigorously adhere to Walker and Avant's method, while our scoping review will strictly follow the guidelines outlined by the Joanna Briggs Institute (JBI) and the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews. Consequently, the findings of this study are poised to provide a robust foundation for scholarly discourse.

We anticipate several limitations in our study. Firstly, our inclusion criteria are limited to English and Korean literature, potentially excluding documents published in other languages. Additionally, we will not conduct quality assessments or assess the risk of bias for the selected literature, as these aspects are typically not applied in scoping reviews. Finally, our study is limited by its focus on healthcare professionals within the hospital setting, which does not encompass the entirety of the healthcare environment. We recognize this limitation and suggest that future research should consider a broader scope to include various healthcare contexts.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Contributors

JK: Conceptualization, Methodology, Investigation, Writing – Original Draft, Writing – Review & Editing, Supervision, Project administration. HK: Conceptualization, Methodology, Data Collection, Writing – Original Draft. OHC: Conceptualization, Methodology, Data Analysis, Writing – Original Draft, Writing – Review & Editing.

Funding

This research received no external funding.

Competing interests

None declared

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

REFERENCES

1. Martela F, Pessi AB. Significant work is about self-realization and broader purpose: Defining the key dimensions of meaningful work. *Front Psychol*. 2018;9:363. doi: 10.3389/fpsyg.2018.00363
2. Nseir S. Post-pandemic disengagement: What is quiet quitting? *Ariz Nurse*. 2013;76(1):8-9.
3. Jeon J. A study on the characteristics and improvement plan of 'quiet quitting' centered on the mz generation. *J Humanit Soc Sci*. 2022;13(6):5117-5132. doi: 10.22143/HSS21.13.6.355
4. Formica S, Sfodera F. The great resignation and quiet quitting paradigm shifts: An overview of the current situation and future research directions. *J Hosp Mark Manage*. 2022;31(8):899-907. doi: 10.1080/19368623.2022.2136601
5. Hamouche S, Koritos C, Papastathopoulos A. Quiet quitting: Relationship with other concepts and implications for tourism and hospitality. *Int J Contemp Hosp Manage*. 2023. doi: 10.1108/IJCHM-11-2022-1362
6. Brynjolfsson E, Horton JJ, Ozimek A, Rock D, Sharma G, TuYe HY. Covid-19 and remote work: An early look at US data. *NBER Working Paper Series*. 2020;27344. doi: 10.3386/w27344
7. Tessema MT, Tesfom G, Faircloth MA, Tesfagiorgis M, Teckle P. The "great resignation": Causes, consequences, and creative HR management strategies. *J Hum Resour Sustain Stud*. 2022;10(1):161-178. doi: 10.4236/jhrss.2022.101011
8. Aydın E, Azizoğlu Ö. A new term for an existing concept: Quiet quitting—a self-determination perspective. In: *International Congress on Critical Debates in Social Sciences*; 2022 Oct 7-9; Balıkesir, Turkey.
9. Boy Y, Sürmeli M. Quiet quitting: A significant risk for global healthcare. *J Glob Health*. 2023;13:03014. doi: 10.7189/jogh.13.03014
10. Johnson JR. What's new about quiet quitting (and what's not). *Transdiscip J Manag*. 2023.
11. Nordgren H, Ingemarsson Björs A. Quiet quitting, loud consequences: The role of management in employee engagement [dissertation]. 2023. Available from: <http://urn.kb.se/resolve?urn=urn:nbn:se:uu:diva-498675>
12. Yikilmaz I. Quiet quitting: A conceptual investigation. In: *Anadolu International Conference on Social Science*.
13. Ng E, Stanton P. The great resignation: Managing people in a post COVID-19 pandemic world. *Personnel Review*. 2023;52(2):401-407. doi: 10.1108/PR-03-2023-

14. Sethi BA, Sethi A, Ali S, Aamir HS. Impact of coronavirus disease (COVID-19) pandemic on health professionals. *Pak J Med Sci.* 2020;36(COVID19-S4):S6-11. doi: 10.12669/pjms.36.COVID19-S4.2779

15. Kumar S. Quiet quitting and its relevance to the medical profession. *MGM J Med Sci.* 2023;10(1):1. doi: 10.4103/mgmj.mgmj_42_23

16. Hannawa AF, Wu AW, Kolyada A, Potemkina A, Donaldson LJ. The aspects of healthcare quality that are important to health professionals and patients: A qualitative study. *Patient Educ Couns.* 2022;105(6):1561-1570. doi: 10.1016/j.pec.2021.10.01617

17. Epstein NE. Multidisciplinary in-hospital teams improve patient outcomes: A review. *Surg Neurol Int.* 2014;5(Suppl 7):S295-S303. doi: 10.4103/2152-7806.139612

18. Toso GL, Golle L, Magnago TSB de S, Herr GEG, Loro MM, Aozane F, Kolankiewicz ACB. Patient safety culture in hospitals within the nursing perspective. *Rev Gaucha Enferm.* 2016;37:e58662. doi: 10.1590/1983-1447.2016.04.58662

19. Eagar SC, Cowin LS, Gregory L, Firtko A. Scope of practice conflict in nursing: A new war or just the same battle?. *Contemporary Nurse.* 2010;36(1-2):86-95. doi: 10.5172/conu.2010.36.1-2.086

20. Cengiz A, Yoder LH, Danesh V. A concept analysis of role ambiguity experienced by hospital nurses providing bedside nursing care. *Nursing & Health Sciences.* 2021;23(4):807–817. doi:10.1111/nhs.12888

21. Scheyett A. Quiet quitting. *Soc Work.* 2023;68(1):5-7. doi: 10.1093/sw/swac051

22. Summers J, Morrison E. Principles of healthcare ethics. In: *Health Care Ethics*, 2nd ed. Sudbury: Jones Bartlett Publ; 2009. p. 41-58.

23. Rosanne R. Quiet quitting: Checking in on checking out. *Nursing Management.* 2023;54(7):4. Doi:10.1097/nmg.0000000000000029

24. Yayla A, İlgin VE. The relationship of nurses’ psychological well-being with their coronaphobia and work–life balance during the covid-19 pandemic: A cross-sectional study. *J Clin Nurs.* 2021;(30):3153-3162. doi:10.1111/jocn.15783

25. Haselden L, Barsotti C. Practice Management: EPs and Quiet Quitting: Hospitals Must Value Workers More Than Money. *Emerg Med News.* 2023;45(2B):1-2.

26. Walker LO, Avant KC. *Strategies for theory construction in nursing.* 6th ed. New York: Pearson; 2018.

27. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic

or scoping review approach. BMC Med Res Methodol. 2018;18:143. doi: 10.1186/s12874-018-0611-x

28. Penrod J, Hupcey JE. Concept advancement: Extending science through concept-driven research. Res Theory Nurs Pract. 2005;19(3):231-241. doi: 10.1891/rtnp.2005.19.3.231
29. Colquhoun HL, Levac D, O'Brien KK, Straus S, Tricco AC, Perrier L, et al. Scoping reviews: time for clarity in definition, methods, and reporting. J Clin Epidemiol. 2014;67(12):1291-1294. doi: 10.1016/j.jclinepi.2014.03.013
30. Aromataris E, Munn Z. JBI Manual for Evidence Synthesis. JBI; 2020. Available from: <https://synthesismanual.jbi.global>. doi: 10.46658/JBIMES-20-01
31. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. Ann Intern Med. 2018;169(7):467-473. doi: 10.7326/M18-0850