Protected by copyright, including for uses related to text

# BMJ Open Policy responses to the COVID-19 pandemic in West Africa: a scoping review protocol

Hanna-Tina Fischer o, 1 Kathrin Müller, 1 Clare Wenham, 2 Johanna Hanefeld3

To cite: Fischer H-T, Müller K, Wenham C, et al. Policy responses to the COVID-19 pandemic in West Africa: a scoping review protocol. *BMJ Open* 2023;13:e079810. doi:10.1136/ bmiopen-2023-079810

▶ Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (http://dx.doi.org/10.1136/bmjopen-2023-079810).

Received 12 September 2023 Accepted 27 November 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>Charité Universitätsmedizin Berlin, Berlin, Germany <sup>2</sup>The London School of Economics and Political Science, London, UK <sup>3</sup>Robert Koch Institute, Berlin, Germany

#### **Correspondence to**

Dr Hanna-Tina Fischer; hanna-tina.fischer@charite.de

#### **ABSTRACT**

Introduction Four years after the devastating Ebola outbreak, governments in West Africa were quick to implement non-pharmaceutical interventions (NPIs) in response to the rapid spread of SARS-CoV-2. The NPIs implemented included physical distancing, closure of schools and businesses, restrictions on public gatherings and mandating the use of face masks among others. In the absence of widely available vaccinations, NPIs were the only known means to try to slow the spread of COVID-19. While numerous studies have assessed the effectiveness of these NPIs in high-income countries, less is known about the processes that lead to the adoption of policies and the factors that influence their implementation and adherence in low-income and middle-income countries. The objective of this scoping review is to understand the extent and type of evidence in relation to the policy formulation, decision-making and implementation stages of NPIs in West Africa.

Methods and analysis A scoping review will be undertaken following the guidance developed by Arskey and O'Malley, the Joanna Briggs Institute (JBI) methodology for scoping reviews and the PRISMA guidelines for Scoping Reviews. Both peer-reviewed and grey literature will be searched using Web of Science, Embase, Scopus, APA PsycInfo, WHO Institutional Repository for Information Sharing, JSTOR and Google Advanced Search, and by searching the websites of the WHO, and the West African Health Organisation. Screening will be conducted by two reviewers based on inclusion and exclusion criteria, and data will be extracted, coded and narratively synthesised.

Ethics and dissemination We started this scoping review in May 2023, and anticipate finishing by April 2024. Ethics approval is not required since we are not collecting primary data. This protocol was registered at Open Science Framework (https://osf.io/gvek2/). We plan to disseminate this research through publications, conference presentations and upcoming West African policy dialogues on pandemic preparedness and response.

# INTRODUCTION

Four years after the devastating Ebola outbreak in West Africa, governments were quick to implement non-pharmaceutical interventions (NPIs) in response to the rapid spread of the novel COVID-19, SARS-CoV-2. In early 2020, West African governments

# STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ Given the COVID-19 pandemic has officially ended, the review topic and objectives are timely as there is a critical need to learn from the policy responses in order to be better prepared for future public health emergencies.
- ⇒ This study will apply established scoping review methods.
- A comprehensive literature search strategy of electronic bibliographic sources and grey literature will be used to capture available evidence.
- Due to incorporating broad research methodologies, the heterogeneity in type, method and timing of administration of the various interventions may yield data that might be difficult to synthesise.

feared experiencing the same surging infection rates and sharp increases in morbidity and mortality that China, the USA and parts of Europe faced. Initial predictions suggested that the number of COVID-19 cases in West Africa would match those of Europe, exceeding 10000 per country by May 2020 and reaching 2.8 million cases by ≥ end of June 2020.<sup>1 2</sup> Given the low capacity of health systems in the region to deal with a new public health emergency, NPIs were introduced as containment and mitigation measures to prevent and slow the spread of disease.<sup>3 4</sup> The NPIs implemented initially focused on minimising the risk of transmission by screening passengers from China, where the virus originated, and enhancing surveillance at airports. Bans on international travel, instituting mandatory quarantine and & the closing of borders soon followed.<sup>6</sup> Additional mitigation measures were also implemented including limiting the size of public gatherings, closing schools and businesses and mandating physical distancing.<sup>7</sup> Given that 9 of the 15 countries in the West African region are among the poorest in the world, however, implementing NPIs has had disproportionately high social, economic and political costs. 8–10 Lockdowns and the restrictions

on gatherings, in particular, disrupted agricultural activities, livestock, fish farming and interrupted internal food supply chains in Africa. 11 12 Together with wider disruptions to global trade, these resulted in soaring food prices in the region; the highest prices since 2008. 13 Even though the full economic impacts of COVID-19 are yet to be seen, Africa is already in its first recession in 25 years as a result of the economic repercussions of the COVID-19 pandemic.14

In light of this high cost, it is critical to assess the appropriateness and effectiveness of NPIs as public policy tools for pandemic preparedness and response in West Africa. When faced with future pandemics, governments require confidence that not only will the NPIs adopted effectively prevent and slow the spread of disease, but also that the social, economic and political price is worth paying. Critics of the NPIs that were implemented in West Africa suggest that governments merely 'copied and pasted' 15 policy responses from the Global North that were largely inappropriate. They argue that the NPIs failed to recognise the social, cultural economic and political realities of many African countries, 16 and by so doing did not adequately consider the precarious socioeconomic conditions of local populations. 17 Other analysts suggest that the policy responses in West Africa constituted a mix of under-reactions and over-reactions to the pandemic. 18 In terms of effectiveness, although the majority of studies that have estimated the effects of NPIs on the spread of disease since the start of the pandemic were conducted in countries in Asia, North America and Europe, a few West African countries have been included in global reviews that were conducted (see eg, Haug et al<sup>19</sup>, Mendez-Brito et  $a^{20}$  and An et  $a^{21}$ ). Overall, the studies highlight that the effectiveness of NPIs varies across geographic, cultural, political and epidemiological contexts. 19-25 They show that, among other factors, timing, sequencing and adherence influence NPI effectiveness. 19 22 Existing effectiveness studies focus predominantly on the substantive aspect of policy design for NPIs, however, paying little attention to the procedural aspect, or the process of designing and implementing NPIs.<sup>26</sup> This is the case even though it is widely recognised that understanding how policies are formulated and rolled out is a critical component of understanding their effectiveness.<sup>27</sup>

Scholarship in the field of Health Systems and Policy Research (HSPR) highlights the importance of going beyond a focus on policy outputs, to understanding policy processes, particularly in low-income and middle-income countries.<sup>28</sup> This includes understanding how and when decisions were made by policymakers to adopt specific NPIs, what factors influence their implementation and how adherence to NPIs is monitored, if at all. In addition, understanding the policy environment in which the NPIs are developed including the presence of social policies is important.<sup>29</sup> Shedding light on these policy processes addresses a current gap in our knowledge, which can help to identify how government responses to future pandemics can be improved. This is especially important

since it is widely acknowledged that in the absence of widely available vaccine, NPIs will continue to be the only known means to try to slow the spread of a new infectious disease.

Study objective
The objective of this scoping review is to assess the extent of the literature on the formulation, adoption and implementation of NPIs in the context of the COVID-19 pandemic in West Africa. Specifically, this review focuses on the processes behind the formulation, adoption and implementation of NPIs, and what is known about the factors that influenced the implementation of, and adherence to, NPIs in West African countries.

Policy formulation refers to the 'development of specific policy options within government when the range of possible choices is narrowed by excluding infeasible ones.' In this process, various actors including epistemic communities typically lobby for their preferred policy solution to be selected. One policies have been formulated, ecision-making takes place where particular policies, or courses of action, are formally adopted by governments. On the policy choice. Once policies have been formulated, decision-making takes place where particular policies, or courses of action, are formally adopted by governments. On the policy choice using a 'combination of the tools of public administration'. One policies have been formulated, decision-making takes place where particular policies, or courses of action, are formally adopted by governments. On the policy choice using a 'combination of the tools of public administration'. Even though using the 'stages heuristic' has been critiqued for being 'overly mechanistic and inear', 3ii twill be a useful framework to guide the anallysis for this scoping review, particularly in the absence of alternatives. The policy cole for NPIs for COVID-19, and the need to 'map' the evidence prior to governments' and the Open Science Framework was conducted and no grant of the policy cycle for NPIs for COVID-19 in West Africa' to the policy cycle for NPIs for COVID-19 in



- 3. What factors influenced the implemenation of, and adherence to, NPIs and how was compliance or the depth of implementation measured?
- 4. What social, economic, and political effects did the implemenation of NPIs have in the countries under study?
- 3. What factors influenced the implemenation of, and adherence to, NPIs and how was compliance or the depth of implementation measured?
- 1. In what governance, epidemiological, and social contexts were NPIs for COVID-19 implemented in West Africa? 2. Which stakeholders were involved in the policy formulation process? To what extent was the process informed by local evidence?

Thefollowingadditionalauxiliaryquestionsthatdelveinto attributes of the context and concept will guide the review:

The following additional auxiliary questions that delve into attributes of the context and concept will guide the review: (i) Context and concept

Studies from all 15 West African countries that belong to the Economic Community of West African States (ECOWAS) will be included in the scoping review. These include Benin, Burkina Faso, Cabo Verde, Cote d'Ivoire, Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Niger, Nigeria, Senegal, Sierra Leone and Togo.

The core concept examined by this scoping review is NPIs for COVID-19. For the purposes of this scoping review, NPIs for COVID-19 will be defined as: 'all measures or actions, other than the use of vaccines or medicines, that can be implemented to slow the spread of (COVID-19) in a population'. 33 NPIs will be categorised into the following four categories: (1) personal protective measures such as hand hygiene and wearing of face masks; (2) environmental measures such as disinfecting surfaces and ventilating; (3) social distancing measures such as closing schools and workplaces and isolating sick persons; and (4) travel-related measures such as conducting entrance and exit screenings and restricting travel.33

# **METHODS AND ANALYSIS**

The proposed scoping review will follow the methodological guidance developed by Arksey and O'Malley<sup>34</sup> and will be conducted in accordance with the Joanna Briggs Institute (JBI) methodology for scoping reviews.<sup>35</sup> This protocol for the scoping review was published on the Open Science Framework (https://osf.io/gvek2/) and the final review will be reported in compliance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR).<sup>36</sup>

#### Search strategy

The search strategy will aim to locate both published and unpublished studies. An initial limited search of EMBASE, Web of Science and SCOPUS was undertaken to identify

articles on the topic. The text words contained in the titles and abstracts of relevant articles, and the index terms used to describe the articles were used to develop a full search strategy for Scopus (see online supplemental appendix 1). The preliminary search indicated that a considerable volume of literature exists in relation to NPIs in West Africa. The search on SCOPUS, for example, yielded over 5800 results. The search strategy, including all identified keywords and index terms, will be adapted for each included database and/or information source. The reference list of all included sources of evidence will be screened for additional studies.

#### Search in electronic databases

The databases to be searched include Web of Science, Embase, Scopus, APA PsycInfo, WHO IRIS (Institutional Repository for Information Sharing) and Google (Advanced Search). Studies published in English and French will be included. Studies published since 30 January 2020 will be included as this was when the COVID-19 pandemic officially declared a public health emergency of international concern (PHEIC).<sup>37</sup>

#### Secondary search for research evidence via other sources

Sources of unpublished studies or grey literature will be identified through searches of the websites of the WHO, and the West African Health Organisation (WAHO). The websites of the governments of all 15 West African countries will be searched for policy documents, laws, public advice and guideline documents available related to COVID-19 (see online supplemental appendix 2).

Given the prominence of French and English in the West African region, sources in both languages will be considered for inclusion.

Only studies that refer to NPIs that were implemented in the context of COVID-19 will be included. Studies that reference NPIs in the context of other outbreaks, epidemics or pandemics will be excluded.

### **Inclusion criteria**

Identifying aspects of the policy process demands attention to a variety of sources of evidence, both qualitative and quantitative, published and unpublished. This scoping review will therefore consider studies of any design, if they provide empirical evidence of the policy process for NPIs for COVID-19 in West Africa. This includes, but is not limited to, qualitative study designs including case studies, phenomenology, ethnography and & action research, descriptive observational study designs & including descriptive cross-sectional and ecological studies and mixed-methods studies. Qualitative evidence syntheses such as scoping reviews and critical interpretive syntheses that meet the inclusion criteria will also be considered. In addition, policy documents, national laws, strategy documents, programme documents, reports and newspaper articles will be considered for inclusion. All documents included in the review must be from one of the 15 countries in the West African region and must be

published after the declaration of the PHEIC in January 2020, in order to differentiate NPIs for COVID-19 from other NPIs that have been implemented in the countries under study.

#### **Data extraction**

Following the searches, all identified citations will be collated and uploaded into Endnote software and duplicates removed. Following a pilot test, titles and abstracts will then be uploaded onto the web-based application Rayyan (https://rayyan.gcri.org/welcome). Rayyan was selected to support the screening of articles due to the familiarity of the research team with the platform, the ability of researchers to conduct blinded screening simultaneously and the free cost of the platform. The titles and abstracts will be screened by two reviewers (H-TF and KM) independently for assessment against the inclusion criteria for the review. Reviewers will compare screening results and compile a list of included studies for fulltext review. Where disagreements arise between the two researchers, a third member of the research team (JH) will be consulted. All potentially relevant sources will be retrieved in full and their citation details imported into a Microsoft Excel file. The full text of selected citations will be assessed in detail against the inclusion criteria by two independent reviewers (H-TF and KM). Here, the second reviewer (KM) will randomly assess 10% of the citations and the two reviewers will compare assessments. Reasons for exclusion of sources of evidence in full text that do not meet the inclusion criteria will be recorded and reported in the scoping review. As with the previous step, any disagreements that arise between the reviewers at this stage of the selection process will be resolved through discussion, or with the additional reviewer (JH). The results of the search and the study inclusion process will be reported in full in the final scoping review and presented in a Preferred Reporting Items for Systematic Reviews and Meta-analyses extension for scoping review (PRISMA-ScR) flow diagram.<sup>36</sup>

Data will be extracted from papers included in the scoping review by one review author (H-TF) using a data extraction tool developed in Microsoft Excel. The data extracted will include specific details about the context, study methods (where relevant) and key findings relevant to the review questions. Specifically, data will be extracted related to four domains: (1) metadata: authors, publication year, document type (journal article, policy document, programme report, newspaper article, etc), country of study and institution of lead author; (2) study/ document descriptions: study design (where relevant), research type (where relevant), study objectives (where relevant), date of data collection (where relevant) and aspect of the policy process under study (policy formulation, decision-making and implementation); and (3) study detail: brief description of epidemiological context, governance context (regime type), social policy context, NPIs implemented and extraction of the main findings.

A draft extraction form is provided (see online supplemental appendix 3). The four a priori domains will be pilot tested by the review team and adapted as needed. During the process of extracting data from each included evidence source, the draft data extraction tool will be further modified and revised as necessary. Modifications will be detailed in the scoping review. Any disagreements that arise between the reviewers will be resolved through discussion, or with an additional reviewer/s. If appropriate, corresponding authors of papers will be contacted to request missing or additional data, where required. If no answer is received in 2 months, the paper will be excluded.

The individual sources of evidence will not be critically appraised for this scoping review.

# **Data analysis and presentation**

Based on the a priori and inductively defined domains, the extracted data will be synthesised narratively, graphically and in table form. An expert who is involved with West African policy dialogues in pandemic preparedness and response will join the research team for the analysis process to identify categories of importance and discuss issues of contextual relevance. Once the domains are agreed on, NVivo software will be used to undertake coding both deductively using codes for the countries, stages of the policy cycle and NPIs discussed, and inductively, through identification of additional codes. For the narrative synthesis, data will subsequently be narratively synthesised to form an understanding of what is known about the formulation of, decision-making on, and implementation of NPIs for COVID-19 in West Africa. For the graphical representation, types of NPIs, stages of the policy cycle and contexts will be presented in clusters. Findings will be summarised in three graphical evidence maps, one for each stage of the policy cycle: policy formulation, decision-making and policy implementation. Each map will include types and combinations of NPIs on the y axis and context categories on the x axis. The cells of the map—each representing a specific NPI–context category combination—will be populated by information describing the number and types of studies/sources of evidence, if any, that have examined that NPI-context category pair. A narrative summary will accompany the graphical evidence maps and will describe how the results relate to the reviews objective and questions. All data presented in the tables, text and graphics will be doublechecked by a second reviewer.

# **ETHICS AND DISSEMINATION**

Research ethics approval is not required for this scoping review. This review started in May 2023, and is anticipated to end in April 2024. We plan to disseminate this research through publications, presentations at relevant international conferences and meetings with relevant stakeholders such as upcoming West African policy dialogues on pandemic preparedness and response. It is anticipated

that the research gaps that are identified during this scoping review will generate research questions that can inform upcoming research in West Africa. This scoping review protocol has been registered at Open Science Framework (https://osf.io/gyek2/).

#### Patient and public involvement

Patients and the public were not involved in the design or planning of the study.

Twitter Hanna-Tina Fischer @tinamaruapula

**Contributors** H-TF designed the protocol and wrote the manuscript. KM, JH and CW contributed to the intellectual content of, and critically appraised, the review protocol. All the authors edited and approved the manuscript before submission.

**Funding** This scoping review forms part of the project 'Pandemic non-pharmaceutical interventions to flatten the curve: needs, effectiveness and impact in the global South—the example of Ghana' headed by Prof Christian Drosten (principal investigator) and funded in majority by funds from the Berlin University Alliance (BUA) as part of the Excellence Strategy of the German federal and state governments (grant number 113\_MC\_GlobalHealth). Funders are not involved in the review process.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting or dissemination plans of this research.

Patient consent for publication Not applicable.

**Provenance and peer review** Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

#### **ORCID iD**

Hanna-Tina Fischer http://orcid.org/0000-0002-4609-1556

#### **REFERENCES**

- 1 Pearson CA, Van Schalkwyk C, Foss AM, et al. Projected early spread of COVID-19 in Africa through 1 June 2020. Euro Surveill 2020;25:2000543.
- 2 Achoki T, Alam U, Were L, et al. COVID-19 pandemic in the African continent: forecasts of cumulative cases, new infections, and mortality. Health Policy 2020.
- 3 Paintsil E. COVID-19 threatens health systems in sub-Saharan Africa: the eye of the crocodile. *J Clin Invest* 2020;130:2741–4.
- 4 Adam F, Gorišek M. Towards sustained and sustainable management of COVID-19: an alternative to the simplified return to pre-pandemic Normality. Sustainability 2022;14:10789.
- 5 Gilbert M, Pullano G, Pinotti F, et al. Preparedness and vulnerability of African countries against Importations of COVID-19: a Modelling study. The Lancet 2020;395:871–7.
- 6 Massinga Loembé M, Tshangela A, Salyer SJ, et al. COVID-19 in Africa: the spread and response. Nat Med 2020;26:999–1003.
- 7 Blavatnik School of Government. Oxford COVID-19 Government Response Tracker (OxCGRT). Oxford: University of Oxford, Available: https://www.bsg.ox.ac.uk/research/covid-19-government-response-tracker

- 8 Laborde D, Martin W, Vos R. Impacts of COVID-19 on global poverty, food security, and diets: insights from global model scenario analysis. *Agric Econ* 2021;52:375–90.
- 9 Ataguba JE. COVID-19 pandemic, a war to be won: understanding its economic implications for Africa. Appl Health Econ Health Policy 2020;18:325–8.
- 10 Mueller V, Sheriff G, Keeler C, et al. COVID-19 policy modeling in Sub-Saharan Africa. Appl Econ Perspect Policy 2021;43:24–38.
- 11 Ojokoh BA, Makinde OS, Fayeun LS, et al. Impact of COVID-19 and lockdown policies on farming, food security, and agribusiness in West Africa. Data Science for COVID-19, 2022.
- 12 George L. COVID-19 is exacerbating food shortages in Africa: World Economic Forum, . 2020Available: https://www.weforum.org/agenda/ 2020/04/africa-coronavirus-covid19-imports-exports-food-supplychains
- 13 World Food Programme. Economic and Market Impact Analysis of COVID-19 on West and Central Africa. Rome: World Food Programme, 2020.
- 14 United Nations Economic Commission for Africa. Building Forward for an African Green Recovery. UN ECA, 2021.
- 15 Arukwe NO. "Arukwe no.COVID-19 pandemic in Africa, "copy-and-paste" policies, and the BIOMEDICAL hegemony of "cure" *Journal of Black Studies* 2022;53:385–410.
- 16 Onditi F, Obimbo MM, Kinyanjui SM, et al. Rejection of Containment policy in the management of COVID-19 in Kenyan slums: is social geometry an option? In Review 2020.
- 17 Manderson L, Chavarro D, Kaunda-Khangamwa B, et al. Containing COVID-19 and the social costs on human rights in African countries. Humanit Soc Sci Commun 2022;9:347.
- 18 Dewi A, Nurmandi A, Rochmawati E, et al. Global policy responses to the COVID-19 pandemic: proportionate adaptation and policy experimentation: a study of country policy response variation to the COVID-19 pandemic. Health Promot Perspect 2020;10:359–65.
- 19 Haug N, Geyrhofer L, Londei A, et al. Ranking the effectiveness of worldwide COVID-19 government interventions. Nat Hum Behav 2020:4:1303–12.
- 20 Mendez-Brito A, El Bcheraoui C, Pozo-Martin F. Systematic review of empirical studies comparing the effectiveness of non-pharmaceutical interventions against COVID-19. *J Infect* 2021;83:281–93.
- 21 An BY, Porcher S, Tang SY, et al. Policy design for COVID-19: worldwide evidence on the efficacies of early mask mandates and other policy interventions. Public Adm Rev 2021;81:1157–82.
- 22 lezadi S, Gholipour K, Azami-Aghdash S, et al. Effectiveness of non-pharmaceutical public health interventions against COVID-19: A systematic review and meta-analysis. PLoS One 2021;16:e0260371.
- 23 Banholzer N, Feuerriegel S, Vach W. Estimating and explaining cross-country variation in the effectiveness of non-pharmaceutical interventions during COVID-19. Sci Rep 2022;12:7526.
- 24 Gokmen Y, Baskici C, Ercil Y. Effects of non-pharmaceutical interventions against COVID-19: A cross-country analysis. Int J Health Plann Manage 2021;36:1178–88.
- 25 Brauner JM, Mindermann S, Sharma M, et al. Inferring the effectiveness of government interventions against COVID-19. Science 2021;371:eabd9338.
- 26 Howlett M. Designing public policies. In: Designing Public Policies: Principles and Instruments. Second edition ed. Second edition. | Abingdon, Oxon; New York, NY: Routledge is an imprint of the Taylor & Francis group, an informa business, 2019: Routledge, 2019.
- 27 Howlett M, Mukherjee I. Handbook of Policy Formulation. Handbooks of Research on Public Policy series. Cheltenham: Edward Elgar Publishing Limited, 2017.
- World Health Organization. Health Policy and Systems Research: A Methodology Reader. Geneva: World Health Organization, 2012.
- 29 Greer SL, King EJ, da Fonseca EM, et al. The comparative politics of COVID-19: the need to understand government responses. Glob Public Health 2020;15:1413–6.
- 30 Wu X, Ramesh M, Howlett M, et al. The policy-making process. Routledge Handbook of Public Policy. London: Routledge, 2012.
- Bennett CJ. What is policy convergence and what causes it Brit J Polit Sci 1991;21:215–33.
- 32 Deleon P. The stages approach to the policy process: what has it done? where is it going? In: *Theories of the Policy Process*. 1st edn. Boulder, Colorado: Westview, 1999: 19–34.
- 33 World Health Organization. Non-pharmaceutical public health measures for mitigating the risk and impact of epidemic and pandemic influenza. Geneva: World Health Organization, 2019.
- 34 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 35 Peters MD, Godfrey C, McInerney P, et al. Chapter 11: Scoping reviews. In: *JBI Manual for Evidence Synthesis*. 2020.

- 36 Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for Scoping reviews (PRISMA-SCR): checklist and explanation. Ann Intern Med 2018;169:467–73.
- 37 World Health Organization. COVID-19 Public Health Emergency of International Concern (PHEIC): Global research and innovation forum. Geneva: World Health Organization, 2020.