

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<u>http://bmjopen.bmj.com</u>).

If you have any questions on BMJ Open's open peer review process please email <u>info.bmjopen@bmj.com</u>

BMJ Open

Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-084027
Article Type:	Protocol
Date Submitted by the Author:	06-Jan-2024
Complete List of Authors:	Yano, Timothy; Edith Cowan University, School of Science Afrifa-Yamoah, Ebenezer; Edith Cowan University, School of Science Collins, Julia; Edith Cowan University, School of Science Mueller, Ute; Edith Cowan University Richardson, Steven; Edith Cowan University, School of Science
Keywords:	Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Protocols & guidelines < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, INFECTIOUS DISEASES, Epidemiology < INFECTIOUS DISEASES, Infection control < INFECTIOUS DISEASES, Public health < INFECTIOUS DISEASES



60

Mathematical Modelling and Analysis for the Co-infection of Viral and **Bacterial Diseases: A Systematic Review Protocol**

Timothy Yano, Eben Afrifa-Yamoah, Julia Collins, Ute Mueller, Steven Richardson

School of Science, Edith Cowan University, Perth, Australia.

Correspondence to: Timothy Yano;270 Joondalup drive, WA; t.yano@ecu.edu.au

Abstract

Introduction: Breaking the chain of transmission of an infectious disease pathogen is a major public health priority. The challenges of understanding, describing and predicting the transmission dynamics of infections have led to a wide range of mathematical, statistical and biological research problems. Advances in diagnostic laboratory procedures with the ability to test multiple pathogens simultaneously mean that co-infections are increasingly being detected, yet little is known about the impact of co-infections in shaping the course of an infection, infectivity, and pathogen replication rate. Particularly, the apparent synergistic effects of viral and bacterial co-infections that present the greatest threats in public health due to their lethal nature and complex dynamics.

Objective: In this systematic review, we will explore and synthesise the mathematical epidemiological modelling of viral-bacterial co-infections and the role of simultaneous pathogen interactions in shaping transmission dynamics, severity, and control of infectious diseases.

Methods and analysis: MEDLINE through PubMed, Web of Science, medRxiv and Scopus will be systematically searched for studies published between January 2010 to date. Three reviewers will screen articles independently for eligibility and quality assessment will be performed using the **TRACE** (Transparent and Comprehensive Ecological modelling) standard modelling guide. Data will be extracted using an Excel template in-line with the Preferred Reporting Items for Systematic Review &

Meta Analysis (PRISMA) guidelines. This systematic review will apply the SWiM (Synthesis without Meta-analysis) approach in its narrative synthesis coupled with tables and figures to present data obtained. The synthesis will highlight key dynamical co-infection model features such as assumptions, data fitting and estimation methods, validation, and sensitivity analyses, optimal control analyses, and impact of co-infections.

Ethics and dissemination: Ethics approval will not be sought for this systematic review. The output of this study will be submitted for publication in a peer reviewed journal.

PROSPERO registration number: CRD42023481247

Strengths and limitations of this study

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies • This systematic review highlights the impact of coinfections in shaping disease burden, transmission, severity, and control strategies.

This review informs the gaps in the coinfection modelling literature and highlight the need to rigorously develop models that could guide public health policies.

This is the first review study to focus on viral-bacteria co-infection epidemic modelling formulation, assumptions, and underscore the transmission peculiarities.

This systematic review describes the complexity and discusses the implications of viralbacterial co-infections.

This systematic review considers only • studies published between January 2010 to date, which may hamper generalisability.

This systematic review investigates only • mechanistic mathematical co-infection epidemic modelling approaches, which may create bias.

Introduction

Co-infection refers to the simultaneous infection by two or more pathogens¹ or the presence of multiple strains of the same infection in a host, as seen in the case of influenza viruses.²⁻⁴ On the other hand, they can occur as multiple infections by varied diseases within same host or between different hosts.⁵⁻⁸ Over the years, diligent vaccinations and use of anti-biotics have significantly prevented deaths and helped combat transmission of viral-bacterial infectious diseases. However, viral and bacterial infections remain a major public health threat since they are lethal and predisposes the most vulnerable population to infections.9 For instance, childhood viralbacterial diseases like pneumonia and diarrheal infections remain the main causes of mortality in infants and children, while SARS-COV-2, HIV, Tuberculosis (TB), Influenza and hepatitis are among the major killer viral-bacterial infections in adults globally. According to World Health Organization (WHO) viral and bacterial infections of the respiratory system lead with a global burden (6.2%) followed by diarrheal infections, which account for a burden (4.8%).⁹ The synergism of viralbacterial co-infections has remained lethal leading to extensive theoretical and clinical research on the mechanisms behind their transmission dynamics.¹⁰ The ecological

epidemiology of infectious pathogen interactions and coexistence in the host species can be complex and their combined effects on disease transmission, clinical outcomes and public health intervention measures remain poorly understood.¹¹⁻¹³

Many human and animal populations acquire infections with either bacterial or viral pathogens.¹⁴ ¹⁵ Studies on the 2009 pandemic Influenza A(H1N1) in the United States found that within six days of influenza infection, a bacterial co-infection occurred with an increased risk of death for patients.16 critically ill Similarly, epidemiological studies have reported Influenza (viral) and Streptococcus pneumoniae (bacterial) co-infections occurring during flu season with influenza potentially weakening the immunity of individuals which predisposes them to bacteria like streptococcus pneumoniae infections.¹⁴ Additionally, HIV and TB coinfections have been reported with HIV infected individuals experiencing advanced immunosuppression which renders patients weaker and unable to fight off TB bacteria, predisposing HIV-positive patients with higher vulnerability to catching a TB infection.¹⁷ Therefore, viral-bacterial coinfections are of great public health concern due to the risk factors they present in altering the severity, incidences and mortalities. ¹⁴

1

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Despite co-infection models having vital implications in public health policy, epidemiology and pathogen evolution, few studies have addressed their complexity and implications in forecasting disease dynamics. Limited systematic reviews have focused on co-infection mathematical epidemiological modelling design, quality, and applications. Recent systematic reviews have assessed the impact of coinfections in disease dynamics and have focused on specific co-infections such as HIV-hepatitis, HIV-TB and Ebola-malaria co-infections.^{11 12 14-20} Some significant and interesting reviews on the impact of coinfections have focused on respiratory tract infections¹⁰¹⁶, aquatic animals²¹ and modelling within-host coinfections.²²

Given the vital significance and potential for wide application of co-infection studies public health, understanding in the dynamics of simultaneous coexistence of infectious pathogens is crucial to improving the practicability of the co-infection modelling.²³ Transition and interaction framework between classes in a coinfection model may be $complex^{22}$. especially in cases where infections present multiple strains or pathogens in a host. Dynamical co-infection epidemiological models are effective tools for highlighting a more comprehensive understanding of infectious disease spread, precise prediction and transition dynamics.²⁴ The models can highlight the causal factors, expected size and duration of an epidemic outbreak, and the extent of resource strain and disease case fatalities associated with the outbreak.²⁵ It is expected of a mathematical model to provide realistic predictions for disease dynamics.²⁴

This systematic review aims at providing an extensive exposition and diagnostics of existing bacterial-viral co-infection epidemiological models of infectious diseases that were published from January 2010 till date. In detail, we will particularly co-infection focus on the model formulation, assumptions, analysis, modelling techniques and data integration while assessing its significance and identifying potential research gaps which might be of interest to mathematical epidemiologists and public health policy makers. The co-infection modelling framework has the potential to guide policies on management and control strategies for emerging and re-emerging infectious diseases.

Research objectives and questions

This systematic review is aimed at performing a critical review of dynamical co-infection epidemiological modelling and assess the key features of co-infection models. Its focus is primarily on modelling techniques applied (assumptions, Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

60

1

modelling designs, data fitting, and model analysis and control strategies). It will identify research gaps in co-infection modelling mechanism that may help advance the models to further realism and enhance effective description and of forecasting disease dynamics. Specifically, this systematic review is aimed at addressing the following questions:

1. How do parameters change in a coinfection model? Does catching a viral pathogen increase, decrease the risk in acquiring a bacterial infection or is it insignificant and vice versa? Do viral/bacterial pathogen co-infections lead to a higher risk of disease severity?

2. Does a co-infection alter infectiousness and mortality rates? How are co-infections and mortalities epidemiologically modelled?

3. What is the impact(s) of coinfections in shaping the infectious disease spread dynamics?

4. What are the mathematical modelling approaches employed to describe the dynamics? What research gaps exist in the modelling approaches?

5. How are surveillance data integrated in a co-infection model? What reasonable data inputs/assumptions might be necessary to predict or forecast coinfection disease dynamics? What are the challenges in parameter estimation of a coinfection model?

6. How can co-infection mathematical models be robustly formulated, analysed, tested, and evaluated in a manner that is biologically meaningful and relevant for provision of guidance on urgent response policy and mitigation of an infectious disease outbreak?

Rationale

The spread dynamics of pathogens in humans and animals can be 5influenced by co-infections, which may ultimately lead to insignificant, beneficial, or detrimental outcomes.¹¹ The health interactions between two or more infectious disease pathogens in host species can have serious outcomes, particularly in vulnerable immunosuppressed individuals such as HIV-positive patients who are at a higher risk of experiencing increased severity or dying due to co-infections.¹¹

Co-infection models offer a way to understand and describe infectious disease spread dynamics and provide both shortterm and long-term forecasts through integration of biological features. behavioural and environmental epidemiological factors that shape the burden, transmission, surveillance, prevention, and control strategies. The last decade has witnessed an increased interest in epidemiological modelling due to its

60

potential of integrating both ecological epidemiology and mathematics under a data, knowledge, and strategic decisions framework to explain the transmission and control strategies of infectious diseases.²⁶

Due to the complex nature of interaction of pathogens for co-infection models, the theoretical design framework remains a fundamental and pivotal issue that shapes the reliability of parameters estimated, practicability of intervention measures and realistic forecasting²⁷, particularly applying methods that account for scarcity of data which may hamper the biological basis and justifiability of assumptions, integration with data, model analysis, and their impact in informing policies in public health.^{27 28} There is a need to review the key aspects of co-infection modelling to understand the milestones achieved, significance and research gaps and opportunities in their development that may improve their modelling framework and relevance in informing policy on control interventions and improved health outcomes.

Methods and analysis Study protocol design

This review will be developed in line with the approach reported in the Preferred Reporting Items for Systematic Review and Meta Analysis Protocols (PRISMA-P).^{29 30} The protocol checklist provided in PRISMA-P has been followed. We will perform a systematic review for coinfection epidemiological modelling to highlight the milestones and significance it holds in description of disease dynamics while noting the gaps in their modelling.

Eligibility criteria

The following inclusion criteria will apply: (1) Full text research articles written in English on infectious disease mathematical epidemiology, published from January 2010 till date and a study will be selected if it is investigating viral-bacteria coinfections of infectious diseases using mathematical epidemiological modelling such approaches as deterministic, stochastic, and fuzzy logic modelling. (2) Studies focusing on within host, between host and multiple strain co-infections. The exclusion criteria will include: (1) articles focused on mono-infection mathematical modelling, clinical experiments and surveys and case studies; (2) duplicate studies, books and book chapters, review protocols, and systematic reviews.

Studies search criteria.

The outline for a search strategy provided in PRESS peer review guidelines will be used in this systematic review.³¹ The search will be done in MEDLINE through PubMed, Web of Science, medRxiv and Scopus from November 2023 to April 2024 to identify epidemiological co-infection model studies from January 2010 to date. Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

1 2

> The search items will be combined via Boolean operations 'AND' and 'OR' coupled with words and/or synonyms formed by a combination of statements in 4 main categories as follows: mathematical approach or term, co-infection, epidemic, and modelling terms. We will apply a search algorithm in each database as follows: ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "Fuzzy") AND ("co-infection" OR "codynamics" OR "dual infection" OR "cocirculation") AND ("epidemiological" OR "epidemic" OR "infectious disease" OR "transmission") AND ("model" OR

Study selection

The studies found via the search algorithm across the considered databases will be assembled in Endnote (Version 20.4.1) referencing tool and further imported to Rayyan (https://www.rayyan.ai/) an online systematic review web tool32. This web systematic review tool is designed to help reviewers screen titles, abstracts, reduce risk of bias and aid data extraction process³³. Three reviewers will initially screen the titles and abstracts in accordance with the eligibility criteria to select potential studies that meet the inclusion threshold. Discrepancies on inclusion such as: (1) both reviewers are unsure; (2) one

"modeling" OR "modelling"). A summary of the search criteria is provided in Table 1.

Table 1: The search algorithm to retrieve viral-bacterial co-infection models.

Set	Terms/Items	
1	"mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"	
2	"co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"	
3	"epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"	, 1
4	"model" OR "modeling" OR "modelling"	
Search strategy	1 AND 2 AND 3 AND 4	0 0000
reviewer	recommends while the other is	זמופע וס ופאו מ
unsure; (inclusion exclusion,	3) one reviewer recommendswhile the other recommendswill be resolved through a	
discussion to reach	with the help of a third reviewer consensus. The PRISMA	1119, At train
diagramm selection of phase invo	atic structure of the study outline will be applied. The next	ing, and sim
data extra	ction for selected studies.	
Quality a	ssessment and risk of blas	- Ugies

Quality assessment and risk of bias

The risk of bias assessment in a dynamical co-infection epidemic models may seem difficult to assess due lack of to for bias models. measurement in considerations of modelling approach and type of models are the main recognizable features.³⁴ The quality of selected coinfection modelling articles will be assessed for good dynamical modelling standard practice, refer³⁵⁻³⁷ for the guidelines components of highlighting the an epidemiological model which include; model formulation, description, data fitting, evaluations, simulations, analysis, validation and output corroboration.

Data extraction process

Data extraction will be done using a standard excel template while applying the standard PRISMA data collection guidelines.³⁸ Data extraction will be done by TY with the help of two reviewers to verify the quality of data extracted.

Data Items

			τ		
5 6	model f	ormulation, description, data fitting,	Data Items		
17 18 19	evaluations, simulations, analysis, validation and output corroboration. by be extracted as illustrated		The following features of the selected articles will be extracted as illustrated in		
21 22			Table 2.		
23 24 25	Table 2	Description of data items to be extrac	cted on the coinfection models.		
26	Details	Description/examples	ng :		
27 28	Research articles	Title, hyperlink, journal, author, settir	ngs, publication year (ranging from 2010 to date)		
29 30 31 32 33	Model description	Structure of co-infections (within hos Modelling approach (Deterministic, s Type of model (ordinary, fractional or Host species (human, animal)	t, between host or multiple strain coinfections) tochastic, or fuzzy logic) rder, age-structured or spatio-temporal)		
34 35 36	Co-infection/co- dynamics	Co-infection diseases: we will record which disease(s) the model considered (e.g., rotavirus/cholera, Typhoid/Tuberculosis, HIV/Tuberculosis/pneumonia etc.) Modelling of coinfection infectivity (increase, decrease or no change)			
37 38 39 40 41 42	Key assumptions	Mortality assumption (additive, not ad Transition to a co-infection class (from increasing, decreasing or no change) Co-infection transitions and infectivit (yes, no, or partially)	dditive) m mono-infections to co-infected: infectivity modelled as y assumptions are biologically meaningful and justifiable		
13 14 15 16	Data fitting	Parameter estimation: e.g., incidence mortality rates (Literature, epidemiolo Data availability (yes or no). In cases applying two or more data sources wi	rates, pathogen ingestion rates, recovery rates and ogical data, or laboratory data) where data was not used, we will denote 'none'. Articles Il be denoted 'multi-data'.		
18 19 50	Intervention measures	Intervention strategies to manage and (washing, sanitation, good hygiene), t quarantine, education campaigns, vec protection etc.)	control infectious diseases (non-pharmaceutical reatment, vaccinations, screening, isolations and tor control, antimicrobial stewardship, personal		
53 54 55	Model evaluation	Sensitivity analyses (yes or no) Model validations (yes or no) Findings on impact(s) of coinfections	on disease severity (increase, decrease or no effect)		
56 57 58					

- 59
- 60

1

Data synthesis strategy

We will provide a summary of the included studies in tabular form and critically assess using the TRACE standard ecological modelling guideline to characterize the models.³⁵ Subsequently, а narrative synthesis of the findings will be provided. The summary will highlight the following key co-infection model features: modelling approaches, assumptions, parameter estimates and simulations, intervention strategies, impact of co-infections, model validation and sensitivity analysis, research gaps and opportunities for future studies. Due to lack of data for meta-analysis this systematic review will apply SWiM guideline ³⁹ in its narrative synthesis.

Author affiliations

School of Science, Edith Cowan University, Perth, Australia.

Author Contributions

TY- conceptualisation, design of the protocol and draft manuscript. EA-Y, SR, JC and UM - supervision, contribution to the plan of search strategy, data extraction and data analysis, review and editing.

All authors read and approved the final manuscript.

Acknowledgements

The authors thank Edith Cowan University, School of Science for providing administrative support.

Ethics and dissemination

Ethics approval will not be sought for this systematic review since it will be based on published work. The output of this study will be submitted for publication in peer reviewed epidemiology journals.

Funding

This study was supported by Edith Cowan University higher degree research fund through the postgraduate research scholarships.

Data availability

All data generated and used during this study will be included in the published review article.

Competing interests None to declare.

Patient and public involvement Patients and/or the public were not involved in the formulation, or conduct, or reporting, or dissemination plans of this research.

ORCID IDS

Ebenezer Afrifa-Yamoah http://orcid.org/0000-0003-1741-9249

Julia Collins <u>https://orcid.org/0000-0003-</u> 4276-0318

Ute Mueller <u>https://orcid.org/0000-0002-</u> 8670-2120

Steven Richardson https://orcid.org/0000-0002-5723-7346

07

REFERENCES

5	
6	
7	1. Sasaki K, Bruder D, Hernandez-Vargas E. Topological data analysis to uncover the shape of immune
8	responses during co-infection. <i>bioRxiv</i> 2019:723957.
9	2 Susi H Barrès B Vale P Laine A Co-infection alters population dynamics of infectious disease Nat
10	Commun 6: 5975-2015
11	2 Greenhoum PD Li OT Doon LL et al Viral reassortment as an information exchange between viral
12	5. Ofeenbauni DD, El OT, Foon EL, et al. Vital leassortinent as an information exchange between vital
13	segments. Proceedings of the National Academy of Sciences 2012,109(9):5341-46.
14	4. Sharp GB, Kawaoka Y, Jones DJ, et al. Confection of wild ducks by influenza A viruses: distribution
15	patterns and biological significance. <i>Journal of virology</i> 1997;71(8):6128-35.
15	5. Zhang L, ur Rahman M, Arfan M, Ali A. Investigation of mathematical model of transmission co-
10	infection TB in HIV community with a non-singular kernel. Results in Physics 2021;28:104559.
17	6. Barley K, Murillo D, Roudenko S, et al. A mathematical model of HIV and malaria co-infection in
10	sub-Saharan Africa. Journal of AIDS and Clinical Research 2012;3(7)
19	7. Sanchez AYC, Aerts M, Shkedy Z, et al. A mathematical model for HIV and hepatitis C co-infection
20	and its assessment from a statistical perspective <i>Enidemics</i> 2013:5(1):56-66
21	8 A new mathematical model for co-infection of malaria and HIV 2012 IFFE 4th International
22	Conference on Nonlinear Science and Complexity (NSC): 2012 IEEE (In International
23	O Assenda ão Compiel L. Domot Dána C. Enidemiology of nominatory infections. Dedictuio securiustary
24	9. Avendano Carvajai L, Perfet Perez C. Epidemiology of respiratory infections. <i>Pediatric respiratory</i>
25	diseases: a comprehensive textbook 2020:263-72.
26	10. Oliva J, Terrier O. Viral and bacterial co-infections in the lungs: dangerous liaisons. Viruses
27	2021;13(9):1725.
28	11. McArdle AJ, Turkova A, Cunnington AJ. When do co-infections matter? Current opinion in
29	infectious diseases 2018;31(3):209.
30	12. Musuuza JS, Watson L, Parmasad V, et al. Prevalence and outcomes of co-infection and
31	superinfection with SARS-CoV-2 and other pathogens: A systematic review and meta-analysis. <i>PloS</i>
32	one 2021:16(5):e0251170.
33	13 Kurra N Woodard PI Gandrakota N et al Opportunistic infections in COVID-19 ⁻ a systematic
34	review and meta-analysis <i>Cureus</i> 2022:14(3)
35	14 McCullers IA Insights into the interaction between influenza virus and nneumococcus <i>Clinical</i>
36	14. We currents JA. Insights into the interaction between influenza virus and pheumococcus. Curricular misurchiology applications 2006;10(2):571-82
37	microbiology reviews 2000,19(5).3/1-62.
38	15. McCullers JA. Do specific virus-bacteria pairings drive clinical outcomes of pneumonia? <i>Clinical</i>
39	Microbiology and Infection 2013;19(2):113-18. doi: 10.1111/1469-0691.12093
40	16. Chertow DS, Memoli MJ. Bacterial coinfection in influenza: a grand rounds review. Jama
41	2013;309(3):275-82.
42	17. Pawlowski A, Jansson M, Sköld M, et al. Tuberculosis and HIV co-infection. PLoS pathogens
43	2012;8(2):e1002464.
44	18. Marvá M, Bravo de la Parra R, Venturino E. Modelling the role of opportunistic diseases in
45	coinfection. <i>Math Model Nat Phenom</i> 2018;13(3):28.
46	19. Kotepui KU, Kotepui M, Prevalence of and risk factors for Plasmodium spp. co-infection with
47	henatitis B virus: a systematic review and meta-analysis Malaria Journal 2020:19(1) doi:
48	101186/s12936-020-03428-w
49	20. Kotanui M. Kotanui KU. Dravalance and laboratory analysis of malaria and dangue of infection: A
50	20. Kotepui IVI, Kotepui KO. Frevalence and faboratory analysis of mataria and dengue co-infection. A
51	systematic review and meta-Analysis. <i>DMC Public Health</i> $2019,19(1)$ doi: 10.1180/S12889-019-7488-
52	
53	21. Kotob MH, Menanteau-Ledouble S, Kumar G, et al. The impact of co-infections on fish: a review.
54	Veterinary Research 2016;47(1):98. doi: 10.1186/s13567-016-0383-4
55	22. Bushman M, Antia R. A general framework for modelling the impact of co-infections on pathogen
55	evolution. Journal of the Royal Society Interface 2019;16(155):20190165.
50	23. Ghersheen S. Dynamics of Coinfection: Complexity and Implications. Linköping University
57	Electronic Press, 2019.
50	24. Panchal S, John D, Menon GR, et al. Mathematical models on COVID-19 in India: A systematic
50	review protocol. <i>F1000Research</i> 2022:11:532
00	1

25. Brauer F. Mathematical epidemiology: Past, present, and future. *Infectious Disease Modelling* 2017;2(2):113-27.

26. Liu Y-N, Zhang Y-F, Xu Q, et al. Infection and co-infection patterns of community-acquired pneumonia in patients of different ages in China from 2009 to 2020: a national surveillance study. *The Lancet Microbe* 2023;4(5):e330-e39.

27. Mollison D, Isham V, Grenfell B. Epidemics: models and data. *Journal of the Royal Statistical Society Series A: Statistics in Society* 1994;157(1):115-29.

28. Kretzschmar ME, Ashby B, Fearon E, et al. Challenges for modelling interventions for future pandemics. *Epidemics* 2022;38:100546.

29. Moher D, Shamseer L, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015 statement. *Systematic reviews* 2015;4(1):1-9.

30. Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015: elaboration and explanation. *Bmj* 2015;349

31. McGowan J, Sampson M, Salzwedel DM, et al. PRESS peer review of electronic search strategies: 2015 guideline statement. *Journal of clinical epidemiology* 2016;75:40-46.

32. Valizadeh A, Moassefi M, Nakhostin-Ansari A, et al. Abstract screening using the automated tool Rayyan: results of effectiveness in three diagnostic test accuracy systematic reviews. *BMC Med Res Methodol* 2022;22(1):160. doi: 10.1186/s12874-022-01631-8 [published Online First: 20220602]

33. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app for systematic reviews. *Systematic reviews* 2016;5:1-10.

34. Shankar S, Mohakuda SS, Kumar A, et al. Systematic review of predictive mathematical models of COVID-19 epidemic. *Medical journal armed forces India* 2021;77:S385-S92.

35. Ayllón D, Railsback SF, Gallagher C, et al. Keeping modelling notebooks with TRACE: Good for you and good for environmental research and management support. *Environmental Modelling & Software* 2021;136:104932.

36. Grimm V, Augusiak J, Focks A, et al. Towards better modelling and decision support: Documenting model development, testing, and analysis using TRACE. *Ecological modelling* 2014;280:129-39.

37. Fone D, Hollinghurst S, Temple M, et al. Systematic review of the use and value of computer simulation modelling in population health and health care delivery. *Journal of Public Health* 2003;25(4):325-35.

38. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *International journal of surgery* 2021;88:105906.

39. Campbell M, McKenzie JE, Sowden A, et al. Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline. *bmj* 2020;368



BMJ Open

Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-084027.R1
Article Type:	Protocol
Date Submitted by the Author:	28-Sep-2024
Complete List of Authors:	Yano, Timothy; Edith Cowan University, School of Science Afrifa-Yamoah, Ebenezer; Edith Cowan University, School of Science Collins, Julia; Edith Cowan University, School of Science Mueller, Ute; Edith Cowan University Richardson, Steven; Edith Cowan University, School of Science
Primary Subject Heading :	Epidemiology
Secondary Subject Heading:	Epidemiology, Health policy, Global health, Infectious diseases
Keywords:	Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Protocols & guidelines < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Infection control < INFECTIOUS DISEASES, Epidemiology < INFECTIOUS DISEASES, EPIDEMIOLOGY



Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Timothy Yano, Eben Afrifa-Yamoah, Julia Collins, Ute Mueller, Steven Richardson

School of Science, Edith Cowan University, Perth, Australia.

Correspondence to: Timothy Yano; 270 Joondalup drive, WA; t.yano@ecu.edu.au

Abstract

Introduction: Breaking the chain of transmission of an infectious disease pathogen is a major public health priority. The challenges of understanding, describing, and predicting the transmission dynamics of infections have led to a wide range of mathematical, statistical, and biological research problems. Advances in diagnostic laboratory procedures with the ability to test multiple pathogens simultaneously mean that co-infections are increasingly being detected, yet little is known about the impact of co-infections in shaping the course of an infection, infectivity, and pathogen replication rate. This is particularly true of, the apparent synergistic effects of viral and bacterial co-infections that present the greatest threats in public health due to their lethal nature and complex dynamics. This systematic review is aimed at performing a critical review of co-infection modelling and assess the key features of the models.

Methods and analysis: MEDLINE through PubMed, Web of Science, medRxiv and Scopus will be systematically searched for studies published between January 2010 to October 2024. Three reviewers will screen articles independently for eligibility and quality assessment will be performed using the TRACE (Transparent and Comprehensive Ecological modelling) standard modelling guide. Data will be extracted using an Excel template in-line with the Preferred Reporting Items for Systematic Review & Meta Analysis (PRISMA) guidelines. This systematic review will apply the SWiM (Synthesis without Meta-analysis) approach in its narrative synthesis coupled with tables and figures to present data obtained. The synthesis will highlight key dynamical co-infection model features such as assumptions, data fitting and estimation methods, validation, and sensitivity analyses, optimal control analyses, and impact of co-infections.

Ethics and dissemination: Ethics approval is not required for a systematic review. The output of this study will be submitted for publication in a peer reviewed journal.

PROSPERO registration number: CRD42023481247

Strengths and limitations of this study

• This systematic review will apply the Transparent and Comprehensive Model Evaluation (TRACE) approach with standardized ecological modelling guide.

• This review will address gaps in the coinfection modelling literature and methods by comprehensively analysing research findings, complexities and developments in mathematical and modelling techniques.

• This is the first review study to focus on viral-bacteria co-infection epidemic modelling formulation, its assumptions, and transmission peculiarities.

• This systematic review considers only studies published between January 2010 to October 2024, which may hamper generalisability.

• This systematic review investigates only mechanistic mathematical co-infection epidemic modelling approaches, which may create bias.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Introduction

Co-infection refers to the simultaneous infection by two or more pathogens¹ or the presence of multiple strains of the same infection in a host, as seen in the case of influenza viruses.²⁻⁴ On the other hand, they can occur as multiple infections by different pathogens within the same host or between different hosts.⁵⁻⁸ Over the years, vaccination campaigns and use of antibiotics have significantly prevented deaths and helped combat transmission of viral-bacterial infectious diseases. However, viral and bacterial infections remain a major public health threat since they are lethal and predisposes the most vulnerable population to infections.⁹ For instance, childhood viral-bacterial diseases like pneumonia and diarrheal infections remain the main causes of mortality in infants and children, while SARS-COV-2, HIV, Tuberculosis (TB), Influenza and hepatitis are among the major killer viral-bacterial infections in adults globally. According to the World Health Organization (WHO) viral and bacterial infections of the respiratory system lead with a global burden of 6.2% followed by diarrheal infections, which account for a burden of 4.8%.9 The synergism of viral-bacterial co-infections has remained lethal leading to extensive theoretical and clinical research on the mechanisms behind their transmission dynamics.¹⁰ The ecological epidemiology of infectious pathogen interactions and coexistence in the host species can be complex and their combined effects on disease transmission, clinical outcomes and public health intervention measures remain poorly understood.11-13

Many human and animal populations acquire infections with either bacterial or viral pathogens.^{14 15} Studies on the 2009 pandemic Influenza A(H1N1) in the United States found that within six days of influenza infection, a bacterial co-infection occurred with an increased risk of death for critically ill patients.¹⁶ Similarly, epidemiological studies have reported Influenza (viral) and Streptococcus pneumoniae (bacterial) co-infections occurring during flu season with influenza potentially weakening the immunity of individuals which predisposes them to bacteria like streptococcus pneumoniae infections.¹⁴ Additionally, HIV and TB co-infections have been reported with HIV infected individuals experiencing advanced immunosuppression which weakens patients and makes them unable to fight off TB bacteria, predisposing HIV-positive patients with higher vulnerability to catching a TB infection.¹⁷ Therefore, viral-bacterial co-infections are of great public health concern due to the risk factors they present in altering the severity, incidences and mortalities.¹⁴

Despite co-infection models having vital implications in public health policy, epidemiology and pathogen evolution, few studies have addressed their complexity and implications in

BMJ Open

forecasting disease dynamics. Limited systematic reviews have focused on co-infection mathematical epidemiological modelling design, quality, and applications. Recent systematic reviews have assessed the impact of co-infections in disease dynamics and have focused on specific co-infections such as HIV-hepatitis, HIV-TB and Ebola-malaria co-infections.^{11 12 14-20} Some significant and interesting reviews on the impact of coinfections have focused on respiratory tract infections^{10 16}, aquatic animals²¹ and modelling within-host coinfections.²²

Given the vital significance and potential for wide application of co-infection studies in public health, understanding the dynamics of simultaneous coexistence of infectious pathogens is crucial for improving the practicability of the co-infection modelling.²³ Transition and interaction between classes in a co-infection model may be complex²², especially in cases where infections present multiple strains or pathogens in a host. Dynamical co-infection epidemiological models are effective tools for highlighting a more comprehensive understanding of infectious disease spread, precise prediction and transition dynamics.²⁴ The models can highlight causal factors, expected size and duration of an epidemic outbreak, and the extent of resource strain and disease case fatalities associated with the outbreak.²⁵ It is expected of a mathematical model to provide realistic predictions for disease dynamics.²⁴

This systematic review aims to provide an extensive exposition and diagnostics of existing bacterial-viral co-infection epidemiological models that were published from January 2010 to October 2024. A study by Rigaud et al., 2010⁴⁰ concluded that diverse within host assemblages make co-infection predictions difficult. This suggests 2010 was the period when the complexity of co-infection dynamics was being recognised. In particular, we will focus on the co-infection model formulation, assumptions, analysis, modelling techniques and data integration while assessing the significance and potential research gaps which might be of interest to mathematical epidemiologists and public health policy makers. The co-infection modelling framework has the potential to guide policies on management and control strategies for emerging and re-emerging infectious diseases.

Research objectives and questions

In this systematic review, we will explore and synthesise the mathematical epidemiological modelling of viral-bacterial co-infections and the role of pathogen interactions in shaping transmission dynamics, severity, and control of infectious diseases. Its focus is primarily on modelling techniques (assumptions, modelling designs, data fitting, and model analysis and control strategies). It will identify research gaps in co-infection modelling mechanisms that may help advance the models to further realism and enhance effective description and

forecasting of disease dynamics. Specifically, this systematic review is aimed at addressing the following questions:

1. How do parameters change in a co-infection model? Does catching a viral pathogen increase, decrease the risk of acquiring a bacterial infection or is it insignificant and vice versa? Do viral/bacterial pathogen co-infections lead to a higher risk of disease severity?

2. Does a co-infection alter infectiousness and mortality rates? How are co-infections and mortality rates epidemiologically modelled?

3. What is (are) the impact(s) of co-infections in shaping the infectious disease spread dynamics?

4. What are the mathematical modelling approaches applied to describe the dynamics? What research gaps exist in the modelling approaches?

5. How are data integrated in a co-infection model? What reasonable data inputs/assumptions might be necessary to predict or forecast co-infection disease dynamics? What are the challenges in parameter estimation of a co-infection model?

6. How can co-infection mathematical models be robustly formulated, analysed, tested, and evaluated in a manner that is epidemiologically meaningful and relevant for provision of guidance on urgent response policy and mitigation of an infectious disease outbreak?

Rationale

The spread dynamics of pathogens in humans and animals can be influenced by co-infections, which may ultimately lead to insignificant, beneficial, or detrimental health outcomes.¹¹ The interactions between two or more infectious disease pathogens in host species can have serious outcomes, particularly in vulnerable immunosuppressed individuals such as HIV-positive patients who are at a higher risk of experiencing increased severity or dying due to co-infections.¹¹

Co-infection models offer a way to understand and describe infectious disease spread dynamics and provide both short-term and long-term forecasts through integration of biological features, behavioural and environmental epidemiological factors that shape the burden, transmission, surveillance, prevention, and control strategies. The last decade has witnessed an increased interest in epidemiological modelling due to its potential of integrating both ecological epidemiology and mathematics under a data, knowledge, and strategic decisions framework to explain the transmission and control strategies of infectious diseases.²⁶

BMJ Open

Due to the complex nature of interaction of pathogens for co-infection models, the theoretical design remains a fundamental and pivotal issue that shapes the reliability of parameters estimated, practicability of intervention measures and realistic forecasting²⁷, particularly applying methods that account for scarcity of data which may hamper the biological basis and justifiability of assumptions, integration with data, model analysis, and their impact in informing policies in public health.^{27 28} There is a need to review key aspects of co-infection modelling to understand the milestones achieved, significance and research gaps and opportunities in co-infection model development that may improve their framework and relevance in informing policy on control interventions and improved health outcomes.

Methods and analysis

Study protocol design

This review will be developed to facilitate reporting in line with the Preferred Reporting Items for Systematic Review and Meta Analysis Protocols (PRISMA-P).^{29 30} The protocol checklist provided in PRISMA-P was used in drafting and appraising the review protocol. We will perform a systematic review for co-infection epidemiological modelling to highlight the milestones and significance it holds in description of disease dynamics while noting the gaps in their modelling.

Eligibility criteria

The following inclusion criteria will apply: (1) Full text research articles written in English on infectious disease mathematical epidemiology, published from January 2010 to October 2024 and a study will be selected if it is investigating viral-bacteria co-infections of infectious diseases using mathematical epidemiological modelling approaches such as deterministic, stochastic, and fuzzy logic modelling. (2) Studies focusing on within host, between host and multiple strain co-infections. The exclusion criteria will include: (1) articles focused on mono-infection mathematical modelling, clinical experiments and surveys and case studies; (2) duplicate studies, books and book chapters, review protocols, and systematic reviews.

Studies search criteria

The outline for a search strategy provided in PRESS peer review guidelines will be used in this systematic review.³¹ The search will be done in MEDLINE through PubMed, Web of Science, medRxiv and Scopus from November 2023 to October 2024 to identify epidemiological co-infection model studies from January 2010 to October 2024. The search items will be combined via the Boolean operations 'AND' and 'OR' coupled with words and/or synonyms formed by

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

a combination of statements in 4 main categories as follows: mathematical approach or term, co-infection, epidemic, and modelling terms. We will apply a search algorithm in each database as follows: ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "Fuzzy") AND ("co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation") AND ("epidemiological" OR "epidemic" OR "infectious disease" OR "transmission") AND ("model" OR "modeling" OR "modelling"). A summary of the search criteria is provided in Table 1.

Set	Terms/Items
1	"mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"
2	"co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"
3	"epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"
4	"model" OR "modeling" OR "modelling"
Search strategy	1 AND 2 AND 3 AND 4

Study selection

The studies found via the search algorithm across the considered databases will be assembled in Endnote (Version 20.4.1) referencing tool and further imported to Rayyan (https://www.rayyan.ai/) an online systematic review web tool³². This web systematic review tool is designed to help reviewers screen titles, abstracts, reduce the risk of bias and aid the data extraction process³³. Three reviewers will initially screen the titles and abstracts in accordance with the eligibility criteria to select potential studies that meet the inclusion threshold. Discrepancies on inclusion such as: (1) both reviewers are unsure; (2) one reviewer recommends while the other is unsure; (3) one reviewer recommends inclusion while the other recommends exclusion, will be resolved through a discussion with the help of a third reviewer to reach consensus. The PRISMA diagrammatic structure of the study selection outline will be applied. The next phase involves a review of the full texts and data extraction for selected studies.

Quality assessment and risk of bias

The assessment of the risk of bias in a dynamical co-infection epidemic model may seem difficult to assess due to lack of measurement for bias in models, considerations of modelling approach and type of models are the main recognisable features.³⁴ The quality of selected coinfection modelling articles will be assessed for good dynamical modelling standard practice, refer³⁵⁻³⁷ for the guidelines highlighting the components of an epidemiological model which include; model formulation, description, data fitting, evaluations, simulations, analysis, validation and output corroboration.

Data extraction process

Data Items

model formulation, description, data intilig, evaluations, simulations, analysis,	P
on and output corroboration.	otec
traction process	ted by
traction will be done using a standard excel template while applying the standard	cop
A data collection guidelines. ³⁸ Data extraction will be done by TY with the help of two	yrigł
rs to verify the quality of data extracted	,t ir
is to verify the quality of data extracted.	nclua
ems	ding 1
owing features of the selected articles will be extracted as illustrated in Table 2.	for use
Description of data items to be extracted on the coinfection models.	s relate
Description/examples	ng t
Title, hyperlink, journal, author, settings, publication year (ranging from 2010 to October	te
	f a
Structure of co-infections (within host, between host or multiple strain coinfections)	p d d
Modelling approach (Deterministic, stochastic, of fuzzy logic)	lata
Host species (human animal or both)	mi.
Co-infection diseases: we will record which disease(s) the model considered (e α	ŋing
rotavirus/cholera Typhoid/Tuberculosis HIV/Tuberculosis/pneumonia etc.)	Þ
Modelling of coinfection infectivity (increase, decrease or no change)	tra
Mortality assumption (additive, not additive)	in in
Transition to a co-infection class (from mono-infections to co-infected: infectivity modelled as	<u>,</u> 0
increasing, decreasing or no change)	bd
Co-infection transitions and infectivity assumptions are biologically meaningful and justifiable	sim
(yes, no, or partially)	ilar
Parameter estimation: e.g., incidence rates, pathogen ingestion rates, recovery rates and	tec
mortality rates (literature, simulated data, epidemiological data, or laboratory data)	hno
Data availability (yes or no). In cases where data was not used, we will denote 'none'. Articles	bg
applying two or more data sources will be denoted multi-data.	ies.
(washing sanitation good hygiene) treatment vaccinations screening isolations and	
quarantine education campaigns vector control antimicrobial stewardship personal	
protection etc.)	
Sensitivity analyses (yes or no) If yes, we asses nature of sensitivity (local or global) analysis	1
and sensitivity approaches (graphical or numerical).	
	 Indeer formulation, description, data mining, evaluations, simulations, analysis, on and output corroboration. traction process traction will be done using a standard excel template while applying the standard A data collection guidelines.³⁸ Data extraction will be done by TY with the help of two rs to verify the quality of data extracted. ems owing features of the selected articles will be extracted as illustrated in Table 2. Description of data items to be extracted on the coinfection models. Description/examples Title, hyperlink, journal, author, settings, publication year (ranging from 2010 to October 2024) Structure of co-infections (within host, between host or multiple strain coinfections) Modelling approach (Deterministic, stochastic, or fuzzy logic) Type of model (ordinary, fractional order, age-structured or spatio-temporal) Host species (human, animal, or both) Co-infection diseases: we will record which disease(s) the model considered (e.g., rotavirus/cholera, Typhoid/Tuberculosis, HIV/Tuberculosis/pneumonia etc.) Modelling assumption (additive, not additive) Transition to a co-infection class (from mono-infections to co-infected: infectivity modelled as increasing, decreasing or no change) Mortality assumptions and infectivity assumptions are biologically meaningful and justifiable (yes, no, or partially) Parameter estimation: e.g., incidence rates, pathogen ingestion rates, recovery rates and mortality rates (literature, simulated data, epidemiological data, or laboratory data) Data availability (yes or no). In cases where data was not used, we will denote 'none'. Articles applying two or more data sources will be denoted 'multi-data'. Intervention strategies to manage and control infectious diseases (non-pharmaceutical (washing, sanitation, good hygiene), treatment, vaccinations, screening, isolations and qua

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Model validations (yes or no). If yes, we determine the number of infections validated (one or both or multiple (more than two infections)) and determine type of datasets (simulated or surveillance data). For surveillance data, we further determine the datasets (incidence, vaccinated, hospitalized or death case counts). Studies which use two or more datasets simultaneously in the validation will be denoted 'multi-data'. In addition, we state the setting which the model is validated (city or country or state or multi-states) Findings on impact(s) of coinfections on disease severity (increase, decrease or no effect)

Data synthesis strategy

We will provide a summary of the included studies in tabular form and critically assess them using the TRACE standard ecological modelling guideline to characterize the models.³⁵ Subsequently, a narrative synthesis of the findings will be provided. The summary will highlight the following key co-infection model features: modelling approaches, assumptions, parameter estimates and simulations, intervention strategies, impact of co-infections, model validation and sensitivity analysis, research gaps and opportunities for future studies. Due to lack of data for meta-analysis this systematic review will apply SWiM guideline ³⁹ in its narrative synthesis.

Author affiliations

School of Science, Edith Cowan University, Perth, Australia.

Author Contributions

TY- conceptualisation, design of the protocol and draft manuscript. EA-Y, SR, JC, and UM - supervision, contribution to the plan of search strategy, data extraction and data analysis, review, and editing.

All authors read and approved the final manuscript.

Acknowledgements

The authors thank Edith Cowan University, School of Science for providing administrative support.

Ethics and dissemination

Ethics approval is not required for a systematic review since it will be based on published work. The output of this study will be submitted for publication in peer reviewed epidemiology journals.

Funding

This study was supported by Edith Cowan University higher degree research fund through the postgraduate research scholarships.

Data availability

All data generated and used during this study will be included in the published review article.

Competing interests None to declare.

 Patient and public involvement Patients and/or the public were not involved in the formulation, or conduct, or reporting, or dissemination plans of this research.

ORCID IDS

Ebenezer Afrifa-Yamoah http://orcid.org/0000-0003-1741-9249

Julia Collins https://orcid.org/0000-0003-4276-0318

Ute Mueller https://orcid.org/0000-0002-8670-2120

Steven Richardson https://orcid.org/0000-0002-5723-7346

REFERENCES

1. Sasaki K, Bruder D, Hernandez-Vargas E. Topological data analysis to uncover the shape of immune responses during co-infection. *bioRxiv* 2019:723957.

2. Susi H, Barrès B, Vale P, Laine A. Co-infection alters population dynamics of infectious disease. Nat Commun 6: 5975, 2015.

3. Greenbaum BD, Li OT, Poon LL, et al. Viral reassortment as an information exchange between viral segments. *Proceedings of the National Academy of Sciences* 2012;109(9):3341-46.

4. Sharp GB, Kawaoka Y, Jones DJ, et al. Coinfection of wild ducks by influenza A viruses: distribution patterns and biological significance. *Journal of virology* 1997;71(8):6128-35.

5. Zhang L, ur Rahman M, Arfan M, Ali A. Investigation of mathematical model of transmission coinfection TB in HIV community with a non-singular kernel. *Results in Physics* 2021;28:104559.

6. Barley K, Murillo D, Roudenko S, et al. A mathematical model of HIV and malaria co-infection in sub-Saharan Africa. *Journal of AIDS and Clinical Research* 2012;3(7)

7. Sanchez AYC, Aerts M, Shkedy Z, et al. A mathematical model for HIV and hepatitis C co-infection and its assessment from a statistical perspective. *Epidemics* 2013;5(1):56-66.

8. A new mathematical model for co-infection of malaria and HIV. 2012 IEEE 4th International Conference on Nonlinear Science and Complexity (NSC); 2012. IEEE.

9. Avendaño Carvajal L, Perret Pérez C. Epidemiology of respiratory infections. *Pediatric respiratory diseases: a comprehensive textbook* 2020:263-72.

10. Oliva J, Terrier O. Viral and bacterial co-infections in the lungs: dangerous liaisons. *Viruses* 2021;13(9):1725.

11. McArdle AJ, Turkova A, Cunnington AJ. When do co-infections matter? *Current opinion in infectious diseases* 2018;31(3):209.

12. Musuuza JS, Watson L, Parmasad V, et al. Prevalence and outcomes of co-infection and superinfection with SARS-CoV-2 and other pathogens: A systematic review and meta-analysis. *PloS one* 2021;16(5):e0251170.

13. Kurra N, Woodard PI, Gandrakota N, et al. Opportunistic infections in COVID-19: a systematic review and meta-analysis. *Cureus* 2022;14(3)

14. McCullers JA. Insights into the interaction between influenza virus and pneumococcus. *Clinical microbiology reviews* 2006;19(3):571-82.

15. McCullers JA. Do specific virus-bacteria pairings drive clinical outcomes of pneumonia? *Clinical Microbiology and Infection* 2013;19(2):113-18. doi: 10.1111/1469-0691.12093

16. Chertow DS, Memoli MJ. Bacterial coinfection in influenza: a grand rounds review. Jama 2013;309(3):275-82.

17. Pawlowski A, Jansson M, Sköld M, et al. Tuberculosis and HIV co-infection. *PLoS pathogens* 2012;8(2):e1002464.

18. Marvá M, Bravo de la Parra R, Venturino E. Modelling the role of opportunistic diseases in coinfection. *Math Model Nat Phenom* 2018;13(3):28.

BMJ Open

19. Kotepui KU, Kotepui M. Prevalence of and risk factors for Plasmodium spp. co-infection with hepatitis B virus: a systematic review and meta-analysis. *Malaria Journal* 2020;19(1) doi: 10.1186/s12936-020-03428-w

20. Kotepui M, Kotepui KU. Prevalence and laboratory analysis of malaria and dengue co-infection: A systematic review and meta-Analysis. *BMC Public Health* 2019;19(1) doi: 10.1186/s12889-019-7488-4

21. Kotob MH, Menanteau-Ledouble S, Kumar G, et al. The impact of co-infections on fish: a review. *Veterinary Research* 2016;47(1):98. doi: 10.1186/s13567-016-0383-4

22. Bushman M, Antia R. A general framework for modelling the impact of co-infections on pathogen evolution. *Journal of the Royal Society Interface* 2019;16(155):20190165.

23. Ghersheen S. Dynamics of Coinfection: Complexity and Implications. Linköping University Electronic Press, 2019.

24. Panchal S, John D, Menon GR, et al. Mathematical models on COVID-19 in India: A systematic review protocol. *F1000Research* 2022;11:532.

25. Brauer F. Mathematical epidemiology: Past, present, and future. *Infectious Disease Modelling* 2017;2(2):113-27.

26. Liu Y-N, Zhang Y-F, Xu Q, et al. Infection and co-infection patterns of community-acquired pneumonia in patients of different ages in China from 2009 to 2020: a national surveillance study. *The Lancet Microbe* 2023;4(5):e330-e39.

27. Mollison D, Isham V, Grenfell B. Epidemics: models and data. *Journal of the Royal Statistical Society Series A: Statistics in Society* 1994;157(1):115-29.

28. Kretzschmar ME, Ashby B, Fearon E, et al. Challenges for modelling interventions for future pandemics. *Epidemics* 2022;38:100546.

29. Moher D, Shamseer L, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015 statement. *Systematic reviews* 2015;4(1):1-9.

30. Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015: elaboration and explanation. *Bmj* 2015;349

31. McGowan J, Sampson M, Salzwedel DM, et al. PRESS peer review of electronic search strategies: 2015 guideline statement. *Journal of clinical epidemiology* 2016;75:40-46.

32. Valizadeh A, Moassefi M, Nakhostin-Ansari A, et al. Abstract screening using the automated tool Rayyan: results of effectiveness in three diagnostic test accuracy systematic reviews. *BMC Med Res Methodol* 2022;22(1):160. doi: 10.1186/s12874-022-01631-8 [published Online First: 20220602]

33. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app for systematic reviews. *Systematic reviews* 2016;5:1-10.

34. Shankar S, Mohakuda SS, Kumar A, et al. Systematic review of predictive mathematical models of COVID-19 epidemic. *Medical journal armed forces India* 2021;77:S385-S92.

35. Ayllón D, Railsback SF, Gallagher C, et al. Keeping modelling notebooks with TRACE: Good for you and good for environmental research and management support. *Environmental Modelling & Software* 2021;136:104932.

36. Grimm V, Augusiak J, Focks A, et al. Towards better modelling and decision support: Documenting model development, testing, and analysis using TRACE. *Ecological modelling* 2014;280:129-39.

37. Fone D, Hollinghurst S, Temple M, et al. Systematic review of the use and value of computer simulation modelling in population health and health care delivery. *Journal of Public Health* 2003;25(4):325-35.

38. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *International journal of surgery* 2021;88:105906.

39. Campbell M, McKenzie JE, Sowden A, et al. Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline. *bmj* 2020;368.

40. Rigaud T, Perrot-Minnot M-J, Brown MJ. Parasite and host assemblages: embracing the reality will improve our knowledge of parasite transmission and virulence. *Proceedings of the Royal Society B: Biological Sciences* 2010;277(1701):3693-702.

Studies Search Criteria.

Below is a detailed search strategy for the systematic review protocol, outlining the databases, filters and limits that can be used in the search for studies on viral-bacterial co-infections.

Databases to be used:

- MEDLINE through PubMed
- Web of Science
- MedRxiv
- Scopus (platform: Elsevier)

Search terms:

The search will use Boolean operations 'AND' and 'OR' with specific keywords related to mathematical approaches and co-infections. The search terms will be categorised into four main groups:

- Group 1: "mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"
- Group 2: "co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"
- Group 3: "epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"
- Group 4: "model" OR "modeling" OR "modelling"

Combined search strategy

The search will be conducted using the following search algorithm:

• Search query: (Group 1) AND (Group 2) AND (GROUP 3) AND (Group 4)

Filters and limits:

- **Publication date:** Studies published from January 2010 to October 2024.
- Language: Articles published in English.
- **Document type:** Limit to research articles focusing on mathematical epidemiology related to viral-bacterial co-infections.
- **Exclusion criteria:** Articles focused on mono-infection mathematical modelling, clinical experiments, surveys, case studies, duplicate studies, books, book chapters, review protocols, conference papers and review, letter, editorial, and systematic reviews.

Implementation

• Each database will be searched using the combined search query and the results will be imported into a reference management tool (Endnote) for further screening.

This detailed search strategy will be included as a supplementary file to ensure transparency and reproducibility in the systematic review process.

BMJ Open

Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-084027.R2
Article Type:	Protocol
Date Submitted by the Author:	09-Nov-2024
Complete List of Authors:	Yano, Timothy; Edith Cowan University, School of Science Afrifa-Yamoah, Ebenezer; Edith Cowan University, School of Science Collins, Julia; Edith Cowan University, School of Science Mueller, Ute; Edith Cowan University Richardson, Steven; Edith Cowan University, School of Science
Primary Subject Heading :	Epidemiology
Secondary Subject Heading:	Epidemiology, Health policy, Global health, Infectious diseases
Keywords:	Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Protocols & guidelines < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Infection control < INFECTIOUS DISEASES, Epidemiology < INFECTIOUS DISEASES, EPIDEMIOLOGY
	·



Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Timothy Yano, Eben Afrifa-Yamoah, Julia Collins, Ute Mueller, Steven Richardson

School of Science, Edith Cowan University, Perth, Australia.

Correspondence to: Timothy Yano; 270 Joondalup drive, WA; t.yano@ecu.edu.au

Abstract

Introduction: Breaking the chain of transmission of an infectious disease pathogen is a major public health priority. The challenges of understanding, describing, and predicting the transmission dynamics of infections have led to a wide range of mathematical, statistical, and biological research problems. Advances in diagnostic laboratory procedures with the ability to test multiple pathogens simultaneously mean that co-infections are increasingly being detected, yet little is known about the impact of co-infections in shaping the course of an infection, infectivity, and pathogen replication rate. This is particularly true of, the apparent synergistic effects of viral and bacterial co-infections that present the greatest threats in public health due to their lethal nature and complex dynamics. This systematic review is aimed at performing a critical review of co-infection modelling and assess the key features of the models.

Methods and analysis: MEDLINE through PubMed, Web of Science, medRxiv and Scopus will be systematically searched in November 2024 for studies published between January 1980 to December 2024. Three reviewers will screen articles independently for eligibility and quality assessment will be performed using the TRACE (Transparent and Comprehensive Ecological modelling) standard modelling guide. Data will be extracted using an Excel template in accordance with the Preferred Reporting Items for Systematic Review & Meta Analysis (PRISMA) standard reporting guidelines. This systematic review will apply the SWiM (Synthesis without Meta-analysis) approach in its narrative synthesis coupled with tables and figures to present data obtained. The synthesis will highlight key dynamical co-infection model features such as assumptions, data fitting and estimation methods, validation, and sensitivity analyses, optimal control analyses, and impact of co-infections.

Ethics and dissemination: Ethics approval is not required for a systematic review since it will be based on published work.

PROSPERO registration number: CRD42023481247

Strengths and limitations of this study

• This systematic review will apply the Transparent and Comprehensive Model Evaluation (TRACE) approach with standardized ecological modelling guide.

- A comprehensive analysis of research findings, formulation complexities and developments in co-infection modelling techniques will aim to address critical gaps in existing literature.
- To the best of our knowledge, this review is the first to explore viral-bacteria coinfection epidemic modelling formulation, its underlying assumptions, and transmission peculiarities.
- This systematic review considers only studies published between January 1980 to December 2024, which may hamper generalisability.
- This systematic review investigates only mechanistic mathematical co-infection

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

epidemic modelling approaches, which may create bias.

Introduction

Co-infection refers to the simultaneous infection by two or more pathogens¹ or the presence of multiple strains of the same infection in a host, as seen in the case of influenza viruses.²⁻⁴ On the other hand, they can occur as multiple infections by different pathogens within the same host or between different hosts.⁵⁻⁸ Over the years, vaccination campaigns and use of antibiotics have significantly prevented deaths and helped combat transmission of viral-bacterial infectious diseases. However, viral and bacterial infections remain a major public health threat since they are lethal and predisposes the most vulnerable population to infections.⁹ For instance, childhood viral-bacterial diseases like pneumonia and diarrheal infections remain the main causes of mortality in infants and children, while SARS-COV-2, HIV, Tuberculosis (TB), Influenza and hepatitis are among the major killer viral-bacterial infections in adults globally. According to the World Health Organization (WHO) viral and bacterial infections of the respiratory system lead with a global burden of 6.2% followed by diarrheal infections, which account for a burden of 4.8%.⁹ The synergism of viral-bacterial co-infections has remained lethal leading to extensive theoretical and clinical research on the mechanisms behind their transmission dynamics.¹⁰ The ecological epidemiology of infectious pathogen interactions and coexistence in the host species can be complex and their combined effects on disease transmission, clinical outcomes and public health intervention measures remain poorly understood.11-13

Many human and animal populations acquire infections with either bacterial or viral pathogens.^{14 15} Studies on the 2009 pandemic Influenza A(H1N1) in the United States found that within six days of influenza infection, a bacterial co-infection occurred with an increased risk of death for critically ill patients.¹⁶ Similarly, epidemiological studies have reported Influenza (viral) and Streptococcus pneumoniae (bacterial) co-infections occurring during flu season with influenza potentially weakening the immunity of individuals which predisposes them to bacteria like streptococcus pneumoniae infections.¹⁴ Additionally, HIV and TB co-infections have been reported with HIV infected individuals experiencing advanced immunosuppression which weakens patients and makes them unable to fight off TB bacteria,

BMJ Open

predisposing HIV-positive patients with higher vulnerability to catching a TB infection.¹⁷ Therefore, viral-bacterial co-infections are of great public health concern due to the risk factors they present in altering the severity, incidences and mortalities. ¹⁴

Despite co-infection models having vital implications in public health policy, epidemiology and pathogen evolution, few studies have addressed their complexity and implications in forecasting disease dynamics. Limited systematic reviews have focused on co-infection mathematical epidemiological modelling design, quality, and applications. Recent systematic reviews have assessed the impact of co-infections in disease dynamics and have focused on specific co-infections such as HIV-hepatitis, HIV-TB and Ebola-malaria co-infections.^{11 12 14-20} Some significant and interesting reviews on the impact of coinfections have focused on respiratory tract infections^{10 16}, aquatic animals²¹ and modelling within-host coinfections.²²

Given the vital significance and potential for wide application of co-infection studies in public health, understanding the dynamics of simultaneous coexistence of infectious pathogens is crucial for improving the practicability of the co-infection modelling.²³ Transition and interaction between classes in a co-infection model may be complex²², especially in cases where infections present multiple strains or pathogens in a host. Dynamical co-infection epidemiological models are effective tools for highlighting a more comprehensive understanding of infectious disease spread, precise prediction and transition dynamics.²⁴ The models can highlight causal factors, expected size and duration of an epidemic outbreak, and the extent of resource strain and disease case fatalities associated with the outbreak.²⁵ It is expected of a mathematical model to provide realistic predictions for disease dynamics.²⁴

This systematic review aims to provide an extensive exposition and diagnostics of existing bacterial-viral co-infection epidemiological models that were published from January 1980 to December 2024. We will focus on the co-infection model formulation, assumptions, analysis, modelling techniques and data integration while assessing the significance and potential research gaps which might be of interest to mathematical epidemiologists and public health policy makers. The co-infection modelling framework has the potential to guide policies on management and control strategies for emerging and re-emerging infectious diseases.

Research objectives and questions

In this systematic review, we will explore and synthesise the mathematical epidemiological modelling of viral-bacterial co-infections and the role of pathogen interactions in shaping transmission dynamics, severity, and control of infectious diseases. Its focus is primarily on

BMJ Open

modelling techniques (assumptions, modelling designs, data fitting, and model analysis and control strategies). It will identify research gaps in co-infection modelling mechanisms that may help advance the models to further realism and enhance effective description and forecasting of disease dynamics. Specifically, this systematic review is aimed at addressing the following questions:

1. How do parameters change in a co-infection model? Does catching a viral pathogen increase, decrease the risk of acquiring a bacterial infection or is it insignificant and vice versa? Do viral/bacterial pathogen co-infections lead to a higher risk of disease severity?

2. Does a co-infection alter infectiousness and mortality rates? How are co-infections and mortality rates epidemiologically modelled?

3. What is (are) the impact(s) of co-infections in shaping the infectious disease spread dynamics?

4. What are the mathematical modelling approaches applied to describe the dynamics? What research gaps exist in the modelling approaches?

5. How are data integrated in a co-infection model? What reasonable data inputs/assumptions might be necessary to predict or forecast co-infection disease dynamics? What are the challenges in parameter estimation of a co-infection model?

6. How can co-infection mathematical models be robustly formulated, analysed, tested, and evaluated in a manner that is epidemiologically meaningful and relevant for provision of guidance on urgent response policy and mitigation of an infectious disease outbreak?

Rationale

 The spread dynamics of pathogens in humans and animals can be influenced by co-infections, which may ultimately lead to insignificant, beneficial, or detrimental health outcomes.¹¹ The interactions between two or more infectious disease pathogens in host species can have serious outcomes, particularly in vulnerable immunosuppressed individuals such as HIV-positive patients who are at a higher risk of experiencing increased severity or dying due to co-infections.¹¹

Co-infection models offer a way to understand and describe infectious disease spread dynamics and provide both short-term and long-term forecasts through integration of biological features, behavioural and environmental epidemiological factors that shape the burden, transmission, surveillance, prevention, and control strategies. The last decade has witnessed an increased interest in epidemiological modelling due to its potential of integrating both ecological

epidemiology and mathematics under a data, knowledge, and strategic decisions framework to explain the transmission and control strategies of infectious diseases.²⁶

Due to the complex nature of interaction of pathogens for co-infection models, the theoretical design remains a fundamental and pivotal issue that shapes the reliability of parameters estimated, practicability of intervention measures and realistic forecasting²⁷, particularly applying methods that account for scarcity of data which may hamper the biological basis and justifiability of assumptions, integration with data, model analysis, and their impact in informing policies in public health.^{27 28} There is a need to review key aspects of co-infection modelling to understand the milestones achieved, significance and research gaps and opportunities in co-infection model development that may improve their framework and relevance in informing policy on control interventions and improved health outcomes.

Methods and analysis

Study protocol design

This protocol is reported in accordance with the Preferred Reporting Items for Systematic Review and Meta Analysis Protocols (PRISMA-P) 2015 checklist.^{29 30} The review has been registered in PROSPERO.

Eligibility criteria

The following inclusion criteria will apply: (1) Full text research articles written in English on infectious disease mathematical epidemiology, published from January 1980 to December 2024 and a study will be selected if it is investigating viral-bacteria co-infections of infectious diseases using mathematical epidemiological modelling approaches such as deterministic, stochastic, and fuzzy logic modelling. (2) Studies focusing on within host, between host and multiple strain co-infections. The exclusion criteria will include: (1) articles focused on mono-infection mathematical modelling, clinical experiments and surveys and case studies; (2) duplicate studies, books and book chapters, review protocols, and systematic reviews.

Studies search criteria

The outline for a search strategy provided in PRESS peer review guidelines will be used in this systematic review.³¹ The search for articles from databases (PubMed, Web of Science, Scopus and medRxiv), selection of studies, data extractions and synthesis will be done comprehensively from November 2024 to April 2025 to identify epidemiological co-infection model studies from January 1980 to December 2024. The search items will be combined via the Boolean operations 'AND' and 'OR' coupled with words and/or synonyms formed by a

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

> combination of statements in 4 main categories as follows: mathematical approach or term, coinfection, epidemic, and modelling terms. We will apply a search algorithm in each database as follows: ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "Fuzzy") AND ("co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation") AND ("epidemiological" OR "epidemic" OR "infectious disease" OR "transmission") AND ("model" OR "modeling" OR "modelling"). A summary of the search criteria is provided in Table 1 and a detailed version for each database available in search strategy (supplementary file).

Fable 1: The search alg	orithm to	o retrieve v	viral-bacterial	co-infection	models.
-------------------------	-----------	--------------	-----------------	--------------	---------

Set	Terms/Items	
1	"mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"	
2	"co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"	
3	"epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"	
4	"model" OR "modeling" OR "modelling"	
Search strategy	1 AND 2 AND 3 AND 4	

Study selection

The studies found via the search algorithm across the considered databases will be assembled in Endnote (Version 20.4.1) referencing tool and further imported to Rayyan (https://www.rayyan.ai/) an online systematic review web tool³². This web systematic review tool is designed to help reviewers screen titles, abstracts, reduce the risk of bias and aid the data extraction process³³. Three reviewers will initially screen the titles and abstracts in accordance with the eligibility criteria to select potential studies that meet the inclusion threshold. Discrepancies on inclusion such as: (1) both reviewers are unsure; (2) one reviewer recommends while the other is unsure; (3) one reviewer recommends inclusion while the other recommends exclusion, will be resolved through a discussion with the help of a third reviewer to reach consensus. The PRISMA diagrammatic structure of the study selection outline will be applied. The next phase involves a review of the full texts and data extraction for selected studies.

Quality assessment and risk of bias

The assessment of the risk of bias in a dynamical co-infection epidemic model may seem difficult to assess due to lack of measurement for bias in models, considerations of modelling approach and type of models are the main recognisable features.³⁴ The quality of selected coinfection modelling articles will be assessed for good dynamical modelling standard practice, refer³⁵⁻³⁷ for the guidelines highlighting the components of an epidemiological model which include; model formulation, description, data fitting, evaluations, simulations, analysis, validation and output corroboration.

Data extraction process

Data Items

incrude,	model formulation, description, data ritting, evaluations, sinulations, analysis,	Pro			
validati	on and output corroboration.	otect			
Data extraction process					
Data ex	Data extraction will be done using a standard excel template while applying the standard				
PRISM	A data collection guidelines. ³⁸ Data extraction will be done by TY with the help of two	right			
reviewe	reviewers to verify the quality of data extracted.				
Data It	ems	ıding f			
The foll	owing features of the selected articles will be extracted as illustrated in Table 2.	or use			
Table 2	Description of data items to be extracted on the coinfection models.	iseigne s relate			
Details	Description/examples	n men			
Research articles	Title, hyperlink, journal, author, settings, publication year (ranging from 1980 to 2024)	nt Supe			
Model description	Structure of co-infections (within host, between host or multiple strain coinfections) Modelling approach (Deterministic, stochastic, or fuzzy logic) Type of model (ordinary, fractional order, age-structured or spatio-temporal) Host species (human, animal, or both)	erieur (ABES and data min			
Co-infection/co- dynamics	Co-infection diseases: we will record which disease(s) the model considered (e.g., rotavirus/cholera, Typhoid/Tuberculosis, HIV/Tuberculosis/pneumonia etc.) Modelling of coinfection infectivity (increase, decrease or no change)) ing, Al trai			
Key assumptions	Mortality assumption (additive, not additive) Transition to a co-infection class (from mono-infections to co-infected: infectivity modelled as increasing, decreasing or no change) Co-infection transitions and infectivity assumptions are biologically meaningful and justifiable (yes, no, or partially)	ning, and simila			
Data fitting	Parameter estimation: e.g., incidence rates, pathogen ingestion rates, recovery rates and mortality rates (literature, simulated data, epidemiological data, or laboratory data) Data availability (yes or no). In cases where data was not used, we will denote 'none'. Articles applying two or more data sources will be denoted 'multi-data'.	r technologie			
Intervention measures	Intervention strategies to manage and control infectious diseases (non-pharmaceutical (washing, sanitation, good hygiene), treatment, vaccinations, screening, isolations and quarantine, education campaigns, vector control, antimicrobial stewardship, personal protection etc.)	Ś			
Model	Sensitivity analyses (yes or no). If yes, we asses nature of sensitivity (local or global) analysis				
evaluation	and sensitivity approaches (graphical or numerical).				

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Model validations (yes or no). If yes, we determine the number of infections validated (one or both or multiple (more than two infections)) and determine type of datasets (simulated or surveillance data). For surveillance data, we further determine the datasets (incidence, vaccinated, hospitalized or death case counts). Studies which use two or more datasets simultaneously in the validation will be denoted 'multi-data'. In addition, we state the setting which the model is validated (city or country or state or multi-states) Findings on impact(s) of coinfections on disease severity (increase, decrease or no effect)

Data synthesis strategy

We will provide a summary of the included studies in tabular form and critically assess them using the TRACE standard ecological modelling guideline to characterize the models.³⁵ Subsequently, a narrative synthesis of the findings will be provided. The summary will highlight the following key co-infection model features: modelling approaches, assumptions, parameter estimates and simulations, intervention strategies, impact of co-infections, model validation and sensitivity analysis, research gaps and opportunities for future studies. Due to lack of data for meta-analysis this systematic review will apply SWiM guideline ³⁹ in its narrative synthesis.

Author affiliations

School of Science, Edith Cowan University, Perth, Australia.

Author Contributions

TY- conceptualisation, design of the protocol and draft manuscript. EA-Y, SR, JC, and UM - supervision, contribution to the plan of search strategy, data extraction and data analysis, review, and editing. Guarantor: Timothy Yano is the guarantor for this study.

All authors read and approved the final manuscript.

Acknowledgements

The authors thank Edith Cowan University, School of Science for providing administrative support.

Ethics and dissemination

Ethics approval is not required for a systematic review since it will be based on published work. The output of this study will be submitted for publication in peer reviewed epidemiology journals.

Funding

This study was supported by Edith Cowan University higher degree research fund through the postgraduate research scholarships.

Data availability

All data generated and used during this study will be included in the published review article.

Competing interests None to declare.

 Patient and public involvement Patients and/or the public were not involved in the formulation, or conduct, or reporting, or dissemination plans of this research.

ORCID IDS

Ebenezer Afrifa-Yamoah http://orcid.org/0000-0003-1741-9249

Julia Collins https://orcid.org/0000-0003-4276-0318

Ute Mueller https://orcid.org/0000-0002-8670-2120

Steven Richardson https://orcid.org/0000-0002-5723-7346

REFERENCES

1. Sasaki K, Bruder D, Hernandez-Vargas E. Topological data analysis to uncover the shape of immune responses during co-infection. *bioRxiv* 2019:723957.

2. Susi H, Barrès B, Vale P, Laine A. Co-infection alters population dynamics of infectious disease. Nat Commun 6: 5975, 2015.

3. Greenbaum BD, Li OT, Poon LL, et al. Viral reassortment as an information exchange between viral segments. *Proceedings of the National Academy of Sciences* 2012;109(9):3341-46.

4. Sharp GB, Kawaoka Y, Jones DJ, et al. Coinfection of wild ducks by influenza A viruses: distribution patterns and biological significance. *Journal of virology* 1997;71(8):6128-35.

5. Zhang L, ur Rahman M, Arfan M, Ali A. Investigation of mathematical model of transmission coinfection TB in HIV community with a non-singular kernel. *Results in Physics* 2021;28:104559.

6. Barley K, Murillo D, Roudenko S, et al. A mathematical model of HIV and malaria co-infection in sub-Saharan Africa. *Journal of AIDS and Clinical Research* 2012;3(7)

7. Sanchez AYC, Aerts M, Shkedy Z, et al. A mathematical model for HIV and hepatitis C co-infection and its assessment from a statistical perspective. *Epidemics* 2013;5(1):56-66.

8. A new mathematical model for co-infection of malaria and HIV. 2012 IEEE 4th International Conference on Nonlinear Science and Complexity (NSC); 2012. IEEE.

9. Avendaño Carvajal L, Perret Pérez C. Epidemiology of respiratory infections. *Pediatric respiratory diseases: a comprehensive textbook* 2020:263-72.

10. Oliva J, Terrier O. Viral and bacterial co-infections in the lungs: dangerous liaisons. *Viruses* 2021;13(9):1725.

11. McArdle AJ, Turkova A, Cunnington AJ. When do co-infections matter? *Current opinion in infectious diseases* 2018;31(3):209.

12. Musuuza JS, Watson L, Parmasad V, et al. Prevalence and outcomes of co-infection and superinfection with SARS-CoV-2 and other pathogens: A systematic review and meta-analysis. *PloS one* 2021;16(5):e0251170.

13. Kurra N, Woodard PI, Gandrakota N, et al. Opportunistic infections in COVID-19: a systematic review and meta-analysis. *Cureus* 2022;14(3)

14. McCullers JA. Insights into the interaction between influenza virus and pneumococcus. *Clinical microbiology reviews* 2006;19(3):571-82.

15. McCullers JA. Do specific virus-bacteria pairings drive clinical outcomes of pneumonia? *Clinical Microbiology and Infection* 2013;19(2):113-18. doi: 10.1111/1469-0691.12093

16. Chertow DS, Memoli MJ. Bacterial coinfection in influenza: a grand rounds review. Jama 2013;309(3):275-82.

17. Pawlowski A, Jansson M, Sköld M, et al. Tuberculosis and HIV co-infection. *PLoS pathogens* 2012;8(2):e1002464.

18. Marvá M, Bravo de la Parra R, Venturino E. Modelling the role of opportunistic diseases in coinfection. *Math Model Nat Phenom* 2018;13(3):28.

BMJ Open

19. Kotepui KU, Kotepui M. Prevalence of and risk factors for Plasmodium spp. co-infection with hepatitis B virus: a systematic review and meta-analysis. *Malaria Journal* 2020;19(1) doi: 10.1186/s12936-020-03428-w

20. Kotepui M, Kotepui KU. Prevalence and laboratory analysis of malaria and dengue co-infection: A systematic review and meta-Analysis. *BMC Public Health* 2019;19(1) doi: 10.1186/s12889-019-7488-4

21. Kotob MH, Menanteau-Ledouble S, Kumar G, et al. The impact of co-infections on fish: a review. *Veterinary Research* 2016;47(1):98. doi: 10.1186/s13567-016-0383-4

22. Bushman M, Antia R. A general framework for modelling the impact of co-infections on pathogen evolution. *Journal of the Royal Society Interface* 2019;16(155):20190165.

23. Ghersheen S. Dynamics of Coinfection: Complexity and Implications. Linköping University Electronic Press, 2019.

24. Panchal S, John D, Menon GR, et al. Mathematical models on COVID-19 in India: A systematic review protocol. *F1000Research* 2022;11:532.

25. Brauer F. Mathematical epidemiology: Past, present, and future. *Infectious Disease Modelling* 2017;2(2):113-27.

26. Liu Y-N, Zhang Y-F, Xu Q, et al. Infection and co-infection patterns of community-acquired pneumonia in patients of different ages in China from 2009 to 2020: a national surveillance study. *The Lancet Microbe* 2023;4(5):e330-e39.

27. Mollison D, Isham V, Grenfell B. Epidemics: models and data. *Journal of the Royal Statistical Society Series A: Statistics in Society* 1994;157(1):115-29.

28. Kretzschmar ME, Ashby B, Fearon E, et al. Challenges for modelling interventions for future pandemics. *Epidemics* 2022;38:100546.

29. Moher D, Shamseer L, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015 statement. *Systematic reviews* 2015;4(1):1-9.

30. Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and metaanalysis protocols (PRISMA-P) 2015: elaboration and explanation. *Bmj* 2015;349

31. McGowan J, Sampson M, Salzwedel DM, et al. PRESS peer review of electronic search strategies: 2015 guideline statement. *Journal of clinical epidemiology* 2016;75:40-46.

32. Valizadeh A, Moassefi M, Nakhostin-Ansari A, et al. Abstract screening using the automated tool Rayyan: results of effectiveness in three diagnostic test accuracy systematic reviews. *BMC Med Res Methodol* 2022;22(1):160. doi: 10.1186/s12874-022-01631-8 [published Online First: 20220602]

33. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app for systematic reviews. *Systematic reviews* 2016;5:1-10.

34. Shankar S, Mohakuda SS, Kumar A, et al. Systematic review of predictive mathematical models of COVID-19 epidemic. *Medical journal armed forces India* 2021;77:S385-S92.

35. Ayllón D, Railsback SF, Gallagher C, et al. Keeping modelling notebooks with TRACE: Good for you and good for environmental research and management support. *Environmental Modelling & Software* 2021;136:104932.

36. Grimm V, Augusiak J, Focks A, et al. Towards better modelling and decision support: Documenting model development, testing, and analysis using TRACE. *Ecological modelling* 2014;280:129-39.

37. Fone D, Hollinghurst S, Temple M, et al. Systematic review of the use and value of computer simulation modelling in population health and health care delivery. *Journal of Public Health* 2003;25(4):325-35.

38. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *International journal of surgery* 2021;88:105906.

39. Campbell M, McKenzie JE, Sowden A, et al. Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline. *bmj* 2020;368.

Studies Search Criteria.

Below is a detailed search strategy for the systematic review protocol, outlining the databases, filters and limits that can be used in the search for studies on viral-bacterial co-infections.

Databases to be used:

- MEDLINE through PubMed
- Web of Science
- MedRxiv
- Scopus (platform: Elsevier)

Search terms:

The search will use Boolean operations 'AND' and 'OR' with specific keywords related to mathematical approaches and co-infections. The search terms will be categorised into four main groups:

- Group 1: "mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"
- Group 2: "co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"
- Group 3: "epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"
- Group 4: "model" OR "modeling" OR "modelling"

Combined search query: (Group 1) AND (Group 2) AND (GROUP 3) AND (Group 4)

Table 1 below provides a detailed description of the search criteria for each specified database using the search terms and the combined search strategy.

 Table 1: Summary for search query, filters and limits for each database

Database	Scopus (https://www.elsevier.com/products/scopus)	
1	Search query in the search bar	[Title/Abstract/Keywords] ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy") AND [Title/Abstract/Keywords] ("co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation") AND [Title/Abstract/Keywords] ("epidemiological" OR "epidemic" OR "infectious disease" OR "transmission") AND [Title/Abstract/Keywords] ("model" OR "modeling" OR "modelling")
	Filters and limits	Publication year (1980-2024) and limit to language (English) and document type (article).
	Exclusion	Exclude: conference paper, review, case studies, book, book chapter, short survey, letter, editorial and conference review.
	ME	DLINE through PubMed (<u>https://pubmed.ncbi.nlm.nih.gov/</u>)

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

2	Search query in	("mathematical" OR "dynamical" OR "deterministic" OR "stochastic"
	the search bar	OR "fuzzy") AND ("co-infection" OR "co-dynamics" OR "dual
		infection" OR "co-circulation") AND ("epidemiological" OR
		"epidemic" OR "infectious disease" OR "transmission") AND ("model"
		OR "modeling" OR "modelling")
	Filters and	Publication year (1980-2024) and limit to language (English) and
	limits	document type (article).
		Web of Science (<u>https://www.webofscience.com/</u>)
3	Search query in	Topic Search (("mathematical" OR "dynamical" OR "deterministic"
	the search bar	OR "stochastic" OR "fuzzy") AND ("co-infection" OR "co-dynamics"
		OR "dual infection" OR "co-circulation") AND ("epidemiological" OR
		"epidemic" OR "infectious disease" OR "transmission") AND ("model"
		OR "modeling" OR "modelling"))
	Filters and	Publication years (1980-2024) and limit to languages (English) and
	limits	document types (article).
		MedRxiv (<u>https://www.medrxiv.org</u> /)
4	Search query in	Search for term "("mathematical" OR "dynamical" OR "deterministic"
	the search bar	OR "stochastic" OR "fuzzy") " AND title "("co-infection" OR "co-
		dynamics" OR "dual infection" OR "co-circulation")" AND abstract or
		title "("epidemiological" OR "epidemic" OR "infectious disease" OR
		"transmission")" AND full text or abstract or title "("model" OR
		"modeling" OR "modelling")"
	Filters and	Date posted: 01 January 1980 and 31 December 2024
_		
2	I imetrame	1980/01/01 to 2024/12/31

Exclusion criteria: Manually review the results and exclude mono-infection mathematical modelling articles, clinical experiments, surveys, case studies, duplicate studies, non-English studies, books, book chapters, review protocols, conference papers and review, letter, editorial, and systematic reviews.

This detailed search strategy will be included as a supplementary file to ensure transparency and reproducibility in the systematic review process.

BMJ Open

Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-084027.R3
Article Type:	Protocol
Date Submitted by the Author:	30-Nov-2024
Complete List of Authors:	Yano, Timothy; Edith Cowan University, School of Science Afrifa-Yamoah, Ebenezer; Edith Cowan University, School of Science Collins, Julia; Edith Cowan University, School of Science Mueller, Ute; Edith Cowan University Richardson, Steven; Edith Cowan University, School of Science
Primary Subject Heading :	Epidemiology
Secondary Subject Heading:	Epidemiology, Health policy, Global health, Infectious diseases
Keywords:	Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Protocols & guidelines < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Infection control < INFECTIOUS DISEASES, Epidemiology < INFECTIOUS DISEASES, EPIDEMIOLOGY



Mathematical Modelling and Analysis for the Co-infection of Viral and Bacterial Diseases: A Systematic Review Protocol

Timothy Yano, Eben Afrifa-Yamoah, Julia Collins, Ute Mueller, Steven Richardson

School of Science, Edith Cowan University, Perth, Australia.

Correspondence to: Timothy Yano; 270 Joondalup drive, WA; t.yano@ecu.edu.au

Abstract

Introduction: Breaking the chain of transmission of an infectious disease pathogen is a major public health priority. The challenges of understanding, describing, and predicting the transmission dynamics of infections have led to a wide range of mathematical, statistical, and biological research problems. Advances in diagnostic laboratory procedures with the ability to test multiple pathogens simultaneously mean that co-infections are increasingly being detected, yet little is known about the impact of co-infections in shaping the course of an infection, infectivity, and pathogen replication rate. This is particularly true of the apparent synergistic effects of viral and bacterial co-infections, which present the greatest threats in public health because of their lethal nature and complex dynamics. This systematic review protocol is the foundation of a critical review of co-infection modelling and an assessment of the key features of the models.

Methods and analysis: MEDLINE through PubMed, Web of Science, medRxiv and Scopus will be systematically searched between 1 December 2024 and 31 January 2025 for studies published between January 1980 to December 2024. Three reviewers will screen articles independently for eligibility, and quality assessment will be performed using the TRACE (Transparent and Comprehensive Ecological modelling) standard modelling guide. Data will be extracted using an Excel template in accordance with the Preferred Reporting Items for Systematic Review & Meta Analysis (PRISMA) standard reporting guidelines. This systematic review will apply the SWiM (Synthesis without Meta-analysis) approach in its narrative synthesis coupled with tables and figures to present data. The synthesis will highlight key dynamical co-infection model features such as assumptions, data fitting and estimation methods, validation, and sensitivity analyses, optimal control analyses, and the impact of co-infections.

Ethics and dissemination: Ethics approval is not required for a systematic review since it will be based on published work. The output of this study will be submitted for publication in a peer-reviewed journal.

PROSPERO registration number: CRD42023481247

Strengths and limitations of this study

• This systematic review will apply the Transparent and Comprehensive Model Evaluation (TRACE) approach with a standardized ecological modelling guide.

• A comprehensive analysis of research findings, formulation complexities and developments in co-infection modelling techniques will aim to address critical gaps in existing literature.

• To the best of our knowledge, this review will be the first to explore viral-bacterial coinfection epidemic modelling formulations, their underlying assumptions, and transmission peculiarities.

• This systematic review considers only studies published between January 1980 to December 2024, which may hamper generalisability.

• This systematic review investigates only mechanistic mathematical co-infection epidemic modelling approaches, which may create bias.

Introduction

Co-infection refers to the simultaneous infection of a host by two or more pathogens¹, which can include multiple strains of the same infection in a host, as seen with influenza viruses,²⁻⁴ or infections by different pathogens within the same host or between different hosts.⁵⁻⁸ Over the years, vaccination campaigns and use of anti-biotics have significantly prevented deaths and helped to combat the transmission of viral-bacterial infectious diseases. However, viral and bacterial infections remain a major public health threat since they can be lethal and predispose the most vulnerable population to further infections.⁹ For instance, childhood viralbacterial diseases like pneumonia and diarrheal infections remain the main causes of mortality in infants and children, while SARS-COV-2, HIV, Tuberculosis (TB), Influenza and hepatitis are among the major lethal viral-bacterial infections in adults globally. According to the World Health Organization (WHO) viral and bacterial infections of the respiratory system lead with a global burden of 6.2% followed by diarrheal infections, which account for a burden of 4.8 %.9 The synergism of viral-bacterial co-infections has remained lethal, leading to extensive theoretical and clinical research on the mechanisms behind their transmission dynamics.¹⁰ The ecological epidemiology of infectious pathogen interactions and coexistence in the host species can be complex and their combined effects on disease transmission, clinical outcomes and public health intervention measures remain poorly understood.¹¹⁻¹³

Many human and animal populations acquire infections with either bacterial or viral pathogens.^{14 15} Studies on the 2009 pandemic Influenza A(H1N1) in the United States found that within six days of influenza infection, a bacterial co-infection occurred. The critically ill patients who developed bacterial co-infections faced an increased risk of death.¹⁶ Similarly, epidemiological studies have reported Influenza (viral) and Streptococcus pneumoniae (bacterial) co-infections occurring with influenza during flu seasons, potentially weakening the immunity of individuals which predisposes them to bacteria like streptococcus pneumoniae infections.¹⁴ HIV and TB co-infections are common, with individuals infected with HIV often experiencing advanced immunosuppression. This weakened immune response increases their susceptibility to catching a TB infection.¹⁷ Therefore, viral-bacterial co-infections are of great

BMJ Open

public health concern due to the risk factors they present in altering the severity, incidences and mortalities.¹⁴

Despite co-infection models having vital implications in public health policy, epidemiology and pathogen evolution, few studies have addressed their complexity and implications in forecasting disease dynamics. Limited systematic reviews have focused on co-infection mathematical epidemiological modelling design, quality, and applications. Recent systematic reviews have assessed the impact of co-infections in disease dynamics and have focused on specific co-infections such as HIV-hepatitis, HIV-TB and Ebola-malaria co-infections.^{11 12 14-20} Some significant and interesting reviews on the impact of coinfections have focused on respiratory tract infections,^{10 16} aquatic animals²¹ and modelling within-host coinfections.²²

Given the vital significance and potential for wide applications of co-infection studies in public health, understanding the dynamics of simultaneous coexistence of infectious pathogens is crucial for improving the practicability of the co-infection modelling.²³ Transition and interaction between classes in a co-infection model may be complex,²² especially in cases where infections present multiple strains or pathogens in a host. Dynamical co-infection epidemiological models are effective tools for highlighting a more comprehensive understanding of infectious disease spread, precise prediction and transition dynamics.²⁴ The models can highlight causal factors, expected size and duration of an epidemic outbreak, and the extent of resource strain and disease case fatalities associated with the outbreak.²⁵ It is expected of a mathematical model to provide realistic predictions for disease dynamics.²⁴

This systematic review aims to provide an extensive exposition and diagnostics of existing bacterial-viral co-infection epidemiological models that were published from January 1980 to December 2024. The study duration was chosen after reviewing the historical emergence of significant viral and bacterial infections known to cause co-infections. For instance, the HIV/AIDS epidemic (1980s), the SARS-COV (2002) and H1N1 influenza (2009) pandemic, which were pivotal moments in infectious disease history that may have influenced co-infection studies. We considered a time frame from January 1980 to December 2024, a duration of 44 years that may give a comprehensive view of the evolution of co-infection studies and capture trends over time. The studies allow us to capture both historical and recent co-infection studies like HIV and tuberculosis, influenza and pneumonia, or COVID-19 and secondary bacterial infections among others. We will focus on the co-infection model formulation, assumptions, analysis, modelling techniques and data integration while assessing the

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

significance and potential research gaps which might be of interest to mathematical epidemiologists and public health policy makers. The co-infection modelling framework has the potential to guide policies on management and control strategies for emerging and reemerging infectious diseases.

Research objectives and questions

In the planned systematic review, we will explore and synthesise the mathematical epidemiological modelling of viral-bacterial co-infections and the role of pathogen interactions in shaping transmission dynamics, severity, and control of infectious diseases. Its focus is primarily on modelling techniques (assumptions, modelling designs, data fitting, and model analysis and control strategies). It will identify research gaps in co-infection modelling mechanisms that may help advance the models to further realism and enhance effective description and forecasting of disease dynamics. Specifically, this systematic review is aimed at addressing the following questions:

1. How are parameters interrelated in a co-infection model? Does catching a viral pathogen increase or decrease the risk of acquiring a bacterial infection, or is it insignificant and vice versa? Do viral/bacterial pathogen co-infections lead to a higher risk of disease severity?

2. Does a co-infection alter infectiousness and mortality rates? How are co-infections and mortality rates epidemiologically modelled?

3. What is (are) the impact(s) of co-infections in shaping the infectious disease spread dynamics?

4. What are the mathematical modelling approaches applied to describe the dynamics? What research gaps exist in the modelling approaches?

5. How are data integrated in a co-infection model? What reasonable data inputs/assumptions might be necessary to predict or forecast co-infection disease dynamics? What are the challenges in parameter estimation of a co-infection model?

6. How can co-infection mathematical models be robustly formulated, analysed, tested, and evaluated in a manner that is epidemiologically meaningful and relevant for provision of guidance on urgent response policy and mitigation of an infectious disease outbreak?

Rationale

The dynamics of pathogen spread in humans and animals can be influenced by co-infections, which may ultimately lead to insignificant, beneficial, or detrimental health outcomes.¹¹ The interactions between two or more infectious disease pathogens in host species can have serious

BMJ Open

outcomes, particularly in vulnerable immunosuppressed individuals such as HIV-positive patients who are at a higher risk of experiencing increased severity or dying due to co-infections.¹¹

Co-infection models offer a way to understand and describe infectious disease spread dynamics and provide both short-term and long-term forecasts. This is done through integration of biological features, behavioural and environmental epidemiological factors that shape the burden, transmission, surveillance, prevention, and control strategies. The last decade has witnessed an increased interest in epidemiological modelling due to its potential of integrating both ecological epidemiology and mathematics under a data, knowledge, and strategic decisions framework to explain the transmission and control strategies of infectious diseases.²⁶

Due to the complex nature of interaction of pathogens for co-infection models, the theoretical design remains a fundamental and pivotal issue that shapes the reliability of estimated parameters, practicability of intervention measures and realistic forecasting,²⁷ particularly applying methods that account for scarcity of data which may hamper the biological basis and justifiability of assumptions, integration with data, model analysis, and their impact in informing policies in public health.^{27 28} There is a need to review key aspects of co-infection modelling to understand the milestones achieved, their significance, and research gaps and opportunities in co-infection model development that may improve their framework and relevance in informing policy on control interventions and improved health outcomes.

Methods and analysis

Study protocol design

This protocol is reported in accordance with the Preferred Reporting Items for Systematic Review and Meta Analysis Protocols (PRISMA-P) 2015 checklist.^{29 30} The review has been registered in PROSPERO.

Eligibility criteria

The following inclusion criteria will apply: (1) Full text research articles written in English on infectious disease mathematical epidemiology, published from January 1980 to December 2024. The choice of English as the language for this review was primarily influenced by the research team's proficiency in English as well as resource constraints such as time and funding that language translation may demand. A study will be selected if it is investigating viral-bacterial co-infections of infectious diseases using mathematical epidemiological modelling approaches such as deterministic, stochastic, and fuzzy logic modelling. (2) Studies focusing

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

on within-host, between-host, and multiple-strain co-infections. The exclusion criteria will include: (1) articles focused on mono-infection mathematical modelling, clinical experiments, and surveys and case studies; (2) duplicate studies, books and book chapters, review protocols, and systematic reviews.

Studies search criteria

This systematic review will use the outline for a search strategy provided in PRESS peer review guidelines.³¹ The search for articles from databases (PubMed, Web of Science, Scopus and medRxiv), selection of studies, data extractions and synthesis will be done comprehensively from December 2024 to April 2025 to identify epidemiological co-infection model studies from January 1980 to December 2024. The search items will be combined via the Boolean operations 'AND' and 'OR' coupled with words and/or synonyms formed by a combination of statements in 4 main categories as follows: mathematical approach or term, co-infection, epidemic, and modelling terms. We will apply a search algorithm in each database as follows: ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "Fuzzy") AND ("co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation") AND ("epidemiological" OR "modelling"). A summary of the search criteria is provided in Table 1 and a detailed version for each database is available in search strategy (supplementary file).

Set	Terms/Items
1	"mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"
2	"co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"
3	"epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"
4	"model" OR "modeling" OR "modelling"
Search strategy	1 AND 2 AND 3 AND 4

Table 1: The search algorithm to retrieve viral-bacterial co-infection models.

Study selection

The studies found via the search algorithm across the considered databases will be assembled in the Endnote (Version 20.4.1) referencing tool and further imported to Rayyan (https://www.rayyan.ai/), an online systematic review web tool³². This web systematic review tool is designed to help reviewers screen titles and abstracts, reduce the risk of bias, and aid the data extraction process³³. Three reviewers will initially screen the titles and abstracts in accordance with the eligibility criteria to select potential studies that meet the inclusion threshold. Discrepancies on inclusion such as: (1) both reviewers are unsure; (2) one reviewer recommends while the other is unsure; (3) one reviewer recommends inclusion while the other recommends exclusion, will be resolved through discussion with the help of a third reviewer to reach consensus. The PRISMA diagrammatic structure of the study selection outline will be applied. The next phase involves a review of the full texts and data extraction for selected studies.

Quality assessment and risk of bias

The assessment of the risk of bias in a dynamical co-infection epidemic model may seem difficult to assess due to lack of measurement for bias in models. Considerations of modelling approach and type of models are the main recognisable features.³⁴ The quality of the selected co-infection modelling articles will be assessed for good dynamical modelling standard practice, referring to guidelines³⁵⁻³⁷ highlighting the components of an epidemiological model which include; model formulation, description, data fitting, evaluations, simulations, analysis, validation and output corroboration.

Data extraction process

Data extraction will be done using a standard Microsoft Excel template while applying the standard PRISMA data collection guidelines.³⁸ Data extraction will be done by TY with the help of two reviewers to verify the quality of data extracted.

Data Items

The following features of the selected articles will be extracted as illustrated in Table 2.

 Table 2: Description of data items to be extracted on the coinfection models.

55	Details	Description/examples
56	Research articles	Title, hyperlink, journal, author, settings, publication year (ranging from 1980 to 2024)
57 58 59 60	Model description	Structure of co-infections (within-host, between-host, or multiple-strain coinfections) Modelling approach (deterministic, stochastic, or fuzzy logic) Type of model (ordinary, fractional order, age-structured or spatio-temporal)

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

2		
3		Host species (human, animal, or both)
4 5 6 7	Co-infection/co- dynamics	Co-infection diseases: we will record which disease(s) the model considered (e.g., rotavirus/cholera, Typhoid/Tuberculosis, and HIV/Tuberculosis/pneumonia) Modelling of coinfection infectivity (increase, decrease or no change)
8 9 10 11 12 13	Key assumptions	Mortality assumption (additive, or not additive) Transition to a co-infection class (from mono-infections to co-infected: infectivity modelled as increasing, decreasing or no change) Co-infection transitions and infectivity assumptions are biologically meaningful and justifiable (yes, no, or partially)
14 15 16 17	Data fitting	Parameter estimation: e.g., incidence rates, pathogen ingestion rates, recovery rates and mortality rates (literature, simulated data, epidemiological data, or laboratory data) Data availability (yes or no). Cases without data will be denoted by 'none.' Articles applying multiple data sources will be denoted as 'multi-data.'
18 19 20 21	Intervention measures	Intervention strategies to manage and control infectious diseases (non-pharmaceutical (washing, sanitation, good hygiene), treatment, vaccinations, screening, isolations and quarantine, education campaigns, vector control, antimicrobial stewardship, and personal protection)
22 23 24 25 26 27 28 29 30 31	Model evaluation	Sensitivity analyses (yes or no). If yes, we assess the nature of sensitivity (local or global) analysis and sensitivity approaches (graphical or numerical). Model validations (yes or no). If yes, we determine the number of infections validated (one or both or multiple (more than two infections)) and determine the type of datasets (simulated or surveillance data). For surveillance data, we further determine the datasets (incidence, vaccinated, hospitalized or death case counts). Studies using multiple datasets for validation will be denoted 'multi-data.' In addition, we state the setting in which the model was validated (city or country or state or multi-states) Findings on impact(s) of coinfections on disease severity (increase, decrease or no effect)

Data synthesis strategy

 We will provide a summary of the included studies in tabular form and critically assess them using the TRACE standard ecological modelling guideline to characterize the models.³⁵ Subsequently, a narrative synthesis of the findings will be provided. The summary will highlight the following key co-infection model features: modelling approaches, assumptions, parameter estimates and simulations, intervention strategies, impact of co-infections, model validation and sensitivity analysis, research gaps and opportunities for future studies. Due to insufficient data for meta-analysis, this systematic review will use the SWiM guidelines ³⁹ in its narrative synthesis.

Ethics and dissemination

Ethics approval is not required for a systematic review since it will be based on published work. The output of this study will be submitted for publication in a peer reviewed epidemiology journal.

Author affiliations

Mathematical Applications & Data Analytics Group, School of Science, Edith Cowan University, Perth, Australia.

Author Contributions

Timothy yano- conceptualisation, design of the protocol and draft manuscript. Ebenezer Afrifa-Yamoah, Steven Richardson, Julia Collins, and Ute Mueller - supervision, contribution to the plan of search strategy, data extraction and data analysis, review, and editing. Guarantor: Timothy Yano is the guarantor for this study.

All authors read and approved the final manuscript.

Acknowledgements

The authors thank Edith Cowan University, School of Science for providing administrative support.

Funding

This study was supported by Edith Cowan University higher degree research fund through the postgraduate research scholarships.

Data availability

All data generated and used during this study will be included in the published review article.

Competing interests

None to declare.

Patient and public involvement

Patients and/or the public were not involved in the formulation, or conduct, or reporting, or dissemination plans of this research.

ORCID IDS

Ebenezer Afrifa-Yamoah http://orcid.org/0000-0003-1741-9249

Julia Collins https://orcid.org/0000-0003-4276-0318

Ute Mueller https://orcid.org/0000-0002-8670-2120

Steven Richardson https://orcid.org/0000-0002-5723-7346

REFERENCES

 1. Sasaki K, Bruder D, Hernandez-Vargas E. Topological data analysis to uncover the shape of immune responses during co-infection. *bioRxiv* 2019:723957.

2. Susi H, Barrès B, Vale P, Laine A. Co-infection alters population dynamics of infectious disease. Nat Commun 6: 5975, 2015.

3. Greenbaum BD, Li OT, Poon LL, et al. Viral reassortment as an information exchange between viral segments. *Proceedings of the National Academy of Sciences* 2012;109(9):3341-46.

4. Sharp GB, Kawaoka Y, Jones DJ, et al. Coinfection of wild ducks by influenza A viruses: distribution patterns and biological significance. *Journal of virology* 1997;71(8):6128-35.

5. Zhang L, ur Rahman M, Arfan M, Ali A. Investigation of mathematical model of transmission co-infection TB in HIV community with a non-singular kernel. *Results in Physics* 2021;28:104559.

6. Barley K, Murillo D, Roudenko S, et al. A mathematical model of HIV and malaria coinfection in sub-Saharan Africa. *Journal of AIDS and Clinical Research* 2012;3(7)

7. Sanchez AYC, Aerts M, Shkedy Z, et al. A mathematical model for HIV and hepatitis C coinfection and its assessment from a statistical perspective. *Epidemics* 2013;5(1):56-66.

8. A new mathematical model for co-infection of malaria and HIV. 2012 IEEE 4th International Conference on Nonlinear Science and Complexity (NSC); 2012. IEEE.

9. Avendaño Carvajal L, Perret Pérez C. Epidemiology of respiratory infections. *Pediatric respiratory diseases: a comprehensive textbook* 2020:263-72.

10. Oliva J, Terrier O. Viral and bacterial co-infections in the lungs: dangerous liaisons. *Viruses* 2021;13(9):1725.

11. McArdle AJ, Turkova A, Cunnington AJ. When do co-infections matter? *Current opinion in infectious diseases* 2018;31(3):209.

12. Musuuza JS, Watson L, Parmasad V, et al. Prevalence and outcomes of co-infection and superinfection with SARS-CoV-2 and other pathogens: A systematic review and meta-analysis. *PloS one* 2021;16(5):e0251170.

13. Kurra N, Woodard PI, Gandrakota N, et al. Opportunistic infections in COVID-19: a systematic review and meta-analysis. *Cureus* 2022;14(3)

14. McCullers JA. Insights into the interaction between influenza virus and pneumococcus. *Clinical microbiology reviews* 2006;19(3):571-82.

15. McCullers JA. Do specific virus-bacteria pairings drive clinical outcomes of pneumonia? *Clinical Microbiology and Infection* 2013;19(2):113-18. doi: 10.1111/1469-0691.12093

16. Chertow DS, Memoli MJ. Bacterial coinfection in influenza: a grand rounds review. *Jama* 2013;309(3):275-82.

17. Pawlowski A, Jansson M, Sköld M, et al. Tuberculosis and HIV co-infection. *PLoS pathogens* 2012;8(2):e1002464.

18. Marvá M, Bravo de la Parra R, Venturino E. Modelling the role of opportunistic diseases in coinfection. *Math Model Nat Phenom* 2018;13(3):28.

19. Kotepui KU, Kotepui M. Prevalence of and risk factors for Plasmodium spp. co-infection with hepatitis B virus: a systematic review and meta-analysis. *Malaria Journal* 2020;19(1) doi: 10.1186/s12936-020-03428-w

1	
2	
3	20 Kotepui M Kotepui KU Prevalence and laboratory analysis of malaria and dengue co-
4	infaction: A systematic review and mate Analysis <i>BMC</i> Bublic Health 2010:10(1) doi:
5	infection. A systematic review and meta-Analysis. <i>Divic Fublic Treatin</i> 2019,19(1) doi.
6	10.1186/s12889-019-7488-4
7	21. Kotob MH, Menanteau-Ledouble S, Kumar G, et al. The impact of co-infections on fish: a
8	review Veterinary Research 2016:47(1):98 doi: 10.1186/s13567-016-0383-4
9	22 Descharge M Artis D A second framework of framework of a infection of a framework of a framew
10	22. Bushman M, Antia R. A general framework for modelling the impact of co-infections on
11	pathogen evolution. <i>Journal of the Royal Society Interface</i> 2019;16(155):20190165.
12	23. Ghersheen S. Dynamics of Coinfection: Complexity and Implications. Linköping
13	University Electronic Press 2019
14	$24 \text{ D} = 1.1 \text{ G} \text{ L} 1 \text{ D} \text{ M} = C \text{ D} + 1.1 \text{ M} + 1 \text{ C} 1 = 1.1 \text{ C} \text{ C} \text{ M} \text{ D} = 10^{\circ} \text{ L} 1^{\circ} \text{ A}$
15	24. Panchal S, John D, Menon GR, et al. Mathematical models on COVID-19 in India: A
16	systematic review protocol. F1000Research 2022;11:532.
17	25. Brauer F. Mathematical epidemiology: Past. present. and future. Infectious Disease
18	Modelling 2017:2(2):113-27
19	$\frac{1}{10000000000000000000000000000000000$
20	26. Liu Y-N, Zhang Y-F, Xu Q, et al. Infection and co-infection patterns of community-
21	acquired pneumonia in patients of different ages in China from 2009 to 2020: a national
22	surveillance study The Lancet Microbe 2023:4(5):e330-e39
23	27 Mollison D. Isham V. Granfall P. Enidemias: models and data. <i>Journal of the Powel</i>
24	27. Wollison D, Isham V, Olemen D. Epidemics. models and data. Journal of the Royal
25	Statistical Society Series A: Statistics in Society 1994;157(1):115-29.
26	28. Kretzschmar ME, Ashby B, Fearon E, et al. Challenges for modelling interventions for
27	future pandemics. <i>Epidemics</i> 2022:38:100546.
28	20 Moher D. Shamseer I. Clarke M. et al. Preferred reporting items for systematic review and
29	29. Woher D, Shahiseer E, Charke W, et al. Fredericu reporting items for systematic review and
30	meta-analysis protocols (PRISMA-P) 2015 statement. Systematic reviews 2015;4(1):1-9.
31	30. Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and
32	meta-analysis protocols (PRISMA-P) 2015; elaboration and explanation. <i>Bmi</i> 2015:349
33	31 McGowan I Samnson M Salzwedel DM et al PRESS neer review of electronic search
34	51. Webowari J, Sampson W, Saizweder DW, et al. TKESS peer review of electronic search
35	strategies: 2015 guideline statement. Journal of clinical epidemiology 2016; /5:40-46.
36	32. Valizadeh A, Moassefi M, Nakhostin-Ansari A, et al. Abstract screening using the
37	automated tool Rayvan; results of effectiveness in three diagnostic test accuracy systematic
38	reviews BMC Med Res Methodol 2022;22(1):160 doi: 10.1186/s12874_022_01631_8
30	10.1100.1100.1100.1100.1100.1100.1100.
40	[published Online First: 20220602]
40	33. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app
42	for systematic reviews. Systematic reviews 2016:5:1-10.
42	34 Shankar S. Mohakuda SS. Kumar A. et al. Systematic review of predictive mathematical
45	11 COOVID 10 11 1 1/1 1/2 1/2 1/2 1/2 1/2 0001 77 0005 000
45	models of COVID-19 epidemic. <i>Medical journal armed forces India</i> 2021;//:S385-S92.
46	35. Ayllón D, Railsback SF, Gallagher C, et al. Keeping modelling notebooks with TRACE:
40	Good for you and good for environmental research and management support. <i>Environmental</i>
48	Modelling & Software 2021:136:104932
40	$\frac{1}{2} = \frac{1}{2} = \frac{1}$
50	36. Grimm V, Augusiak J, Focks A, et al. Towards better modelling and decision support:
51	Documenting model development, testing, and analysis using TRACE. <i>Ecological modelling</i>
52	2014;280:129-39.
53	37 Fone D Hollinghurst S Temple M et al Systematic review of the use and value of
54	57.1 one D , from grand 0.1 in p_1 and p_2 and p_3 in p_3 and p_3 in p_3 and p_3 in p_3 and p_3 in p_3 in p_3 and p_3 in p_3
55	computer simulation modelling in population health and health care delivery. <i>Journal of Public</i>
56	<i>Health</i> 2003;25(4):325-35.
57	38. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated
58	guideline for reporting systematic reviews International journal of surgery 2021-88-105906
59	Surdenne for reporting systematic reviews. International Joannal of surgery 2021,00.105700.
60	

39. Campbell M, McKenzie JE, Sowden A, et al. Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline. *bmj* 2020;368.

for or entry only

Studies Search Criteria.

Below is a detailed search strategy for the systematic review protocol, outlining the databases, filters and limits that can be used in the search for studies on viral-bacterial co-infections.

Databases to be used:

- MEDLINE through PubMed
- Web of Science
- MedRxiv
- Scopus (platform: Elsevier)

Search terms:

The search will use Boolean operations 'AND' and 'OR' with specific keywords related to mathematical approaches and co-infections. The search terms will be categorised into four main groups:

- Group 1: "mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy"
- Group 2: "co-infection" OR "co-dynamics" OR "dual infection" OR "co-circulation"
- Group 3: "epidemiological" OR "epidemic" OR "infectious disease" OR "transmission"
- Group 4: "model" OR "modeling" OR "modelling"

Combined search query: (Group 1) AND (Group 2) AND (GROUP 3) AND (Group 4)

Table 1 below provides a detailed description of the search criteria for each specified database using the search terms and the combined search strategy.

 Table 1: Summary for search query, filters and limits for each database

Databasa		
Database	Scopus (<u>https://www.elsevier.com/products/scopus</u>)	
1	Search query in the search bar	[Title/Abstract/Keywords] ("mathematical" OR "dynamical" OR "deterministic" OR "stochastic" OR "fuzzy") AND
		[Title/Abstract/Keywords] ("co-infection" OR "co-dynamics" OR "dual
		infection" OR "co-circulation") AND [little/Abstract/Keywords]
		("epidemiological" OR "epidemic" OR "infectious disease" OR
		"transmission") AND [Title/Abstract/Keywords] ("model" OR
		"modeling" OR "modelling")
	Filters and limits	Publication year (1980-2024) and limit to language (English) and document type (article).
	Exclusion	Exclude: conference paper, review, case studies, book, book chapter, short survey, letter, editorial and conference review.
	ME	DLINE through PubMed (<u>https://pubmed.ncbi.nlm.nih.gov/</u>)
L	1	

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

2	Search query in	("mathematical" OR "dynamical" OR "deterministic" OR "stochastic"
	the search bar	OR "fuzzy") AND ("co-infection" OR "co-dynamics" OR "dual
		infection" OR "co-circulation") AND ("epidemiological" OR
		"epidemic" OR "infectious disease" OR "transmission") AND ("model"
		OR "modeling" OR "modelling")
	Filters and	Publication year (1980-2024) and limit to language (English) and
	limits	document type (article).
		Web of Science (<u>https://www.webofscience.com/</u>)
3	Search query in	Topic Search (("mathematical" OR "dynamical" OR "deterministic"
	the search bar	OR "stochastic" OR "fuzzy") AND ("co-infection" OR "co-dynamics"
		OR "dual infection" OR "co-circulation") AND ("epidemiological" OR
		"epidemic" OR "infectious disease" OR "transmission") AND ("model"
		OR "modeling" OR "modelling"))
	Filters and	Publication years (1980-2024) and limit to languages (English) and
	limits	document types (article).
		MedRxiv (<u>https://www.medrxiv.org/</u>)
4	Search query in	Search for term "("mathematical" OR "dynamical" OR "deterministic"
	the search bar	OR "stochastic" OR "fuzzy") " AND title "("co-infection" OR "co-
		dynamics" OR "dual infection" OR "co-circulation")" AND abstract or
		title "("epidemiological" OR "epidemic" OR "infectious disease" OR
		"transmission")" AND full text or abstract or title "("model" OR
		"modeling" OR "modelling")"
	Filters and	Date posted: 01 January 1980 and 31 December 2024
	limits	
5	Timetrame	1980/01/01 to 2024/12/31

Exclusion criteria: Manually review the results and exclude mono-infection mathematical modelling articles, clinical experiments, surveys, case studies, duplicate studies, non-English studies, books, book chapters, review protocols, conference papers and review, letter, editorial, and systematic reviews.

This detailed search strategy will be included as a supplementary file to ensure transparency and reproducibility in the systematic review process.