



BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

The experiences of children with bronchiectasis and their parents in a novel play-based therapeutic exercise program: a qualitative analysis.

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2023-078994
Article Type:	Original research
Date Submitted by the Author:	18-Aug-2023
Complete List of Authors:	Jones, Taryn; Queensland University of Technology Baque, Emmah; Griffith University O'Grady, Kerry-Ann; Queensland University of Technology, Institute of Health & Biomedical Innovation Kohler, Brooke E; Queensland University of Technology Goyal, Vikas; Queensland University of Technology; Sleep Medicine Queensland Children's Hospital, Department of Respiratory McCallum, Gabrielle B.; Charles Darwin University, Menzies School of Health Research Chang, Anne; Queensland University of Technology Trost, Stewart; The University of Queensland - Saint Lucia Campus; Children's Health Queensland Hospital and Health Service
Keywords:	Chronic Disease, PAEDIATRICS, QUALITATIVE RESEARCH, Paediatric thoracic medicine < THORACIC MEDICINE, REHABILITATION MEDICINE

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Preprint
review only

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

The experiences of children with bronchiectasis and their parents in a novel play-based therapeutic exercise program: a qualitative analysis.

Taryn Jones¹, Emmah Baque², Kerry-Ann F O'Grady³, Brooke E Kohler¹, Vikas Goyal^{4,5}, Gabrielle B McCallum⁶, Anne B Chang^{4,6}, Stewart G Trost^{*4,7}

¹ School of Exercise and Nutrition Sciences, Queensland University of Technology, Brisbane, Queensland, Australia

² School of Health Sciences and Social Work, Griffith University, Brisbane, Queensland, Australia

³ School of Public Health and Social Work, Queensland University of Technology, Brisbane, Queensland, Australia

⁴ Queensland Children's Hospital, Children's Health Queensland Hospital and Health Service, Brisbane, QLD, Australia

⁵ Gold Coast University Hospital, Gold Coast, QLD, Australia

⁶ Child Health Division, Menzies School of Health Research, Charles Darwin University, Darwin, NT, Australia

⁷ School of Human Movement and Nutrition Sciences, The University of Queensland, Brisbane, Queensland, Australia

* Correspondence:

Stewart G Trost
s.trost@uq.edu.au

Keywords: respiratory, chronic disease, paediatrics, exercise, qualitative analysis

Abstract

Objectives: To explore the experiences and perceptions of children with bronchiectasis and their parent's regarding an eight-week play-based therapeutic exercise program.

Design: Qualitative study with inductive content analysis.

Setting: Individual semi-structured interviews were conducted. Interview recordings were transcribed verbatim, and coding was guided by the content. Content categories were established via consensus moderation.

Participants: Ten parent child dyads where children with bronchiectasis were aged 5 – 12 years.

Results: From the perspective of children, the most important components of the program were fun with friends and being active at home as a family. Parents valued the community-based sessions, perceived the program to be engaging and motivating. Parents perceived improvements in their child's endurance, coordination, and physical activity level. They described the home program as fun

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

but noted that finding time was difficult. Both parents and children thought that in-person exercise sessions would be better than exercise sessions delivered online.

Conclusions: Children who participated in the play-based exercise program, found it fun, motivating and accessible. Parents perceived positive impacts on fitness, coordination and physical activity.

Data availability statement: Deidentified data are available upon reasonable request and pending ethics clearance.

Strengths and limitations of this study

- This study included children as participants who expressed unique opinions about their participation in the physical activity program highlighting the importance of their inclusion in research focusing on their lived experience.
- Collaborating with families and co-designing research projects is a current research priority area for children and young people with bronchiectasis.
- This study had relatively small number of participants, but saturation of data was achieved from the ten parent child dyads.

Word count 4573 (with quotes), 2910 (without quotes)

INTRODUCTION

Bronchiectasis unrelated to cystic fibrosis is a chronic lung disease that impacts the daily lives of children, including their schooling, play, and overall wellbeing [1-4]. This pulmonary disorder is diagnosed by identifying the presence of abnormal bronchial dilatation using high-resolution chest computed tomography in the presence of clinical symptoms [5-7]. Children present clinically with a persistent wet cough with or without shortness of breath and poor exercise tolerance [3, 6, 8]. The pathology can alter mucociliary clearance creating a cycle of inflammation and infection which can lead to pulmonary exacerbations [9-11]. The frequency of exacerbation is the only known predictor of long term decline in lung function in children with bronchiectasis [10]. As the global prevalence of bronchiectasis rises, it is recognised as an important cause of chronic respiratory disease, morbidity, and healthcare utilization [12-15].

The management of bronchiectasis utilises a multi-disciplinary approach. In children, its goals include improving quality of life, exercise tolerance and lung function whilst reducing the number of exacerbations and hospitalisations [16-18]. Guidelines for the treatment and management of bronchiectasis call for regular exercise, not only as a means of improving aerobic fitness and health-related quality life, but as a self-management tool to reduce the frequency and severity of exacerbations [17]. Yet, the available evidence indicates most children with bronchiectasis are insufficiently active for health benefit with only 6% achieving the recommended 60 minutes of daily moderate to vigorous physical activity (MVPA) [4].

Reasons for physical inactivity among children with bronchiectasis are not well understood. However, developmental delays in fundamental movement skill (FMS) proficiency may be a key contributing factor. In a recent study, only 17% of children with bronchiectasis achieved their age equivalency for locomotor skills, while fewer than 9% achieved their age equivalency for object control skills [19]. Importantly, children achieving their age equivalency for locomotor or object control skills exhibited 41% higher levels of MVPA than children not achieving their age equivalency. Collectively, these findings suggest that children with bronchiectasis would

substantially benefit from effective therapeutic programs that improve fundamental movement skill proficiency, promote regular physical activity and increase cardiorespiratory fitness. Yet, to date there is paucity of data on how to achieve this.

The Bronchiectasis: Exercise as Therapy Trial (BREATH) is a multi-centre randomised controlled trial (RCT) designed to evaluate the effects of a novel eight-week, play-based therapeutic exercise program on the frequency of acute exacerbations in children aged 5 to 12 years with radiologically confirmed bronchiectasis. Secondary aims are to assess the program's impact on FMS proficiency, device-measured MVPA, cardiorespiratory fitness, perceived movement competence, health-related quality of life (HR-QoL), and lung function (forced expiratory volume in one second, FEV₁) [20]. Informed by the evidence identifying FMS proficiency as a key determinant of habitual physical activity [21, 22], the program focuses on developing and enhancing children's movement competence, motivation, and aerobic fitness through developmentally appropriate, play-based activities or games tailored to the child's fitness and skill level. The program comprises a combination of supervised and unsupervised exercise therapy sessions. The supervised component consists of eight 60-minute group sessions, completed on a weekly basis, led by a clinical exercise physiologist or physiotherapist. The unsupervised component consists of a home-based, parent-led exercise program, completed two times per week (~ 20 minutes per session), during which children and family members complete two games from their most recent 60-minute supervised group session. While the trial is focused on the primary and secondary outcomes above, it is important for the ongoing development and sustainability of the program to obtain feedback from participants and their parents/carers. Exploring parent's and children's perspectives on the program provides valuable insight into the utility of the program and drives action required for scale-up and implementation in clinical and community settings. Therefore, the objective of this study was to explore the experiences and perspectives of children with bronchiectasis, and their parents/carers, after participating in the BREATH play-based therapeutic exercise program.

METHODS

Participants

Participants for this study were children enrolled in the BREATH RCT, and their parents/carers. To be eligible, children must have been randomised to the exercise program and participated in at least one exercise session. Written informed consent was obtained from parents/guardians. Ethical approval for this study was received by the Queensland Children's Hospital Human Research Ethics Committee (HREC/19/QCHQ/56049) and NT Health (Reference Number: 2020-3847). The trial was registered with, Australian and New Zealand Clinical Trials Register (ACTRN12619001008112).

Interview guides

Separate interview guides were developed for children and parents (see Supplemental Files 1 and 2). The interview guides included questions related to the acceptability of the program, how it could be improved, and related perceptions of the supervised group exercise sessions and the supplemental unsupervised home-based exercise sessions.

Data collection

Participants completed a single interview via videoconference with a researcher (BK) not involved in the delivery of the exercise program. The child interviews were conducted with a parent present or

1
2 113 nearby. Interviews were digitally recorded, transcribed verbatim, checked for accuracy, and saved for
3 114 subsequent analysis. The transcriptions were deidentified and assigned a unique study identification
4 115 number.

6 116 **Data analysis**

8 117 Data from the interviews were analysed using content analysis with an inductive approach [23, 24].
9 118 Transcripts were read and re-read by a member of the research team (TJ) to guide the establishment
10 119 of a codebook (see Supplemental File 3). Common phrases, words and content from the transcripts
11 120 formed an initial draft of the codebook which was subsequently reviewed and updated by the
12 121 research team (TJ, EB, KO, ST). To test the reliability of the coding scheme, two parent and two
13 122 child transcripts were randomly selected and independently coded by two researchers (TJ and EB).
14 123 Once the codebook was finalised, a member of the research team (TJ) coded the remaining child and
15 124 parent transcripts. After all transcripts were coded the initial code groupings were discussed by
16 125 members of the research team (TJ, EB, ST) and collated to form sub-categories and final content
17 126 categories [25]. Data were managed with NVivo 12 (QSR International Pty. Ltd.).

21 127 **RESULTS**

23 128 **Participant Characteristics**

25 129 From the 17 families eligible to participate, 10 parent-child dyads provided consent and completed
26 130 interviews. Six families could not be contacted, and one family declined due to a busy schedule.
27 131 Children were aged from five to 12 years (median age = 8.2 years, interquartile range IQR = 5.7 –
28 132 9.8). Four of the 10 children were females. All children interviewed had completed seven or eight
29 133 supervised group exercise sessions. Parent interviews ranged from 21 to 46 minutes in duration
30 134 (mean 31 ± 7.2 minutes) and child interviews ranged from 11 to 19 minutes in duration (mean 15.5 ±
31 135 2.5 minutes). The annual household income for families was well distributed across low to high
32 136 income and ranged from \$26,000 to over \$200,000. Parental education ranged from not finishing
33 137 high school to completing post graduate qualifications.

36 138 **Content categories: children**

38 139 Children provided perspectives on the supervised group sessions, unsupervised home-based program,
39 140 and recommendations for future programs. The final content categories were: having fun with family
40 141 and friends; being active at home as a family, and; a preference for in-person sessions. Illustrative
41 142 quotes from participants are presented below for each of the content categories.

44 143 **Fun with friends and family**

46 144 Children described the face-to-face group sessions and the games as fun. Children frequently talked
47 145 about specific games such as balloon tennis or hopscotch they perceived to be fun. Most children
48 146 indicated that they would like to repeat the BREATH program again.

50 147 *‘I thought they were really fun, and I liked how they were different ones each*
51 148 *week and sometimes some were the same... I liked doing the hopscotch game.*
52 149 *We went outside and did this ring toss, and the rings were really heavy. I*
53 150 *liked that too.’ Ch03*

56 151 *‘They were fun, and they involved running around a lot and throwing and*
57 152 *kicking and stuff.’ Ch06*

'They were pretty fun... the one where I do the ball. That was really fun.'
Ch02

Children valued having other children participate in the exercise sessions. They especially liked when their siblings or friends participated.

'...you can be with people that you know... (therapist) was really nice.' Ch01

'I wasn't alone... I could compete with my brothers.' Ch06

'Why was it fun? 'Because he (brother) got to do activities too and he does that balloon one too...' Ch07

'It was a bit better because I wasn't just doing all the activities all myself.'
Ch03

Being active at home as a family

Children's responses regarding the home program were brief in comparison to their conversations about on the supervised group program. Children primarily spoke about their siblings and parents' involvement and described the games included in the home program as fun.

'You can play with your siblings if you're at home... Sometimes my brother joined in. It was fun.' Ch01

'There was balloon tennis. For balloon tennis, mum and (sister). For the yoga poses, dad and mum. I liked having my family involved.' Ch09

'Well, sometimes (brother) would do it with me and mum would sometimes do a little bit and watch... Yeah, I liked it. It did get tiring for some stuff like doing - like in the hallway, going up and down doing like frog jumps.' Ch03

In person is better than online

Children offered suggestions for future programs regarding the mode of delivery, use of technology, and recommendations for future programs. Most (but not all) children expressed a preference for the supervised exercise program component to be delivered face-to-face rather than "online" or through an exercise "app". However, for the home program, children thought technology could be useful.

'...online, for the for the actual game sessions, no.' Ch02

'It would be kind of like strange because you couldn't really - you wouldn't really be able to demonstrate too well and it's kind of glitchy.' Ch03

'Yeah, an app would be cool and useful. It would probably have like - like you could like hold it in your hand and it would count how many steps you've done and could somehow sense your heart rate. Just like a phone or a tablet.'
Ch03

'App with activities, like daily activities, and then it would have like a couple of weekly.' Ch02

1
2 188 *'You'd get to watch the activities then do them.'* Ch01

3
4 189 **Content categories: parents**

5
6 190 Parents provided perspectives on the supervised group sessions, unsupervised home-based program,
7 191 perceived impact of the program on their child, and ideas for future programs. The final emergent
8 192 themes were: an engaging and motivating program; parents' perceptions of program impact family
9 193 and friends are important; location, location, location; the home program was fun but finding the time
10 194 was hard, and; apps are fine for home, but face-to-face sessions are preferred. Illustrative quotes from
11 195 participants are presented for each content category.

12
13
14 196 **An engaging and motivating program**

15
16 197 Parents universally expressed positive feelings about the BREATH program. Like the children, they
17 198 thought the exercise sessions were fun and said their child enjoyed the program. Parents valued the
18 199 variety of games and activities included the program and felt that supervised exercise sessions were
19 200 well structured and organised. They perceived that the rapport with the therapist and the variety of
20 201 games motivated and engaged their children to participate in the exercise sessions.

21
22 202 *'It was all very engaging, and she really was motivated by the games because*
23 203 *the games were fun... I think that the venue that we were in was so - like*
24 204 *something that we didn't expect and just the fact that she is in this massive*
25 205 *hall full of games and equipment.'* Par04

26
27
28 206 *'It motivated him and got him interested in doing different things and that, so*
29 207 *I thought it was quite good. All different levels of stuff, like it wasn't just the*
30 208 *same, repetitive things, it was all different stuff... Good variety of activities as*
31 209 *well, it would be different each week, it wasn't repeating in the same sort of*
32 210 *thing each week.'* Par06

33
34
35 211 *'She did it very well, because I think she's loving all those activities, that's*
36 212 *why, yeah... I think all the activities basically, the whole exercise I think,*
37 213 *because she loves to play, so that's why I think she enjoyed those exercises.'*
38 214 Par08

39
40 215 **Perceptions of program impact**

41
42 216 Parents enthusiastically talked about the changes they observed in their child after completing
43 217 BREATH. Parents reported increased fitness and/or endurance, improved coordination, and greater
44 218 participation in physical activity.

45
46 219 *'When he plays baseball, he used to get really, really tired playing baseball.*
47 220 *He would be so puffed out after doing one innings of baseball and sometimes*
48 221 *he'd get that tired he'd have a meltdown because he's autistic. But now he*
49 222 *plays the whole two-and-a-half-hour game without really having a break or*
50 223 *having a meltdown.'* Par01

51
52
53 224 *'Especially like when his cousins come over, they will just run through and*
54 225 *around the house and up and down the house for hours on end, whereas*
55 226 *before he potentially wouldn't have done that.'* Par05

'It definitely helped her coordination because now she can do hopscotch. She's better at aiming with her throws now... I think it's helped her confidence a little bit too actually. Yes, so even when we're just playing games on the weekend and stuff like that her coordination has gotten a lot better.' Par07

'His coordination has definitely improved, like the hand eye coordination, bouncing balls and hitting things with rackets. A bit of improvement there, that's for sure... Just in how he plays here at home. Whereas before he'd maybe get over it pretty quickly because he wasn't that great at it, he had a bit more skill.' Par02

'But to do the weekly exercise program and then see the improvement in him and since then it's almost like it was a – it was like a trigger for him. So, he now runs better. He plays better. He throws balls. He kicks balls. He's a lot more physically coordinated that he was and yeah that was probably one of the big takeaways for us and something that we've continued to encourage at home.' Par05

'I think she's more active now, but I didn't notice any changes but she's not getting tired easily basically. So, that also help her, all those exercises.' Par08

Family and friends are important

Parents valued the participation of siblings and friends in BREATH. Parents said that it helped their child feel more confident in the initial sessions and made the program more enjoyable overall.

'When we were told that we could include the siblings, you know sometimes people say that, but they really meant it. So, like I said, (sibling) still asks to go to the sessions, her little brother. I think it just made it more fun, having her sibling there.' Par03

'Participating with his siblings, he's not used to, but it got really good because they become closer. Him and his brother I know are really close because they're so close in age, but he got to show (sister) how to play.' Par01

'It was good that there were other kids there. He liked that. I did notice that... he loves social interaction, absolutely thrives off it, and if he can find a friend and someone to play with, and someone that likes his games, he's very happy.' Par02

'I think having his sister there made it a fun family experience... (Sister) loved it as well. She just – yeah, she was excited as he was to go there every time. There was another little boy there who had bronchiectasis. Yeah, it made it – it was almost like they saw it as a play date...it was good for them all to do it, I think.' Par05

1
2 265 **Location, location, location**
3
4 266 Parents liked that the supervised exercise session were delivered in community halls. They valued the
5 267 spacious venues and the proximity to their home or their child’s school.
6
7 268 *‘The community centre was actually really good because I had never been*
8 269 *there before but the fact that it was all inside meant that we didn’t have to*
9 270 *stop because of the rain.’ Par07*
10
11 271 *‘The location is very convenient for us because it’s only 15 minutes away*
12 272 *from us, so it’s very convenient, I cannot complain on that one. We don’t*
13 273 *need to travel far, because the option is either go to the other, I think the*
14 274 *hospital, right? Versus the community centre, I prefer the centre because I*
15 275 *know it’s only 15 minutes away from our place.’ Par08*
16
17
18 276 *‘...that’s perfect location. It was only just up the road from us, it wasn’t a big*
19 277 *push to get there. Like I finished work and got to day care to pick him up from*
20 278 *after school care and then got there generally early most days.’ Par09*
21
22 279 **The home program was fun but finding the time was hard**
23
24 280 Parents described the home-based program as fun. They liked the variety of activities and games
25 281 included and thought that the frequency and duration was appropriate. They found the instructions
26 282 helpful and easy to follow. Parents liked that the home programs could be completed with equipment
27 283 they had at home.
28
29 284 *‘Still to this day we’ve got a folder where we’ve kept them, and I still have to*
30 285 *buy balloons because they’re like balloon tennis is their favourite. They love*
31 286 *to play it, like all the time, down my hallway, everywhere.’ Par01*
32
33 287 *‘I like that it gave us some of those activities and things that he did, because*
34 288 *some of them he really enjoyed in the moment. So, it was nice to actually have*
35 289 *a copy of how to do it and how to set it up and stuff like that.’ Par02*
36
37 290 *‘They will play that game as a matter of course. So yeah – and again it’s –*
38 291 *it’s seeing how the strategies or the activities they were doing in class, for*
39 292 *want of a better word can be – can just become embedded at home and taking*
40 293 *five minutes to play the balloon game or taking five minutes to go downstairs*
41 294 *and kick a football around or do something. So yeah, it was good.’ Par05*
42
43
44 295 However, parents described some barriers to completing the home program. A few parents
45 296 acknowledged that the home program wasn’t always a priority. Parents commented that lack of time
46 297 or their own lack of motivation was a barrier to doing the home exercise component.
47
48 298 *‘We knew what we had to do. It’s more home management of finding the time*
49 299 *to do it... there was nothing we disliked. It’s just our innate laziness trying to*
50 300 *find times to do the things.’ Par05*
51
52
53 301 *‘We didn’t do it as often as we should and that’s because of the time... We*
54 302 *always did it once before because obviously, the day before, we were going to*
55
56
57
58
59
60

the next session... we couldn't do it very often because it's just too much other things, you know?' Par04

'I tried begging, I tried pleading. He's not a fan. As soon as it was called homework, he was very much not interested. Even with the encouragement of the stickers and the whole getting to show off the next time when we went there anything. He was just yeah - he was not very interested in doing it at all.' Par02

Apps are fine for home, but face-to-face sessions are preferred

Parents provided feedback and suggestions in relation to the mode of delivery and use of technology. There were strong opinions that exercise sessions delivered through a digital platform such as telehealth would not work for their child since parent involvement was crucial. Nevertheless, parents saw value in the use of an online platform or app for the management of the home-based exercise program.

'I think if it was over a Zoom call or anything like that, he would just not be so engaged. So, I kind of liked the fact that it had real people.' Par09

'Personally, I don't think it would probably work for us...given that that's just not his thing, doing it like over the phone or telehealth or whatever. Maybe an app would be all right. But it'd still need that face-to-face, I think, interaction, with the actual going to a group and doing that. I think it needs that.' Par02

'Telehealth would not work ever with (child), no way. We did the dance Zoom classes during the lockdowns and yeah, you know... Oh, she loses the interest like you know, she can just move away herself from the situation.' Par04

'...maybe if you had an app or something for the older kids where they can just do it on their own maybe, so they didn't have to have mum and dad there or something.' Par07

'...if we have an app to basically listed all the exercises that we needed to do for a specific day, I think that would be easier instead of the paper base. Especially we're now on modern technology as well.' Par08

DISCUSSION

Our study explored children's and parent's experiences and perceptions of an eight-week developmentally appropriate play-based therapeutic exercise program for children with non-cystic fibrosis bronchiectasis (BREATH program). Children and parents provided unique yet complementary perspectives about the BREATH program. Children thought that including family members and friends in the program made it more engaging. They valued being physically active at home with family members and preferred in-person exercise sessions to telehealth or online sessions. Parents expressed broader viewpoints than children. Parents described BREATH as an engaging and motivating exercise program and felt that it had visible positive impacts on their child's cardiovascular fitness, coordination level, and participation in physical activity. Like children, parents indicated a preference for face-to-face sessions over telehealth or app-based exercise

1
2 343 programs. The community-based location and inclusion of family members and friends were
3 344 considered important strengths. They described the supplemental home program as fun but
4 345 acknowledged that finding time to complete the program was challenging.
5
6 346 The delivery of the program in readily accessible community-based venues such as council halls was
7 347 highly valued by parents. Therapeutic exercise programs are typically delivered in health services,
8 348 outpatient settings, or academic institutions. Thus, parents' strong endorsement of community halls
9 349 as a venue for delivering the program represents an important finding. The families' preference for
10 350 exercise programs delivered locally is consistent with the results of a recent qualitative study that
11 351 identified supportive physical activity environments as a facilitator to physical activity in children
12 352 with bronchiectasis [26]. In this present study, parents liked that the community venues were close to
13 353 home or school, they felt that it was an excepted place where exercise occurs and appreciated the
14 354 physical space inside the venues. Multiple systematic reviews highlight that physical environmental
15 355 factors are consistently associated with physical activity [27-30]
16
17
18
19 356 Both children and parents thought that the inclusion of siblings and friends in the exercise sessions
20 357 was fun and motivating, especially at the start of the program. These findings are consistent with the
21 358 results of a recent systematic review of 26 qualitative studies exploring children's perspectives on
22 359 what they like about physical activity, why it is important, and the factors that influence their
23 360 physical activity [31]. The review identified enjoyment of physical activity, being active with friends,
24 361 and being encouraged by their friends as salient influences on children's physical activity. Being
25 362 physically active with their families and parental support were also identified as important influences.
26 363 In a different study, children and young people with cystic fibrosis were a subset of participants
27 364 interviewed to explore their perceptions of physical activity [32]. Children with cystic fibrosis
28 365 reported that they enjoyed physical activity and linked it to health benefits. Similar to the present
29 366 study, they identified peers and family as enablers for physical activity. Collectively, the findings
30 367 from these studies support the concept that making therapeutic exercise programs open to family
31 368 members and friends is an effective strategy to increase enjoyment, engagement and support
32 369 motivation.
33
34
35
36 370 Parents perceived that their child directly benefited from participating in the program. Parents openly
37 371 talked about visible improvements in their child's endurance, level of coordination, and physical
38 372 activity participation. Previous exercise studies in children with bronchiectasis tend to focus on
39 373 specific activities or components of movement such sit to stand [33], balance [34]and walk testing
40 374 [35]. In a different approach to activities and exercise a recent study investigated the efficacy of
41 375 aerobic video game exercises and breathing video game exercises in children with bronchiectasis
42 376 [36]. The parents' observations from our study reflect the goals of the BREATH program which
43 377 focuses on developing and enhancing children's confidence and motivation to engage in physical
44 378 activity through developmentally appropriate, play-based activities targeting aerobic fitness and
45 379 fundamental movement skills. The perceived improvements in coordination and endurance are
46 380 consistent with the results of the BREATH pilot RCT [22]. In this study, relative to usual care
47 381 controls, children receiving the play-based therapeutic exercise program exhibited significant
48 382 improvements in cardiovascular fitness, locomotor skills and object control skills [22]. The perceived
49 383 increase in physical activity after completing the program is consistent with the findings of a
50 384 previous study conducted in children with bronchiectasis which reported fundamental movement
51 385 skill proficiency to be associated with higher levels of daily MVPA [4]. While the empirical
52 386 evaluation of the BREATH program on frequency of exacerbations, aerobic fitness, fundamental
53 387 movement skills, physical activity, quality of life and lung function is ongoing, the findings of our
54 388 qualitative study indicates that the program is on track.
55
56
57
58
59
60

When asked to consider a hypothetical scenario where the BREATH exercise program was delivered via the internet or smart phone, both parents and children indicated a preference for face-to-face exercise sessions over telehealth. Digital healthcare encompasses telehealth, phone contact, text messaging, digital applications (or apps) and is increasingly part of the healthcare landscape [37]. Unsurprisingly, there was a sharp increase in digital healthcare during the COVID-19 pandemic which has prompted discussion as to its continued role and future innovations [38]. In the current study, parents and children clearly expressed their preference for face-to-face exercise sessions, citing the positive experience of engagement with other children and the therapist. Parents and children did, however, see a role for of an app or online platform for completing the supplemental home exercise program, which many parents described as difficult to prioritise. Families preferred an app or mobile-health (m-health) platform that would be specifically tailored to children with bronchiectasis. It is important to consider these preferences when designing exercise programs to increase fitness, movement competence, and habitual physical activity in children with bronchiectasis.

This study has both strengths and limitations. A strength of the current study is the inclusion of children as participants. Children expressed unique opinions about their participation in the BREATH program which highlights the importance of their inclusion in research focused on their lived experience. Collaborating with families and co-designing research projects is a current research priority area for children and young people with bronchiectasis [39]. The study followed established content analysis guidelines and utilised a rigorous collaborative process to data analysis. Limitations include, the relatively small number of participants interviewed and the omission of perspectives from the therapists delivering the program. Children who participated in the exercise sessions but did not participate in the interviews study may have offered different perspectives. However, saturation of data was reached from the parent child dyads that were interviewed and the views of the therapists were not a focus of the study.

In summary, we explored the experiences and perceptions of families who participated in an eight-week play-based therapeutic exercise program to reduce the frequency of acute exacerbations in children with bronchiectasis. The findings suggest that the children who participated in the BREATH program demonstrated improvements in fitness, coordination, and physical activity participation, and found the program fun, motivating and accessible.

Conflict of Interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Author Contributions

ST oversaw the design and conduct of the study. ABC, VG, GBM and TJ supported the recruitment. BK interviewed the participants. TJ reviewed the transcripts, coded and drafted the manuscript. ST, EB, K-AO'G, and TJ analysed the data. All authors had a role in informing coding and analysis of the data collected, read, and approved the final manuscript.

Funding

National Health and Medical Research Council Grant (APP11606123). VG is supported by a Queensland Advancing Research Fellowship and a Royal Australasian College of Physicians' Early

1

2430 Career Fellowship (2022REF00054). ABC is supported by a senior NHMRC practitioner fellowship

3431 (1058213).

4

5432 **Acknowledgments**

6

7433 We thank the parents and children who participated in the BREATH trial and interviews.

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

434 Supplemental File 1: Interview Guide developed for children

Topic	Questions and prompts
BREATH exercise program questions	<p>You did the BREATH program at (<i>interest location</i>). You were joined by (<i>insert siblings, friends</i>).</p> <ul style="list-style-type: none"> Tell me what you thought about the games and activities? <ul style="list-style-type: none"> What did you like about the games/activities? Why? What parts did you think were fun? What didn't you like about the program? Why? What parts did you think were boring? What would you change? What did you think about how long each session went for? What did you think about the having the sessions at (<i>insert location</i>)? What was it like having your (friend/sibling there)? Have you noticed any changes to the way your body feels or moves since doing the exercise program? <ul style="list-style-type: none"> What are those changes? Have you noticed that it is easier or harder to keep up with your friends when you are playing? Do you get tired when you are playing or running around? <ul style="list-style-type: none"> Did this tiredness change after you did the games/exercise program?
Home activity program	<ul style="list-style-type: none"> What did you think about the home programs? <ul style="list-style-type: none"> What did you like about your home programs? What was fun? What didn't you like about the home programs? What was boring? What did you think about the types of activities? What did you think about how long your home activities went for? What would you change about the home programs? Who did the home programs with you? <ul style="list-style-type: none"> What was that like? How many times a week did you do the home activities? Would it be helpful to have an app or other online support? <ul style="list-style-type: none"> What would that look like?
Future programs	<ul style="list-style-type: none"> Would you do the games and exercise program again? Would you recommend that other children do the games/ activity sessions? <ul style="list-style-type: none"> Can you tell my why/why not? >10yo: How do you feel an ideal program would be delivered?

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

- Group sessions, one-on-one, home-based, combination, remote, online coaching, apps
- Would you recommend that friends/siblings be included
- Timing. Before or after school, on the weekends, or in the holidays?
- Frequency. More/less than once a week
- Types of activities
- Setting. At home, in the community, at a health centre.
- <10yo: Would you do the BREATH program again? Would you want to try anything different?
- >10yo: Do you have any thoughts how this would work if we delivered this online via a smart phone or iPad?

Sweeping
question

Is there anything else you would like to add before we finish?

435

436

437 Supplemental File 2: Interview Guide developed for parents

Topic	Questions and prompts
BREATH exercise program questions	<p>Your child participated in the bronchiectasis research project that included games/exercise sessions at (<i>insert location</i>). They were joined by (<i>insert siblings, friends</i>).</p> <ul style="list-style-type: none"> • Tell me what you thought about the BREATH program? <ul style="list-style-type: none"> ○ What did you like about the program? ○ What could we have done better? • What did you think about the types of activities? • What did you think about the length of each session? (<i>approx. 1hr</i>) • What did you think about the length of the whole program? (<i>8 weeks</i>) • What did you think about the location? • How did your child feel about participating in the exercise program? <ul style="list-style-type: none"> ○ What did they like? ○ What did they dislike? ○ What parts of the sessions did you child find easy? ○ What parts of the sessions did your child find hard or difficult? • Have you noticed any changes in your child's movement skills or coordination level? <ul style="list-style-type: none"> ○ What type of changes in movement skills or coordination did you observe? ○ Did they improve? Did they stay the same? Did they decline? • Have you noticed any changes in their fitness since participating in the games/exercise sessions? <ul style="list-style-type: none"> ○ Did their fitness improve? Did it stay the same? Did their fitness decline? • Is there any change to their tiredness or fatigue? <ul style="list-style-type: none"> ○ Do they become more fatigued with physical activity? No change? Less fatigued with physical activity? • The BREATH program is designed to include siblings, friends or other children with bronchiectasis. Describe how the inclusion of other children influenced your child?
Home activity program	<ul style="list-style-type: none"> • What did your home program sessions look like? <ul style="list-style-type: none"> ○ Who was usually involved in the home games and activities? ○ Did you use any particular strategies to manage the home program (e.g. sibling and parent involvement, supervision, competition, rewards, music)? • What did you think about the home programs? <ul style="list-style-type: none"> ○ What did you like about the home program?

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Future
programs

- What did you dislike about the home program?
- What did you think about the length of each home program?
- What did you think about how often you were asked to do the home program?
- What did you think about the types of activities?
- Was it difficult to motivate you child to do the home program? If so, in what way?
- What did you think about the paper handouts you were provided for the home program?
- How often did you do the home program?
- Describe what you think would be an ideal program.
 - Group sessions, one-on-one, home-based, combination, remote, online coaching, apps
 - Timing. Would BREATH be suited closer to the diagnosis of bronchiectasis.
 - Frequency. More/less than once a week
 - Length of program, is 8 weeks, too long, too short or the right about of time?
 - Types of activities
 - Setting. At home, in the community, at a health centre.
 - Timing. Before or after school, on the weekends, or in the holidays?
- Do you have any thoughts how this would work if we delivered over the internet or smart phone app?
- Would a program like BREATH be valuable for other children with bronchiectasis?

Sweeping
question

Do you have any other comments you would like to add before we finish?

439 Supplemental File 3: Codebook to support content analysis of child and parent interview

Topic	Topic Sub Grouping	Initial Code
BREATH Program	Location	Community
		Home
		Hospital
		Inside
		Other location
		Outside
		Proximity (to home/school)
		Research Centre
		School
		Travel time
	Feelings about program	Adaptable
		Bad
		Boring
		Challenging
		Difficult
		Dislike
		Easier
		Fun / enjoyment
		Games-based
		Good
		Happy
		Hard or harder
		Helpful
		Improve
		Individualised
		Interesting
		Like
		Play- based
		Rapport (therapist, or others at sessions)
		Social / socialise
		Structured
		Variety
	Logistics	Communication therapist
		Communication written
		Equipment support
		Organisation
	Support People	Child
		Friend
		Parent
		Sibling
		Therapist
	Timing of diagnosis	Other people (not listed above)
		Appropriate as was
		Prefer closer to diagnosis
		Prefer further from diagnosis

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Changes in
participant

Symptoms

- Breathless
 - Coughing
 - Tired / fatigue / exhausted
- Other changes
- Ability
 - Confidence
 - Co-ordination
 - Fitness
 - Motivation
 - No change
 - Participation
 - Reducing Medicine
 - Skills- balance
 - Skills- ball
 - Skills- exercise (and activities)
 - Skills- jumping
 - Skills- Play
 - Skills- running
 - Skills- throwing
 - Tried (or trying)

Duration and
Frequency
BREATH

Frequency F2F Sessions

- Appropriate as was
- Prefer more frequent
- Prefer less frequent

Duration of F2F sessions

- Appropriate as was
- Prefer longer
- Prefer shorter

Duration of BREATH program

- Appropriate as was
- Prefer longer
- Prefer shorter

Home program

Frequency of home sessions

- Appropriate as was
- Prefer more frequent
- Prefer less frequent

Duration of home sessions

- Appropriate as was
- Prefer longer
- Prefer shorter

Management of home program

- Competition
- Equipment
- Parent involvement
- Reminders
- Rewards
- Sibling involvement
- Supervision

Sentiment towards home
program

- Bad
- Boring
- Challenging
- Child autonomy

1				Difficult
2				Dislike
3				Easier
4				Fun
5				Games-based
6				Good
7				Happy
8				Hard or harder
9				Helpful
10				Improve
11				Interesting
12				Like
13				Face to face
14				Group based
15				Individual with therapist
16	Future Programs	Mode		Using tech (like an APP) for games sessions
17				Using tech (like an APP) for home program
18				Afternoon
19		Time /timing		Day
20				Evening
21				Holidays
22				Morning
23				School Term
24				Weekend
25				Comment
26				
27				
28				
29				
30				
31				
32		Recommend to others		
33	440			
34				
35	441			
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

References

1. Bahali K, Gedik AH, Bilgic A, Cakir E, Ustabas Kahraman F, Keskin Osmanoglu N, et al. The relationship between psychological symptoms, lung function and quality of life in children and adolescents with non-cystic fibrosis bronchiectasis. *Gen Hosp Psychiatry*. 2014;36(5):528-32. 10.1016/j.genhosppsych.2014.05.019

2. Lovie-Toon YG, Grimwood K, Byrnes CA, Goyal V, Busch G, Masters IB, et al. Health-resource use and quality of life in children with bronchiectasis: a multi-center pilot cohort study. *BMC Health Serv Res*. 2019;19(1):561. 10.1186/s12913-019-4414-5

3. Goyal V, Chang AB. Bronchiectasis in Childhood. *Clin Chest Med*. 2022;43(1):71-88. 10.1016/j.ccm.2021.11.006

4. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Objectively measured physical activity and sedentary behaviour in children with bronchiectasis: a cross-sectional study. *BMC Pulm Med*. 2019;19(1):7. 10.1186/s12890-018-0772-8

5. Pakzad A, Jacob J. Radiology of Bronchiectasis. *Clin Chest Med*. 2022;43(1):47-60.

6. Chang AB, Bush A, Grimwood K. Bronchiectasis in children: diagnosis and treatment. *Lancet*. 2018;392(10150):866-79. 10.1016/S0140-6736(18)31554-X

7. Goyal V, Grimwood K, Marchant JM, Masters IB, Chang AB. Paediatric chronic suppurative lung disease: clinical characteristics and outcomes. *Eur J Pediatr*. 2016;175(8):1077-84. 10.1007/s00431-016-2743-5

8. Kapur N, Masters IB, Newcombe P, Chang AB. The burden of disease in pediatric non-cystic fibrosis bronchiectasis. *Chest*. 2012;141(4):1018-24. 10.1378/chest.11-0679

9. Kapur N, Masters IB, Morris PS, Galligan J, Ware R, Chang AB. Defining pulmonary exacerbation in children with non-cystic fibrosis bronchiectasis. *Pediatr Pulmonol*. 2012;47(1):68-75. 10.1002/ppul.21518

10. O'Grady KF, Grimwood K. The Likelihood of Preventing Respiratory Exacerbations in Children and Adolescents with either Chronic Suppurative Lung Disease or Bronchiectasis. *Front Pediatr*. 2017;5:58. 10.3389/fped.2017.00058

11. Redding GJ, Singleton RJ, Valery PC, Williams H, Grimwood K, Morris PS, et al. Respiratory exacerbations in indigenous children from two countries with non-cystic fibrosis chronic suppurative lung disease/bronchiectasis. *Chest*. 2014;146(3):762-74. 10.1378/chest.14-0126

12. Quint JK, Smith MP. Paediatric and adult bronchiectasis: Diagnosis, disease burden and prognosis. *Respirology*. 2019. 10.1111/resp.13495

13. Wurzel DF, Chang AB. An update on pediatric bronchiectasis. *Expert Rev Respir Med*. 2017;11(7):517-32. 10.1080/17476348.2017.1335197

14. McCallum GB, Binks MJ. The Epidemiology of Chronic Suppurative Lung Disease and Bronchiectasis in Children and Adolescents. *Front Pediatr*. 2017;5:27. 10.3389/fped.2017.00027

15. Chang AB, Zacharasiewicz A, Goyal V, Boyd J, Alexopoulou E, Aliberti S, et al. Task Force report: European Respiratory Society statement for defining respiratory exacerbations in children and adolescents with bronchiectasis for clinical trials. *Eur Respir J*. 2022.

16. Amaro R, Perea L, Sibila O. Future Directions in Bronchiectasis Research. *Clin Chest Med*. 2022;43(1):179-87.

17. Chang AB, Fortescue R, Grimwood K, Alexopoulou E, Bell L, Boyd J, et al. European Respiratory Society guidelines for the management of children and adolescents with bronchiectasis. *Eur Respir J*. 2021;58(2):2002990. 10.1183/13993003.02990-2020
18. Cohen R, Shteinberg M. Diagnosis and Evaluation of Bronchiectasis. *Clin Chest Med*. 2022;43(1):7-22.
19. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Fundamental movement skill proficiency and objectively measured physical activity in children with bronchiectasis: a cross-sectional study. *BMC Pulm Med*. 2021;21(1):269. 10.1186/s12890-021-01637-w
20. Jones T, O'Grady KF, Goyal V, Masters IB, McCallum G, Drovandi C, et al. Bronchiectasis - Exercise as Therapy (BREATH): rationale and study protocol for a multi-center randomized controlled trial. *Trials*. 2022;23(1745-6215 (Electronic)). 10.1186/s13063-022-06256-2
21. Stodden DF, Goodway JD, Langendorfer SJ, Robertson MA, Rudisill ME, Garcia C, et al. A Developmental Perspective on the Role of Motor Skill Competence in Physical Activity: An Emergent Relationship. *Quest*. 2008;60(2):290-306. 10.1080/00336297.2008.10483582
22. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Effects of a therapeutic exercise program in children with non-cystic fibrosis bronchiectasis: A pilot randomized controlled trial. *Front Pediatr*. 2022;10. 10.3389/fped.2022.953429
23. Hsieh HF, Shannon SE. Three approaches to qualitative content analysis. *Qual Health Res*. 2005;15(1277-1288). 10.1177/1049732305276687
24. Bengtsson M. How to plan and perform a qualitative study using content analysis. *NursingPlus Open*. 2016;2:8-14. <https://doi.org/10.1016/j.npls.2016.01.001>
25. Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol*. 2006;3(2):77-101. 10.1191/1478088706qp063oa
26. Jones T, Baque E, O'Grady KF, Goyal V, Chang AB, Trost SG. Barriers and facilitators of physical activity in children with bronchiectasis: Perspectives from children and parents. *Front Pediatr*. 2022;10:974363. 10.3389/fped.2022.974363
27. Sallis JF, Prochaska JJ, Taylor WC. A review of correlates of physical activity of children and adolescents. *Med Sci Sports Exerc*. 2000;32(5).
28. Sterdt E, Liersch S, Walter U. Correlates of physical activity of children and adolescents: A systematic review of reviews. *Health Educ J*. 2013;73(1):72-89. 10.1177/0017896912469578
29. Van Der Horst K, Paw MJCA, Twisk JWR, Van Mechelen W. A brief review on correlates of physical activity and sedentariness in youth. *Med Sci Sports Exerc*. 2007;39(8):1241-50.
30. Bauman AE, Sallis JF, Wells JC, Loos RJF, Martin BW, Martin BW. Correlates of physical activity: why are some people physically active and others not? *Lancet*. 2012;380(9838):258-71. 10.1016/S0140-6736(12)60735-1
31. Emm-Collison L, Cross R, Garcia Gonzalez M, Watson D, Foster C, Jago R. Children's Voices in Physical Activity Research: A Qualitative Review and Synthesis of UK Children's Perspectives. *Int J Environ Res Public Health*. 2022;19(1660-4601 (Electronic)). 10.3390/ijerph19073993
32. Shelley J, Fairclough SJ, Knowles ZR, Southern KW, McCormack P, Dawson EA, et al. A formative study exploring perceptions of physical activity and physical activity monitoring among

children and young people with cystic fibrosis and health care professionals. BMC Pediatrics. 2018;18(1):335. 10.1186/s12887-018-1301-x

33. Zeren M, Gurses HN, Denizoglu Kulli H, Ucgun H, Cakir E. Sit-to-stand test in children with bronchiectasis: Does it measure functional exercise capacity? Heart Lung. 2020;49(6):796-802. <https://doi.org/10.1016/j.hrtlng.2020.09.017>

34. Dik J, Saglam M, Tekerlek H, Vardar-Yagli N, Calik-Kutukcu E, Inal-Ince D, et al. Visuomotor reaction time and dynamic balance in children with cystic fibrosis and non-cystic fibrosis bronchiectasis: A case-control study. Pediatr Pulmonol. 2020;55(9):2341-7. <https://doi.org/10.1002/ppul.24903>

35. Caglar Tosun BN, Zeren MA-OX, Barlik M, Demir E, Gulen F. Investigation of dynamic hyperinflation and its relationship with exercise capacity in children with bronchiectasis. Pediatr Pulmonol. 2022(1099-0496 (Electronic)). 10.1002/ppul.26028

36. Ucgun H, Gurses H, Kaya M, Cakir E. Video game-based exercise in children and adolescents with non-cystic fibrosis bronchiectasis: A randomized comparative study of aerobic and breathing exercises. Pediatr Pulmonol. 2022(1099-0496 (Electronic)). 10.1002/ppul.26026

37. Gunasekeran DV, Tseng RMWW, Tham Y-C, Wong TY. Applications of digital health for public health responses to COVID-19: a systematic scoping review of artificial intelligence, telehealth and related technologies. npj Digit Meds. 2021;4(1):40. 10.1038/s41746-021-00412-9

38. Taylor A, Caffery LJ, Gesesew HA, King A, Bassal AR, Ford K, et al. How Australian Health Care Services Adapted to Telehealth During the COVID-19 Pandemic: A Survey of Telehealth Professionals. Front Public Health. 2021(2296-2565 (Electronic)). 10.3389/fpubh.2021.648009

39. Chang AB, Boyd J, Bell L, Goyal V, Masters IB, Powell Z, et al. Clinical and research priorities for children and young people with bronchiectasis: an international roadmap. ERJ open research. 2021;7(3):00122-2021. 10.1183/23120541.00122-2021

Standards for Reporting Qualitative Research (SRQR)*

<http://www.equator-network.org/reporting-guidelines/srqr/>

Page/line no(s).

Title and abstract

Title - Concise description of the nature and topic of the study Identifying the study as qualitative or indicating the approach (e.g., ethnography, grounded theory) or data collection methods (e.g., interview, focus group) is recommended	Page 1
Abstract - Summary of key elements of the study using the abstract format of the intended publication; typically includes background, purpose, methods, results, and conclusions	Page 1, starting line 19

Introduction

Problem formulation - Description and significance of the problem/phenomenon studied; review of relevant theory and empirical work; problem statement	Page 2, starting lines 47 - 96
Purpose or research question - Purpose of the study and specific objectives or questions	Page 3, starting line 94

Methods

Qualitative approach and research paradigm - Qualitative approach (e.g., ethnography, grounded theory, case study, phenomenology, narrative research) and guiding theory if appropriate; identifying the research paradigm (e.g., postpositivist, constructivist/ interpretivist) is also recommended; rationale**	Page 4, starting 117
Researcher characteristics and reflexivity - Researchers' characteristics that may influence the research, including personal attributes, qualifications/experience, relationship with participants, assumptions, and/or presuppositions; potential or actual interaction between researchers' characteristics and the research questions, approach, methods, results, and/or transferability	Page 4, line 111
Context - Setting/site and salient contextual factors; rationale**	Page 3, lines 99 to 101
Sampling strategy - How and why research participants, documents, or events were selected; criteria for deciding when no further sampling was necessary (e.g., sampling saturation); rationale**	Page 3, line 99
Ethical issues pertaining to human subjects - Documentation of approval by an appropriate ethics review board and participant consent, or explanation for lack thereof; other confidentiality and data security issues	Page 3, starting line 102
Data collection methods - Types of data collected; details of data collection procedures including (as appropriate) start and stop dates of data collection and analysis, iterative process, triangulation of sources/methods, and modification of procedures in response to evolving study findings; rationale**	Page 4, starting line 111

Data collection instruments and technologies - Description of instruments (e.g., interview guides, questionnaires) and devices (e.g., audio recorders) used for data collection; if/how the instrument(s) changed over the course of the study	Page 3, lines 106 to Page 4, line 126.
Units of study - Number and relevant characteristics of participants, documents, or events included in the study; level of participation (could be reported in results)	Page 4, starting line 129
Data processing - Methods for processing data prior to and during analysis, including transcription, data entry, data management and security, verification of data integrity, data coding, and anonymization/de-identification of excerpts	Page 4, lines 111 to 126
Data analysis - Process by which inferences, themes, etc., were identified and developed, including the researchers involved in data analysis; usually references a specific paradigm or approach; rationale**	Page 4, lines 117 to 126
Techniques to enhance trustworthiness - Techniques to enhance trustworthiness and credibility of data analysis (e.g., member checking, audit trail, triangulation); rationale**	Page 4, lines 117 to 126

Results/findings

Synthesis and interpretation - Main findings (e.g., interpretations, inferences, and themes); might include development of a theory or model, or integration with prior research or theory	Page 4, lines 129 to page 8, line 333
Links to empirical data - Evidence (e.g., quotes, field notes, text excerpts, photographs) to substantiate analytic findings	Page 4, lines 129 to page 8, line 333

Discussion

Integration with prior work, implications, transferability, and contribution(s) to the field - Short summary of main findings; explanation of how findings and conclusions connect to, support, elaborate on, or challenge conclusions of earlier scholarship; discussion of scope of application/generalizability; identification of unique contribution(s) to scholarship in a discipline or field	Page 9, lines 335 to page 11 420
Limitations - Trustworthiness and limitations of findings	Page 11, lines 410 to 415

Other

Conflicts of interest - Potential sources of influence or perceived influence on study conduct and conclusions; how these were managed	Page 11, line 422 to 423
Funding - Sources of funding and other support; role of funders in data collection, interpretation, and reporting	Page 12, line 430 to 435

*The authors created the SRQR by searching the literature to identify guidelines, reporting standards, and critical appraisal criteria for qualitative research; reviewing the reference lists of retrieved sources; and contacting experts to gain feedback. The SRQR aims to improve the transparency of all aspects of qualitative research by providing clear standards for reporting qualitative research.

**The rationale should briefly discuss the justification for choosing that theory, approach, method, or technique rather than other options available, the assumptions and limitations implicit in those choices, and how those choices influence study conclusions and transferability. As appropriate, the rationale for several items might be discussed together.

Reference:

O'Brien BC, Harris IB, Beckman TJ, Reed DA, Cook DA. **Standards for reporting qualitative research: a synthesis of recommendations.** *Academic Medicine*, Vol. 89, No. 9 / Sept 2014
DOI: 10.1097/ACM.0000000000000388

For peer review only

BMJ Open

The experiences of children with bronchiectasis and their parents in a novel play-based therapeutic exercise program: a qualitative analysis.

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2023-078994.R1
Article Type:	Original research
Date Submitted by the Author:	21-Jun-2024
Complete List of Authors:	Jones, Taryn; Queensland University of Technology Baque, Emmah; Griffith University O'Grady, Kerry-Ann; Queensland University of Technology, Institute of Health & Biomedical Innovation Kohler, Brooke E; Queensland University of Technology Goyal, Vikas; Queensland University of Technology; Sleep Medicine Queensland Children's Hospital, Department of Respiratory McCallum, Gabrielle B.; Charles Darwin University, Menzies School of Health Research Chang, Anne; Queensland University of Technology Trost, Stewart; The University of Queensland - Saint Lucia Campus; Children's Health Queensland Hospital and Health Service
Primary Subject Heading:	Respiratory medicine
Secondary Subject Heading:	Sports and exercise medicine, Paediatrics
Keywords:	Chronic Disease, PAEDIATRICS, QUALITATIVE RESEARCH, Paediatric thoracic medicine < THORACIC MEDICINE, REHABILITATION MEDICINE

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

The experiences of children with bronchiectasis and their parents in a novel play-based therapeutic exercise program: a qualitative analysis.

Taryn Jones¹, Emmah Baque², Kerry-Ann F O'Grady³, Brooke E Kohler¹, Vikas Goyal^{4,5}, Gabrielle B McCallum⁶, Anne B Chang^{4,6}, Stewart G Trost^{*4,7}

¹ School of Exercise and Nutrition Sciences, Queensland University of Technology, Brisbane, Queensland, Australia

² School of Health Sciences and Social Work, Griffith University, Brisbane, Queensland, Australia

³ School of Public Health and Social Work, Queensland University of Technology, Brisbane, Queensland, Australia

⁴ Queensland Children's Hospital, Children's Health Queensland Hospital and Health Service, Brisbane, QLD, Australia

⁵ Gold Coast University Hospital, Gold Coast, QLD, Australia

⁶ Child Health Division, Menzies School of Health Research, Charles Darwin University, Darwin, NT, Australia

⁷ School of Human Movement and Nutrition Sciences, The University of Queensland, Brisbane, Queensland, Australia

* Correspondence:

Stewart G Trost
s.trost@uq.edu.au

Keywords: respiratory, chronic disease, pediatrics, exercise, qualitative analysis

Abstract

Objectives: To explore the experiences and perceptions of children with bronchiectasis and their parent's regarding an eight-week play-based therapeutic exercise program.

Design: Qualitative study with inductive content analysis.

Setting: Individual semi-structured interviews were conducted. Interview recordings were transcribed verbatim, and coding was guided by the content. Content categories were established via consensus moderation.

Participants: Ten parents and ten children with bronchiectasis aged 5 – 12 years.

Results: From the perspective of children, the most important components of the program were fun with friends and being active at home as a family. Parents valued the community-based sessions, perceived the program to be engaging and motivating. Parents perceived improvements in their child's endurance, coordination, and physical activity level. They described the home program as fun

1
2 31 but noted that finding time was difficult. Both parents and children thought that in-person exercise
3 32 sessions would be better than exercise sessions delivered online.
4
5 33 **Conclusions:** Children who participated in the play-based exercise program, found it fun, motivating
6 34 and accessible. Parents perceived positive impacts on fitness, coordination and physical activity.
7
8 35 Data availability statement: Deidentified data are available upon reasonable request and pending
9 36 ethics clearance.

11
12 37 **Strengths and limitations of this study**

- 13
14 38
 - This study included children as participants who expressed unique opinions about their
 - 15 39 participation in the physical activity program highlighting the importance of their inclusion in
 - 16 40 research focusing on their lived experience.
 - 17 41
 - 18 42 • Collaborating with families and co-designing research projects is a current research priority
 - 19 43 area for children and young people with bronchiectasis.
 - 20 44
 - 21 44 • This study had relatively small number of participants, but saturation of data was achieved
 - 22 44 from the ten parent child dyads.

23 45 Word count 4573 (with quotes), 2910 (without quotes)

24 46 **INTRODUCTION**

25
26
27 47 Bronchiectasis unrelated to cystic fibrosis is a chronic lung disease that impacts the daily lives of
28 48 children, including their schooling, play, and overall wellbeing [1-4]. This pulmonary disorder is
29 49 diagnosed by identifying the presence of abnormal bronchial dilatation using high-resolution chest
30 50 computed tomography in the presence of clinical symptoms [5-7]. Children present clinically with a
31 51 persistent wet cough with or without shortness of breath and poor exercise tolerance [3, 6, 8]. The
32 52 pathology can alter mucociliary clearance creating a cycle of inflammation and infection which can
33 53 lead to pulmonary exacerbations [9-11]. The frequency of exacerbation is the only known predictor
34 54 of long term decline in lung function in children with bronchiectasis [10]. As the global prevalence of
35 55 bronchiectasis rises, it is recognised as an important cause of chronic respiratory disease, morbidity,
36 56 and healthcare utilization [12-15].

37
38
39
40 57 The management of bronchiectasis utilises a multi-disciplinary approach. In children, its goals
41 58 include improving quality of life, exercise tolerance and lung function whilst reducing the number of
42 59 exacerbations and hospitalisations [16-18]. Guidelines for the treatment and management of
43 60 bronchiectasis call for regular exercise, not only as a means of improving aerobic fitness and health-
44 61 related quality life, but as a self-management tool to reduce the frequency and severity of
45 62 exacerbations [17]. Yet, the available evidence indicates most children with bronchiectasis are
46 63 insufficiently active for health benefit with only 6% achieving the recommended 60 minutes of daily
47 64 moderate to vigorous physical activity (MVPA) [4].

48
49
50 65 Reasons for physical inactivity among children with bronchiectasis are not well understood.
51 66 However, developmental delays in fundamental movement skill (FMS) proficiency may be a key
52 67 contributing factor. In a recent study, only 17% of children with bronchiectasis achieved their age
53 68 equivalency for locomotor skills, while fewer than 9% achieved their age equivalency for object
54 69 control skills [19]. Importantly, children achieving their age equivalency for locomotor or object
55 70 control skills exhibited 41% higher levels of MVPA than children not achieving their age
56 71 equivalency. Collectively, these findings suggest that children with bronchiectasis would

substantially benefit from effective therapeutic programs that improve fundamental movement skill proficiency, promote regular physical activity and increase cardiorespiratory fitness. Yet, to date there is paucity of data on how to achieve this.

The Bronchiectasis: Exercise as Therapy Trial (BREATH) is a multi-centre randomised controlled trial (RCT) designed to evaluate the effects of a novel eight-week, play-based therapeutic exercise program on the frequency of acute exacerbations in children aged 5 to 12 years with radiologically confirmed bronchiectasis. Secondary aims are to assess the program's impact on FMS proficiency, device-measured MVPA, cardiorespiratory fitness, perceived movement competence, health-related quality of life (HR-QoL), and lung function (forced expiratory volume in one second, FEV₁) [20]. Informed by the evidence identifying FMS proficiency as a key determinant of habitual physical activity [21, 22], the program focuses on developing and enhancing children's movement competence, motivation, and aerobic fitness through developmentally appropriate, play-based activities or games tailored to the child's fitness and skill level. The program comprises a combination of supervised and unsupervised exercise therapy sessions. The supervised component consists of eight 60-minute group sessions, completed on a weekly basis, led by a clinical exercise physiologist or physiotherapist. The unsupervised component consists of a home-based, parent-led exercise program, completed two times per week (~ 20 minutes per session), during which children and family members complete two games from their most recent 60-minute supervised group session. While the trial is focused on the primary and secondary outcomes above, it is important for the ongoing development and sustainability of the program to obtain feedback from participants and their parents/carers. Exploring parent's and children's perspectives on the program provides valuable insight into the utility of the program and drives action required for scale-up and implementation in clinical and community settings. Therefore, the objective of this study was to explore the experiences and perspectives of children with bronchiectasis, and their parents/carers, after participating in the BREATH play-based therapeutic exercise program.

METHODS

Participants

Participants for this study were children enrolled in the BREATH RCT, and their parents/carers. To be eligible, children must have been randomised to the exercise program and participated in at least one exercise session. Written informed consent was obtained from parents/guardians. Ethical approval for this study was received by the Queensland Children's Hospital Human Research Ethics Committee (HREC/19/QCHQ/56049) and NT Health (Reference Number: 2020-3847). The trial was registered with, Australian and New Zealand Clinical Trials Register (ACTRN12619001008112).

Interview guides

Separate interview guides were developed for children and parents (see Supplemental Files 1 and 2). The interview guides included questions related to the acceptability of the program, how it could be improved, and related perceptions of the supervised group exercise sessions and the supplemental unsupervised home-based exercise sessions.

Data collection

Participants completed a single interview via videoconference with a researcher (BK) not involved in the delivery of the exercise program. The child interviews were conducted with a parent present or

1
2 113 nearby. Interviews continued until no new insights were identified and key concepts became
3 114 repetitive [23]Interviews were digitally recorded, transcribed verbatim, checked for accuracy against
4 115 the original recording, and saved for subsequent analysis. The transcriptions were deidentified and
5 116 assigned a unique study identification number.

7
8 117 **Data analysis**

9
10 118 Data from the interviews were analysed using content analysis with an inductive approach [24, 25].
11 119 Transcripts were read and re-read by a member of the research team (TJ) to guide the establishment
12 120 of a codebook (see Supplemental File 3). Common phrases, words and content from the transcripts
13 121 formed an initial draft of the codebook which was subsequently reviewed and updated by the
14 122 research team (TJ, EB, KO, ST). To test the reliability of the coding scheme, two parent and two
15 123 child transcripts were randomly selected and independently coded by two researchers (TJ and EB).
16 124 Once the codebook was finalised, a member of the research team (TJ) coded the remaining child and
17 125 parent transcripts. After all transcripts were coded the initial code groupings were discussed by
18 126 members of the research team (TJ, EB, ST) and collated to form sub-categories and final content
19 127 categories [26]. Data were managed with NVivo 12 (QSR International Pty. Ltd.).

21
22 128 **Patient and public involvement statement**

23
24 129 The parents of children involved in this study initiated discussions with their respiratory physicians
25 130 regarding participation in the intervention component of the randomised controlled trial. These
26 131 physicians, who are part of the research team, recommended a post-intervention qualitative study to
27 132 investigate the experiences and perceptions of the participating families. Two parents who
28 133 participated in the intervention sessions were asked about the study's value and the potential
29 134 effectiveness of conducting interviews via videoconference. Participants were not involved in
30 135 recruitment or dissemination plans.

32
33 136 **RESULTS**

34
35 137 **Participant Characteristics**

36
37 138 From the 17 families eligible to participate, 10 parent-child dyads provided consent and completed
38 139 interviews. Six families could not be contacted, and one family declined due to a busy schedule.
39 140 Children were aged from five to 12 years (median age = 8.2 years, interquartile range IQR = 5.7 –
40 141 9.8). Four of the 10 children were females. All children interviewed had completed seven or eight
41 142 supervised group exercise sessions. Parent interviews ranged from 21 to 46 minutes in duration
42 143 (mean 31 ± 7.2 minutes) and child interviews ranged from 11 to 19 minutes in duration (mean 15.5 ±
43 144 2.5 minutes). The annual household income for families was well distributed across low to high
44 145 income and ranged from \$26,000 to over \$200,000. Parental education ranged from not finishing
45 146 high school to completing post graduate qualifications.

47
48
49 147 **Content categories: children**

50 148 Children provided perspectives on the supervised group sessions, unsupervised home-based program,
51 149 and recommendations for future programs. The final content categories were: having fun with family
52 150 and friends; being active at home as a family, and; a preference for in-person sessions. Illustrative
53 151 quotes from participants are presented below for each of the content categories.

54
55
56 152 **Fun with friends and family**

Children described the face-to-face group sessions and the games as fun. Children frequently talked about specific games such as balloon tennis or hopscotch they perceived to be fun. Most children indicated that they would like to repeat the BREATH program again.

'I thought they were really fun, and I liked how they were different ones each week and sometimes some were the same... I liked doing the hopscotch game. We went outside and did this ring toss, and the rings were really heavy. I liked that too.' Ch03

'They were fun, and they involved running around a lot and throwing and kicking and stuff.' Ch06

'They were pretty fun... the one where I do the ball. That was really fun.' Ch02

Children valued having other children participate in the exercise sessions. They especially liked when their siblings or friends participated.

'...you can be with people that you know... (therapist) was really nice.' Ch01

'I wasn't alone... I could compete with my brothers.' Ch06

'Why was it fun? 'Because he (brother) got to do activities too and he does that balloon one too...' Ch07

'It was a bit better because I wasn't just doing all the activities all myself.' Ch03

Being active at home as a family

Children's responses regarding the home program were brief in comparison to their conversations about on the supervised group program. Children primarily spoke about their siblings and parents' involvement and described the games included in the home program as fun.

'You can play with your siblings if you're at home... Sometimes my brother joined in. It was fun.' Ch01

'There was balloon tennis. For balloon tennis, mum and (sister). For the yoga poses, dad and mum. I liked having my family involved.' Ch09

'Well, sometimes (brother) would do it with me and mum would sometimes do a little bit and watch... Yeah, I liked it. It did get tiring for some stuff like doing - like in the hallway, going up and down doing like frog jumps.' Ch03

In person is better than online

Children offered suggestions for future programs regarding the mode of delivery, use of technology, and recommendations for future programs. Most (but not all) children expressed a preference for the supervised exercise program component to be delivered face-to-face rather than "online" or through an exercise "app". However, for the home program, children thought technology could be useful.

'...online, for the for the actual game sessions, no.' Ch02

1
2 189 *'It would be kind of like strange because you couldn't really - you wouldn't*
3 190 *really be able to demonstrate too well and it's kind of glitchy.'* Ch03
4
5 191 *'Yeah, an app would be cool and useful. It would probably have like - like*
6 192 *you could like hold it in your hand and it would count how many steps you've*
7 193 *done and could somehow sense your heart rate. Just like a phone or a tablet.'*
8 194 *Ch03*
9
10
11 195 *'App with activities, like daily activities, and then it would have like a couple*
12 196 *of weekly.'* Ch02
13
14 197 *'You'd get to watch the activities then do them.'* Ch01
15

16 198 **Content categories: parents**

17
18 199 Parents provided perspectives on the supervised group sessions, unsupervised home-based program,
19 200 perceived impact of the program on their child, and ideas for future programs. The final emergent
20 201 themes were: an engaging and motivating program; parents' perceptions of program impact family
21 202 and friends are important; location, location, location; the home program was fun but finding the time
22 203 was hard, and; apps are fine for home, but face-to-face sessions are preferred. Illustrative quotes from
23 204 participants are presented for each content category.
24
25

26 205 **An engaging and motivating program**

27
28 206 Parents universally expressed positive feelings about the BREATH program. Like the children, they
29 207 thought the exercise sessions were fun and said their child enjoyed the program. Parents valued the
30 208 variety of games and activities included the program and felt that supervised exercise sessions were
31 209 well structured and organised. They perceived that the rapport with the therapist and the variety of
32 210 games motivated and engaged their children to participate in the exercise sessions.
33

34
35 211 *'It was all very engaging, and she really was motivated by the games because*
36 212 *the games were fun... I think that the venue that we were in was so - like*
37 213 *something that we didn't expect and just the fact that she is in this massive*
38 214 *hall full of games and equipment.'* Par04
39

40 215 *'It motivated him and got him interested in doing different things and that, so*
41 216 *I thought it was quite good. All different levels of stuff, like it wasn't just the*
42 217 *same, repetitive things, it was all different stuff... Good variety of activities as*
43 218 *well, it would be different each week, it wasn't repeating in the same sort of*
44 219 *thing each week.'* Par06
45
46

47 220 *'She did it very well, because I think she's loving all those activities, that's*
48 221 *why, yeah... I think all the activities basically, the whole exercise I think,*
49 222 *because she loves to play, so that's why I think she enjoyed those exercises.'*
50 223 *Par08*
51

52 224 **Perceptions of program impact**

53
54 225 Parents enthusiastically talked about the changes they observed in their child after completing
55 226 BREATH. Parents reported increased fitness and/or endurance, improved coordination, and greater
56 227 participation in physical activity.
57
58
59
60

'When he plays baseball, he used to get really, really tired playing baseball. He would be so puffed out after doing one innings of baseball and sometimes he'd get that tired he'd have a meltdown because he's autistic. But now he plays the whole two-and-a-half-hour game without really having a break or having a meltdown.' Par01

'Especially like when his cousins come over, they will just run through and around the house and up and down the house for hours on end, whereas before he potentially wouldn't have done that.' Par05

'It definitely helped her coordination because now she can do hopscotch. She's better at aiming with her throws now... I think it's helped her confidence a little bit too actually. Yes, so even when we're just playing games on the weekend and stuff like that her coordination has gotten a lot better.' Par07

'His coordination has definitely improved, like the hand eye coordination, bouncing balls and hitting things with rackets. A bit of improvement there, that's for sure... Just in how he plays here at home. Whereas before he'd maybe get over it pretty quickly because he wasn't that great at it, he had a bit more skill.' Par02

'But to do the weekly exercise program and then see the improvement in him and since then it's almost like it was a – it was like a trigger for him. So, he now runs better. He plays better. He throws balls. He kicks balls. He's a lot more physically coordinated that he was and yeah that was probably one of the big takeaways for us and something that we've continued to encourage at home.' Par05

'I think she's more active now, but I didn't notice any changes but she's not getting tired easily basically. So, that also help her, all those exercises.' Par08

Family and friends are important

Parents valued the participation of siblings and friends in BREATH. Parents said that it helped their child feel more confident in the initial sessions and made the program more enjoyable overall.

'When we were told that we could include the siblings, you know sometimes people say that, but they really meant it. So, like I said, (sibling) still asks to go to the sessions, her little brother. I think it just made it more fun, having her sibling there.' Par03

'Participating with his siblings, he's not used to, but it got really good because they become closer. Him and his brother I know are really close because they're so close in age, but he got to show (sister) how to play.' Par01

'It was good that there were other kids there. He liked that. I did notice that... he loves social interaction, absolutely thrives off it, and if he can find a friend

1
2 267 and someone to play with, and someone that likes his games, he's very
3 268 happy.' Par02
4
5 269 'I think having his sister there made it a fun family experience... (Sister)
6 270 loved it as well. She just – yeah, she was excited as he was to go there every
7 271 time. There was another little boy there who had bronchiectasis. Yeah, it
8 272 made it – it was almost like they saw it as a play date...it was good for them
9 273 all to do it, I think.' Par05
10
11
12 274 **Location, location, location**
13
14 275 Parents liked that the supervised exercise session were delivered in community halls. They valued the
15 276 spacious venues and the proximity to their home or their child's school.
16
17 277 'The community centre was actually really good because I had never been
18 278 there before but the fact that it was all inside meant that we didn't have to
19 279 stop because of the rain.' Par07
20
21 280 'The location is very convenient for us because it's only 15 minutes away
22 281 from us, so it's very convenient, I cannot complain on that one. We don't
23 282 need to travel far, because the option is either go to the other, I think the
24 283 hospital, right? Versus the community centre, I prefer the centre because I
25 284 know it's only 15 minutes away from our place.' Par08
26
27
28 285 '...that's perfect location. It was only just up the road from us, it wasn't a big
29 286 push to get there. Like I finished work and got to day care to pick him up from
30 287 after school care and then got there generally early most days.' Par09
31
32 288 **The home program was fun but finding the time was hard**
33
34 289 Parents described the home-based program as fun. They liked the variety of activities and games
35 290 included and thought that the frequency and duration was appropriate. They found the instructions
36 291 helpful and easy to follow. Parents liked that the home programs could be completed with equipment
37 292 they had at home.
38
39
40 293 'Still to this day we've got a folder where we've kept them, and I still have to
41 294 buy balloons because they're like balloon tennis is their favourite. They love
42 295 to play it, like all the time, down my hallway, everywhere.' Par01
43
44 296 'I like that it gave us some of those activities and things that he did, because
45 297 some of them he really enjoyed in the moment. So, it was nice to actually have
46 298 a copy of how to do it and how to set it up and stuff like that.' Par02
47
48
49 299 'They will play that game as a matter of course. So yeah – and again it's –
50 300 it's seeing how the strategies or the activities they were doing in class, for
51 301 want of a better word can be – can just become embedded at home and taking
52 302 five minutes to play the balloon game or taking five minutes to go downstairs
53 303 and kick a football around or do something. So yeah, it was good.' Par05
54
55
56
57
58
59
60

However, parents described some barriers to completing the home program. A few parents acknowledged that the home program wasn't always a priority. Parents commented that lack of time or their own lack of motivation was a barrier to doing the home exercise component.

'We knew what we had to do. It's more home management of finding the time to do it... there was nothing we disliked. It's just our innate laziness trying to find times to do the things.' Par05

'We didn't do it as often as we should and that's because of the time... We always did it once before because obviously, the day before, we were going to the next session... we couldn't do it very often because it's just too much other things, you know?' Par04

'I tried begging, I tried pleading. He's not a fan. As soon as it was called homework, he was very much not interested. Even with the encouragement of the stickers and the whole getting to show off the next time when we went there anything. He was just yeah - he was not very interested in doing it at all.' Par02

Apps are fine for home, but face-to-face sessions are preferred

Parents provided feedback and suggestions in relation to the mode of delivery and use of technology. There were strong opinions that exercise sessions delivered through a digital platform such as telehealth would not work for their child since parent involvement was crucial. Nevertheless, parents saw value in the use of an online platform or app for the management of the home-based exercise program.

'I think if it was over a Zoom call or anything like that, he would just not be so engaged. So, I kind of liked the fact that it had real people.' Par09

'Personally, I don't think it would probably work for us...given that that's just not his thing, doing it like over the phone or telehealth or whatever. Maybe an app would be all right. But it'd still need that face-to-face, I think, interaction, with the actual going to a group and doing that. I think it needs that.' Par02

'Telehealth would not work ever with (child), no way. We did the dance Zoom classes during the lockdowns and yeah, you know... Oh, she loses the interest like you know, she can just move away herself from the situation.' Par04

'...maybe if you had an app or something for the older kids where they can just do it on their own maybe, so they didn't have to have mum and dad there or something.' Par07

'...if we have an app to basically listed all the exercises that we needed to do for a specific day, I think that would be easier instead of the paper base. Especially we're now on modern technology as well.' Par08

DISCUSSION

Our study explored children’s and parent’s experiences and perceptions of an eight-week developmentally appropriate play-based therapeutic exercise program for children with non-cystic fibrosis bronchiectasis (BREATH program). Children and parents provided unique yet complementary perspectives about the BREATH program. Children thought that including family members and friends in the program made it more engaging. They valued being physically active at home with family members and preferred in-person exercise sessions to telehealth or online sessions. Parents expressed broader viewpoints than children. Parents described BREATH as an engaging and motivating exercise program and felt that it had visible positive impacts on their child’s cardiovascular fitness, coordination level, and participation in physical activity. Like children, parents indicated a preference for face-to-face sessions over telehealth or app-based exercise programs. The community-based location and inclusion of family members and friends were considered important strengths. They described the supplemental home program as fun but acknowledged that finding time to complete the program was challenging.

The delivery of the program in readily accessible community-based venues such as council halls was highly valued by parents. Therapeutic exercise programs are typically delivered in health services, outpatient settings, or academic institutions. Thus, parents’ strong endorsement of community halls as a venue for delivering the program represents an important finding. The families’ preference for exercise programs delivered locally is consistent with the results of a recent qualitative study that identified supportive physical activity environments as a facilitator to physical activity in children with bronchiectasis [27]. In this present study, parents liked that the community venues were close to home or school, they felt that it was an accepted place where exercise occurs and appreciated the physical space inside the venues. Multiple systematic reviews highlight that physical environmental factors are consistently associated with physical activity [28-31]

Both children and parents thought that the inclusion of siblings and friends in the exercise sessions was fun and motivating, especially at the start of the program. These findings are consistent with the results of a recent systematic review of 26 qualitative studies exploring children’s perspectives on what they like about physical activity, why it is important, and the factors that influence their physical activity [32]. Although the studies included in the review focused on healthy, typically developing children, being active with friends, and being encouraged by their friends as salient influences on children’s physical activity. Being physically active with their families and parental support were also identified as important influences. In a different study, children and young people with cystic fibrosis were a subset of participants interviewed to explore their perceptions of physical activity [33]. Children with cystic fibrosis reported that they enjoyed physical activity and linked it to health benefits. Similar to the present study, they identified peers and family as enablers for physical activity. Collectively, the findings from these studies support the concept that making therapeutic exercise programs open to family members and friends is an effective strategy to increase enjoyment, engagement and support motivation.

Parents perceived that their child directly benefited from participating in the program. Parents openly talked about visible improvements in their child’s endurance, level of coordination, and physical activity participation. Previous exercise studies in children with bronchiectasis tend to focus on specific activities or components of movement such sit to stand [34], balance [35] and walk testing [36]. In a different approach to activities and exercise a recent study investigated the efficacy of aerobic video game exercises and breathing video game exercises in children with bronchiectasis [37]. The parents’ observations from our study reflect the goals of the BREATH program which focuses on developing and enhancing children’s confidence and motivation to engage in physical activity through developmentally appropriate, play-based activities targeting aerobic fitness and

fundamental movement skills. The perceived improvements in coordination and endurance are consistent with the results of the BREATH pilot RCT [22]. In this study, relative to usual care controls, children receiving the play-based therapeutic exercise program exhibited significant improvements in cardiovascular fitness, locomotor skills and object control skills [22]. The perceived increase in physical activity after completing the program is consistent with the findings of a previous study conducted in children with bronchiectasis which reported fundamental movement skill proficiency to be associated with higher levels of daily MVPA [4]. While the empirical evaluation of the BREATH program on frequency of exacerbations, aerobic fitness, fundamental movement skills, physical activity, quality of life and lung function is ongoing, the findings of our qualitative study indicates that the program is on track.

When asked to consider a hypothetical scenario where the BREATH exercise program was delivered via the internet or smart phone, both parents and children indicated a preference for face-to-face exercise sessions over telehealth. Digital healthcare encompasses telehealth, phone contact, text messaging, digital applications (or apps) and is increasingly part of the healthcare landscape [38]. Unsurprisingly, there was a sharp increase in digital healthcare during the COVID-19 pandemic which has prompted discussion as to its continued role and future innovations [39]. In the current study, parents and children clearly expressed their preference for face-to-face exercise sessions, citing the positive experience of engagement with other children and the therapist. Parents and children did, however, see a role for of an app or online platform for completing the supplemental home exercise program, which many parents described as difficult to prioritise. Families preferred an app or mobile-health (m-health) platform that would be specifically tailored to children with bronchiectasis. It is important to consider these preferences when designing exercise programs to increase fitness, movement competence, and habitual physical activity in children with bronchiectasis.

This study has both strengths and limitations. A strength of the current study is the inclusion of children as participants. Children expressed unique opinions about their participation in the BREATH program which highlights the importance of their inclusion in research focused on their lived experience. Collaborating with families and co-designing research projects is a current research priority area for children and young people with bronchiectasis [40]. The study followed established content analysis guidelines and utilised a rigorous collaborative process to data analysis. Limitations include, the relatively small number of participants interviewed and the omission of perspectives from the therapists delivering the program whom could be included in future research. Children who participated in the exercise sessions but did not participate in the interviews study may have offered different perspectives. However, saturation of data was reached from the parent child dyads that were interviewed and the views of the therapists were not a focus of the study.

In summary, we explored the experiences and perceptions of families who participated in an eight-week play-based therapeutic exercise program to reduce the frequency of acute exacerbations in children with bronchiectasis. The findings suggest that the children who participated in the BREATH program demonstrated improvements in fitness, coordination, and physical activity participation, and found the program fun, motivating and accessible.

Conflict of Interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Author Contributions

ST oversaw the design and conduct of the study. ABC, VG, GBM and TJ supported the recruitment. BK interviewed the participants. TJ reviewed the transcripts, coded and drafted the manuscript. ST, EB, K-AO’G, and TJ analysed the data. All (guarantor) authors had a role in informing coding and analysis of the data collected, read, and approved the final manuscript.

Funding

National Health and Medical Research Council Grant (APP11606123). VG is supported by a Queensland Advancing Research Fellowship and a Royal Australasian College of Physicians’ Early Career Fellowship (2022REF00054). ABC is supported by a senior NHMRC practitioner fellowship (1058213). Australian and New Zealand Clinical Trials Register (ANZCTR) number ACTRN12619001008112. The ANZCTR is recognised by the World Health Organization International Clinical Trials Registry Platform as a Primary Registry.

Acknowledgments

We thank the parents and children who participated in the BREATH trial and interviews.

References

1. Bahali K, Gedik AH, Bilgic A, Cakir E, Ustabas Kahraman F, Keskin Osmanoglu N, et al. The relationship between psychological symptoms, lung function and quality of life in children and adolescents with non-cystic fibrosis bronchiectasis. *Gen Hosp Psychiatry*. 2014;36(5):528-32. 10.1016/j.genhosppsych.2014.05.019
2. Lovie-Toon YG, Grimwood K, Byrnes CA, Goyal V, Busch G, Masters IB, et al. Health-resource use and quality of life in children with bronchiectasis: a multi-center pilot cohort study. *BMC Health Serv Res*. 2019;19(1):561. 10.1186/s12913-019-4414-5
3. Goyal V, Chang AB. Bronchiectasis in Childhood. *Clin Chest Med*. 2022;43(1):71-88. 10.1016/j.ccm.2021.11.006
4. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Objectively measured physical activity and sedentary behaviour in children with bronchiectasis: a cross-sectional study. *BMC Pulm Med*. 2019;19(1):7. 10.1186/s12890-018-0772-8
5. Pakzad A, Jacob J. Radiology of Bronchiectasis. *Clin Chest Med*. 2022;43(1):47-60.
6. Chang AB, Bush A, Grimwood K. Bronchiectasis in children: diagnosis and treatment. *Lancet*. 2018;392(10150):866-79. 10.1016/S0140-6736(18)31554-X
7. Goyal V, Grimwood K, Marchant JM, Masters IB, Chang AB. Paediatric chronic suppurative lung disease: clinical characteristics and outcomes. *Eur J Pediatr*. 2016;175(8):1077-84. 10.1007/s00431-016-2743-5
8. Kapur N, Masters IB, Newcombe P, Chang AB. The burden of disease in pediatric non-cystic fibrosis bronchiectasis. *Chest*. 2012;141(4):1018-24. 10.1378/chest.11-0679
9. Kapur N, Masters IB, Morris PS, Galligan J, Ware R, Chang AB. Defining pulmonary exacerbation in children with non-cystic fibrosis bronchiectasis. *Pediatr Pulmonol*. 2012;47(1):68-75. 10.1002/ppul.21518
10. O'Grady KF, Grimwood K. The Likelihood of Preventing Respiratory Exacerbations in Children and Adolescents with either Chronic Suppurative Lung Disease or Bronchiectasis. *Front Pediatr*. 2017;5:58. 10.3389/fped.2017.00058
11. Redding GJ, Singleton RJ, Valery PC, Williams H, Grimwood K, Morris PS, et al. Respiratory exacerbations in indigenous children from two countries with non-cystic fibrosis chronic suppurative lung disease/bronchiectasis. *Chest*. 2014;146(3):762-74. 10.1378/chest.14-0126
12. Quint JK, Smith MP. Paediatric and adult bronchiectasis: Diagnosis, disease burden and prognosis. *Respirology*. 2019. 10.1111/resp.13495
13. Wurzel DF, Chang AB. An update on pediatric bronchiectasis. *Expert Rev Respir Med*. 2017;11(7):517-32. 10.1080/17476348.2017.1335197
14. McCallum GB, Binks MJ. The Epidemiology of Chronic Suppurative Lung Disease and Bronchiectasis in Children and Adolescents. *Front Pediatr*. 2017;5:27. 10.3389/fped.2017.00027
15. Chang AB, Zacharasiewicz A, Goyal V, Boyd J, Alexopoulou E, Aliberti S, et al. Task Force report: European Respiratory Society statement for defining respiratory exacerbations in children and adolescents with bronchiectasis for clinical trials. *Eur Respir J*. 2022.
16. Amaro R, Perea L, Sibila O. Future Directions in Bronchiectasis Research. *Clin Chest Med*. 2022;43(1):179-87.

17. Chang AB, Fortescue R, Grimwood K, Alexopoulou E, Bell L, Boyd J, et al. European Respiratory Society guidelines for the management of children and adolescents with bronchiectasis. *Eur Respir J.* 2021;58(2):2002990. 10.1183/13993003.02990-2020

18. Cohen R, Shteinberg M. Diagnosis and Evaluation of Bronchiectasis. *Clin Chest Med.* 2022;43(1):7-22.

19. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Fundamental movement skill proficiency and objectively measured physical activity in children with bronchiectasis: a cross-sectional study. *BMC Pulm Med.* 2021;21(1):269. 10.1186/s12890-021-01637-w

20. Jones T, O'Grady KF, Goyal V, Masters IB, McCallum G, Drovandi C, et al. Bronchiectasis - Exercise as Therapy (BREATH): rationale and study protocol for a multi-center randomized controlled trial. *Trials.* 2022;23(1745-6215 (Electronic)). 10.1186/s13063-022-06256-2

21. Stodden DF, Goodway JD, Langendorfer SJ, Robertson MA, Rudisill ME, Garcia C, et al. A Developmental Perspective on the Role of Motor Skill Competence in Physical Activity: An Emergent Relationship. *Quest.* 2008;60(2):290-306. 10.1080/00336297.2008.10483582

22. Joschtel B, Gomersall SR, Tweedy S, Petsky H, Chang AB, Trost SG. Effects of a therapeutic exercise program in children with non-cystic fibrosis bronchiectasis: A pilot randomized controlled trial. *Front Pediatr.* 2022;10. 10.3389/fped.2022.953429

23. Hennink M, Kaiser BN. Sample sizes for saturation in qualitative research: A systematic review of empirical tests. *Soc Sci Med.* 2022;292:114523. <https://doi.org/10.1016/j.socscimed.2021.114523>

24. Hsieh HF, Shannon SE. Three approaches to qualitative content analysis. *Qual Health Res.* 2005;15(1277-1288). 10.1177/1049732305276687

25. Bengtsson M. How to plan and perform a qualitative study using content analysis. *NursingPlus Open.* 2016;2:8-14. <https://doi.org/10.1016/j.npls.2016.01.001>

26. Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol.* 2006;3(2):77-101. 10.1191/1478088706qp063oa

27. Jones T, Baque E, O'Grady KF, Goyal V, Chang AB, Trost SG. Barriers and facilitators of physical activity in children with bronchiectasis: Perspectives from children and parents. *Front Pediatr.* 2022;10:974363. 10.3389/fped.2022.974363

28. Sallis JF, Prochaska JJ, Taylor WC. A review of correlates of physical activity of children and adolescents. *Med Sci Sports Exerc.* 2000;32(5).

29. Sterdt E, Liersch S, Walter U. Correlates of physical activity of children and adolescents: A systematic review of reviews. *Health Educ J.* 2013;73(1):72-89. 10.1177/0017896912469578

30. Van Der Horst K, Paw MJCA, Twisk JWR, Van Mechelen W. A brief review on correlates of physical activity and sedentariness in youth. *Med Sci Sports Exerc.* 2007;39(8):1241-50.

31. Bauman AE, Sallis JF, Wells JC, Loos RJF, Martin BW, Martin BW. Correlates of physical activity: why are some people physically active and others not? *Lancet.* 2012;380(9838):258-71. 10.1016/S0140-6736(12)60735-1

32. Emm-Collison L, Cross R, Garcia Gonzalez M, Watson D, Foster C, Jago R. Children's Voices in Physical Activity Research: A Qualitative Review and Synthesis of UK Children's

- Perspectives. *Int J Environ Res Public Health*. 2022;19(1660-4601 (Electronic)). 10.3390/ijerph19073993
33. Shelley J, Fairclough SJ, Knowles ZR, Southern KW, McCormack P, Dawson EA, et al. A formative study exploring perceptions of physical activity and physical activity monitoring among children and young people with cystic fibrosis and health care professionals. *BMC Pediatrics*. 2018;18(1):335. 10.1186/s12887-018-1301-x
34. Zeren M, Gurses HN, Denizoglu Kulli H, Ucgun H, Cakir E. Sit-to-stand test in children with bronchiectasis: Does it measure functional exercise capacity? *Heart Lung*. 2020;49(6):796-802. <https://doi.org/10.1016/j.hrtlng.2020.09.017>
35. Dik J, Saglam M, Tekerlek H, Vardar-Yagli N, Calik-Kutukcu E, Inal-Ince D, et al. Visuomotor reaction time and dynamic balance in children with cystic fibrosis and non-cystic fibrosis bronchiectasis: A case-control study. *Pediatr Pulmonol*. 2020;55(9):2341-7. <https://doi.org/10.1002/ppul.24903>
36. Caglar Tosun BN, Zeren MA-OX, Barlik M, Demir E, Gulen F. Investigation of dynamic hyperinflation and its relationship with exercise capacity in children with bronchiectasis. *Pediatr Pulmonol*. 2022(1099-0496 (Electronic)). 10.1002/ppul.26028
37. Ucgun H, Gurses H, Kaya M, Cakir E. Video game-based exercise in children and adolescents with non-cystic fibrosis bronchiectasis: A randomized comparative study of aerobic and breathing exercises. *Pediatr Pulmonol*. 2022(1099-0496 (Electronic)). 10.1002/ppul.26026
38. Gunasekaran DV, Tseng RMWW, Tham Y-C, Wong TY. Applications of digital health for public health responses to COVID-19: a systematic scoping review of artificial intelligence, telehealth and related technologies. *npj Digit Meds*. 2021;4(1):40. 10.1038/s41746-021-00412-9
39. Taylor A, Caffery LJ, Gesesew HA, King A, Bassal AR, Ford K, et al. How Australian Health Care Services Adapted to Telehealth During the COVID-19 Pandemic: A Survey of Telehealth Professionals. *Front Public Health*. 2021(2296-2565 (Electronic)). 10.3389/fpubh.2021.648009
40. Chang AB, Boyd J, Bell L, Goyal V, Masters IB, Powell Z, et al. Clinical and research priorities for children and young people with bronchiectasis: an international roadmap. *ERJ open research*. 2021;7(3):00122-2021. 10.1183/23120541.00122-2021

Supplemental Table 1: Interview Guide developed for children

Topic	Questions and prompts
BREATH exercise program questions	<p>You did the BREATH program at (<i>interest location</i>). You were joined by (<i>insert siblings, friends</i>).</p> <ul style="list-style-type: none">• Tell me what you thought about the games and activities?<ul style="list-style-type: none">○ What did you like about the games/activities? Why?○ What parts did you think were fun?○ What didn't you like about the program? Why?○ What parts did you think were boring?○ What would you change?• What did you think about how long each session went for?• What did you think about the having the sessions at (<i>insert location</i>)?• What was it like having your (friend/sibling there)?• Have you noticed any changes to the way your body feels or moves since doing the exercise program?<ul style="list-style-type: none">○ What are those changes?• Have you noticed that it is easier or harder to keep up with your friends when you are playing?• Do you get tired when you are playing or running around?<ul style="list-style-type: none">○ Did this tiredness change after you did the games/exercise program?
Home activity program	<ul style="list-style-type: none">• What did you think about the home programs?<ul style="list-style-type: none">○ What did you like about your home programs?○ What was fun?○ What didn't you like about the home programs?○ What was boring?○ What did you think about the types of activities?○ What did you think about how long your home activities went for?• What would you change about the home programs?• Who did the home programs with you?<ul style="list-style-type: none">○ What was that like?○ How many times a week did you do the home activities?• Would it be helpful to have an app or other online support?<ul style="list-style-type: none">○ What would that look like?
Future programs	<ul style="list-style-type: none">• Would you do the games and exercise program again?• Would you recommend that other children do the games/ activity sessions?<ul style="list-style-type: none">○ Can you tell my why/why not?• >10yo: How do you feel an ideal program would be delivered?<ul style="list-style-type: none">○ Group sessions, one-on-one, home-based, combination, remote, online coaching, apps

- Would you recommend that friends/siblings be included
- Timing. Before or after school, on the weekends, or in the holidays?
- Frequency. More/less than once a week
- Types of activities
- Setting. At home, in the community, at a health centre.
- <10yo: Would you do the BREATH program again? Would you want to try anything different?
- >10yo: Do you have any thoughts how this would work if we delivered this online via a smart phone or iPad?

Sweeping
question

Is there anything else you would like to add before we finish?

Supplemental Table 2: Interview Guide developed for parents

Topic	Questions and prompts
BREATH exercise program questions	<p>Your child participated in the bronchiectasis research project that included games/exercise sessions at (<i>interest location</i>). They were joined by (<i>insert siblings, friends</i>).</p> <ul style="list-style-type: none">• Tell me what you thought about the BREATH program?<ul style="list-style-type: none">○ What did you like about the program?○ What could we have done better?• What did you think about the types of activities?• What did you think about the length of each session? (<i>approx. 1hr</i>)• What did you think about the length of the whole program? (<i>8 weeks</i>)• What did you think about the location?• How did your child feel about participating in the exercise program?<ul style="list-style-type: none">○ What did they like?○ What did they dislike?○ What parts of the sessions did you child find easy?○ What parts of the sessions did your child find hard or difficult?• Have you noticed any changes in your child’s movement skills or coordination level?<ul style="list-style-type: none">○ What type of changes in movement skills or coordination did you observe?○ Did they improve? Did they stay the same? Did they decline?• Have you noticed any changes in their fitness since participating in the games/exercise sessions?<ul style="list-style-type: none">○ Did their fitness improve? Did it stay the same? Did their fitness decline?• Is there any change to their tiredness or fatigue?<ul style="list-style-type: none">○ Do they become more fatigued with physical activity? No change? Less fatigued with physical activity?• The BREATH program is designed to include siblings, friends or other children with bronchiectasis. Describe how the inclusion of other children influenced your child?
Home activity program	<ul style="list-style-type: none">• What did your home program sessions look like?<ul style="list-style-type: none">○ Who was usually involved in the home games and activities?○ Did you use any particular strategies to manage the home program (e.g. sibling and parent involvement, supervision, competition, rewards, music)?• What did you think about the home programs?<ul style="list-style-type: none">○ What did you like about the home program?○ What did you dislike about the home program?

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
- What did you think about the length of each home program?
 - What did you think about how often you were asked to do the home program?
 - What did you think about the types of activities?
 - Was it difficult to motivate you child to do the home program? If so, in what way?
 - What did you think about the paper handouts you were provided for the home program?
 - How often did you do the home program?
- Future programs
- Describe what you think would be an ideal program.
 - Group sessions, one-on-one, home-based, combination, remote, online coaching, apps
 - Timing. Would BREATH be suited closer to the diagnosis of bronchiectasis.
 - Frequency. More/less than once a week
 - Length of program, is 8 weeks, too long, too short or the right about of time?
 - Types of activities
 - Setting. At home, in the community, at a health centre.
 - Timing. Before or after school, on the weekends, or in the holidays?
 - Do you have any thoughts how this would work if we delivered over the internet or smart phone app?
 - Would a program like BREATH be valuable for other children with bronchiectasis?

38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Sweeping question Do you have any other comments you would like to add before we finish?

Supplemental Table 3: Codebook to support content analysis of child and parent interview

Topic	Topic Sub Grouping	Initial Code
BREATH Program	Location	Community
		Home
		Hospital
		Inside
		Other location
		Outside
		Proximity (to home/school)
	Feelings about program	Research Centre
		School
		Travel time
		Adaptable
		Bad
		Boring
		Challenging
		Difficult
		Dislike
		Easier
		Fun / enjoyment
		Games-based
		Good
		Happy
		Hard or harder
		Helpful
		Improve
		Individualised
		Interesting
		Like
		Play- based
		Rapport (therapist, or others at sessions)
		Social / socialise
		Structured
		Variety
	Logistics	Communication therapist
		Communication written
		Equipment support
		Organisation
	Support People	Child
		Friend
		Parent
		Sibling
		Therapist
	Timing of diagnosis	Other people (not listed above)
		Appropriate as was
		Prefer closer to diagnosis
		Prefer further from diagnosis

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignement Supérieur (ABES).

Changes in
participant

Symptoms

Breathless
Coughing
Tired / fatigue / exhausted
Ability
Confidence
Co-ordination
Fitness
Motivation
No change
Participation
Reducing Medicine
Skills- balance
Skills- ball
Skills- exercise (and activities)
Skills- jumping
Skills- Play
Skills- running
Skills- throwing
Tried (or trying)

Other changes

Duration and
Frequency
BREATH

Frequency F2F Sessions

Appropriate as was
Prefer more frequent
Prefer less frequent
Appropriate as was
Prefer longer
Prefer shorter
Appropriate as was
Prefer longer
Prefer shorter

Duration of F2F sessions

Duration of BREATH program

Home program

Frequency of home sessions

Appropriate as was
Prefer more frequent
Prefer less frequent
Appropriate as was
Prefer longer
Prefer shorter

Duration of home sessions

Management of home program

Competition
Equipment
Parent involvement
Reminders
Rewards
Sibling involvement
Supervision

Sentiment towards home
program

Bad
Boring
Challenging
Child autonomy
Difficult

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

		Dislike
		Easier
		Fun
		Games-based
		Good
		Happy
		Hard or harder
		Helpful
		Improve
		Interesting
		Like
Future Programs	Mode	Face to face
		Group based
		Individual with therapist
		Using tech (like an APP) for games sessions
		Using tech (like an APP) for home program
	Time /timing	Afternoon
		Day
		Evening
		Holidays
		Morning
		School Term
		Weekend
	Recommend to others	Comment

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.
Enseignement Supérieur (ABES) .

For peer review only

Standards for Reporting Qualitative Research (SRQR)*

<http://www.equator-network.org/reporting-guidelines/srqr/>

Page/line no(s).

Title and abstract

Title - Concise description of the nature and topic of the study Identifying the study as qualitative or indicating the approach (e.g., ethnography, grounded theory) or data collection methods (e.g., interview, focus group) is recommended	Page 1
Abstract - Summary of key elements of the study using the abstract format of the intended publication; typically includes background, purpose, methods, results, and conclusions	Page 1, starting line 19

Introduction

Problem formulation - Description and significance of the problem/phenomenon studied; review of relevant theory and empirical work; problem statement	Page 2, starting lines 47 - 96
Purpose or research question - Purpose of the study and specific objectives or questions	Page 3, starting line 94

Methods

Qualitative approach and research paradigm - Qualitative approach (e.g., ethnography, grounded theory, case study, phenomenology, narrative research) and guiding theory if appropriate; identifying the research paradigm (e.g., postpositivist, constructivist/ interpretivist) is also recommended; rationale**	Page 4, starting 117
Researcher characteristics and reflexivity - Researchers' characteristics that may influence the research, including personal attributes, qualifications/experience, relationship with participants, assumptions, and/or presuppositions; potential or actual interaction between researchers' characteristics and the research questions, approach, methods, results, and/or transferability	Page 4, lines 111 - 112
Context - Setting/site and salient contextual factors; rationale**	Page 3, lines 99 to 101
Sampling strategy - How and why research participants, documents, or events were selected; criteria for deciding when no further sampling was necessary (e.g., sampling saturation); rationale**	Page 3, lines 99 to 101
Ethical issues pertaining to human subjects - Documentation of approval by an appropriate ethics review board and participant consent, or explanation for lack thereof; other confidentiality and data security issues	Page 3, starting line 101
Data collection methods - Types of data collected; details of data collection procedures including (as appropriate) start and stop dates of data collection and analysis, iterative process, triangulation of sources/methods, and modification of procedures in response to evolving study findings; rationale**	Page 3, starting line 111

Data collection instruments and technologies - Description of instruments (e.g., interview guides, questionnaires) and devices (e.g., audio recorders) used for data collection; if/how the instrument(s) changed over the course of the study	Page 3, lines 106 to Page 4, line 127.
Units of study - Number and relevant characteristics of participants, documents, or events included in the study; level of participation (could be reported in results)	Page 4, starting line 129
Data processing - Methods for processing data prior to and during analysis, including transcription, data entry, data management and security, verification of data integrity, data coding, and anonymization/de-identification of excerpts	Page 4, lines 111 to 127
Data analysis - Process by which inferences, themes, etc., were identified and developed, including the researchers involved in data analysis; usually references a specific paradigm or approach; rationale**	Page 4, lines 117 to 127
Techniques to enhance trustworthiness - Techniques to enhance trustworthiness and credibility of data analysis (e.g., member checking, audit trail, triangulation); rationale**	Page 4, lines 117 to 127

Results/findings

Synthesis and interpretation - Main findings (e.g., interpretations, inferences, and themes); might include development of a theory or model, or integration with prior research or theory	Page 4, lines 147 to page 9, line 340
Links to empirical data - Evidence (e.g., quotes, field notes, text excerpts, photographs) to substantiate analytic findings	Page 4, lines 147 to page 9, line 340

Discussion

Integration with prior work, implications, transferability, and contribution(s) to the field - Short summary of main findings; explanation of how findings and conclusions connect to, support, elaborate on, or challenge conclusions of earlier scholarship; discussion of scope of application/generalizability; identification of unique contribution(s) to scholarship in a discipline or field	Page 10, lines 342 to page 11 422
Limitations - Trustworthiness and limitations of findings	Page 11, lines 418 to 422

Other

Conflicts of interest - Potential sources of influence or perceived influence on study conduct and conclusions; how these were managed	Page 11, lines 418 to 422
Funding - Sources of funding and other support; role of funders in data collection, interpretation, and reporting	Page 12, lines 437 to 442

*The authors created the SRQR by searching the literature to identify guidelines, reporting standards, and critical appraisal criteria for qualitative research; reviewing the reference lists of retrieved sources; and contacting experts to gain feedback. The SRQR aims to improve the transparency of all aspects of qualitative research by providing clear standards for reporting qualitative research.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

**The rationale should briefly discuss the justification for choosing that theory, approach, method, or technique rather than other options available, the assumptions and limitations implicit in those choices, and how those choices influence study conclusions and transferability. As appropriate, the rationale for several items might be discussed together.

Reference:
O'Brien BC, Harris IB, Beckman TJ, Reed DA, Cook DA. **Standards for reporting qualitative research: a synthesis of recommendations.** *Academic Medicine*, Vol. 89, No. 9 / Sept 2014
DOI: [10.1097/ACM.0000000000000388](https://doi.org/10.1097/ACM.0000000000000388)

For peer review only