



BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email [info.bmjopen@bmj.com](mailto:info.bmjopen@bmj.com)

# BMJ Open

**The relationship between transformational leadership and presenteeism among Chinese ICU nurses: navigating the chain-mediated role of perceived social support and occupational coping self-efficacy**

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-091462
Article Type:	Original research
Date Submitted by the Author:	21-Jul-2024
Complete List of Authors:	Wu, Jijun; Deyang People's Hospital, Department of Cardiology Li, Yuxin; North Sichuan Medical College; Deyang People's Hospital, Nursing Department Lin, Qin; Zhejiang Shuren University Fan, Yuting; Deyang People's Hospital, Nursing Department Zhang, Jiquan; Deyang People's Hospital, Nursing Department Liu, Zhenfan; Dnyanganga College of Engineering and Research, Nursing Department Liu, Xiaoli; Deyang People's Hospital, Nursing Department Rong, Xian; Sichuan Nursing Vocational College Zhong, Xiaoli; Deyang People's Hospital, Nursing Department
Keywords:	Nurses, Stress, Psychological, PUBLIC HEALTH, Occupational Stress, Nursing Care

SCHOLARONE™  
Manuscripts

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60



*I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).*

*The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.*

*Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.*

# The relationship between transformational leadership and presenteeism among Chinese ICU nurses: navigating the chain-mediated role of perceived social support and occupational coping self-efficacy

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup>, Qin Lin<sup>4†</sup>, Yuting Fan<sup>3,6</sup>, Jiquan Zhang<sup>3</sup>, Zhenfan Liu<sup>3</sup>, Xiaoli Liu<sup>3</sup>, Xian Rong<sup>5\*</sup>, Xiaoli Zhong<sup>3\*</sup>

<sup>1</sup>Department of Cardiology, Deyang People's Hospital, Sichuan, China, <sup>2</sup>School of Nursing, North Sichuan Medical College, Sichuan, China, <sup>3</sup>Nursing Department, Deyang People's Hospital, Sichuan, China, <sup>4</sup>Shulan International Medical College, Zhejiang Shuren University, Hangzhou, China, <sup>5</sup>School of Nursing, ChengDu College, Sichuan, China, <sup>6</sup>Sichuan Nursing Vocational College, Sichuan, China

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup> and Qin Lin<sup>4†</sup>: These authors contributed equally to this work and share first authorship

## \* Correspondence:

Xiaoli Zhong

Xian Rong

1165254226@qq.com

## Abstract

**Background:** In the global shortage of human resources in health care, nurses are characterized by high intensity, high pressure, and high workload. They are at increased risk of presenteeism. Research on presenteeism among nurses in China is in its infancy, and there is a lack of research on the mechanisms influencing presenteeism among nurses from the perspectives of transformational leadership, social support, and self-efficacy.

**Objective:** Unlike explicit absenteeism, presenteeism is challenging to assess quantitatively, and the indirect productivity loss it causes cannot be ignored. This study aimed to investigate the relationship between transformational leadership and presenteeism among ICU nurses in a tertiary care hospital and further investigate the moderating role of navigational social support and occupational coping self-efficacy.

**Methods:** A cross-sectional survey was conducted from March to April 2023 at a tertiary hospital in Sichuan Province, China. The Transformational Leadership Scale, Perceived Social Support Scale, Occupational Coping Self-Efficacy Scale, and Stanford Presenteeism Scale were used to measure critical variables. Information on the demographic characteristics of ICU nurses was collected. Correlation and multivariate hierarchical regression analyses were used to explore the influencing factors of presenteeism. Chain mediation effects were verified by Model 6 in the PROCESS 4.1 macro program in SPSS.

**Results:** 635 ICU nurses participated in this survey, and the final results of 590 nurses were analyzed. The presenteeism score of ICU nurses was  $15.46 \pm 4.45$  (Mean  $\pm$  SD), with a high

presenteeism incidence of 53.90%. Correlation analysis showed that presenteeism was negatively correlated with transformational leadership, perceived social support, and occupational coping self-efficacy ( $r=-0.412$  to  $-0.486$ ). Structural equation modeling showed that transformational leadership had a direct negative effect on presenteeism, with an effect value of  $-0.231$ ; perceptual social support and occupational coping self-efficacy partially moderated the relationship between transformational leadership and presenteeism, with effect values of  $-0.055$  and  $-0.042$ , respectively; and there was a chained mediation effect between transformational leadership and presenteeism, with an effect value of  $-0.029$ .

**Conclusion:** Perceived social support and occupational coping self-efficacy were chain mediators between transformational leadership and presenteeism. Therefore, to reduce presenteeism among nurses, nursing managers should adopt targeted interventions based on the influencing factors to improve transformational leaders and enhance their social support and self-efficacy levels.

**Keywords:** intensive care unit; nurses; presenteeism; transformational leadership; perceived social support; occupational coping self-efficacy

### STRENGTHS AND LIMITATIONS OF THIS STUDY

- This study determined the relationship between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism through chain-mediated effects analysis.
- This study was cross-sectional, and causal relationships between variables could not be inferred.
- This study only surveyed tertiary hospitals in Sichuan Province, China, and there were limitations in the sample.

### Introduction

In recent years, the study of the relationship between the health status of occupational groups and the economy has increasingly become a hot spot of scholars' attention. Health, as one of the most essential human capital, not only affects individual labor performance but also influences a country's or region's economic growth dynamics. Presenteeism, also known as low health-related productivity, is prevalent among occupational groups, especially in the healthcare industry. There is no standardized concept of presenteeism, which was first proposed by Professor Copper in 1996, describing it as the phenomenon of working when one should take a break from work due to illness or extended working hours that cause a reduction in health-related productivity.<sup>1</sup>In 2005, Kivimäki et al. expanded the concept of presenteeism to include working when one is in an unhealthy state.<sup>2</sup> A systematic evaluation by Webster et al. showed that the reported prevalence of presenteeism in the occupational population ranged from 35% to 97%, influenced by organizational factors, job characteristics, and personal factors.<sup>3</sup>As a major force in health care, nurses are a high-risk, high-stress, and high-work-intensity population. In the global shortage of nursing human resources, nurses are at high risk of presenteeism, especially in developing countries or poor areas, due to heavy workloads, human resource constraints, shift work, complex interpersonal relationships, and inadequate remuneration packages.<sup>4</sup>

It has been reported that 85% of healthcare workers have had the experience of attending work with illness,<sup>5</sup> while the global rate of presenteeism reporting among nurses is about 49.2%,<sup>6</sup> with 65.0% in the United States,<sup>7</sup> 48.7% in New Zealand,<sup>8</sup> and a high rate of 94.25% of presenteeism

reporting among nurses in China.<sup>9</sup> The impact of presenteeism on individuals and organizations is often multifaceted; on the one hand, it affects personal health, resulting in decreased productivity, lower work efficiency, and increased burnout, which affects professional well-being. On the other hand, it affects patient safety by increasing the risk of medication errors, falls, and infections. In addition, presenteeism can have a series of negative impacts on organizational development, directly or indirectly increasing the economic loss of the organization. Studies have shown that due to differences in the level of economic growth, the financial loss caused by presenteeism of nurses varies slightly in different countries, from about US\$4.38 billion per year in China,<sup>9</sup> US\$3-12 billion per year in the United States,<sup>10</sup> and about US\$3,055 per capita in Japan.<sup>11</sup> Therefore, considering the negative consequences of presenteeism on multiple domains, such as individuals, patients, and organizations, it is necessary to explore the mechanisms and pathways of its impact from various perspectives.

According to the 2020 State of Global Nursing Report, there is currently a shortfall of up to 5.9 million nurses worldwide, with a projected shortfall of 5.7 million by 2030, with the shortage of nurses in developing countries and poorer regions particularly prominent. Although the shortage of nurses in China has dramatically improved in recent years, there is still a gap from the global average. Whether the allocation of human resources is reasonable and whether the appropriate ratio directly affects the quality of nursing services, work efficiency, and healthcare costs, thus affecting the quality and safety of patient services.<sup>12, 13</sup> The intensive care unit (ICU), as a special ward for the centralized treatment, resuscitation, and monitoring of patients with acute, critical, and severe illnesses in medical institutions, is characterized by solid professionalism, heavy workload, modern equipment, and complex treatment, which makes nurses' workload challenging and stressful, leading to prominent chronic health problems such as chronic pain, fatigue, gastrointestinal disorders, and sleep disorders. Research shows that the average ICU bed-to-nurse ratio in China is 1:1.86, with 63.3% of the regions having a 1:1.5 to <2.0 ratio.<sup>14</sup> Therefore, the shortage of human resources for ICU nurses is still prominent in China. Presenteeism of ICU nurses is also notable due to the influence of factors such as dedication, health status, work pressure, remuneration, and poor job replacement. Therefore, it is essential to pay attention to the current situation of ICU nurses' presenteeism and its influence mechanism and to develop targeted interventions to improve nurses' health status and patient safety.

In organizations, leadership style is an essential source of employees' emotional and psychological experience, affecting their psychological well-being and job performance.<sup>15</sup> Transformational leadership refers to a leader's ability to guide employees to develop proper values, resilience, and a positive mindset by making them aware of their responsibilities, stimulating high-level needs, and building mutual trust. Transformational leadership has four dimensions: moral example, charisma, personalized care, and visionary inspiration. As a work resource, leadership style is an essential organizational contextual variable affecting employees. Transformational leadership style can improve employee performance and reduce impaired productivity by exuding leadership charisma, reinforcing leadership inspiration, and personalized care to stimulate employees' intellectual and higher-level needs.<sup>16</sup> The positive effects of transformational leadership have been widely studied and confirmed regarding nurses' resilience,<sup>17</sup> burnout,<sup>18</sup> job satisfaction,<sup>19</sup> and improved patient safety outcomes.<sup>20</sup> Research on transformational leadership's impact on presenteeism has not been reported. Based on this, we propose research hypothesis 1: Transformational leadership negatively affects presenteeism and can further reduce the occurrence of presenteeism through mediating variables.



1  
2 Previous research on the factors influencing nurses' presenteeism has focused on demographic  
3 characteristics such as length of service and job title;<sup>21</sup> health conditions such as subfertility  
4 symptoms, chronic bodily pain, hypertension, and other chronic illnesses;<sup>22, 23</sup> and work-related  
5 factors such as pay and income, work environment, and occupational stress.<sup>24</sup> The synergistic effects  
6 of positive psychological work resources, such as social support and self-efficacy, are often  
7 overlooked.  
8

9  
10 Some studies have shown that social support directly predicts the mental health of healthcare  
11 workers and indirectly affects mental health through personal resilience, which directly or indirectly  
12 affects work efficiency. Perceived social support as a positive psychological resource is one of the  
13 essential protective resources for individuals, which helps to alleviate work pressure and negative  
14 emotions, maintain a healthy psychological state and a positive work state, and thus reduce the  
15 phenomenon of presenteeism. The social support buffer model also points out that navigational social  
16 support can inhibit or buffer the adverse effects of stressful events on individuals.<sup>25</sup> Some studies  
17 have shown that presenteeism is negatively related to marine social support and that high social  
18 support may improve presenteeism by reducing stress and increasing job satisfaction and  
19 performance.<sup>26</sup> In addition, leadership styles can improve employees' stress coping and handling  
20 abilities through support for employees, which can stimulate employees' motivation, work attitudes,  
21 and behaviors and enhance the level of perceived social support. Based on this, we propose the  
22 following research hypotheses:  
23  
24

25  
26 Research Hypothesis 2: Transformational leadership can influence presenteeism among ICU  
27 nurses through the mediating role of perceived social support.  
28

29  
30 Occupational coping self-efficacy refers to an overarching self-efficacy of employees to  
31 effectively cope with and accomplish nursing care. Self-efficacy, as a positive psychological resource  
32 within an individual, is essential for enhancing occupational coping ability, reducing work stress and  
33 burnout, improving mental health, and enhancing work efficiency and work quality. Research shows  
34 that the lack of coping self-efficacy may directly or indirectly affect work engagement through stress  
35 and interpersonal relationships, making employees feel inefficient.<sup>27</sup>The Job Demands-Resources  
36 Model states that each occupation has specific risk factors associated with job stress and that when  
37 employees have high levels of job demands and job resources, it stimulates personal growth and  
38 development and helps to promote good organizational outcomes.<sup>28</sup> Transformational leadership,  
39 appreciative social support, and occupational coping self-efficacy are important to nurses in  
40 achieving organizational goals as overarching components of job demands and resources. Based on  
41 these analyses, we propose the following research hypotheses:  
42  
43

44 Research Hypothesis 3: Transformational leadership can influence presenteeism among ICU  
45 nurses through the mediating role of occupational coping self-efficacy.  
46

47 Research Hypothesis 4: Transformational leaders can influence presenteeism among ICU nurses  
48 by mediating the chain of perceived social support and occupational coping self-efficacy.  
49

50  
51 Based on the above analysis, this study used the JD-R model as a theoretical guide to explore  
52 the influence mechanism of presenteeism of Chinese ICU nurses from multiple perspectives of job  
53 requirements (transformational leadership), job resources (perceived social support), and personal  
54 resources (occupational coping self-efficacy), and to establish a hypothetical model (Fig. 1) to  
55 provide a theoretical basis for the reduction of presenteeism of ICU nurses.  
56  
57  
58  
59  
60




Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)

## Methods

### Participants

In March-April 2023, 590 ICU nurses were recruited from 6 tertiary hospitals in 5 regions of Sichuan Province (North Sichuan, East Sichuan, West Sichuan, South Sichuan, and Chengdu) for the survey by using the whole cluster random sampling method. According to the Kendall sample size rough estimation method,<sup>29</sup> the variables in this study were 23. At least 5-10 times the number of variables were selected, and considering 20% of invalid questionnaires, the sample size ranged from 138 to 276 cases. A total of 635 ICU nurses participated in this survey, kicking out the apparent regularity of filling out (answering the same for six or more consecutive entries) or filling out questionnaires with contradictory demographic information characteristics (e.g., the length of service does not match the title). Finally, 590 ICU nurses were included in the analysis of the results, with an adequate participation rate of 94.70%. Sample inclusion criteria: holding a professional qualification certificate for nurses, more than one year of clinical work in ICU; no history of alcohol or drug addiction, no history of mental illness; no history of use of drugs related to mental illness; voluntary participation. Exclusion criteria: internship, further training nurses, those who are currently on sick leave, maternity leave, and other absenteeism.

### Procedures

Use Questionnaire Star to create and distribute questionnaires. First, Sichuan Province was divided into five regions according to regional locations, and each regional tertiary hospital was identified, and one tertiary hospital was randomly selected for data collection. Uniformly trained study members provided on-site instructions. Before the survey, the precautions for filling out the survey were explained to the respondents, and any questionable information was presented on-site. All survey content was set as mandatory options in the electronic questionnaire to ensure the complete survey information responses. After the completion of the survey, the quality of the questionnaire filling was checked by two people, and questionnaires with obvious regular answers or contradictory demographic information characteristics were excluded.

### Measures

#### Socio-demographic characteristics



Fourteen demographic variables were included in this study work, mainly gender, age, marital and childbearing status et al.

**Transformational Leadership Scale, TL**

A questionnaire developed by Li et al. was used.<sup>30</sup>The scale consists of four dimensions with 26 entries. A Likert 5-point scale was used, with a total score of 26 to 130, with a higher total score indicating a higher degree of perceived transformational leadership behavior. The Cronbach's alpha coefficient for the scale was 0.928.

**Perceived Social Support Scale, PSSS**

A questionnaire developed by Blumenthal et al. was used.<sup>31</sup>The scale consists of 3 dimensions with 12 entries. It was scored on a 7-point Likert scale with a total score of 12-84, with higher scores indicating a higher level of social support felt by the individual. The Cronbach's alpha coefficient of the scale was 0.912.

**Occupational Coping Self Efficacy Scale, OCSE-N**

A questionnaire developed by Pisanti et al. was used.<sup>32</sup> The scale consists of two dimensions with a total of 9 entries. A 5-point Likert scale was used, with higher scores indicating higher occupational coping self-efficacy. The scale Cronbach's alpha coefficient was 0.882.

**Stanford Presenteeism Scale-6, SPS-6**

The scale developed by Koopman et al. was used.<sup>33</sup>The scale consists of two dimensions with six entries. A 5-point Likert scale was used with a total score of 6 to 30, with higher SPS-6 scores indicating more significant impairment of health productivity due to an individual's presenteeism. The scale Cronbach's alpha coefficient was 0.860.

**Statistical analysis**

SPSS 23.0 was used for statistical analysis. Exploratory analysis showed that the measured variables conformed to a normal distribution. Differences between groups were analyzed using independent samples t-test or one-way ANOVA. Pearson correlation analysis was used to analyze the correlation between variables. Hierarchical regression was used to analyze the factors influencing presenteeism among nurses and the mediating role among variables. Based on the bias-corrected percentile bootstrap method, the Bootstrap method (5000 samples) yielded 95% confidence intervals for significance testing. The chained mediation effect was verified through Model 6 in the PROCESS 4.1 macro program, with presenteeism as the dependent variable, transformational leadership as the independent variable, and navigating social support and career coping self-efficacy as the mediating variables. Transformational leadership, navigational social support, career coping self-efficacy, and presenteeism scores were standardized before testing the model. Direct, mediated (paths a\*y (Path 1), x\*c (Path 2), a\*b\*c (Path 3)), and total effects were examined.

**Ethical considerations**

This study was approved by the Hospital Ethics Committee (2021-04-056-K01).

**Results**

## General demographic characteristics

Of the 599 participants, 533 (or 90.34%) were female. Nearly 97.46% of the participants were <40 years old. Most nurses had a bachelor's degree (81.86%), 66.10% were married, 53.39% were mid-level, 86.27% were clinical nurses, and 84.75% were employed under labor contracts. The remaining sociodemographic characteristics (Table 1).

Table 1: Relationship Between Demographic Characteristics and Transformational Leadership, Perceived Social Support, Occupational coping self-efficacy, and Presenteeism

Items	N	Mean $\pm$ SD			
		TL	PSSS	OCSE-N	SPS-6
Sex					
Male	57	106.91 $\pm$ 18.74	64.35 $\pm$ 12.33	31.77 $\pm$ 8.21	15.25 $\pm$ 5.10
Female	533	103.76 $\pm$ 17.56	62.39 $\pm$ 11.88	31.06 $\pm$ 6.38	15.48 $\pm$ 4.38
<i>t</i>		1.281	1.180	0.776	-0.378
<i>P</i>		0.201	0.238	0.438	0.706
Age					
< 30	267	103.93 $\pm$ 18.11	63.50 $\pm$ 11.63	31.42 $\pm$ 6.89	15.39 $\pm$ 4.32
30~ < 40	308	104.01 $\pm$ 17.35	61.95 $\pm$ 12.15	30.87 $\pm$ 6.34	15.51 $\pm$ 4.66
$\geq 40$	15	107.53 $\pm$ 17.70	59.00 $\pm$ 11.81	31.27 $\pm$ 5.81	15.47 $\pm$ 2.10
<i>F</i>		0.297	1.904	0.489	0.052
<i>P</i>		0.743	0.150	0.614	0.950
Marital status					

Unmarried	189	103.58±18.39	62.33±11.99	30.77±6.92	15.87±4.36
Married but not having children	73	104.11±15.18	63.52±11.15	31.16±6.66	15.55±4.14
Married and having children	317	104.24±17.92	62.49±11.96	31.27±6.32	15.15±4.58
Divorced or other	11	106.82±15.51	63.27±15.69	33.00±7.91	16.82±3.97
<i>F</i>		0.146	0.197	0.436	1.410
<i>P</i>		0.932	0.899	0.658	0.239
Highest degree					
College and below	93	106.76±19.66	64.20±11.39	31.43±7.60	15.31±4.54
Undergraduate	483	103.72±17.09	62.41±11.92	31.09±6.35	15.49±4.32
Master's degree or above	14	98.07±22.67	57.57±14.49	30.57±7.57	15.21±4.87
<i>F</i>		1.987	2.154	0.157	0.086
<i>P</i>		0.138	0.117	0.855	0.918
Professional title					
Junior level	102	104.91±19.78	62.59±12.54	30.96±7.90	15.36±4.67

Middle level	315	102.26±17.79	62.63±11.93	30.74±6.42	15.77±4.34
High level	173	106.84±15.80	62.48±11.61	31.94±5.94	14.94±4.50
<i>F</i>		3.917	0.009	1.894	1.971
<i>P</i>		0.020	0.991	0.151	0.140
Position					
Clinical nurse	509	103.53±17.78	62.47±12.16	30.96±6.60	15.58±4.44
Nursing team leader	68	105.97±17.45	63.74±10.51	32.03±6.81	14.78±4.64
Head nurse	13	114.77±10.57	60.85±9.56	32.85±3.65	14.23±3.47
<i>F</i>		3.026	0.478	1.240	1.476
<i>P</i>		0.049	0.620	0.290	0.229
Years of experience in ICU					
1~ < 5	252	104.38±18.20	63.71±12.24	31.62±6.69	15.07±4.36
5~ < 10	204	102.77±18.46	61.40±11.48	30.14±6.31	15.88±4.45
≥10	134	105.43±15.35	62.26±11.86	31.72±6.65	15.54±4.60
<i>F</i>		0.983	2.185	3.549	1.903

<i>P</i>		0.375	0.113	0.029	0.150
Average monthly income					
1~ < 6000	150	104.61±19.53	60.80±12.77	30.73±6.84	15.63±4.46
6000~ < 8000	268	102.03±17.40	62.12±11.77	30.91±6.09	15.75±4.49
8000~ < 10000	132	107.70±16.19	64.71±11.47	31.70±7.33	14.64±4.28
≥10000	40	103.65±15.43	65.33±9.84	32.15±6.09	15.53±4.57
<i>F</i>		3.139	3.404	0.934	1.945
<i>P</i>		0.025	0.017	0.424	0.121
Type of contract					
Professional preparation	90	106.64±14.40	63.88±9.75	30.87±6.19	14.91±3.96
Labor contract	500	103.60±18.19	62.35±12.27	31.18±6.65	15.56±4.53
<i>t</i>		1.769	1.315	-0.410	-1.266
<i>P</i>		0.079	0.191	0.682	0.206
Self-assessed health status					
Good	328	107.67±16.74	65.13±11.33	32.73±6.64	14.27±4.20

General	233	99.30±17.62	59.96±11.57	29.47±5.89	16.62±4.14
Worse	29	101.55±19.70	54.76±13.67	26.31±5.58	19.59±4.89
<i>F</i>		16.367	20.699	27.119	36.031
<i>P</i>		0.000	0.000	0.000	0.000
Whether or not you have a chronic disease					
No	87	103.18±17.59	59.51±12.18	29.78±6.22	16.16±4.39
Yes	503	104.21±17.71	63.11±11.81	31.36±6.62	15.34±4.46
<i>t</i>		-0.502	-2.617	-2.075	1.598
<i>P</i>		0.616	0.009	0.038	0.111
Perceived work stress					
Low	13	121.62±11.28	72.23±13.06	39.85±5.29	11.77±3.81
Middle	292	105.88±17.32	64.37±11.03	32.83±6.28	14.34±3.93
High	285	101.40±17.64	60.30±12.26	28.99±6.09	16.78±4.58
<i>F</i>		11.562	13.296	41.302	28.679
<i>P</i>		0.000	0.000	0.000	0.000



ICU human resources					
< 1:2.5~3	347	104.17±17.32	62.39±12.14	31.26±6.64	15.25±4.58
=1:2.5~3	143	105.15±18.51	62.89±11.77	31.89±6.47	15.45±4.27
>1:2.5~3	100	102.13±17.76	62.84±11.49	29.59±6.34	16.19±4.24
<i>F</i>		0.872	0.121	3.793	1.732
<i>P</i>		0.419	0.086	0.023	0.178
Exposure to workplace violence in the past year					
No	386	106.35±17.24	63.89±11.68	32.33±6.58	14.71±4.39
Yes	204	99.74±17.76	60.09±12.02	28.85±5.96	16.87±4.24
<i>t</i>		-4.387	-3.722	-6.308	5.763
<i>P</i>		0.000	0.000	0.000	0.000

Correlation analysis

Transformational leadership, navigational social support, and career coping self-efficacy were all negatively correlated with presenteeism, transformational leadership was positively associated with perceived social support and occupational coping self-efficacy, and perceived social support was positively correlated with occupational coping self-efficacy(Table 2).

Table 2: Correlations between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism

Variables	<i>Mean ±SD</i>	1	2	3	4
-----------	-----------------	---	---	---	---

Transformational leadership(1)	104.06±17.68	1	-	-	-
Perceived social support(2)	62.58±11.92	0.515**	1	-	-
Occupational coping self-efficacy (3)	31.13±6.58	0.369**	0.417**	1	-
Presenteeism(4)	15.46±4.45	-0.445**	-0.412**	-0.486**	1

\*\* $P < 0.05$

### Multiple stratified regression analysis

As shown in Table 3, a multivariate hierarchical regression analysis was conducted with presenteeism as the dependent variable. In the first step, the variables that made sense in the univariate analysis of presenteeism were added to the model as control variables. In the second step, after excluding the effects of the above control variables, transformational leadership was negatively associated with presenteeism, where transformational leadership had a significant effect on presenteeism, explaining 11.8% of the variance. In the third step, perceived social support was negatively related to presenteeism, and adding the mediating variable perceived social support to the model explained an additional 14.0% of the variance in presenteeism. The regression coefficient for transformational leadership decreased from -0.090 in the second step to -0.069 in the third step, which was still significant. In the fourth step, occupational coping self-efficacy was negatively correlated with presenteeism, and adding career coping self-efficacy to the model explained an additional 18.7% of the unnoticeable absenteeism variance. The regression coefficient for transformational leadership decreased from -0.069 in the third step to -0.058 in the fourth but remained significant. Statistical analyses initially showed that perceived social support and occupational coping self-efficacy mediated the relationship with presenteeism in the transformational leadership component of Chinese ICU nurses (see Table 3).

Table 3: Multiple stratified regression analysis of presenteeism of ICU nurses in China

	Step1	Step2	Step3	Step4
Step1				

Self-assessed health status	1.883**	1.475**	1.290**	1.057**
Perceived work stress	1.729**	1.392**	1.268**	0.803**
Exposure to workplace violence in the past year	-1.371**	-0.939**	-0.892**	-0.584
Step2				
Transformational leadership	—	-0.090**	-0.069**	-0.058**
Step3				
Perceived social support	—	—	-0.068**	-0.044**
Step4				
Occupational coping self-efficacy	—	—	—	-0.177**
<i>F</i>	42.575**	61.893**	55.090**	56.639**
<i>R</i> <sup>2</sup>	0.179	0.297	0.320	0.368
Adjustment <i>R</i> <sup>2</sup>	0.175	0.293	0.315	0.362

\*\**P* < 0.01

Analysis of chain mediation effects

All variables were standardized with transformational leadership as the independent variable, presenteeism as the dependent variable, and perceived social support and occupational coping self-efficacy as the mediating variables. Based on the Bootstrap method, the chained mediation effect was tested according to the SPSS macro program PROCESS model 6 provided by Hayes. Bootstrap 5000 repeated sampling was used to estimate the 95% confidence intervals separately.

The results, as shown in Table 4 and Figure 1, show transformational leadership negatively predicted presenteeism, confirming research hypothesis 1. Positively predicted perceived social support and occupational coping self-efficacy. Perceived social support positively predicted occupational coping self-efficacy and negatively predicted presenteeism, and occupational coping self-efficacy, and occupational coping self-efficacy negatively predicted presenteeism. The impact of the pathway "Transformational Leadership→Perceived social support→Presenteeism" was -0.055, confirming hypothesis 2. The impact of the pathway "Transformational Leadership→Occupational coping self-efficacy→Presenteeism" was -0.055, confirming hypothesis 2. The impact of the path "Transformational Leadership → Perceived social support → Occupational coping self-efficacy → Presenteeism" was -0.042, confirming Hypothesis 3. The impact of the path "Transformational Leadership → Perceived Social Support → Occupational coping self-efficacy → Presenteeism" was -0.029, confirming hypothesis 4.

Table 4: Multiple mediation effect analysis between variables for ICU nurses in China

Effect types	Effect	Boot SE	Boot LLCI	Boot ULCI	Effect ratio
Total effect	-0.358	0.036	-0.428	-0.287	100%
Direct effect	-0.231	0.039	-0.308	-0.153	64.5%
Total indirect effect	-0.127	0.027	-0.181	-0.078	35.5%
Path 1	-0.055	0.023	-0.102	-0.012	15.4%
Path 2	-0.042	0.015	-0.074	-0.017	11.7%
Path 3	-0.029	0.008	-0.046	-0.016	8.1%
Comparsion1	-0.013	0.030	-0.070	0.046	-

Comparsion2	-0.026	0.025	-0.075	0.023	-
Comparsion3	-0.013	0.016	-0.045	0.017	-

Path 1Transformational leadership → Perceived Social Support → Presenteeism

Path 2 Transformational leadership → Occupational Coping Self Efficacy→ Presenteeism

Path 3 Transformational leadership → Perceived Social Support → Occupational Coping Self Efficacy →Presenteeism

Comparsion1: Ind1 minus Ind2

Comparsion2: Ind1 minus Ind3

Comparsion3: Ind2 minus Ind3




FIGURE 1  
Chain mediating model. \*\*p < 0.01.

Discussion

The results of this study showed that ICU nurses' presenteeism score was (15.46±4.45), of which high presenteeism accounted for 53.9%, which indicated that China's ICU nurses' presenteeism was at a high level, which was worth paying attention to. To analyze the reasons for this, (1) only 56% of ICU nurses in this study had good self-assessed health. Several studies have also confirmed that individual physical and mental health conditions are the root cause of presenteeism.<sup>34, 35</sup> When nurses feel unwell or suffer from chronic illnesses, they may experience an inability to concentrate and devote themselves entirely to their work, which leads to lower work efficiency, lower productivity levels, and presenteeism. (2) 48% of the ICU nurses in this study had a high level of perceived stress. ICU, as an essential area for the rescue and treatment of patients with acute and critical illnesses in healthcare institutions, has a complex working environment. ICU nurses must continuously monitor changes in patients' conditions and cope with various first-aid situations. The high-intensity workload and prolonged work pressure may increase the nurses' fatigue and psychological burden, which may

lead to presenteeism behaviors. (3) About 35% of ICU nurses in this study had suffered from workplace violence in the past. Workplace violence is a severe threat to the personal safety of nurses. It is a stressful event that can easily trigger anxiety and depression in nurses, negatively affect employee job satisfaction and loyalty, and increase concerns about the work environment and job security, leading to an inability to concentrate on work, thus resulting in presenteeism.<sup>36</sup>

The results of this study show that the transformational leadership score of ICU nurses is ( $104.06 \pm 17.68$ ), which is at the medium-high level, similar to the results of foreign scholars.<sup>16</sup> In recent years, nursing managers' understanding of scientific management has gradually deepened, the leadership style of nursing team leaders has been continuously improved, and managers who have received higher education have higher qualities and conduct can play a corresponding exemplary role among nurses and can make wise decisions and guidance based on their professional knowledge when leading the team to make changes. Hence, the level of transformational leadership is higher.

The results of this study showed that ICU nurses perceived social support scores of ( $62.58 \pm 11.92$ ), which was at a medium-high level, similar to the findings of Lu et al.<sup>37</sup> Social support, as a positive emotional experience in which an individual subjectively feels that they receive understanding and support from family, society, and friends, can reflect the degree to which an individual gets support in a stressful situation. Social support theory also states that a strengthened social support network helps to cope with external environmental challenges.<sup>38</sup> It may be related to the fact that the survey respondents in this study were mainly bachelor's degree holders (81.86%), and people with higher education tend to have more knowledge and skills, as well as better communication and expression skills and are more likely to establish and maintain good social relationships. The lower level of perceived social support among those with poor health, perceived high work stress may be related to the decline in participation in social activities and lack of time and energy to maintain interpersonal social relationships among this group.

The results of this study showed that ICU nurses' occupational coping self-efficacy score was ( $31.13 \pm 6.58$ ), which is at the medium level (median total score of 22.5), similar to the results of the study by Pisanti et al.<sup>39</sup> Self-efficacy is not confidence generated for a specific domain but can predict people's behavior in different situations. Studies have shown that individuals with high levels of self-efficacy favor using positive or problem-focused coping strategies, which help them effectively buffer the adverse effects of stress and contribute to maintaining high levels of physical and mental health.<sup>40</sup> It may be related to the fact that the working years of the respondents in this study were mainly 1-5 years, which accounted for about 40%. On the one hand, the ICU work environment is challenging, requiring the handling of critically ill patients and complex medical situations. Low-seniority nurses working in such a high-pressure environment may feel uneasy and anxious, which affects self-efficacy enhancement. On the other hand, newly recruited ICU nurses may lack confidence in their abilities and coping measures due to a lack of sufficient work experience and training, resulting in lower self-efficacy.

This study found that perceived social support mediates the relationship between transformational leadership and presenteeism among ICU nurses, with the mediating effect accounting for 15.4% of the total impact, i.e., transformational leadership not only acts directly on presenteeism but also indirectly through comprehension of social support. According to the theory of transformational leadership, transformational leadership is an upbeat leadership style that stimulates the intrinsic motivation of employees by motivating them so that they can maximize their potential to achieve the highest level of performance, promote their personal growth and career development, and thus improve team cohesion and work performance.<sup>41</sup> On the one hand, when nurse leaders have a



high transformational leadership style, they can provide the social support that nurses need. By motivating and stimulating nurses' potential, they feel valued and supported. They are willing to devote themselves to their work in a positive frame of mind, which contributes to the joint development of themselves and the organization and enhances nurses' job satisfaction, which helps to reduce presenteeism; on the other hand, it is based on the theory of social exchange. When individuals receive sufficient support in social exchange, they are more confident and motivated to face challenges at work, thus reducing presenteeism. When nurses perceive the care and support from leaders, colleagues, and organizations, this emotional support is not only conducive to regulating the negative emotions of nurses and reducing the negative impact of work pressure on them but also helps to enhance the nurses' commitment to and identification with the organization, so that they are more engaged in their work and reduce the possibility of presenteeism.<sup>26</sup>

The results of this study found that occupational coping self-efficacy mediates the relationship between transformational leadership and presenteeism among ICU nurses, and the mediating effect accounted for 11.7% of the total impact, which means that transformational leadership not only acts directly on presenteeism but also indirectly through occupational coping self-efficacy. Bandura's self-efficacy theory states that when individuals believe they are competent enough to accomplish a task, they are more motivated to engage in it and strive to achieve the desired goal.<sup>42</sup> Managers with a high level of transformational leadership style can motivate nurses through character appeal and vision sharing and stimulate positive emotions in nurses to show more energy, dedication, and focused attitudes to be more confident in dealing with challenges and pressures at work. Nurses with higher occupational coping self-efficacy are more confident and capable of dealing with difficulties and challenges at work. They are more willing to take the initiative to solve problems, improve work performance, and reduce presenteeism behavior.

The results of this study found that perceived social support and career coping self-efficacy acted as chain mediators between transformational leadership and presenteeism among ICU nurses, and the chain mediation effect accounted for 8.1% of the total impact, i.e., transformational leadership among nurses affects presenteeism through perceived social support and career coping self-efficacy. According to the JD-R model, job resources can buffer the negative consequences of presenteeism by stimulating employees' internal and external motivation to cope with demanding job tasks. Transformational leadership and perceived social support as an essential external resource and occupational coping self-efficacy as a vital internal resource, managers with a high level of transformational leadership style excel at stimulating nurses' autonomy and creativity by establishing good interpersonal relationships and a teamwork atmosphere, providing nurses with the necessary resources and support, and enhancing nurses' perceptions of social support.<sup>20</sup> When nurses feel the support and encouragement from their leaders, they will be more willing to seek and utilize help and support from external resources, such as colleagues, family, and friends. This social support helps meet nurses' needs at work, reduces work stress and fatigue, and increases job satisfaction and well-being, enhancing nurses' occupational coping self-efficacy. When possessing a higher level of self-efficacy, nurses are more confident that they can better cope with the challenges and pressures at work, which is conducive to maintaining good mental health and reducing the incidence of presenteeism.

Based on the results of this study, we put forward the following recommendations to improve the status of presenteeism among ICU nurses. First, cultivate and promote a transformational leadership style: leaders should pay attention to the needs and emotions of nurses and actively listen to their opinions and suggestions; stimulate nurses' enthusiasm and innovation through incentives and encouragement so that they can feel the meaning and value of their work; establish a positive, open

and inclusive work environment and encourage nurses to participate in decision-making to improve their sense of belonging and responsibility and reduce presenteeism. Second, enhance comprehension of social support: establish a good social support network; organizations should encourage supportive colleague relationships and teamwork and promote interactions and exchanges through regular team-building activities; nursing managers should strengthen communication with nurses, establish a good team communication mechanism, and encourage information exchange and emotional support among nurses; and provide resources for mental health support by providing resources such as psychological counseling services, guidance and training on work-life balance, to help nurses cope with work stress and emotional distress, promote nurses' physical and mental health, and reduce presenteeism. Third, to improve nurses' sense of self-efficacy in occupational coping, regular training and refresher courses are conducted to improve nurses' professional skills and knowledge and enhance their ability to cope with work challenges; work tasks and resources are reasonably allocated to reduce nurses' overload and stress; and appropriate incentives and recognition mechanisms are provided to stimulate nurses' motivation and self-efficacy and to reduce presenteeism.

## Limitation

First, this study was a cross-sectional study, which could not dynamically assess the level of presenteeism and its influencing factors on ICU nurses in different periods and stages. It could not effectively reveal the dynamic changes among the four variables. In the future, we can analyze the presenteeism of ICU nurses and the changes of the related influencing factors in a multifaceted way through longitudinal studies; Second, this study only set ICU nurses from six tertiary hospitals in Sichuan Province, China, as the study population, and the sample is not representative enough, so the next step could be to launch a multicenter, large-sample survey to explore the presenteeism of ICU nurses in different regions and levels of hospitals.

## Conclusions

In summary, China's ICU nurses' presenteeism is at a high level, and transformational leadership can not only directly affect ICU nurses' presenteeism but also indirectly affect ICU nurses' presenteeism by the chain mediating role of perceived social support and occupational coping self-efficacy. Nursing managers should pay attention to developing a transformational leadership style to enhance social support and improve ICU nurses' occupational coping efficacy, thus reducing ICU nurses' presenteeism behavior.

**Acknowledgments** The authors thank all the participating nurses and investigators in this study for their generous contribution.

**Contributors** WJJ, LYX, LQ: conceptualisation and design of the study, wrote the manuscript, and analysed data. RX, ZXL: contributed to the writing and revision of articles. FYT, ZJQ, LZJ, LXL: contributed to the analysis and processing of data. All authors contributed to the article and approved the submitted version.

**Funding** This work was supported by the Sichuan Hospital Management and Development Center (approval number: SCYG2023-31).

**Competing interests** None declared.

**Patient and public involvement** Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

**Patient consent for publication** Not applicable.

**Ethics approval** This study was approved by the Hospital Ethics Committee (2021-04-056-K01).

**Data availability statement** Data are available upon reasonable request. The datasets generated during and/or analysed during this study are available from the corresponding author on reasonable request.

References

1. Chapman LS. Presenteeism and its role in worksite health promotion. *Am J Health Promot.* 2005;19(4):suppl 1-8.
2. Kivimäki M, Head J, Ferrie JE, et al. Working while ill as a risk factor for serious coronary events: the Whitehall II study. *Am J Public Health.* 2005;95(1):98-102.
3. Webster RK, Liu R, Karimullina K, et al.. A systematic review of infectious illness Presenteeism: prevalence, reasons and risk factors. *BMC Public Health.* 2019;19(1):799.
4. Mosadeghrad AM. Occupational stress and turnover intention: implications for nursing management. *Int J Health Policy Manag.* 2013;1(2):169-76.
5. McKeivitt C, Morgan M, Dundas R, et al.. Sickness absence and 'working through' illness: a comparison of two professional groups. *J Public Health Med.* 1997;19(3):295-300.
6. Min A, Kang M, Park H. Global prevalence of presenteeism in the nursing workforce: A meta-analysis of 28 studies from 14 countries. *J Nurs Manag.* 2022;30(7):2811-24.
7. Warren CL, White-Means SI, Wicks MN, et al.. Cost burden of the presenteeism health outcome: diverse workforce of nurses and pharmacists. *J Occup Environ Med.* 2011;53(1):90-9.
8. Bracewell LM, Campbell DI, Faure PR, et al. Sickness presenteeism in a New Zealand hospital. *N Z Med J.* 2010;123(1314):31-42.
9. Shan G, Wang S, Wang W, et al. Presenteeism in Nurses: Prevalence, Consequences, and Causes From the Perspectives of Nurses and Chief Nurses. *Front Psychiatry.* 2020;11:584040.
10. Letvak SA, Ruhm CJ, Gupta SN. Nurses' presenteeism and its effects on self-reported quality of care and costs. *Am J Nurs.* 2012;112(2):30-8; quiz 48, 39.
11. Nagata T, Mori K, Ohtani M, et al. Total Health-Related Costs Due to Absenteeism, Presenteeism, and Medical and Pharmaceutical Expenses in Japanese Employers. *J Occup Environ Med.* 2018;60(5):e273-e80.
12. Senek M, Robertson S, Ryan T, et al. The association between care left undone and temporary Nursing staff ratios in acute settings: a cross- sectional survey of registered nurses. *BMC Health Serv Res.* 2020;20(1):637.
13. Bettencourt AP, McHugh MD, Sloane DM, et al. Nurse Staffing, the Clinical Work Environment, and Burn Patient Mortality. *J Burn Care Res.* 2020;41(4):796-802.

14. Tao QY, Ma XD, Rui X, et al. Effect of ICU Nursing Manpower Allocation on the Completion Rate of Cluster Therapy for Septic Shock. *Chinese Health Quality Management*. 2021;28(08), 43-46.
15. Chen CY, Chen CH, Li CI. The influence of leader's spiritual values of servant leadership on employee motivational autonomy and eudaemonic well-being. *J Relig Health*. 2013;52(2):418-38.
16. Al-Thawabiya A, Singh K, Al-Lenjawi BA, et al. Leadership styles and transformational leadership skills among nurse leaders in Qatar, a cross-sectional study. *Nurs Open*. 2023;10(6):3440-6.
17. Abdul Salam H, Dumit NY, Clinton M, et al. Transformational leadership and predictors of resilience among registered nurses: a cross-sectional survey in an underserved area. *BMC Nurs*. 2023;22(1):37.
18. Wu X, Hayter M, Lee AJ, et al. Positive spiritual climate supports transformational leadership as means to reduce nursing burnout and intent to leave. *J Nurs Manag*. 2020;28(4):804-13.
19. Labrague LJ. Relationship between transformational leadership, adverse patient events, and nurse-assessed quality of care in emergency units: The mediating role of work satisfaction. *Australas Emerg Care*. 2023.
20. Labrague LJ, Obeidat AA. Transformational leadership as a mediator between work-family conflict, nurse-reported patient safety outcomes, and job engagement. *J Nurs Scholarsh*. 2022;54(4):493-500.
21. Li Y, Guo B, Wang Y, et al. Serial-Multiple Mediation of Job Burnout and Fatigue in the Relationship Between Sickness Presenteeism and Productivity Loss in Nurses: A Multicenter Cross-Sectional Study. *Front Public Health*. 2021;9:812737.
22. Brborović H, Daka Q, Dakaj K, et al. Antecedents and associations of sickness presenteeism and sickness absenteeism in nurses: A systematic review. *Int J Nurs Pract*. 2017;23(6).
23. Fiorini LA, Houdmont J, Griffiths A. Nurses' illness perceptions during presenteeism and absenteeism. *Occup Med (Lond)*. 2020;70(2):101-6.
24. Rainbow JG, Drake DA, Steege LM. Nurse Health, Work Environment, Presenteeism and Patient Safety. *West J Nurs Res*. 2020;42(5):332-9.
25. Miloseva L, Vukosavljevic-Gvozden T, Richter K, et al. Perceived social support as a moderator between negative life events and depression in adolescence: implications for prediction and targeted prevention. *Epma j*. 2017;8(3):237-45.
26. Yang T, Ma T, Liu P, et al. Perceived social support and presenteeism among healthcare workers in China: the mediating role of organizational commitment. *Environ Health Prev Med*. 2019;24(1):55.
27. Liu XL, Jia P, Wen XX, et al. Current status and influencing factors of hidden absence of ICU nurses in China. *J. Nur*. 2022;29(16):1-5.
28. Demerouti E, Bakker AB, Nachreiner F, Schaufeli WB. The job demands-resources model of burnout. *J Appl Psychol*. 2001;86(3):499-512.
29. Ni P, Chen JP, Liu N. The sample size estimation in quantitative nursing research. *Chin. J. Nurs*. 2010;45(04):378-80.
30. Li CP, Shi K. The Structure and Measurement of Transformational Leadership in China. *Acta Psychologica Sinica*. 2005(06):97-105.

31. Blumenthal JA, Burg MM, Barefoot J, et al. Social support, type A behavior, and coronary artery disease. *Psychosom Med.* 1987;49(4):331-40.

32. Pisanti R, Lombardo C, Lucidi F, et al. Development and validation of a brief Occupational Coping Self-Efficacy Questionnaire for Nurses. *J Adv Nurs.* 2008;62(2):238-47.

33. Koopman C, Pelletier KR, Murray JF, et al. Stanford presenteeism scale: health status and employee productivity. *J Occup Environ Med.* 2002;44(1):14-20.

34. Whysall Z, Bowden J, Hewitt M. Sickness presenteeism: measurement and management challenges. *Ergonomics.* 2018;61(3):341-54.

35. Shan G, Wang W, Wang S, et al. Authoritarian leadership and nurse presenteeism: the role of workload and leader identification. *BMC Nurs.* 2022;21(1):337.

36. Yang T, Shen YM, Zhu M, et al. Effects of Co-Worker and Supervisor Support on Job Stress and Presenteeism in an Aging Workforce: A Structural Equation Modelling Approach. *Int J Environ Res Public Health.* 2015;13(1):ijerph13010072.

37. Lu J, Wang B, Dou X, et al. Moderating effects of perceived social support on self-efficacy and psychological well-being of Chinese nurses: a cross-sectional study. *Front Public Health.* 2023;11:1207723.

38. Uchino BN. Social support and health: a review of physiological processes potentially underlying links to disease outcomes. *J Behav Med.* 2006;29(4):377-87.

39. Pisanti R, van der Doef M, Maes S, et al. Occupational coping self-efficacy explains distress and well-being in nurses beyond psychosocial job characteristics. *Front Psychol.* 2015;6:1143.

40. Jex SM, Bliese PD, Buzzell S, et al. The impact of self-efficacy on stressor-strain relations: coping style as an explanatory mechanism. *J Appl Psychol.* 2001;86(3):401-9.

41. Abd-El Aliem SMF, Abou Hashish EA. The Relationship Between Transformational Leadership Practices of First-Line Nurse Managers and Nurses' Organizational Resilience and Job Involvement: A Structural Equation Model. *Worldviews Evid Based Nurs.* 2021;18(5):273-82.

42. Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev.* 1977;84(2):191-215.



Table 1: Relationship Between Demographic Characteristics and Transformational Leadership, Perceived Social Support, Occupational coping self-efficacy, and Presenteeism

Items	N	<i>Mean ±SD</i>			
		TL	PSSS	OCSE-N	SPS-6
Sex					
Male	57	106.91±18.74	64.35±12.33	31.77±8.21	15.25±5.10
Female	533	103.76±17.56	62.39±11.88	31.06±6.38	15.48±4.38
<i>t</i>		1.281	1.180	0.776	-0.378
<i>P</i>		0.201	0.238	0.438	0.706
Age					
< 30	267	103.93±18.11	63.50±11.63	31.42±6.89	15.39±4.32
30~ < 40	308	104.01±17.35	61.95±12.15	30.87±6.34	15.51±4.66
≥40	15	107.53±17.70	59.00±11.81	31.27±5.81	15.47±2.10
<i>F</i>		0.297	1.904	0.489	0.052
<i>P</i>		0.743	0.150	0.614	0.950
Marital status					
Unmarried	189	103.58±18.39	62.33±11.99	30.77±6.92	15.87±4.36



Married but not having children	73	104.11±15.18	63.52±11.15	31.16±6.66	15.55±4.14
Married and having children	317	104.24±17.92	62.49±11.96	31.27±6.32	15.15±4.58
Divorced or other	11	106.82±15.51	63.27±15.69	33.00±7.91	16.82±3.97
<i>F</i>		0.146	0.197	0.436	1.410
<i>P</i>		0.932	0.899	0.658	0.239
Highest degree					
College and below	93	106.76±19.66	64.20±11.39	31.43±7.60	15.31±4.54
Undergraduate	483	103.72±17.09	62.41±11.92	31.09±6.35	15.49±4.32
Master's degree or above	14	98.07±22.67	57.57±14.49	30.57±7.57	15.21±4.87
<i>F</i>		1.987	2.154	0.157	0.086
<i>P</i>		0.138	0.117	0.855	0.918
Professional title					
Junior level	102	104.91±19.78	62.59±12.54	30.96±7.90	15.36±4.67

Middle level	315	102.26±17.79	62.63±11.93	30.74±6.42	15.77±4.34
High level	173	106.84±15.80	62.48±11.61	31.94±5.94	14.94±4.50
<i>F</i>		3.917	0.009	1.894	1.971
<i>P</i>		0.020	0.991	0.151	0.140
Position					
Clinical nurse	509	103.53±17.78	62.47±12.16	30.96±6.60	15.58±4.44
Nursing team leader	68	105.97±17.45	63.74±10.51	32.03±6.81	14.78±4.64
Head nurse	13	114.77±10.57	60.85±9.56	32.85±3.65	14.23±3.47
<i>F</i>		3.026	0.478	1.240	1.476
<i>P</i>		0.049	0.620	0.290	0.229
Years of experience in ICU					
1~ < 5	252	104.38±18.20	63.71±12.24	31.62±6.69	15.07±4.36
5~ < 10	204	102.77±18.46	61.40±11.48	30.14±6.31	15.88±4.45
≥10	134	105.43±15.35	62.26±11.86	31.72±6.65	15.54±4.60

<i>F</i>		0.983	2.185	3.549	1.903
<i>P</i>		0.375	0.113	0.029	0.150
Average monthly income					
1~ < 6000	150	104.61±19.53	60.80±12.77	30.73±6.84	15.63±4.46
6000~ < 8000	268	102.03±17.40	62.12±11.77	30.91±6.09	15.75±4.49
8000~ < 10000	132	107.70±16.19	64.71±11.47	31.70±7.33	14.64±4.28
≥10000	40	103.65±15.43	65.33±9.84	32.15±6.09	15.53±4.57
<i>F</i>		3.139	3.404	0.934	1.945
<i>P</i>		0.025	0.017	0.424	0.121
Type of contract					
Professional preparation	90	106.64±14.40	63.88±9.75	30.87±6.19	14.91±3.96
Labor contract	500	103.60±18.19	62.35±12.27	31.18±6.65	15.56±4.53
<i>t</i>		1.769	1.315	-0.410	-1.266
<i>P</i>		0.079	0.191	0.682	0.206

Self-assessed health status					
Good	328	107.67±16.74	65.13±11.33	32.73±6.64	14.27±4.20
General	233	99.30±17.62	59.96±11.57	29.47±5.89	16.62±4.14
Worse	29	101.55±19.70	54.76±13.67	26.31±5.58	19.59±4.89
<i>F</i>		16.367	20.699	27.119	36.031
<i>P</i>		0.000	0.000	0.000	0.000
Whether or not you have a chronic disease					
No	87	103.18±17.59	59.51±12.18	29.78±6.22	16.16±4.39
Yes	503	104.21±17.71	63.11±11.81	31.36±6.62	15.34±4.46
<i>t</i>		-0.502	-2.617	-2.075	1.598
<i>P</i>		0.616	0.009	0.038	0.111
Perceived work stress					
Low	13	121.62±11.28	72.23±13.06	39.85±5.29	11.77±3.81
Middle	292	105.88±17.32	64.37±11.03	32.83±6.28	14.34±3.93

High	285	101.40±17.64	60.30±12.26	28.99±6.09	16.78±4.58
<i>F</i>		11.562	13.296	41.302	28.679
<i>P</i>		0.000	0.000	0.000	0.000
ICU human resources					
< 1:2.5~3	347	104.17±17.32	62.39±12.14	31.26±6.64	15.25±4.58
=1:2.5~3	143	105.15±18.51	62.89±11.77	31.89±6.47	15.45±4.27
>1:2.5~3	100	102.13±17.76	62.84±11.49	29.59±6.34	16.19±4.24
<i>F</i>		0.872	0.121	3.793	1.732
<i>P</i>		0.419	0.086	0.023	0.178
Exposure to workplace violence in the past year					
No	386	106.35±17.24	63.89±11.68	32.33±6.58	14.71±4.39
Yes	204	99.74±17.76	60.09±12.02	28.85±5.96	16.87±4.24
<i>t</i>		-4.387	-3.722	-6.308	5.763
<i>P</i>		0.000	0.000	0.000	0.000

Table 2: Correlations between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignement Supérieur (ABES).

Variables	<i>Mean ±SD</i>	1	2	3	4
Transformational leadership(1)	104.06±17.68	1	-	-	-
Perceived social support(2)	62.58±11.92	0.515**	1	-	-
Occupational coping self-efficacy (3)	31.13±6.58	0.369**	0.417**	1	-
Presenteeism(4)	15.46±4.45	-0.445**	-0.412**	-0.486**	1

Table 3: Multiple stratified regression analysis of presenteeism of ICU nurses in China

	Step1	Step2	Step3	Step4
Step1				
Self-assessed health status	1.883**	1.475**	1.290**	1.057**
Perceived work stress	1.729**	1.392**	1.268**	0.803**
Exposure to workplace violence in the past year	-1.371**	-0.939**	-0.892**	-0.584
Step2				



Transformational leadership	—	-0.090**	-0.069**	-0.058**
Step3				
Perceived social support	—	—	-0.068**	-0.044**
Step4				
Occupational coping self-efficacy	—	—	—	-0.177**
<i>F</i>	42.575**	61.893**	55.090**	56.639**
<i>R</i> <sup>2</sup>	0.179	0.297	0.320	0.368
Adjustment <i>R</i> <sup>2</sup>	0.175	0.293	0.315	0.362

Table 4: Multiple mediation effect analysis between variables for ICU nurses in China

Effect types	Effect	Boot SE	Boot LLCI	Boot ULCI	Effect ratio
Total effect	-0.358	0.036	-0.428	-0.287	100%
Direct effect	-0.231	0.039	-0.308	-0.153	64.5%
Total indirect effect	-0.127	0.027	-0.181	-0.078	35.5%

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignment Supérieur (ABES).

Path 1	-0.055	0.023	-0.102	-0.012	15.4%
Path 2	-0.042	0.015	-0.074	-0.017	11.7%
Path 3	-0.029	0.008	-0.046	-0.016	8.1%
Comparsion1	-0.013	0.030	-0.070	0.046	-
Comparsion2	-0.026	0.025	-0.075	0.023	-
Comparsion3	-0.013	0.016	-0.045	0.017	-

Path 1 Transformational leadership → Perceived Social Support → Presenteeism

Path 2 Transformational leadership → Occupational Coping Self Efficacy → Presenteeism

Path 3 Transformational leadership → Perceived Social Support → Occupational Coping Self Efficacy → Presenteeism

Comparsion1: Ind1 minus Ind2

Comparsion2: Ind1 minus Ind3

Comparsion3: Ind2 minus Ind3




FIGURE 1  
Chain mediating model. \*\*p < 0.01.

# BMJ Open

## Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2024-091462.R1
Article Type:	Original research
Date Submitted by the Author:	31-Oct-2024
Complete List of Authors:	Wu, Jijun; Deyang People's Hospital, Department of Cardiology Li, Yuxin; North Sichuan Medical College; Deyang People's Hospital, Nursing Department Lin, Qin; Zhejiang Shuren University Fan, Yuting; Deyang People's Hospital, Nursing Department Zhang, Jiquan; Deyang People's Hospital, Nursing Department Liu, Zhenfan; Dnyanganga College of Engineering and Research, Nursing Department Liu, Xiaoli; Deyang People's Hospital, Nursing Department Rong, Xian; Sichuan Nursing Vocational College Zhong, Xiaoli; Deyang People's Hospital, Nursing Department
<b>Primary Subject Heading</b>:	Nursing
Secondary Subject Heading:	Nursing, Occupational and environmental medicine, Public health
Keywords:	Nurses, Stress, Psychological, PUBLIC HEALTH, Occupational Stress, Nursing Care

SCHOLARONE™  
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

# Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup>, Qin Lin<sup>4†</sup>, Yuting Fan<sup>3,6</sup>, Jiquan Zhang<sup>3</sup>, Zhenfan Liu<sup>3</sup>, Xiaoli Liu<sup>3</sup>, Xian Rong<sup>5\*</sup>, Xiaoli Zhong<sup>3\*</sup>

<sup>1</sup>Department of Cardiology, Deyang People's Hospital, Sichuan, China, <sup>2</sup>School of Nursing, North Sichuan Medical College, Sichuan, China, <sup>3</sup>Nursing Department, Deyang People's Hospital, Sichuan, China, <sup>4</sup>Shulan International Medical College, Zhejiang Shuren University, Hangzhou, China, <sup>5</sup>School of Nursing, ChengDu College, Sichuan, China, <sup>6</sup>Sichuan Nursing Vocational College, Sichuan, China

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup> and Qin Lin<sup>4†</sup>: These authors contributed equally to this work and share first authorship

## \* Correspondence:

Xiaoli Zhong

Xian Rong

1165254226@qq.com

## Abstract

**Objective:** This study aimed to investigate the relationship between transformational leadership and presenteeism among ICU nurses in tertiary hospitals and further investigate the chain-mediated role of perceived social support and occupational coping self-efficacy.

**Design:** This is a cross-sectional survey study.

**Setting:** 6 tertiary hospitals in Sichuan Province, China.

**Participants:** 590 ICU nurses were recruited from 6 tertiary hospitals in China for the survey.

**Primary and secondary outcome measures:** Presenteeism of ICU nurses was the primary outcome indicator. Transformational leadership, perceived social support, and occupational coping self-efficacy were secondary outcome indicators. The transformational leadership scale, perceived social support, occupational coping self-efficacy, and stanford presenteeism scale were used to investigate ICU nurses through convenience sampling.

**Results:** The presenteeism score of ICU nurses was 15.46±4.45 (Mean±SD), in which the incidence of high presenteeism was 53.90%. Correlation analysis showed that presenteeism was negatively correlated with transformational leadership, perceived social support, and occupational coping self-efficacy ( $r = -0.412$  to  $-0.486$ ;  $P < 0.05$ ). Perceived social support partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.055 (95%CI: -0.102, -0.012;  $P < 0.001$ ); occupational coping self-efficacy partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.042 (95% CI:

1  
2 36 -0.074,-0.017;  $P<0.001$  ); perceived social support and occupational coping self-efficacy  
3 37 chain-mediated between transformational leadership and presenteeism, with an effect value of 0.029  
4 38 (95% CI: -0.046,-0.016;  $P<0.001$  ).  
5

6 39 **Conclusion:** ICU nurses' perceived social support and occupational coping self-efficacy are  
7 40 chain-mediated between transformational leadership and presenteeism. Therefore, to reduce nurses'  
8 41 presenteeism, nursing managers should adopt targeted interventions based on the factors influencing  
9 42 them to improve transformational leadership and enhance their perceived social support and  
10 43 occupational coping self-efficacy.  
12

13 44 **Keywords:** intensive care unit; nurses; presenteeism; transformational leadership; perceived social  
14 45 support; occupational coping self-efficacy  
15

16 46  
17  
18 47 **STRENGTHS AND LIMITATIONS OF THIS STUDY**  
19

20  
21 48 • This study included transformational leadership, perceived social support, and occupational coping  
22 49 self-efficacy in the analysis of presenteeism among ICU nurses, providing a new perspective on the  
23 50 relationship between transformational leadership and presenteeism.  
24

25 51 • This study was cross-sectional, and causal relationships between variables could not be inferred.  
26

27  
28 52 • This study only surveyed 6 tertiary hospitals in Sichuan Province, China, and there were  
29 53 limitations in the sample.  
30

31 54 **Introduction**  
32

33 55 In recent years, the study of the relationship between the health status of occupational groups and the  
34 56 economy has increasingly become a hot spot of scholars' attention. Health, as one of the most  
35 57 essential human capital, not only affects individual labor performance but also influences a country's  
36 58 or region's economic growth dynamics. Presenteeism, also known as low health-related productivity,  
37 59 is prevalent among occupational groups, especially in the healthcare industry. There is no  
38 60 standardized concept of presenteeism, which was first proposed by Professor Copper in 1996,  
39 61 describing it as the phenomenon of working when one should take a break from work due to illness  
40 62 or extended working hours that cause a reduction in health-related productivity.<sup>1</sup>In 2005, Kivimäki et  
41 63 al. expanded the concept of presenteeism to include working when one is in an unhealthy state.<sup>2</sup> A  
42 64 systematic evaluation by Webster et al. showed that the reported prevalence of presenteeism in the  
43 65 occupational population ranged from 35% to 97%, influenced by organizational factors, job  
44 66 characteristics, and personal factors.<sup>3</sup>As a major force in health care, nurses are a high-risk,  
45 67 high-stress, and high-work-intensity population. In the global shortage of nursing human resources,  
46 68 nurses are at high risk of presenteeism, especially in developing countries or poor areas, due to heavy  
47 69 workloads, human resource constraints, shift work, complex interpersonal relationships, and  
48 70 inadequate remuneration packages.<sup>4</sup>  
51

52  
53 71 It has been reported that 85% of healthcare workers have had the experience of attending work  
54 72 with illness,<sup>5</sup> while the global rate of presenteeism reporting among nurses is about 49.2%,<sup>6</sup> with  
55 73 65.0% in the United States,<sup>7</sup> 48.7% in New Zealand,<sup>8</sup> and a high rate of 94.25% of presenteeism  
56 74 reporting among nurses in China.<sup>9</sup>The impact of presenteeism on individuals and organizations is  
57  
58  
59  
60



often multifaceted; on the one hand, it affects personal health, resulting in decreased productivity, lower work efficiency, and increased burnout, which affects professional well-being. On the other hand, it affects patient safety by increasing the risk of medication errors, falls, and infections. In addition, presenteeism can have a series of negative impacts on organizational development, directly or indirectly increasing the economic loss of the organization. Studies have shown that due to differences in the level of economic growth, the financial loss caused by presenteeism of nurses varies slightly in different countries, from about US\$4.38 billion per year in China,<sup>9</sup> US\$3-12 billion per year in the United States,<sup>10</sup> and about US\$3,055 per capita in Japan.<sup>11</sup> Therefore, considering the negative consequences of presenteeism on multiple domains, such as individuals, patients, and organizations, it is necessary to explore the mechanisms and pathways of its impact from various perspectives.

According to the 2020 State of Global Nursing Report, there is currently a shortfall of up to 5.9 million nurses worldwide, with a projected shortfall of 5.7 million by 2030, with the shortage of nurses in developing countries and poorer regions particularly prominent. Although the shortage of nurses in China has dramatically improved in recent years, there is still a gap from the global average. Whether the allocation of human resources is reasonable and whether the appropriate ratio directly affects the quality of nursing services, work efficiency, and healthcare costs, thus affecting the quality and safety of patient services.<sup>12, 13</sup> The intensive care unit (ICU), as a special ward for the centralized treatment, resuscitation, and monitoring of patients with acute, critical, and severe illnesses in medical institutions, is characterized by solid professionalism, heavy workload, modern equipment, and complex treatment, which makes nurses' workload challenging and stressful, leading to prominent chronic health problems such as chronic pain, fatigue, gastrointestinal disorders, and sleep disorders. Research shows that the average ICU bed-to-nurse ratio in China is 1:1.86, with 63.3% of the regions having a 1:1.5 to <2.0 ratio.<sup>14</sup> Therefore, the shortage of human resources for ICU nurses is still prominent in China. Presenteeism of ICU nurses is also notable due to the influence of factors such as dedication, health status, work pressure, remuneration, and poor job replacement. Therefore, it is essential to pay attention to the current situation of ICU nurses' presenteeism and its influence mechanism and to develop targeted interventions to improve nurses' health status and patient safety.

In organizations, leadership style is an essential source of employees' emotional and psychological experience, affecting their psychological well-being and job performance.<sup>15</sup> Transformational leadership refers to a leader's ability to guide employees to develop proper values, resilience, and a positive mindset by making them aware of their responsibilities, stimulating high-level needs, and building mutual trust. Transformational leadership has four dimensions: moral example, charisma, personalized care, and visionary inspiration. As a work resource, leadership style is an essential organizational contextual variable affecting employees. Transformational leadership style can improve employee performance and reduce impaired productivity by exuding leadership charisma, reinforcing leadership inspiration, and personalized care to stimulate employees' intellectual and higher-level needs.<sup>16</sup> The positive effects of transformational leadership have been widely studied and confirmed regarding nurses' resilience,<sup>17</sup> burnout,<sup>18</sup> job satisfaction,<sup>19</sup> and improved patient safety outcomes.<sup>20</sup> Research on transformational leadership's impact on presenteeism has not been reported. Based on this, we propose research hypothesis 1: Transformational leadership negatively affects presenteeism and can further reduce the occurrence of presenteeism through mediating variables.

Previous research on the factors influencing nurses' presenteeism has focused on demographic characteristics such as length of service and job title;<sup>21</sup> health conditions such as subfertility

1  
2 121 symptoms, chronic bodily pain, hypertension, and other chronic illnesses;<sup>22, 23</sup> and work-related  
3 122 factors such as pay and income, work environment, and occupational stress.<sup>24</sup> The synergistic effects  
4 123 of positive psychological work resources, such as social support and self-efficacy, are often  
5 124 overlooked.

7  
8 125 Some studies have shown that social support directly predicts the mental health of healthcare  
9 126 workers and indirectly affects mental health through personal resilience, which directly or indirectly  
10 127 affects work efficiency. Perceived social support refers to an individual's emotional experience and  
11 128 degree of satisfaction in feeling respected, supported, and understood. It consists of three main  
12 129 components: family support, friend support, and material or other spiritual support from the  
13 130 community. Perceived social support as a positive psychological resource is one of the essential  
14 131 protective resources for individuals, which helps to alleviate work pressure and negative emotions,  
15 132 maintain a healthy psychological state and a positive work state, and thus reduce the phenomenon of  
16 133 presenteeism. The social support buffer model also points out that perceived social support can  
17 134 inhibit or buffer the adverse effects of stressful events on individuals.<sup>25</sup> Some studies have shown that  
18 135 presenteeism is negatively related to marine social support and that high social support may improve  
19 136 presenteeism by reducing stress and increasing job satisfaction and performance.<sup>26</sup> In addition,  
20 137 leadership styles can improve employees' stress coping and handling abilities through support for  
21 138 employees, which can stimulate employees' motivation, work attitudes, and behaviors and enhance  
22 139 the level of perceived social support. Based on this, we propose the following research hypotheses:

25  
26 140 Research Hypothesis 2: Transformational leadership can influence presenteeism among ICU  
27 141 nurses through the mediating role of perceived social support.

28  
29 142 Occupational coping self-efficacy refers to an overarching self-efficacy of employees to  
30 143 effectively cope with and accomplish nursing care. Self-efficacy, as a positive psychological resource  
31 144 within an individual, is essential for enhancing occupational coping ability, reducing work stress and  
32 145 burnout, improving mental health, and enhancing work efficiency and work quality. Research shows  
33 146 that the lack of coping self-efficacy may directly or indirectly affect work engagement through stress  
34 147 and interpersonal relationships, making employees feel inefficient.<sup>27</sup> The Job Demands-Resources  
35 148 Model states that each occupation has specific risk factors associated with job stress and that when  
36 149 employees have high levels of job demands and job resources, it stimulates personal growth and  
37 150 development and helps to promote good organizational outcomes.<sup>28</sup> Transformational leadership,  
38 151 perceived social support, and occupational coping self-efficacy are important to nurses in achieving  
39 152 organizational goals as overarching components of job demands and resources. Currently, there is  
40 153 evidence regarding the influential relationship between transformational leadership, perceived social  
41 154 support and self-efficacy. However, it is not yet known whether occupational coping self-efficacy  
42 155 mediates the relationship between transformational leadership and presenteeism, and whether there is  
43 156 a chain of mediation between perceived social support and occupational coping self-efficacy between  
44 157 transformational leadership and presenteeism. Based on these analyses, we propose the following  
45 158 research hypotheses:

49  
50 159 Research Hypothesis 3: Transformational leadership can influence presenteeism among ICU  
51 160 nurses through the mediating role of occupational coping self-efficacy.

52  
53 161 Research Hypothesis 4: Transformational leaders can influence presenteeism among ICU nurses  
54 162 by mediating the chain of perceived social support and occupational coping self-efficacy.

Based on the above analysis, this study used the JD-R model as a theoretical guide to explore the influence mechanism of presenteeism of Chinese ICU nurses from multiple perspectives of job requirements (transformational leadership), job resources (perceived social support), and personal resources (occupational coping self-efficacy), and to establish a hypothetical model (Fig. 1) to provide a theoretical basis for the reduction of presenteeism of ICU nurses.

Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)

## Methods

### Participants

In March-April 2023, the cluster random sampling method was used to divide Sichuan Province into five regions: north Sichuan, east Sichuan, west Sichuan, south Sichuan and Chengdu City. One tertiary hospital was randomly selected from each region of north Sichuan, east Sichuan, west Sichuan, and south Sichuan. Two tertiary hospitals were randomly selected from Chengdu City, and finally, the ICU nurses in these six tertiary hospitals were surveyed. Inclusion criteria: holders of professional qualification certificate for nurses, engaged in ICU clinical work for more than one year; no history of alcohol or drug addiction, no history of mental illness; no history of psychiatric disease-related drugs; informed consent and voluntary participation. Exclusion criteria: internship, regulation training, and advanced training nurses; those currently on sick leave, maternity leave, and other absenteeism. According to the Kendall sample size rough estimation method, the variables in this study were 24 (14 general demographic information + four dimensions of the Transformational Leadership Scale + 3 dimensions of the Perceived Social Support Scale + 2 dimensions of the Occupational Coping Self-Efficacy + 1 dimension of Stanford Presenteeism Scale). At least 5-10 times the number of variables were selected, considering 20% of invalid questionnaires, and the sample size ranged from 150 to 300 cases. A total of 635 questionnaires were recovered in this study; 45 invalid questionnaires with regular filling and logical errors were excluded, and 590 valid questionnaires were finally recovered, with an effective recovery rate of 92.9%.

### Procedures

The data for this study were collected anonymously using an electronic questionnaire called "Questionnaire Star". After obtaining the consent of the relevant person in charge of each hospital, a researcher was identified in each hospital, and uniform training was provided to all researchers to clarify the purpose, significance, and method of filling out the questionnaires in this study. After the training, the survey researcher distributed the questionnaire to the hospital ICU nurses' WeChat group, and the first page of the questionnaire was set up with a unified filling instruction, explaining the purpose of this study and the precautions for filling in the method. This study followed the

1  
2 198 principles of informed consent and voluntariness, and the investigators could withdraw from this  
3 199 study at any time in the middle. All survey contents were set as mandatory options in the electronic  
4 200 questionnaire to ensure the complete survey information responses.

5  
6 201 **Measures**

7  
8 202 **Socio-demographic characteristics**

9  
10  
11 203 Fourteen demographic variables were included in this study work, mainly gender, age, marital and  
12 204 childbearing status et al.

13  
14 205 **Transformational Leadership Scale, TL**

15  
16 206 A questionnaire developed by Li et al. was used.<sup>30</sup>The scale consists of four dimensions with 26  
17 207 entries. A Likert 5-point scale was used, ranging from 1 (Strongly Disagree) to 5 (Strongly Agree),  
18 208 with a total score of 26 to 130. Higher scores indicated a higher degree of perceived transformational  
19 209 leadership behaviour. The Cronbach's alpha coefficient of the scale was 0.912. In this study, the  
20 210 Cronbach's alpha coefficient was 0.906.

21  
22  
23 211 **Perceived Social Support Scale, PSSS**

24  
25 212 A questionnaire developed by Blumenthal et al. was used.<sup>31</sup>The scale consists of 3 dimensions with  
26 213 12 entries. A Likert 7-point scale was used for scoring, ranging from 1 (strongly disagree) to 7  
27 214 (strongly agree), with a total score of 12-84. Higher scores indicated a higher level of social support  
28 215 felt by the individual. The Cronbach's alpha coefficient of the scale was 0.912. In this study, the  
29 216 Cronbach's alpha coefficient for this scale was 0.910.

30  
31  
32 217 **Occupational Coping Self Efficacy Scale, OCSE-N**

33  
34 218 A questionnaire developed by Pisanti et al. was used.<sup>32</sup> The scale consists of two dimensions with a  
35 219 total of 9 entries. A Likert 5-point scale was used, ranging from 1 (very non-compliant) to 5 (very  
36 220 compliant), with a total score ranging from 9 to 45, with higher scores indicating higher occupational  
37 221 coping self-efficacy. The Cronbach's alpha coefficient for the scale was 0.882. In this study, the  
38 222 Cronbach's alpha coefficient for the scale was 0.899.

39  
40  
41 223 **Stanford Presenteeism Scale-6, SPS-6**

42  
43 224 The scale developed by Koopman et al. was used.<sup>33</sup>The scale consists of two dimensions with six  
44 225 entries. A 5-point Likert scale was used, ranging from 1 (strongly disagree) to 5 (strongly agree),  
45 226 with entries 5 and 6 content being reverse scored, for a total score of 6 to 30, with higher SPS-6  
46 227 scores indicating greater impairment of health productivity due to an individual's presenteeism. The  
47 228 median score of the scale was used as a boundary to categorize low and high presenteeism. The  
48 229 Cronbach's alpha coefficient for the scale was 0.860. In this study, the Cronbach's alpha coefficient  
49 230 for the scale was 0.896.

50  
51  
52 231 **Statistical analysis**

53  
54 232 SPSS 23.0 was used for statistical analysis. Exploratory analysis showed that the measured variables  
55 233 conformed to a normal distribution. Differences between groups were analyzed using independent  
56 234 samples t-test or one-way ANOVA. Pearson correlation analysis was used to analyze the correlation



between variables. Hierarchical regression was used to analyze the factors influencing presenteeism among nurses and the mediating role among variables. Based on the bias-corrected percentile bootstrap method, the Bootstrap method (5000 samples) yielded 95% confidence intervals for significance testing. The chained mediation effect was verified through Model 6 in the PROCESS 4.1 macro program, with presenteeism as the dependent variable, transformational leadership as the independent variable, and perceived social support and occupational coping self-efficacy as the mediating variables. Transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism scores were standardized before testing the model. Direct, mediated (paths  $a*y$  (Path 1),  $x*c$  (Path 2),  $a*b*c$  (Path 3)), and total effects were examined.

## Ethical considerations

Ethical review approval for this study was obtained from the Medical Ethics Review Committee of Deyang People's Hospital (No. 2021-04-056-K01). The Declaration of Helsinki conducted all study procedures. Before the survey, the researcher obtained access permission from the hospital administration after providing information about the purpose, methodology, and significance of the survey to the investigating organization. At the beginning of the anonymous survey, an informed consent form was included on the cover of the online questionnaire, and completion and submission of the questionnaire was considered as informed consent and voluntary participation in this survey. All participants consciously and voluntarily agreed to participate in this survey. During the survey, participants were fully informed of their right to withdraw and terminate the survey at any stage without any negative consequences. The researcher ensured that all data collected from the participants were anonymous and confidential to protect their privacy.

## Results

### General demographic characteristics

Of the 590 participants, 533 (or 90.34%) were female. Nearly 97.46% of the participants were <40 years old. Most nurses had a bachelor's degree (81.86%), 66.10% were married, 53.39% were mid-level, 86.27% were clinical nurses, and 84.75% were employed under labor contracts. The remaining sociodemographic characteristics (Supplemental Table 1).

### Descriptive and correlation analysis of the scales

In this study, ICU nurses' transformational leadership scores were  $104.06 \pm 17.68$ , perceived social support scores were  $62.58 \pm 11.92$ , occupational coping self-efficacy scores were  $31.13 \pm 6.58$ , and presenteeism scores were  $15.46 \pm 4.45$ . Transformational leadership, perceived social support, and occupational coping self-efficacy were all negatively correlated with presenteeism, transformational leadership was positively associated with perceived social support and occupational coping self-efficacy, and perceived social support was positively correlated with occupational coping self-efficacy (Supplemental Table 2).

### Multiple stratified regression analysis

As shown in Supplemental Table 3, a multivariate hierarchical regression analysis was conducted with presenteeism as the dependent variable. In the first step, the variables that made sense in the univariate analysis of presenteeism were added to the model as control variables. In the second step, after excluding the effects of the above control variables, transformational leadership was negatively associated with presenteeism ( $\beta = -0.090$ ,  $P < 0.001$ ), where transformational leadership had a

significant effect on presenteeism, explaining 11.8% of the variance. In the third step, perceived social support was negatively related to presenteeism ( $\beta=-0.068, P<0.05$ ), and adding the mediating variable perceived social support to the model explained an additional 14.0% of the variance in presenteeism. The regression coefficient for transformational leadership decreased from -0.090 in the second step to -0.069 in the third step, which was still significant. In the fourth step, occupational coping self-efficacy was negatively correlated with presenteeism ( $\beta=-0.044, P<0.05$ ), and adding career coping self-efficacy to the model explained an additional 18.7% of the unnoticeable absenteeism variance. The regression coefficient for transformational leadership decreased from -0.069 in the third step to -0.058 in the fourth but remained significant. Statistical analyses initially showed that perceived social support and occupational coping self-efficacy mediated the relationship with presenteeism in the transformational leadership component of Chinese ICU nurses (see Supplemental Table 3).

### Analysis of chain mediation effects

All variables were standardized, with transformational leadership as the independent variable, presenteeism as the dependent variable, perceived social support and occupational coping self-efficacy as the mediating variables, and self-assessed physical health, perceived job stress, and whether or not one has suffered from workplace violence in the past year as control variables, and mediation effects were analyzed using Model 6 in PROCESS.

The results of the chain mediation modelling of the role of perceived social support, occupational coping self-efficacy in transformational leadership and presenteeism showed that the total effect of transformational leadership on presenteeism was -0.358 (95%CI: -0.428, -0.287;  $P<0.001$ ). The coefficients of the indirect paths transformational leadership on perceived social support, perceived social support on occupational coping self-efficacy, transformational leadership on occupational coping self-efficacy, perceived social support on presenteeism, and occupational coping self-efficacy on presenteeism were 0.468 (95%CI: 0.397, 0.538;  $P<0.001$ ), 0.241 (95%CI: 0.160, 0.322;  $P<0.001$ ), 0.161 (95%CI: 0.081, 0.241;  $P<0.001$ ), -0.119 (95%CI: -0.198, -0.039;  $P=0.003$ ), -0.261 (95%CI: -0.339, -0.184;  $P<0.001$ ), with an indirect effect of -0.029 (95%CI: -0.046, -0.016;  $P<0.001$ ), and the 95%CI did not contain zero, indicating that the model of perceived social support and occupational coping self-efficacy as chain mediators was valid. See Supplemental Table 4, Supplemental Table 5 and Figure 2.

Figure 2: Schematic diagram of the chain-mediated effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

### Discussion

This study explored the relationship between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among ICU nurses. The results found a direct effect of transformational leadership on presenteeism among ICU nurses. They confirmed that



perceived social support and occupational coping self-efficacy were chain mediators between transformational leadership and presenteeism. This provides a new perspective for studying the relationship between transformational leadership and presenteeism among ICU nurses.

The results of this study showed that ICU nurses' presenteeism score was ( $15.46 \pm 4.45$ ), of which high presenteeism accounted for 53.9%, which indicated that China's ICU nurses' presenteeism was at a high level, which was worth paying attention to. To analyze the reasons for this, (1) only 56% of ICU nurses in this study had good self-assessed health. Several studies have also confirmed that individual physical and mental health conditions are the root cause of presenteeism.<sup>34, 35</sup> When nurses feel unwell or suffer from chronic illnesses, they may experience an inability to concentrate and devote themselves entirely to their work, which leads to lower work efficiency, lower productivity levels, and presenteeism. (2) 48% of the ICU nurses in this study had a high level of perceived stress. ICU, as an essential area for the rescue and treatment of patients with acute and critical illnesses in healthcare institutions, has a complex working environment. ICU nurses must continuously monitor changes in patients' conditions and cope with various first-aid situations. The high-intensity workload and prolonged work pressure may increase the nurses' fatigue and psychological burden, which may lead to presenteeism behaviors. (3) About 35% of ICU nurses in this study had suffered from workplace violence in the past. Workplace violence is a severe threat to the personal safety of nurses. It is a stressful event that can easily trigger anxiety and depression in nurses, negatively affect employee job satisfaction and loyalty, and increase concerns about the work environment and job security, leading to an inability to concentrate on work, thus resulting in presenteeism.<sup>36</sup>

The results of this study show that the transformational leadership score of ICU nurses is ( $104.06 \pm 17.68$ ), which is at the medium-high level, similar to the results of foreign scholars.<sup>16</sup> In recent years, nursing managers' understanding of scientific management has gradually deepened, the leadership style of nursing team leaders has been continuously improved, and managers who have received higher education have higher qualities and conduct can play a corresponding exemplary role among nurses and can make wise decisions and guidance based on their professional knowledge when leading the team to make changes. Hence, the level of transformational leadership is higher.

The results of this study showed that ICU nurses perceived social support scores of ( $62.58 \pm 11.92$ ), which was at a medium-high level, similar to the findings of Lu et al.<sup>37</sup> Social support, as a positive emotional experience in which an individual subjectively feels that they receive understanding and support from family, society, and friends, can reflect the degree to which an individual gets support in a stressful situation. Social support theory also states that a strengthened social support network helps to cope with external environmental challenges.<sup>38</sup> It may be related to the fact that the survey respondents in this study were mainly bachelor's degree holders (81.86%), and people with higher education tend to have more knowledge and skills, as well as better communication and expression skills and are more likely to establish and maintain good social relationships. The lower level of perceived social support among those with poor health, perceived high work stress may be related to the decline in participation in social activities and lack of time and energy to maintain interpersonal social relationships among this group.

The results of this study showed that ICU nurses' occupational coping self-efficacy score was ( $31.13 \pm 6.58$ ), which is at the medium level (median total score of 22.5), similar to the results of the study by Pisanti et al.<sup>39</sup> Self-efficacy is not confidence generated for a specific domain but can predict people's behavior in different situations. Studies have shown that individuals with high levels of self-efficacy favor using positive or problem-focused coping strategies, which help them effectively

1  
2 357 buffer the adverse effects of stress and contribute to maintaining high levels of physical and mental  
3 358 health.<sup>40</sup> It may be related to the fact that the working years of the respondents in this study were  
4 359 mainly 1-5 years, which accounted for about 40%. On the one hand, the ICU work environment is  
5 360 challenging, requiring the handling of critically ill patients and complex medical situations.  
6 361 Low-seniority nurses working in such a high-pressure environment may feel uneasy and anxious,  
7 362 which affects self-efficacy enhancement. On the other hand, newly recruited ICU nurses may lack  
8 363 confidence in their abilities and coping measures due to a lack of sufficient work experience and  
9 364 training, resulting in lower self-efficacy.

11  
12 365 This study found that perceived social support mediates the relationship between  
13 366 transformational leadership and presenteeism among ICU nurses, i.e., transformational leadership not  
14 367 only acts directly on presenteeism but also indirectly through perceived social support. According to  
15 368 the theory of transformational leadership, transformational leadership is an upbeat leadership style  
16 369 that stimulates the intrinsic motivation of employees by motivating them so that they can maximize  
17 370 their potential to achieve the highest level of performance, promote their personal growth and career  
18 371 development, and thus improve team cohesion and work performance.<sup>41</sup> On the one hand, when  
19 372 nurse leaders have a high transformational leadership style, they can provide the social support that  
20 373 nurses need. By motivating and stimulating nurses' potential, they feel valued and supported. They  
21 374 are willing to devote themselves to their work in a positive frame of mind, which contributes to the  
22 375 joint development of themselves and the organization and enhances nurses' job satisfaction, which  
23 376 helps to reduce presenteeism; on the other hand, it is based on the theory of social exchange. When  
24 377 individuals receive sufficient support in social exchange, they are more confident and motivated to  
25 378 face challenges at work, thus reducing presenteeism. When nurses perceive the care and support from  
26 379 leaders, colleagues, and organizations, this emotional support is not only conducive to regulating the  
27 380 negative emotions of nurses and reducing the negative impact of work pressure on them but also  
28 381 helps to enhance the nurses' commitment to and identification with the organization, so that they are  
29 382 more engaged in their work and reduce the possibility of presenteeism.<sup>26</sup>

33  
34 383 The results of this study found that occupational coping self-efficacy mediates the relationship  
35 384 between transformational leadership and presenteeism among ICU nurses, which means that  
36 385 transformational leadership not only acts directly on presenteeism but also indirectly through  
37 386 occupational coping self-efficacy. Bandura's self-efficacy theory states that when individuals believe  
38 387 they are competent enough to accomplish a task, they are more motivated to engage in it and strive to  
39 388 achieve the desired goal.<sup>42</sup> Managers with a high level of transformational leadership style can  
40 389 motivate nurses through character appeal and vision sharing and stimulate positive emotions in  
41 390 nurses to show more energy, dedication, and focused attitudes to be more confident in dealing with  
42 391 challenges and pressures at work. Nurses with higher occupational coping self-efficacy are more  
43 392 confident and capable of dealing with difficulties and challenges at work. They are more willing to  
44 393 take the initiative to solve problems, improve work performance, and reduce presenteeism behavior.

47 394 The results of this study found that perceived social support and occupational coping  
48 395 self-efficacy acted as chain mediators between transformational leadership and presenteeism among  
49 396 ICU nurses, i.e., transformational leadership among nurses affects presenteeism through perceived  
50 397 social support and occupational coping self-efficacy. According to the JD-R model, job resources can  
51 398 buffer the negative consequences of presenteeism by stimulating employees' internal and external  
52 399 motivation to cope with demanding job tasks. Transformational leadership and perceived social  
53 400 support as an essential external resource and occupational coping self-efficacy as a vital internal  
54 401 resource, managers with a high level of transformational leadership style excel at stimulating nurses'  
55 402 autonomy and creativity by establishing good interpersonal relationships and a teamwork

atmosphere, providing nurses with the necessary resources and support, and enhancing nurses' perceptions of social support.<sup>20</sup> When nurses feel the support and encouragement from their leaders, they will be more willing to seek and utilize help and support from external resources, such as colleagues, family, and friends. This social support helps meet nurses' needs at work, reduces work stress and fatigue, and increases job satisfaction and well-being, enhancing nurses' occupational coping self-efficacy. When possessing a higher level of self-efficacy, nurses are more confident that they can better cope with the challenges and pressures at work, which is conducive to maintaining good mental health and reducing the incidence of presenteeism.

Based on the results of this study, we put forward the following recommendations to improve the status of presenteeism among ICU nurses. First, cultivate and promote a transformational leadership style: leaders should pay attention to the needs and emotions of nurses and actively listen to their opinions and suggestions; stimulate nurses' enthusiasm and innovation through incentives and encouragement so that they can feel the meaning and value of their work; establish a positive, open and inclusive work environment and encourage nurses to participate in decision-making to improve their sense of belonging and responsibility and reduce presenteeism. Second, enhance perceived social support: establish a good social support network; organizations should encourage supportive colleague relationships and teamwork and promote interactions and exchanges through regular team-building activities; nursing managers should strengthen communication with nurses, establish a good team communication mechanism, and encourage information exchange and emotional support among nurses; and provide resources for mental health support by providing resources such as psychological counseling services, guidance and training on work-life balance, to help nurses cope with work stress and emotional distress, promote nurses' physical and mental health, and reduce presenteeism. Third, to improve nurses' sense of self-efficacy in occupational coping, regular training and refresher courses are conducted to improve nurses' professional skills and knowledge and enhance their ability to cope with work challenges; work tasks and resources are reasonably allocated to reduce nurses' overload and stress; and appropriate incentives and recognition mechanisms are provided to stimulate nurses' motivation and self-efficacy and to reduce presenteeism.

## Limitation

First, this study was a cross-sectional study, which could not dynamically assess the level of presenteeism and its influencing factors on ICU nurses in different periods and stages. It could not effectively reveal the dynamic changes among the four variables. In the future, we can analyze the presenteeism of ICU nurses and the changes of the related influencing factors in a multifaceted way through longitudinal studies; Second, this study only set ICU nurses from six tertiary hospitals in Sichuan Province, China, as the study population, and the sample is not representative enough, so the next step could be to launch a multicenter, large-sample survey to explore the presenteeism of ICU nurses in different regions and levels of hospitals.

## Conclusions

In summary, China's ICU nurses' presenteeism is at a high level, and transformational leadership can not only directly affect ICU nurses' presenteeism but also indirectly affect ICU nurses' presenteeism by the chain mediating role of perceived social support and occupational coping self-efficacy. Nursing managers should pay attention to developing a transformational leadership style to enhance social support and improve ICU nurses' occupational coping efficacy, thus reducing ICU nurses' presenteeism behavior.

1  
2 446 **Acknowledgments** The authors thank all the participating nurses and investigators in this study for  
3 447 their generous contribution.  
4  
5 448 **Contributors** Guarantor is Jijun Wu. Jijun Wu, Yuxin Li, Qin Lin: conceptualisation and design  
6 449 of the study, wrote the manuscript, and analysed data. Xian Rong, Xiaoli Zhong: contributed to the  
7 450 writing and revision of articles. Yuting Fan, Jiquan Zhang, Zhenfan Liu, Xiaoli Liu: contributed to  
8 451 the analysis and processing of data. All authors contributed to the article and approved the submitted  
9 452 version.  
10  
11  
12 453 **Funding** This work was supported by the Sichuan Hospital Management and Development Center  
13 454 (approval number: SCYG2023-31).  
14  
15 455 **Competing interests** None declared.  
16  
17  
18 456 **Patient and public involvement** Patients and/or the public were not involved in the design, or  
19 457 conduct, or reporting, or dissemination plans of this research.  
20  
21 458 **Patient consent for publication** Not applicable.  
22  
23 459 **Ethics approval** This study was approved by the Deyang People's Hospital Ethics Committee  
24 460 (2021-04-056-K01).  
25  
26 461 **Data availability statement** Data are available upon reasonable request. The datasets generated  
27 462 during and/or analysed during this study are available from the corresponding author on reasonable  
28 463 request.  
29  
30  
31 464 **References**  
32  
33 465 1. Chapman LS. Presenteeism and its role in worksite health promotion. *Am J Health Promot.*  
34 466 2005;19(4):suppl 1-8.  
35  
36 467 2. Kivimäki M, Head J, Ferrie JE, et al. Working while ill as a risk factor for serious coronary  
37 468 events: the Whitehall II study. *Am J Public Health.* 2005;95(1):98-102.  
38  
39 469 3. Webster RK, Liu R, Karimullina K, et al.. A systematic review of infectious illness  
40 470 Presenteeism: prevalence, reasons and risk factors. *BMC Public Health.* 2019;19(1):799.  
41  
42 471 4. Mosadeghrad AM. Occupational stress and turnover intention: implications for nursing  
43 472 management. *Int J Health Policy Manag.* 2013;1(2):169-76.  
44  
45 473 5. McKevitt C, Morgan M, Dundas R, et al.. Sickness absence and 'working through' illness: a  
46 474 comparison of two professional groups. *J Public Health Med.* 1997;19(3):295-300.  
47  
48 475 6. Min A, Kang M, Park H. Global prevalence of presenteeism in the nursing workforce: A  
49 476 meta-analysis of 28 studies from 14 countries. *J Nurs Manag.* 2022;30(7):2811-24.  
50  
51 477 7. Warren CL, White-Means SI, Wicks MN, et al.. Cost burden of the presenteeism health  
52 478 outcome: diverse workforce of nurses and pharmacists. *J Occup Environ Med.* 2011;53(1):90-9.  
53  
54 479 8. Bracewell LM, Campbell DI, Faure PR, et al. Sickness presenteeism in a New Zealand hospital.  
55 480 *N Z Med J.* 2010;123(1314):31-42.  
56  
57 481 9. Shan G, Wang S, Wang W, et al. Presenteeism in Nurses: Prevalence, Consequences, and Causes  
58 482 From the Perspectives of Nurses and Chief Nurses. *Front Psychiatry.* 2020;11:584040.  
59  
60



10. Letvak SA, Ruhm CJ, Gupta SN. Nurses' presenteeism and its effects on self-reported quality of care and costs. *Am J Nurs*. 2012;112(2):30-8; quiz 48, 39.
11. Nagata T, Mori K, Ohtani M, et al. Total Health-Related Costs Due to Absenteeism, Presenteeism, and Medical and Pharmaceutical Expenses in Japanese Employers. *J Occup Environ Med*. 2018;60(5):e273-e80.
12. Senek M, Robertson S, Ryan T, et al. The association between care left undone and temporary Nursing staff ratios in acute settings: a cross-sectional survey of registered nurses. *BMC Health Serv Res*. 2020;20(1):637.
13. Bettencourt AP, McHugh MD, Sloane DM, et al. Nurse Staffing, the Clinical Work Environment, and Burn Patient Mortality. *J Burn Care Res*. 2020;41(4):796-802.
14. Tao QY, Ma XD, Rui X, et al. Effect of ICU Nursing Manpower Allocation on the Completion Rate of Cluster Therapy for Septic Shock. *Chinese Health Quality Management*. 2021;28(08), 43-46.
15. Chen CY, Chen CH, Li CI. The influence of leader's spiritual values of servant leadership on employee motivational autonomy and eudaemonic well-being. *J Relig Health*. 2013;52(2):418-38.
16. Al-Thawabiya A, Singh K, Al-Lenjawi BA, et al. Leadership styles and transformational leadership skills among nurse leaders in Qatar, a cross-sectional study. *Nurs Open*. 2023;10(6):3440-6.
17. Abdul Salam H, Dumit NY, Clinton M, et al. Transformational leadership and predictors of resilience among registered nurses: a cross-sectional survey in an underserved area. *BMC Nurs*. 2023;22(1):37.
18. Wu X, Hayter M, Lee AJ, et al. Positive spiritual climate supports transformational leadership as means to reduce nursing burnout and intent to leave. *J Nurs Manag*. 2020;28(4):804-13.
19. Labrague LJ. Relationship between transformational leadership, adverse patient events, and nurse-assessed quality of care in emergency units: The mediating role of work satisfaction. *Australas Emerg Care*. 2023.
20. Labrague LJ, Obeidat AA. Transformational leadership as a mediator between work-family conflict, nurse-reported patient safety outcomes, and job engagement. *J Nurs Scholarsh*. 2022;54(4):493-500.
21. Li Y, Guo B, Wang Y, et al. Serial-Multiple Mediation of Job Burnout and Fatigue in the Relationship Between Sickness Presenteeism and Productivity Loss in Nurses: A Multicenter Cross-Sectional Study. *Front Public Health*. 2021;9:812737.
22. Brborović H, Daka Q, Dakaj K, et al. Antecedents and associations of sickness presenteeism and sickness absenteeism in nurses: A systematic review. *Int J Nurs Pract*. 2017;23(6).
23. Fiorini LA, Houdmont J, Griffiths A. Nurses' illness perceptions during presenteeism and absenteeism. *Occup Med (Lond)*. 2020;70(2):101-6.
24. Rainbow JG, Drake DA, Steege LM. Nurse Health, Work Environment, Presenteeism and Patient Safety. *West J Nurs Res*. 2020;42(5):332-9.
25. Miloseva L, Vukosavljevic-Gvozden T, Richter K, et al. Perceived social support as a moderator between negative life events and depression in adolescence: implications for prediction and targeted prevention. *Epma j*. 2017;8(3):237-45.

26. Yang T, Ma T, Liu P, et al. Perceived social support and presenteeism among healthcare workers in China: the mediating role of organizational commitment. *Environ Health Prev Med.* 2019;24(1):55.

27. Liu XL, Jia P, Wen XX, et al. Current status and influencing factors of hidden absence of ICU nurses in China. *J. Nur.* 2022;29(16):1-5.

28. Demerouti E, Bakker AB, Nachreiner F, Schaufeli WB. The job demands-resources model of burnout. *J Appl Psychol.* 2001;86(3):499-512.

29. Ni P, Chen JP, Liu N. The sample size estimation in quantitative nursing research. *Chin. J. Nurs.* 2010;45(04):378-80.

30. Li CP, Shi K. The Structure and Measurement of Transformational Leadership in China. *Acta Psychologica Sinica.* 2005(06):97-105.

31. Blumenthal JA, Burg MM, Barefoot J, et al. Social support, type A behavior, and coronary artery disease. *Psychosom Med.* 1987;49(4):331-40.

32. Pisanti R, Lombardo C, Lucidi F, et al. Development and validation of a brief Occupational Coping Self-Efficacy Questionnaire for Nurses. *J Adv Nurs.* 2008;62(2):238-47.

33. Koopman C, Pelletier KR, Murray JF, et al. Stanford presenteeism scale: health status and employee productivity. *J Occup Environ Med.* 2002;44(1):14-20.

34. Whysall Z, Bowden J, Hewitt M. Sick leave presenteeism: measurement and management challenges. *Ergonomics.* 2018;61(3):341-54.

35. Shan G, Wang W, Wang S, et al. Authoritarian leadership and nurse presenteeism: the role of workload and leader identification. *BMC Nurs.* 2022;21(1):337.

36. Yang T, Shen YM, Zhu M, et al. Effects of Co-Worker and Supervisor Support on Job Stress and Presenteeism in an Aging Workforce: A Structural Equation Modelling Approach. *Int J Environ Res Public Health.* 2015;13(1):ijerph13010072.

37. Lu J, Wang B, Dou X, et al. Moderating effects of perceived social support on self-efficacy and psychological well-being of Chinese nurses: a cross-sectional study. *Front Public Health.* 2023;11:1207723.

38. Uchino BN. Social support and health: a review of physiological processes potentially underlying links to disease outcomes. *J Behav Med.* 2006;29(4):377-87.

39. Pisanti R, van der Doef M, Maes S, et al. Occupational coping self-efficacy explains distress and well-being in nurses beyond psychosocial job characteristics. *Front Psychol.* 2015;6:1143.


40. Jex SM, Bliese PD, Buzzell S, et al. The impact of self-efficacy on stressor-strain relations: coping style as an explanatory mechanism. *J Appl Psychol.* 2001;86(3):401-9.

41. Abd-El Aliem SMF, Abou Hashish EA. The Relationship Between Transformational Leadership Practices of First-Line Nurse Managers and Nurses' Organizational Resilience and Job Involvement: A Structural Equation Model. *Worldviews Evid Based Nurs.* 2021;18(5):273-82.




42. Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev.* 1977;84(2):191-215.



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29



## Results

Table 1: Relationship between demographic characteristics of ICU nurses and presenteeism

Items	N	SPS-6 Mean $\pm$ SD	<i>t/F</i>	<i>P</i>
Sex			-0.378	0.706
male	57	15.25 $\pm$ 5.10		
female	533	15.48 $\pm$ 4.38		
Age			0.052	0.950
< 30	267	15.39 $\pm$ 4.32		
30~ < 40	308	15.51 $\pm$ 4.66		
$\geq$ 40	15	15.47 $\pm$ 2.10		
Marital status			1.410	0.239
unmarried	189	15.87 $\pm$ 4.36		
married but not having children	73	15.55 $\pm$ 4.14		
married and having children	317	15.15 $\pm$ 4.58		
Divorced or other	11	16.82 $\pm$ 3.97		

Highest degree				
College and below	93	15.31±4.54	0.086	0.918
undergraduate	483	15.49±4.32		
Master's degree or above	14	15.21±4.87		
Professional title			1.971	0.140
junior level	102	15.36±4.67		
middle level	315	15.77±4.34		
high level	173	14.94±4.50		
Position			1.476	0.229
clinical nurse	509	15.58±4.44		
nursing team leader	68	14.78±4.64		
head nurse	13	14.23±3.47		
Years of experience in ICU			1.903	0.150
1~ < 5	252	15.07±4.36		
5~ < 10	204	15.88±4.45		
≥10	134	15.54±4.60		

Average monthly income			1.945	0.121
1~ < 6000	150	15.63±4.46		
6000~ < 8000	268	15.75±4.49		
8000~ < 10000	132	14.64±4.28		
≥10000	40	15.53±4.57		
Type of contract			-1.266	0.206
professional preparation	90	14.91±3.96		
labor contract	500	15.56±4.53		
Self-assessed health status			36.031	<0.001
good	328	14.27±4.20		
general	233	16.62±4.14		
worse	29	19.59±4.89		
Whether or not you have a chronic disease			1.598	0.111
No	87	16.16±4.39		
Yes	503	15.34±4.46		
Perceived work stress			28.679	<0.001

lower	13	11.77±3.81		
middle	292	14.34±3.93		
high	285	16.78±4.58		
ICU human resources			1.732	0.178
< 1:2.5~3	347	15.25±4.58		
=1:2.5~3	143	15.45±4.27		
>1:2.5~3	100	16.19±4.24		
Exposure to workplace violence in the past year			5.763	<0.001
No	386	14.71±4.39		
Yes	204	16.87±4.24		

Table 2: Correlations between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism

Variables	Mean ±SD	1	2	3	4
Transformational leadership(1)	104.06±17.68	1	-	-	-
Perceived social support(2)	62.58±11.92	0.515**	1	-	-
Occupational	31.13±6.58	0.369**	0.417**	1	-

coping self-efficacy (3)					
Presenteeism(4)	15.46±4.45	-0.445**	-0.412**	-0.486**	1

\*\* $P < 0.05$

Table 3: Multiple stratified regression analysis of presenteeism of ICU nurses in China

	Step1	Step2	Step3	Step4
Step1				
Self-assessed health status	1.883**	1.475**	1.290**	1.057**
Perceived work stress	1.729**	1.392**	1.268**	0.803**
Exposure to workplace violence in the past year	-1.371**	-0.939**	-0.892**	-0.584
Step2				
Transformational leadership	—	-0.090**	-0.069**	-0.058**
Step3				
Perceived social support	—	—	-0.068**	-0.044**



Step4				
Occupational coping self-efficacy	—	—	—	-0.177**
<i>F</i>	42.575**	61.893**	55.090**	56.639**
<i>R</i> <sup>2</sup>	0.179	0.297	0.320	0.368
Adjustment <i>R</i> <sup>2</sup>	0.175	0.293	0.315	0.362

\*\**P* <0.01

Table 4: Paths of indirect mediating effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

Path	Coeff	95%CI	
		LLCI	ULCI
Transformational leadership→Perceived Social Support →Presenteeism	-0.055	-0.104	-0.012
Transformational leadership→Occupational Coping Self Efficacy→Presenteeism	-0.042	-0.076	-0.017
Transformational leadership→Perceived Social Support →Occupational Coping Self Efficacy→Presenteeism	-0.029	-0.046	-0.016

Table 5 : Analysis of the chain-mediated effects of perceived social support, occupational coping self-efficacy on the relationship between transformational leadership and presenteeism

	R <sup>2</sup>	F	Coeff	SE	<i>t</i>	<i>P</i>	LLCI	ULCI
Outcome	0.297	61.700						
Perceived Social Support								
Transformational leadership			0.468	0.036	12.980	<0.001	0.397	0.538
Outcome	0.300	50.176						
Occupational Coping Self Efficacy								
Transformational leadership			0.161	0.041	3.941	<0.001	0.081	0.241
Perceived Social Support			0.241	0.041	5.830	<0.001	0.160	0.322
outcome	0.368	56.639						
Presenteeism								
Transformational leadership			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Perceived Social Support			-0.119	0.040	-2.935	0.003	-0.198	-0.039

Occupational Coping Self Efficacy			-0.261	0.039	-6.638	<0.001	-0.339	-0.184
Outcome	0.297	61.893						
Presenteeism								
Transformational leadership			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Total effect			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Direct effect			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Total indirect effect			-0.127	0.027	-	-	-0.184	-0.080

# BMJ Open

## Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2024-091462.R2
Article Type:	Original research
Date Submitted by the Author:	03-Dec-2024
Complete List of Authors:	Wu, Jijun; Deyang People's Hospital, Department of Cardiology Li, Yuxin; North Sichuan Medical College; Deyang People's Hospital, Nursing Department Lin, Qin; Zhejiang Shuren University Fan, Yuting; Deyang People's Hospital, Nursing Department Zhang, Jiquan; Deyang People's Hospital, Nursing Department Liu, Zhenfan; Dnyanganga College of Engineering and Research, Nursing Department Liu, Xiaoli; Deyang People's Hospital, Nursing Department Rong, Xian; Sichuan Nursing Vocational College Zhong, Xiaoli; Deyang People's Hospital, Nursing Department
<b>Primary Subject Heading</b>:	Nursing
Secondary Subject Heading:	Nursing, Occupational and environmental medicine, Public health
Keywords:	Nurses, Stress, Psychological, PUBLIC HEALTH, Occupational Stress, Nursing Care

SCHOLARONE™  
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).

# Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup>, Qin Lin<sup>4†</sup>, Yuting Fan<sup>3,6</sup>, Jiquan Zhang<sup>3</sup>, Zhenfan Liu<sup>3</sup>, Xiaoli Liu<sup>3</sup>, Xian Rong<sup>5\*</sup>, Xiaoli Zhong<sup>3\*</sup>

<sup>1</sup>Department of Cardiology, Deyang People's Hospital, Sichuan, China, <sup>2</sup>School of Nursing, North Sichuan Medical College, Sichuan, China, <sup>3</sup>Nursing Department, Deyang People's Hospital, Sichuan, China, <sup>4</sup>Shulan International Medical College, Zhejiang Shuren University, Hangzhou, China, <sup>5</sup>School of Nursing, ChengDu College, Sichuan, China, <sup>6</sup>Sichuan Nursing Vocational College, Sichuan, China

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup> and Qin Lin<sup>4†</sup>: These authors contributed equally to this work and share first authorship

## \* Correspondence:

Xiaoli Zhong

Xian Rong

1165254226@qq.com

## Abstract

**Objective:** This study aimed to investigate the relationship between transformational leadership and presenteeism among ICU nurses in tertiary hospitals and further investigate the chain-mediated role of perceived social support and occupational coping self-efficacy.

**Design:** This is a cross-sectional survey study.

**Setting:** 6 tertiary hospitals in Sichuan Province, China.

**Participants:** 590 ICU nurses were recruited from 6 tertiary hospitals in China for the survey.

**Primary and secondary outcome measures:** Presenteeism of ICU nurses was the primary outcome indicator. Transformational leadership, perceived social support, and occupational coping self-efficacy were secondary outcome indicators. The transformational leadership scale, perceived social support, occupational coping self-efficacy, and stanford presenteeism scale were used to investigate ICU nurses through convenience sampling.

**Results:** The presenteeism score of ICU nurses was  $15.46 \pm 4.45$  (Mean $\pm$ SD), in which the incidence of high presenteeism was 53.90%. Correlation analysis showed that presenteeism was negatively correlated with transformational leadership, perceived social support, and occupational coping self-efficacy ( $r = -0.412$  to  $-0.486$ ;  $P < 0.05$ ). Perceived social support partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.055 (95%CI: -0.102, -0.012;  $P < 0.001$ ); occupational coping self-efficacy partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.042 (95% CI:

1  
2 36 -0.074,-0.017;  $P<0.001$  ); perceived social support and occupational coping self-efficacy  
3 37 chain-mediated between transformational leadership and presenteeism, with an effect value of 0.029  
4 38 (95% CI: -0.046,-0.016;  $P<0.001$  ).  
5

6 39 **Conclusion:** ICU nurses' perceived social support and occupational coping self-efficacy are  
7 40 chain-mediated between transformational leadership and presenteeism. Therefore, to reduce nurses'  
8 41 presenteeism, nursing managers should adopt targeted interventions based on the factors influencing  
9 42 them to improve transformational leadership and enhance their perceived social support and  
10 43 occupational coping self-efficacy.  
12

13 44 **Keywords:** intensive care unit; nurses; presenteeism; transformational leadership; perceived social  
14 45 support; occupational coping self-efficacy  
15

16 46  
17  
18 47 **STRENGTHS AND LIMITATIONS OF THIS STUDY**  
19

20  
21 48 • This study included transformational leadership, perceived social support, and occupational coping  
22 49 self-efficacy in the analysis of presenteeism among ICU nurses, providing a new perspective on the  
23 50 relationship between transformational leadership and presenteeism.  
24

25 51 • This study was cross-sectional, and causal relationships between variables could not be inferred.  
26

27  
28 52 • This study only surveyed 6 tertiary hospitals in Sichuan Province, China, and there were  
29 53 limitations in the sample.  
30

31 54 **Introduction**  
32

33 55 In recent years, the study of the relationship between the health status of occupational groups and the  
34 56 economy has increasingly become a hot spot of scholars' attention. Health, as one of the most  
35 57 essential human capital, not only affects individual labor performance but also influences a country's  
36 58 or region's economic growth dynamics. Presenteeism, also known as low health-related productivity,  
37 59 is prevalent among occupational groups, especially in the healthcare industry. There is no  
38 60 standardized concept of presenteeism, which was first proposed by Professor Copper in 1996,  
39 61 describing it as the phenomenon of working when one should take a break from work due to illness  
40 62 or extended working hours that cause a reduction in health-related productivity.<sup>1</sup>In 2005, Kivimäki et  
41 63 al. expanded the concept of presenteeism to include working when one is in an unhealthy state.<sup>2</sup> A  
42 64 systematic evaluation by Webster et al. showed that the reported prevalence of presenteeism in the  
43 65 occupational population ranged from 35% to 97%, influenced by organizational factors, job  
44 66 characteristics, and personal factors.<sup>3</sup>As a major force in health care, nurses are a high-risk,  
45 67 high-stress, and high-work-intensity population. In the global shortage of nursing human resources,  
46 68 nurses are at high risk of presenteeism, especially in developing countries or poor areas, due to heavy  
47 69 workloads, human resource constraints, shift work, complex interpersonal relationships, and  
48 70 inadequate remuneration packages.<sup>4</sup>  
51

52  
53 71 It has been reported that 85% of healthcare workers have had the experience of attending work  
54 72 with illness,<sup>5</sup> while the global rate of presenteeism reporting among nurses is about 49.2%,<sup>6</sup> with  
55 73 65.0% in the United States,<sup>7</sup> 48.7% in New Zealand,<sup>8</sup> and a high rate of 94.25% of presenteeism  
56 74 reporting among nurses in China.<sup>9</sup> The impact of presenteeism on individuals and organizations is  
57  
58  
59  
60



often multifaceted; on the one hand, it affects personal health, resulting in decreased productivity, lower work efficiency, and increased burnout, which affects professional well-being. On the other hand, it affects patient safety by increasing the risk of medication errors, falls, and infections. In addition, presenteeism can have a series of negative impacts on organizational development, directly or indirectly increasing the economic loss of the organization. Studies have shown that due to differences in the level of economic growth, the financial loss caused by presenteeism of nurses varies slightly in different countries, from about US\$4.38 billion per year in China,<sup>9</sup> US\$3-12 billion per year in the United States,<sup>10</sup> and about US\$3,055 per capita in Japan.<sup>11</sup> Therefore, considering the negative consequences of presenteeism on multiple domains, such as individuals, patients, and organizations, it is necessary to explore the mechanisms and pathways of its impact from various perspectives.

According to the 2020 State of Global Nursing Report, there is currently a shortfall of up to 5.9 million nurses worldwide, with a projected shortfall of 5.7 million by 2030, with the shortage of nurses in developing countries and poorer regions particularly prominent. Although the shortage of nurses in China has dramatically improved in recent years, there is still a gap from the global average. Whether the allocation of human resources is reasonable and whether the appropriate ratio directly affects the quality of nursing services, work efficiency, and healthcare costs, thus affecting the quality and safety of patient services.<sup>12, 13</sup> The intensive care unit (ICU), as a special ward for the centralized treatment, resuscitation, and monitoring of patients with acute, critical, and severe illnesses in medical institutions, is characterized by solid professionalism, heavy workload, modern equipment, and complex treatment, which makes nurses' workload challenging and stressful, leading to prominent chronic health problems such as chronic pain, fatigue, gastrointestinal disorders, and sleep disorders. Research shows that the average ICU bed-to-nurse ratio in China is 1:1.86, with 63.3% of the regions having a 1:1.5 to <2.0 ratio.<sup>14</sup> Therefore, the shortage of human resources for ICU nurses is still prominent in China. Presenteeism of ICU nurses is also notable due to the influence of factors such as dedication, health status, work pressure, remuneration, and poor job replacement. Therefore, it is essential to pay attention to the current situation of ICU nurses' presenteeism and its influence mechanism and to develop targeted interventions to improve nurses' health status and patient safety.

In organizations, leadership style is an essential source of employees' emotional and psychological experience, affecting their psychological well-being and job performance.<sup>15</sup> Transformational leadership refers to a leader's ability to guide employees to develop proper values, resilience, and a positive mindset by making them aware of their responsibilities, stimulating high-level needs, and building mutual trust. Transformational leadership has four dimensions: moral example, charisma, personalized care, and visionary inspiration. As a work resource, leadership style is an essential organizational contextual variable affecting employees. Transformational leadership style can improve employee performance and reduce impaired productivity by exuding leadership charisma, reinforcing leadership inspiration, and personalized care to stimulate employees' intellectual and higher-level needs.<sup>16</sup> The positive effects of transformational leadership have been widely studied and confirmed regarding nurses' resilience,<sup>17</sup> burnout,<sup>18</sup> job satisfaction,<sup>19</sup> and improved patient safety outcomes.<sup>20</sup> Research on transformational leadership's impact on presenteeism has not been reported. Based on this, we propose research hypothesis 1: Transformational leadership negatively affects presenteeism and can further reduce the occurrence of presenteeism through mediating variables.

Previous research on the factors influencing nurses' presenteeism has focused on demographic characteristics such as length of service and job title;<sup>21</sup> health conditions such as subfertility

1  
2 121 symptoms, chronic bodily pain, hypertension, and other chronic illnesses;<sup>22, 23</sup> and work-related  
3 122 factors such as pay and income, work environment, and occupational stress.<sup>24</sup> The synergistic effects  
4 123 of positive psychological work resources, such as social support and self-efficacy, are often  
5 124 overlooked.

7  
8 125 Some studies have shown that social support directly predicts the mental health of healthcare  
9 126 workers and indirectly affects mental health through personal resilience, which directly or indirectly  
10 127 affects work efficiency. Perceived social support refers to an individual's emotional experience and  
11 128 degree of satisfaction in feeling respected, supported, and understood. It consists of three main  
12 129 components: family support, friend support, and material or other spiritual support from the  
13 130 community. Perceived social support as a positive psychological resource is one of the essential  
14 131 protective resources for individuals, which helps to alleviate work pressure and negative emotions,  
15 132 maintain a healthy psychological state and a positive work state, and thus reduce the phenomenon of  
16 133 presenteeism. The social support buffer model also points out that perceived social support can  
17 134 inhibit or buffer the adverse effects of stressful events on individuals.<sup>25</sup> Some studies have shown that  
18 135 presenteeism is negatively related to marine social support and that high social support may improve  
19 136 presenteeism by reducing stress and increasing job satisfaction and performance.<sup>26</sup> In addition,  
20 137 leadership styles can improve employees' stress coping and handling abilities through support for  
21 138 employees, which can stimulate employees' motivation, work attitudes, and behaviors and enhance  
22 139 the level of perceived social support. Based on this, we propose the following research hypotheses:

25  
26 140 Research Hypothesis 2: Transformational leadership can influence presenteeism among ICU  
27 141 nurses through the mediating role of perceived social support.

28  
29 142 Occupational coping self-efficacy refers to an overarching self-efficacy of employees to  
30 143 effectively cope with and accomplish nursing care. Self-efficacy, as a positive psychological resource  
31 144 within an individual, is essential for enhancing occupational coping ability, reducing work stress and  
32 145 burnout, improving mental health, and enhancing work efficiency and work quality. Research shows  
33 146 that the lack of coping self-efficacy may directly or indirectly affect work engagement through stress  
34 147 and interpersonal relationships, making employees feel inefficient.<sup>27</sup> The Job Demands-Resources  
35 148 Model states that each occupation has specific risk factors associated with job stress and that when  
36 149 employees have high levels of job demands and job resources, it stimulates personal growth and  
37 150 development and helps to promote good organizational outcomes.<sup>28</sup> Transformational leadership,  
38 151 perceived social support, and occupational coping self-efficacy are important to nurses in achieving  
39 152 organizational goals as overarching components of job demands and resources. Currently, there is  
40 153 evidence regarding the influential relationship between transformational leadership, perceived social  
41 154 support and self-efficacy. However, it is not yet known whether occupational coping self-efficacy  
42 155 mediates the relationship between transformational leadership and presenteeism, and whether there is  
43 156 a chain of mediation between perceived social support and occupational coping self-efficacy between  
44 157 transformational leadership and presenteeism. Based on these analyses, we propose the following  
45 158 research hypotheses:

49  
50 159 Research Hypothesis 3: Transformational leadership can influence presenteeism among ICU  
51 160 nurses through the mediating role of occupational coping self-efficacy.

52  
53 161 Research Hypothesis 4: Transformational leaders can influence presenteeism among ICU nurses  
54 162 by mediating the chain of perceived social support and occupational coping self-efficacy.

Based on the above analysis, this study used the JD-R model as a theoretical guide to explore the influence mechanism of presenteeism of Chinese ICU nurses from multiple perspectives of job requirements (transformational leadership), job resources (perceived social support), and personal resources (occupational coping self-efficacy), and to establish a hypothetical model (Fig. 1) to provide a theoretical basis for the reduction of presenteeism of ICU nurses.

Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)

## Methods

### Participants

In March-April 2023, the cluster random sampling method was used to divide Sichuan Province into five regions: north Sichuan, east Sichuan, west Sichuan, south Sichuan and Chengdu City. One tertiary hospital was randomly selected from each region of north Sichuan, east Sichuan, west Sichuan, and south Sichuan. Two tertiary hospitals were randomly selected from Chengdu City, and finally, the ICU nurses in these six tertiary hospitals were surveyed. Inclusion criteria: holders of professional qualification certificate for nurses, engaged in ICU clinical work for more than one year; no history of alcohol or drug addiction, no history of mental illness; no history of psychiatric disease-related drugs; informed consent and voluntary participation. Exclusion criteria: internship, regulation training, and advanced training nurses; those currently on sick leave, maternity leave, and other absenteeism. According to the Kendall sample size rough estimation method, the variables in this study were 24 (14 general demographic information + four dimensions of the Transformational Leadership Scale + 3 dimensions of the Perceived Social Support Scale + 2 dimensions of the Occupational Coping Self-Efficacy + 1 dimension of Stanford Presenteeism Scale). At least 5-10 times the number of variables were selected, considering 20% of invalid questionnaires, and the sample size ranged from 150 to 300 cases. A total of 635 questionnaires were recovered in this study; 45 invalid questionnaires with regular filling and logical errors were excluded, and 590 valid questionnaires were finally recovered, with an effective recovery rate of 92.9%.

### Procedures

The data for this study were collected anonymously using an electronic questionnaire called "Questionnaire Star". After obtaining the consent of the relevant person in charge of each hospital, a researcher was identified in each hospital, and uniform training was provided to all researchers to clarify the purpose, significance, and method of filling out the questionnaires in this study. After the training, the survey researcher distributed the questionnaire to the hospital ICU nurses' WeChat group, and the first page of the questionnaire was set up with a unified filling instruction, explaining the purpose of this study and the precautions for filling in the method. This study followed the

1  
2 198 principles of informed consent and voluntariness, and the investigators could withdraw from this  
3 199 study at any time in the middle. All survey contents were set as mandatory options in the electronic  
4 200 questionnaire to ensure the complete survey information responses.  
5

6 201 **Measures**

7  
8 202 **Socio-demographic characteristics**

9  
10  
11 203 Fourteen demographic variables were included in this study work, mainly gender, age, marital and  
12 204 childbearing status et al.  
13

14 205 **Transformational Leadership Scale, TL**

15  
16 206 A questionnaire developed by Li et al. was used.<sup>30</sup>The scale consists of four dimensions with 26  
17 207 entries. A Likert 5-point scale was used, ranging from 1 (Strongly Disagree) to 5 (Strongly Agree),  
18 208 with a total score of 26 to 130. Higher scores indicated a higher degree of perceived transformational  
19 209 leadership behaviour. The scale has good reliability and validity and the Omega index of the scale in  
20 210 this study was 0.971.  
21  
22

23 211 **Perceived Social Support Scale, PSSS**

24  
25 212 A questionnaire developed by Blumenthal et al. was used.<sup>31</sup>The scale consists of 3 dimensions with  
26 213 12 entries. A Likert 7-point scale was used for scoring, ranging from 1 (strongly disagree) to 7  
27 214 (strongly agree), with a total score of 12-84. Higher scores indicated a higher level of social support  
28 215 felt by the individual. The scale has good reliability and validity and the Omega index of the scale in  
29 216 this study was 0.956.  
30  
31

32 217 **Occupational Coping Self Efficacy Scale, OCSE-N**

33  
34 218 A questionnaire developed by Pisanti et al. was used.<sup>32</sup> The scale consists of two dimensions with a  
35 219 total of 9 entries. A Likert 5-point scale was used, ranging from 1 (very non-compliant) to 5 (very  
36 220 compliant), with a total score ranging from 9 to 45, with higher scores indicating higher occupational  
37 221 coping self-efficacy. The scale has good reliability and validity and the Omega index of the scale in  
38 222 this study was 0.907.  
39  
40

41 223 **Stanford Presenteeism Scale-6, SPS-6**

42  
43 224 The scale developed by Koopman et al. was used.<sup>33</sup>The scale consists of two dimensions with six  
44 225 entries. A 5-point Likert scale was used, ranging from 1 (strongly disagree) to 5 (strongly agree),  
45 226 with entries 5 and 6 content being reverse scored, for a total score of 6 to 30, with higher SPS-6  
46 227 scores indicating greater impairment of health productivity due to an individual's presenteeism. The  
47 228 median score of the scale was used as a boundary to categorize low and high presenteeism. The scale  
48 229 has good reliability and validity and the Omega index of the scale in this study was 0.787.  
49  
50

51 230 **Statistical analysis**

52  
53 231 SPSS 23.0 was used for statistical analysis. Data that exhibited a normal distribution were described  
54 232 using means and standard deviations. Count data were described using frequencies and constituent  
55 233 ratios. To assess differences between groups, independent t-tests or one-way analysis of variance  
56 234 (ANOVA) were employed. Pearson correlation analysis was used to analyze the correlation between  
57  
58  
59  
60



variables. Hierarchical regression was used to analyze the factors influencing presenteeism among nurses and the mediating role among variables. Based on the bias-corrected percentile bootstrap method, the Bootstrap method (5000 samples) yielded 95% confidence intervals for significance testing. The chained mediation effect was verified through Model 6 in the PROCESS 4.1 macro program, with presenteeism as the dependent variable, transformational leadership as the independent variable, and perceived social support and occupational coping self-efficacy as the mediating variables. Transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism scores were standardized before testing the model. Direct, mediated (paths  $a*y$  (Path 1),  $x*c$  (Path 2),  $a*b*c$  (Path 3)), and total effects were examined.

## Ethical considerations

Ethical review approval for this study was obtained from the Medical Ethics Review Committee of Deyang People's Hospital (No. 2021-04-056-K01). The Declaration of Helsinki conducted all study procedures. Before the survey, the researcher obtained access permission from the hospital administration after providing information about the purpose, methodology, and significance of the survey to the investigating organization. At the beginning of the anonymous survey, an informed consent form was included on the cover of the online questionnaire, and completion and submission of the questionnaire was considered as informed consent and voluntary participation in this survey. All participants consciously and voluntarily agreed to participate in this survey. During the survey, participants were fully informed of their right to withdraw and terminate the survey at any stage without any negative consequences. The researcher ensured that all data collected from the participants were anonymous and confidential to protect their privacy.

## Results

### General demographic characteristics

Of the 590 participants, 533 (or 90.34%) were female. Nearly 97.46% of the participants were <40 years old. Most nurses had a bachelor's degree (81.86%), 66.10% were married, 53.39% were mid-level, 86.27% were clinical nurses, and 84.75% were employed under labor contracts. The remaining sociodemographic characteristics (Supplemental Table 1).

### Descriptive and correlation analysis of the scales

In this study, ICU nurses' transformational leadership scores were  $104.06 \pm 17.68$ , perceived social support scores were  $62.58 \pm 11.92$ , occupational coping self-efficacy scores were  $31.13 \pm 6.58$ , and presenteeism scores were  $15.46 \pm 4.45$ . The results of this study showed that transformational leadership, perceived social support, and occupational coping self-efficacy were all significantly related to presenteeism. Transformational leadership, perceived social support, and occupational coping self-efficacy were all negatively correlated with presenteeism, transformational leadership was positively associated with perceived social support and occupational coping self-efficacy, and perceived social support was positively correlated with occupational coping self-efficacy (Supplemental Table 2).

### Multiple stratified regression analysis

As shown in Supplemental Table 3, a multivariate hierarchical regression analysis was conducted with presenteeism as the dependent variable. In the first step, the variables that made sense in the univariate analysis of presenteeism were added to the model as control variables. In the second step,

after excluding the effects of the above control variables, transformational leadership was negatively associated with presenteeism ( $\beta=-0.090, P<0.001$ ), where transformational leadership had a significant effect on presenteeism, explaining 11.8% of the variance. In the third step, perceived social support was negatively related to presenteeism ( $\beta=-0.068, P<0.05$ ), and adding the mediating variable perceived social support to the model explained an additional 14.0% of the variance in presenteeism. The regression coefficient for transformational leadership decreased from -0.090 in the second step to -0.069 in the third step, which was still significant. In the fourth step, occupational coping self-efficacy was negatively correlated with presenteeism ( $\beta=-0.044, P<0.05$ ), and adding career coping self-efficacy to the model explained an additional 18.7% of the unnoticeable absenteeism variance. The regression coefficient for transformational leadership decreased from -0.069 in the third step to -0.058 in the fourth but remained significant. Statistical analyses initially showed that perceived social support and occupational coping self-efficacy mediated the relationship with presenteeism in the transformational leadership component of Chinese ICU nurses (see Supplemental Table 3).

### Analysis of chain mediation effects

All variables were standardized, with transformational leadership as the independent variable, presenteeism as the dependent variable, perceived social support and occupational coping self-efficacy as the mediating variables, and self-assessed physical health, perceived job stress, and whether or not one has suffered from workplace violence in the past year as control variables, and mediation effects were analyzed using Model 6 in PROCESS.

The results of the chain mediation modelling of the role of perceived social support, occupational coping self-efficacy in transformational leadership and presenteeism showed that the total effect of transformational leadership on presenteeism was -0.358 (95%CI: -0.428, -0.287;  $P<0.001$ ). The coefficients of the indirect paths transformational leadership on perceived social support, perceived social support on occupational coping self-efficacy, transformational leadership on occupational coping self-efficacy, perceived social support on presenteeism, and occupational coping self-efficacy on presenteeism were 0.468 (95%CI: 0.397, 0.538;  $P<0.001$ ), 0.241 (95%CI: 0.160, 0.322;  $P<0.001$ ), 0.161 (95%CI: 0.081, 0.241;  $P<0.001$ ), -0.119 (95%CI: -0.198, -0.039;  $P=0.003$ ), -0.261 (95%CI: -0.339, -0.184;  $P<0.001$ ), with an indirect effect of -0.029 (95%CI: -0.046, -0.016;  $P<0.001$ ), and the 95%CI did not contain zero, indicating that the model of perceived social support and occupational coping self-efficacy as chain mediators was valid. See Supplemental Table 4, Supplemental Table 5 and Figure 2.

Figure 2: Schematic diagram of the chain-mediated effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

### Discussion



This study explored the relationship between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among ICU nurses. The results found a direct effect of transformational leadership on presenteeism among ICU nurses. They confirmed that perceived social support and occupational coping self-efficacy were chain mediators between transformational leadership and presenteeism. This provides a new perspective for studying the relationship between transformational leadership and presenteeism among ICU nurses.

The results of this study showed that ICU nurses' presenteeism score was ( $15.46 \pm 4.45$ ), of which high presenteeism accounted for 53.9%, which indicated that China's ICU nurses' presenteeism was at a high level, which was worth paying attention to. To analyze the reasons for this, (1) only 56% of ICU nurses in this study had good self-assessed health. Several studies have also confirmed that individual physical and mental health conditions are the root cause of presenteeism.<sup>34, 35</sup> When nurses feel unwell or suffer from chronic illnesses, they may experience an inability to concentrate and devote themselves entirely to their work, which leads to lower work efficiency, lower productivity levels, and presenteeism. (2) 48% of the ICU nurses in this study had a high level of perceived stress. ICU, as an essential area for the rescue and treatment of patients with acute and critical illnesses in healthcare institutions, has a complex working environment. ICU nurses must continuously monitor changes in patients' conditions and cope with various first-aid situations. The high-intensity workload and prolonged work pressure may increase the nurses' fatigue and psychological burden, which may lead to presenteeism behaviors. (3) About 35% of ICU nurses in this study had suffered from workplace violence in the past. Workplace violence is a severe threat to the personal safety of nurses. It is a stressful event that can easily trigger anxiety and depression in nurses, negatively affect employee job satisfaction and loyalty, and increase concerns about the work environment and job security, leading to an inability to concentrate on work, thus resulting in presenteeism.<sup>36</sup>

The results of this study show that the transformational leadership score of ICU nurses is ( $104.06 \pm 17.68$ ), which is at the medium-high level, similar to the results of foreign scholars.<sup>16</sup> In recent years, nursing managers' understanding of scientific management has gradually deepened, the leadership style of nursing team leaders has been continuously improved, and managers who have received higher education have higher qualities and conduct can play a corresponding exemplary role among nurses and can make wise decisions and guidance based on their professional knowledge when leading the team to make changes. Hence, the level of transformational leadership is higher.

The results of this study showed that ICU nurses perceived social support scores of ( $62.58 \pm 11.92$ ), which was at a medium-high level, similar to the findings of Lu et al.<sup>37</sup> Social support, as a positive emotional experience in which an individual subjectively feels that they receive understanding and support from family, society, and friends, can reflect the degree to which an individual gets support in a stressful situation. Social support theory also states that a strengthened social support network helps to cope with external environmental challenges.<sup>38</sup> It may be related to the fact that the survey respondents in this study were mainly bachelor's degree holders (81.86%), and people with higher education tend to have more knowledge and skills, as well as better communication and expression skills and are more likely to establish and maintain good social relationships. The lower level of perceived social support among those with poor health, perceived high work stress may be related to the decline in participation in social activities and lack of time and energy to maintain interpersonal social relationships among this group.

The results of this study showed that ICU nurses' occupational coping self-efficacy score was ( $31.13 \pm 6.58$ ), which is at the medium level (median total score of 22.5), similar to the results of the

1  
2 356 study by Pisanti et al.<sup>39</sup> Self-efficacy is not confidence generated for a specific domain but can predict  
3 357 people's behavior in different situations. Studies have shown that individuals with high levels of  
4 358 self-efficacy favor using positive or problem-focused coping strategies, which help them effectively  
5 359 buffer the adverse effects of stress and contribute to maintaining high levels of physical and mental  
6 360 health.<sup>40</sup> It may be related to the fact that the working years of the respondents in this study were  
7 361 mainly 1-5 years, which accounted for about 40%. On the one hand, the ICU work environment is  
8 362 challenging, requiring the handling of critically ill patients and complex medical situations.  
9 363 Low-seniority nurses working in such a high-pressure environment may feel uneasy and anxious,  
10 364 which affects self-efficacy enhancement. On the other hand, newly recruited ICU nurses may lack  
11 365 confidence in their abilities and coping measures due to a lack of sufficient work experience and  
12 366 training, resulting in lower self-efficacy.

13  
14  
15 367 This study found that perceived social support mediates the relationship between  
16 368 transformational leadership and presenteeism among ICU nurses, i.e., transformational leadership not  
17 369 only acts directly on presenteeism but also indirectly through perceived social support. According to  
18 370 the theory of transformational leadership, transformational leadership is an upbeat leadership style  
19 371 that stimulates the intrinsic motivation of employees by motivating them so that they can maximize  
20 372 their potential to achieve the highest level of performance, promote their personal growth and career  
21 373 development, and thus improve team cohesion and work performance.<sup>41</sup> On the one hand, when  
22 374 nurse leaders have a high transformational leadership style, they can provide the social support that  
23 375 nurses need. By motivating and stimulating nurses' potential, they feel valued and supported. They  
24 376 are willing to devote themselves to their work in a positive frame of mind, which contributes to the  
25 377 joint development of themselves and the organization and enhances nurses' job satisfaction, which  
26 378 helps to reduce presenteeism; on the other hand, it is based on the theory of social exchange. When  
27 379 individuals receive sufficient support in social exchange, they are more confident and motivated to  
28 380 face challenges at work, thus reducing presenteeism. When nurses perceive the care and support from  
29 381 leaders, colleagues, and organizations, this emotional support is not only conducive to regulating the  
30 382 negative emotions of nurses and reducing the negative impact of work pressure on them but also  
31 383 helps to enhance the nurses' commitment to and identification with the organization, so that they are  
32 384 more engaged in their work and reduce the possibility of presenteeism.<sup>26</sup>

33  
34  
35 385 The results of this study found that occupational coping self-efficacy mediates the relationship  
36 386 between transformational leadership and presenteeism among ICU nurses, which means that  
37 387 transformational leadership not only acts directly on presenteeism but also indirectly through  
38 388 occupational coping self-efficacy. Bandura's self-efficacy theory states that when individuals believe  
39 389 they are competent enough to accomplish a task, they are more motivated to engage in it and strive to  
40 390 achieve the desired goal.<sup>42</sup> Managers with a high level of transformational leadership style can  
41 391 motivate nurses through character appeal and vision sharing and stimulate positive emotions in  
42 392 nurses to show more energy, dedication, and focused attitudes to be more confident in dealing with  
43 393 challenges and pressures at work. Nurses with higher occupational coping self-efficacy are more  
44 394 confident and capable of dealing with difficulties and challenges at work. They are more willing to  
45 395 take the initiative to solve problems, improve work performance, and reduce presenteeism behavior.

46  
47  
48 396 The results of this study found that perceived social support and occupational coping  
49 397 self-efficacy acted as chain mediators between transformational leadership and presenteeism among  
50 398 ICU nurses, i.e., transformational leadership among nurses affects presenteeism through perceived  
51 399 social support and occupational coping self-efficacy. According to the JD-R model, job resources can  
52 400 buffer the negative consequences of presenteeism by stimulating employees' internal and external  
53 401 motivation to cope with demanding job tasks. Transformational leadership and perceived social

support as an essential external resource and occupational coping self-efficacy as a vital internal resource, managers with a high level of transformational leadership style excel at stimulating nurses' autonomy and creativity by establishing good interpersonal relationships and a teamwork atmosphere, providing nurses with the necessary resources and support, and enhancing nurses' perceptions of social support.<sup>20</sup> When nurses feel the support and encouragement from their leaders, they will be more willing to seek and utilize help and support from external resources, such as colleagues, family, and friends. This social support helps meet nurses' needs at work, reduces work stress and fatigue, and increases job satisfaction and well-being, enhancing nurses' occupational coping self-efficacy. When possessing a higher level of self-efficacy, nurses are more confident that they can better cope with the challenges and pressures at work, which is conducive to maintaining good mental health and reducing the incidence of presenteeism.

Based on the results of this study, we put forward the following recommendations to improve the status of presenteeism among ICU nurses. First, cultivate and promote a transformational leadership style: leaders should pay attention to the needs and emotions of nurses and actively listen to their opinions and suggestions; stimulate nurses' enthusiasm and innovation through incentives and encouragement so that they can feel the meaning and value of their work; establish a positive, open and inclusive work environment and encourage nurses to participate in decision-making to improve their sense of belonging and responsibility and reduce presenteeism. Second, enhance perceived social support: establish a good social support network; organizations should encourage supportive colleague relationships and teamwork and promote interactions and exchanges through regular team-building activities; nursing managers should strengthen communication with nurses, establish a good team communication mechanism, and encourage information exchange and emotional support among nurses; and provide resources for mental health support by providing resources such as psychological counseling services, guidance and training on work-life balance, to help nurses cope with work stress and emotional distress, promote nurses' physical and mental health, and reduce presenteeism. Third, to improve nurses' sense of self-efficacy in occupational coping, regular training and refresher courses are conducted to improve nurses' professional skills and knowledge and enhance their ability to cope with work challenges; work tasks and resources are reasonably allocated to reduce nurses' overload and stress; and appropriate incentives and recognition mechanisms are provided to stimulate nurses' motivation and self-efficacy and to reduce presenteeism.

## Limitation and prospect

First, this study only selected ICU nurses from six tertiary hospitals in Sichuan Province, China, for the survey. As a result, the representativeness of the sample size and the generalizability of the findings are limited. In the future, multi-center and large-sample survey studies can be conducted to explore the presenteeism of ICU nurses in different regions and different levels of hospitals. Secondly, this study was a cross-sectional study and therefore unable to assess the longitudinal trajectory of change in transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among ICU nurses. The changes in presenteeism and related influencing factors among ICU nurses can be analysed in depth from multiple perspectives in the future through longitudinal studies.

## Conclusions

In summary, China's ICU nurses' presenteeism is at a high level, and transformational leadership can not only directly affect ICU nurses' presenteeism but also indirectly affect ICU nurses' presenteeism by the chain mediating role of perceived social support and occupational coping self-efficacy.

1  
2 446 Nursing managers should pay attention to developing a transformational leadership style to enhance  
3 447 social support and improve ICU nurses' occupational coping efficacy, thus reducing ICU nurses'  
4 448 presenteeism behavior.  
5  
6 449 **Acknowledgments** The authors thank all the participating nurses and investigators in this study for  
7 450 their generous contribution.  
8  
9  
10 451 **Contributors** Guarantor is Jijun Wu. Jijun Wu, Yuxin Li, Qin Lin: conceptualisation and design  
11 452 of the study, wrote the manuscript, and analysed data. Xian Rong, Xiaoli Zhong: contributed to the  
12 453 writing and revision of articles. Yuting Fan, Jiquan Zhang, Zhenfan Liu, Xiaoli Liu: contributed to  
13 454 the analysis and processing of data. All authors contributed to the article and approved the submitted  
14 455 version.  
15  
16  
17 456 **Funding** This work was supported by the Sichuan Hospital Management and Development Center  
18 457 (approval number: SCYG2023-31).  
19  
20 458 **Competing interests** None declared.  
21  
22 459 **Patient and public involvement** Patients and/or the public were not involved in the design, or  
23 460 conduct, or reporting, or dissemination plans of this research.  
24  
25 461 **Patient consent for publication** Not applicable.  
26  
27  
28 462 **Ethics approval** This study was approved by the Deyang People's Hospital Ethics Committee  
29 463 (2021-04-056-K01).  
30  
31 464 **Data availability statement** Data are available upon reasonable request. The datasets generated  
32 465 during and/or analysed during this study are available from the corresponding author on reasonable  
33 466 request.  
34  
35  
36 467 **References**  
37  
38 468 1. Chapman LS. Presenteeism and its role in worksite health promotion. Am J Health Promot.  
39 469 2005;19(4):suppl 1-8.  
40  
41 470 2. Kivimäki M, Head J, Ferrie JE, et al. Working while ill as a risk factor for serious coronary  
42 471 events: the Whitehall II study. Am J Public Health. 2005;95(1):98-102.  
43  
44 472 3. Webster RK, Liu R, Karimullina K, et al.. A systematic review of infectious illness  
45 473 Presenteeism: prevalence, reasons and risk factors. BMC Public Health. 2019;19(1):799.  
46  
47 474 4. Mosadeghrad AM. Occupational stress and turnover intention: implications for nursing  
48 475 management. Int J Health Policy Manag. 2013;1(2):169-76.  
49  
50 476 5. McKevitt C, Morgan M, Dundas R, et al.. Sickness absence and 'working through' illness: a  
51 477 comparison of two professional groups. J Public Health Med. 1997;19(3):295-300.  
52  
53 478 6. Min A, Kang M, Park H. Global prevalence of presenteeism in the nursing workforce: A  
54 479 meta-analysis of 28 studies from 14 countries. J Nurs Manag. 2022;30(7):2811-24.  
55  
56 480 7. Warren CL, White-Means SI, Wicks MN, et al.. Cost burden of the presenteeism health  
57 481 outcome: diverse workforce of nurses and pharmacists. J Occup Environ Med. 2011;53(1):90-9.  
58  
59  
60



8. Bracewell LM, Campbell DI, Faure PR, et al. Sickness presenteeism in a New Zealand hospital. *N Z Med J.* 2010;123(1314):31-42.
9. Shan G, Wang S, Wang W, et al. Presenteeism in Nurses: Prevalence, Consequences, and Causes From the Perspectives of Nurses and Chief Nurses. *Front Psychiatry.* 2020;11:584040.
10. Letvak SA, Ruhm CJ, Gupta SN. Nurses' presenteeism and its effects on self-reported quality of care and costs. *Am J Nurs.* 2012;112(2):30-8; quiz 48, 39.
11. Nagata T, Mori K, Ohtani M, et al. Total Health-Related Costs Due to Absenteeism, Presenteeism, and Medical and Pharmaceutical Expenses in Japanese Employers. *J Occup Environ Med.* 2018;60(5):e273-e80.
12. Senek M, Robertson S, Ryan T, et al. The association between care left undone and temporary Nursing staff ratios in acute settings: a cross-sectional survey of registered nurses. *BMC Health Serv Res.* 2020;20(1):637.
13. Bettencourt AP, McHugh MD, Sloane DM, et al. Nurse Staffing, the Clinical Work Environment, and Burn Patient Mortality. *J Burn Care Res.* 2020;41(4):796-802.
14. Tao QY, Ma XD, Rui X, et al. Effect of ICU Nursing Manpower Allocation on the Completion Rate of Cluster Therapy for Septic Shock. *Chinese Health Quality Management.* 2021;28(08), 43-46.
15. Chen CY, Chen CH, Li CI. The influence of leader's spiritual values of servant leadership on employee motivational autonomy and eudaemonic well-being. *J Relig Health.* 2013;52(2):418-38.
16. Al-Thawabiya A, Singh K, Al-Lenjawi BA, et al. Leadership styles and transformational leadership skills among nurse leaders in Qatar, a cross-sectional study. *Nurs Open.* 2023;10(6):3440-6.
17. Abdul Salam H, Dumit NY, Clinton M, et al. Transformational leadership and predictors of resilience among registered nurses: a cross-sectional survey in an underserved area. *BMC Nurs.* 2023;22(1):37.
18. Wu X, Hayter M, Lee AJ, et al. Positive spiritual climate supports transformational leadership as means to reduce nursing burnout and intent to leave. *J Nurs Manag.* 2020;28(4):804-13.
19. Labrague LJ. Relationship between transformational leadership, adverse patient events, and nurse-assessed quality of care in emergency units: The mediating role of work satisfaction. *Australas Emerg Care.* 2023.
20. Labrague LJ, Obeidat AA. Transformational leadership as a mediator between work-family conflict, nurse-reported patient safety outcomes, and job engagement. *J Nurs Scholarsh.* 2022;54(4):493-500.
21. Li Y, Guo B, Wang Y, et al. Serial-Multiple Mediation of Job Burnout and Fatigue in the Relationship Between Sickness Presenteeism and Productivity Loss in Nurses: A Multicenter Cross-Sectional Study. *Front Public Health.* 2021;9:812737.
22. Brborović H, Daka Q, Dakaj K, et al. Antecedents and associations of sickness presenteeism and sickness absenteeism in nurses: A systematic review. *Int J Nurs Pract.* 2017;23(6).
23. Fiorini LA, Houdmont J, Griffiths A. Nurses' illness perceptions during presenteeism and absenteeism. *Occup Med (Lond).* 2020;70(2):101-6.
24. Rainbow JG, Drake DA, Steege LM. Nurse Health, Work Environment, Presenteeism and Patient Safety. *West J Nurs Res.* 2020;42(5):332-9.

25. Miloseva L, Vukosavljevic-Gvozden T, Richter K, et al. Perceived social support as a moderator between negative life events and depression in adolescence: implications for prediction and targeted prevention. *Epma j.* 2017;8(3):237-45.

26. Yang T, Ma T, Liu P, et al. Perceived social support and presenteeism among healthcare workers in China: the mediating role of organizational commitment. *Environ Health Prev Med.* 2019;24(1):55.

27. Liu XL, Jia P, Wen XX, et al. Current status and influencing factors of hidden absence of ICU nurses in China. *J. Nur.* 2022;29(16):1-5.

28. Demerouti E, Bakker AB, Nachreiner F, Schaufeli WB. The job demands-resources model of burnout. *J Appl Psychol.* 2001;86(3):499-512.

29. Ni P, Chen JP, Liu N. The sample size estimation in quantitative nursing research. *Chin. J. Nurs.* 2010;45(04):378-80.

30. Li CP, Shi K. The Structure and Measurement of Transformational Leadership in China. *Acta Psychologica Sinica.* 2005(06):97-105.

31. Blumenthal JA, Burg MM, Barefoot J, et al. Social support, type A behavior, and coronary artery disease. *Psychosom Med.* 1987;49(4):331-40.

32. Pisanti R, Lombardo C, Lucidi F, et al. Development and validation of a brief Occupational Coping Self-Efficacy Questionnaire for Nurses. *J Adv Nurs.* 2008;62(2):238-47.

33. Koopman C, Pelletier KR, Murray JF, et al. Stanford presenteeism scale: health status and employee productivity. *J Occup Environ Med.* 2002;44(1):14-20.

34. Whysall Z, Bowden J, Hewitt M. Sick leave presenteeism: measurement and management challenges. *Ergonomics.* 2018;61(3):341-54.

35. Shan G, Wang W, Wang S, et al. Authoritarian leadership and nurse presenteeism: the role of workload and leader identification. *BMC Nurs.* 2022;21(1):337.

36. Yang T, Shen YM, Zhu M, et al. Effects of Co-Worker and Supervisor Support on Job Stress and Presenteeism in an Aging Workforce: A Structural Equation Modelling Approach. *Int J Environ Res Public Health.* 2015;13(1):ijerph13010072.

37. Lu J, Wang B, Dou X, et al. Moderating effects of perceived social support on self-efficacy and psychological well-being of Chinese nurses: a cross-sectional study. *Front Public Health.* 2023;11:1207723.

38. Uchino BN. Social support and health: a review of physiological processes potentially underlying links to disease outcomes. *J Behav Med.* 2006;29(4):377-87.

39. Pisanti R, van der Doef M, Maes S, et al. Occupational coping self-efficacy explains distress and well-being in nurses beyond psychosocial job characteristics. *Front Psychol.* 2015;6:1143.

40. Jex SM, Bliese PD, Buzzell S, et al. The impact of self-efficacy on stressor-strain relations: coping style as an explanatory mechanism. *J Appl Psychol.* 2001;86(3):401-9.

41. Abd-El Aliem SMF, Abou Hashish EA. The Relationship Between Transformational Leadership Practices of First-Line Nurse Managers and Nurses' Organizational Resilience and Job Involvement: A Structural Equation Model. *Worldviews Evid Based Nurs.* 2021;18(5):273-82.

42. Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev.* 1977;84(2):191-215.




Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)




Figure 2: Schematic diagram of the chain-mediated effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

For peer review only

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14



ne 10, 2025 at Agence Bibliographique de l  
echnologies.



Results

Table 1: Relationship between demographic characteristics of ICU nurses and presenteeism

Items	N	SPS-6 Mean ±SD	<i>t/F</i>	<i>P</i>	Multiple comparisons
Sex			-0.378	0.706	/
male	57	15.25±5.10			
female	533	15.48±4.38			
Age			0.052	0.950	/
< 30	267	15.39±4.32			
30~ < 40	308	15.51±4.66			
≥40	15	15.47±2.10			
Marital status			1.410	0.239	/
unmarried	189	15.87±4.36			
married but not having children	73	15.55±4.14			
married and having children	317	15.15±4.58			
Divorced or other	11	16.82±3.97			

Highest degree					
College and below	93	15.31±4.54	0.086	0.918	/
undergraduate	483	15.49±4.32			
Master's degree or above	14	15.21±4.87			
Professional title			1.971	0.140	/
junior level	102	15.36±4.67			
middle level	315	15.77±4.34			
high level	173	14.94±4.50			
Position			1.476	0.229	/
clinical nurse	509	15.58±4.44			
nursing team leader	68	14.78±4.64			
head nurse	13	14.23±3.47			
Years of experience in ICU			1.903	0.150	/
1~ < 5	252	15.07±4.36			
5~ < 10	204	15.88±4.45			
≥10	134	15.54±4.60			

Average monthly income			1.945	0.121	/
1~ < 6000	150	15.63±4.46			
6000~ < 8000	268	15.75±4.49			
8000~ < 10000	132	14.64±4.28			
≥10000	40	15.53±4.57			
Type of contract			-1.266	0.206	/
professional preparation	90	14.91±3.96			
labor contract	500	15.56±4.53			
Self-assessed health status			36.031	<0.001	①<②< ③
good	328	14.27±4.20			
general	233	16.62±4.14			
worse	29	19.59±4.89			
Whether or not you have a chronic disease			1.598	0.111	/
No	87	16.16±4.39			
Yes	503	15.34±4.46			

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).



Perceived work stress			28.679	<0.001	④<⑤<⑥
lower	13	11.77±3.81			
middle	292	14.34±3.93			
high	285	16.78±4.58			
ICU human resources			1.732	0.178	/
< 1:2.5~3	347	15.25±4.58			
=1:2.5~3	143	15.45±4.27			
>1:2.5~3	100	16.19±4.24			
Exposure to workplace violence in the past year			5.763	<0.001	/
No	386	14.71±4.39			
Yes	204	16.87±4.24			

Note:①good; ②general; ③worse; ④lower; ⑤middle; ⑥high

Table 2: Correlations between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism

Variables	Mean ±SD	1	2	3	4
Transformational leadership(1)	104.06±17.68	1	-	-	-

Perceived social support(2)	62.58±11.92	0.515**	1	-	-
Occupational coping self-efficacy (3)	31.13±6.58	0.369**	0.417**	1	-
Presenteeism(4)	15.46±4.45	-0.445**	-0.412**	-0.486**	1

\*\**P* <0.05

Table 3: Multiple stratified regression analysis of presenteeism of ICU nurses in China

	Step1	Step2	Step3	Step4
Step1				
Self-assessed health status	1.883**	1.475**	1.290**	1.057**
Perceived work stress	1.729**	1.392**	1.268**	0.803**
Exposure to workplace violence in the past year	-1.371**	-0.939**	-0.892**	-0.584
Step2				
Transformational leadership	—	-0.090**	-0.069**	-0.058**

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignment Supérieur (ABES).

Step3				
Perceived social support	—	—	-0.068**	-0.044**
Step4				
Occupational coping self-efficacy	—	—	—	-0.177**
<i>F</i>	42.575**	61.893**	55.090**	56.639**
<i>R</i> <sup>2</sup>	0.179	0.297	0.320	0.368
Adjustment <i>R</i> <sup>2</sup>	0.175	0.293	0.315	0.362

\*\**P* < 0.01

Table 4: Paths of indirect mediating effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

Path	Coeff	95%CI	
		LLCI	ULCI
Transformational leadership → Perceived Social Support → Presenteeism	-0.055	-0.104	-0.012
Transformational leadership → Occupational Coping Self Efficacy → Presenteeism	-0.042	-0.076	-0.017

Transformational leadership→Perceived Social Support →Occupational Coping Self Efficacy→Presenteeism	-0.029	-0.046	-0.016
---------------------------------------------------------------------------------------------------------	--------	--------	--------

Table 5 : Analysis of the chain-mediated effects of perceived social support, occupational coping self-efficacy on the relationship between transformational leadership and presenteeism

	R <sup>2</sup>	F	Coeff	SE	<i>t</i>	<i>P</i>	LLCI	ULCI
Outcome	0.297	61.700						
Perceived Social Support								
Transformational leadership			0.468	0.036	12.980	<0.001	0.397	0.538
Outcome	0.300	50.176						
Occupational Coping Self Efficacy								
Transformational leadership			0.161	0.041	3.941	<0.001	0.081	0.241
Perceived Social Support			0.241	0.041	5.830	<0.001	0.160	0.322
outcome	0.368	56.639						
Presenteeism								

Transformational leadership			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Perceived Social Support			-0.119	0.040	-2.935	0.003	-0.198	-0.039
Occupational Coping Self Efficacy			-0.261	0.039	-6.638	<0.001	-0.339	-0.184
Outcome	0.297	61.893						
Presenteeism								
Transformational leadership			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Total effect			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Direct effect			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Total indirect effect			-0.127	0.027	-	-	-0.184	-0.080

# BMJ Open

## Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-091462.R3
Article Type:	Original research
Date Submitted by the Author:	02-Apr-2025
Complete List of Authors:	Wu, Jijun; Deyang People's Hospital, Department of Cardiology Li, Yuxin; North Sichuan Medical College; Deyang People's Hospital, Nursing Department Lin, Qin; Zhejiang Shuren University Fan, Yuting; Deyang People's Hospital, Nursing Department Zhang, Jiquan; Deyang People's Hospital, Nursing Department Liu, Zhenfan; Dnyanganga College of Engineering and Research, Nursing Department Liu, Xiaoli; Deyang People's Hospital, Nursing Department Rong, Xian; Sichuan Nursing Vocational College Zhong, Xiaoli; Deyang People's Hospital, Nursing Department
<b>Primary Subject Heading</b>:	Nursing
Secondary Subject Heading:	Nursing, Occupational and environmental medicine, Public health
Keywords:	Nurses, Stress, Psychological, PUBLIC HEALTH, Occupational Stress, Nursing Care

SCHOLARONE™  
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Enseignement Supérieur (ABES).



# Relationships between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among Chinese ICU nurses: a cross-sectional study

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup>, Qin Lin<sup>4†</sup>, Yuting Fan<sup>3,6</sup>, Jiquan Zhang<sup>3</sup>, Zhenfan Liu<sup>3</sup>, Xiaoli Liu<sup>3</sup>, Xian Rong<sup>5\*</sup>, Xiaoli Zhong<sup>3\*</sup>

<sup>1</sup>Department of Cardiology, Deyang People's Hospital, Sichuan, China, <sup>2</sup>School of Nursing, North Sichuan Medical College, Sichuan, China, <sup>3</sup>Nursing Department, Deyang People's Hospital, Sichuan, China, <sup>4</sup>Shulan International Medical College, Zhejiang Shuren University, Hangzhou, China, <sup>5</sup>School of Nursing, ChengDu College, Sichuan, China, <sup>6</sup>Sichuan Nursing Vocational College, Sichuan, China

Jijun Wu<sup>1†</sup>, Yuxin Li<sup>2†,3†</sup> and Qin Lin<sup>4†</sup>: These authors contributed equally to this work and share first authorship

## \* Correspondence:

Xiaoli Zhong

Xian Rong

1165254226@qq.com

## Abstract

**Objective:** This study aimed to investigate the relationship between transformational leadership and presenteeism among ICU nurses in tertiary hospitals and further investigate the chain-mediated role of perceived social support and occupational coping self-efficacy.

**Design:** This is a cross-sectional survey study.

**Setting:** 6 tertiary hospitals in Sichuan Province, China.

**Participants:** 590 ICU nurses were recruited from 6 tertiary hospitals in China for the survey.

**Primary and secondary outcome measures:** Presenteeism of ICU nurses was the primary outcome indicator. Transformational leadership, perceived social support, and occupational coping self-efficacy were secondary outcome indicators. The transformational leadership scale, perceived social support, occupational coping self-efficacy, and stanford presenteeism scale were used to investigate ICU nurses through convenience sampling.

**Results:** The presenteeism score of ICU nurses was 15.46±4.45 (Mean±SD), in which the incidence of high presenteeism was 53.90%. Correlation analysis showed that presenteeism was negatively correlated with transformational leadership, perceived social support, and occupational coping self-efficacy ( $r = -0.412$  to  $-0.486$ ;  $P < 0.05$ ). Perceived social support partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.055 (95%CI: -0.102, -0.012;  $P < 0.001$ ); occupational coping self-efficacy partially mediated the relationship between transformational leadership and presenteeism, with an effect value of 0.042 (95% CI:

1  
2 36 -0.074,-0.017;  $P<0.001$  ); perceived social support and occupational coping self-efficacy  
3 37 chain-mediated between transformational leadership and presenteeism, with an effect value of 0.029  
4 38 (95% CI: -0.046,-0.016;  $P<0.001$  ).  
5

6 39 **Conclusion:** ICU nurses' perceived social support and occupational coping self-efficacy are  
7 40 chain-mediated between transformational leadership and presenteeism. Therefore, to reduce nurses'  
8 41 presenteeism, nursing managers should adopt targeted interventions based on the factors influencing  
9 42 them to improve transformational leadership and enhance their perceived social support and  
10 43 occupational coping self-efficacy.  
12

13 44 **Keywords:** intensive care unit; nurses; presenteeism; transformational leadership; perceived social  
14 45 support; occupational coping self-efficacy  
15

16 46  
17  
18 47 **STRENGTHS AND LIMITATIONS OF THIS STUDY**  
19

20  
21 48 • This study included transformational leadership, perceived social support, and occupational coping  
22 49 self-efficacy in the analysis of presenteeism among ICU nurses, providing a new perspective on the  
23 50 relationship between transformational leadership and presenteeism.  
24

25 51 • This study was cross-sectional, and causal relationships between variables could not be inferred.  
26

27  
28 52 • This study only surveyed 6 tertiary hospitals in Sichuan Province, China, and there were  
29 53 limitations in the sample.  
30

31 54 **Introduction**  
32

33 55 In recent years, the study of the relationship between the health status of occupational groups and the  
34 56 economy has increasingly become a hot spot of scholars' attention. Health, as one of the most  
35 57 essential human capital, not only affects individual labor performance but also influences a country's  
36 58 or region's economic growth dynamics. Presenteeism, also known as low health-related productivity,  
37 59 is prevalent among occupational groups, especially in the healthcare industry. There is no  
38 60 standardized concept of presenteeism, which was first proposed by Professor Copper in 1996,  
39 61 describing it as the phenomenon of working when one should take a break from work due to illness  
40 62 or extended working hours that cause a reduction in health-related productivity.<sup>1</sup>In 2005, Kivimäki et  
41 63 al. expanded the concept of presenteeism to include working when one is in an unhealthy state.<sup>2</sup> A  
42 64 systematic evaluation by Webster et al. showed that the reported prevalence of presenteeism in the  
43 65 occupational population ranged from 35% to 97%, influenced by organizational factors, job  
44 66 characteristics, and personal factors.<sup>3</sup>As a major force in health care, nurses are a high-risk,  
45 67 high-stress, and high-work-intensity population. In the global shortage of nursing human resources,  
46 68 nurses are at high risk of presenteeism, especially in developing countries or poor areas, due to heavy  
47 69 workloads, human resource constraints, shift work, complex interpersonal relationships, and  
48 70 inadequate remuneration packages.<sup>4</sup>  
51

52  
53 71 It has been reported that 85% of healthcare workers have had the experience of attending work  
54 72 with illness,<sup>5</sup> while the global rate of presenteeism reporting among nurses is about 49.2%,<sup>6</sup> with  
55 73 65.0% in the United States,<sup>7</sup> 48.7% in New Zealand,<sup>8</sup> and a high rate of 94.25% of presenteeism  
56 74 reporting among nurses in China.<sup>9</sup> The impact of presenteeism on individuals and organizations is  
57  
58  
59  
60

often multifaceted; on the one hand, it affects personal health, resulting in decreased productivity, lower work efficiency, and increased burnout, which affects professional well-being. On the other hand, it affects patient safety by increasing the risk of medication errors, falls, and infections. In addition, presenteeism can have a series of negative impacts on organizational development, directly or indirectly increasing the economic loss of the organization. Studies have shown that due to differences in the level of economic growth, the financial loss caused by presenteeism of nurses varies slightly in different countries, from about US\$4.38 billion per year in China,<sup>9</sup> US\$3-12 billion per year in the United States,<sup>10</sup> and about US\$3,055 per capita in Japan.<sup>11</sup> Therefore, considering the negative consequences of presenteeism on multiple domains, such as individuals, patients, and organizations, it is necessary to explore the mechanisms and pathways of its impact from various perspectives.

According to the 2020 State of Global Nursing Report, there is currently a shortfall of up to 5.9 million nurses worldwide, with a projected shortfall of 5.7 million by 2030, with the shortage of nurses in developing countries and poorer regions particularly prominent. Although the shortage of nurses in China has dramatically improved in recent years, there is still a gap from the global average. Whether the allocation of human resources is reasonable and whether the appropriate ratio directly affects the quality of nursing services, work efficiency, and healthcare costs, thus affecting the quality and safety of patient services.<sup>12, 13</sup> The intensive care unit (ICU), as a special ward for the centralized treatment, resuscitation, and monitoring of patients with acute, critical, and severe illnesses in medical institutions, is characterized by solid professionalism, heavy workload, modern equipment, and complex treatment, which makes nurses' workload challenging and stressful, leading to prominent chronic health problems such as chronic pain, fatigue, gastrointestinal disorders, and sleep disorders. Research shows that the average ICU bed-to-nurse ratio in China is 1:1.86, with 63.3% of the regions having a 1:1.5 to <2.0 ratio.<sup>14</sup> Therefore, the shortage of human resources for ICU nurses is still prominent in China. Presenteeism of ICU nurses is also notable due to the influence of factors such as dedication, health status, work pressure, remuneration, and poor job replacement. Therefore, it is essential to pay attention to the current situation of ICU nurses' presenteeism and its influence mechanism and to develop targeted interventions to improve nurses' health status and patient safety.

In organizations, leadership style is an essential source of employees' emotional and psychological experience, affecting their psychological well-being and job performance.<sup>15</sup> Transformational leadership refers to a leader's ability to guide employees to develop proper values, resilience, and a positive mindset by making them aware of their responsibilities, stimulating high-level needs, and building mutual trust. Transformational leadership has four dimensions: moral example, charisma, personalized care, and visionary inspiration. As a work resource, leadership style is an essential organizational contextual variable affecting employees. Transformational leadership style can improve employee performance and reduce impaired productivity by exuding leadership charisma, reinforcing leadership inspiration, and personalized care to stimulate employees' intellectual and higher-level needs.<sup>16</sup> The positive effects of transformational leadership have been widely studied and confirmed regarding nurses' resilience,<sup>17</sup> burnout,<sup>18</sup> job satisfaction,<sup>19</sup> and improved patient safety outcomes.<sup>20</sup> Research on transformational leadership's impact on presenteeism has not been reported. Based on this, we propose research hypothesis 1: Transformational leadership negatively affects presenteeism and can further reduce the occurrence of presenteeism through mediating variables.

Previous research on the factors influencing nurses' presenteeism has focused on demographic characteristics such as length of service and job title;<sup>21</sup> health conditions such as subfertility

1  
2 121 symptoms, chronic bodily pain, hypertension, and other chronic illnesses;<sup>22, 23</sup> and work-related  
3 122 factors such as pay and income, work environment, and occupational stress.<sup>24</sup> The synergistic effects  
4 123 of positive psychological work resources, such as social support and self-efficacy, are often  
5 124 overlooked.

7  
8 125 Some studies have shown that social support directly predicts the mental health of healthcare  
9 126 workers and indirectly affects mental health through personal resilience, which directly or indirectly  
10 127 affects work efficiency. Perceived social support refers to an individual's emotional experience and  
11 128 degree of satisfaction in feeling respected, supported, and understood. It consists of three main  
12 129 components: family support, friend support, and material or other spiritual support from the  
13 130 community. Perceived social support as a positive psychological resource is one of the essential  
14 131 protective resources for individuals, which helps to alleviate work pressure and negative emotions,  
15 132 maintain a healthy psychological state and a positive work state, and thus reduce the phenomenon of  
16 133 presenteeism. The social support buffer model also points out that perceived social support can  
17 134 inhibit or buffer the adverse effects of stressful events on individuals.<sup>25</sup> Some studies have shown that  
18 135 presenteeism is negatively related to marine social support and that high social support may improve  
19 136 presenteeism by reducing stress and increasing job satisfaction and performance.<sup>26</sup> In addition,  
20 137 leadership styles can improve employees' stress coping and handling abilities through support for  
21 138 employees, which can stimulate employees' motivation, work attitudes, and behaviors and enhance  
22 139 the level of perceived social support. Based on this, we propose the following research hypotheses:

25  
26 140 Research Hypothesis 2: Transformational leadership can influence presenteeism among ICU  
27 141 nurses through the mediating role of perceived social support.

28  
29 142 Occupational coping self-efficacy refers to an overarching self-efficacy of employees to  
30 143 effectively cope with and accomplish nursing care. Self-efficacy, as a positive psychological resource  
31 144 within an individual, is essential for enhancing occupational coping ability, reducing work stress and  
32 145 burnout, improving mental health, and enhancing work efficiency and work quality. Research shows  
33 146 that the lack of coping self-efficacy may directly or indirectly affect work engagement through stress  
34 147 and interpersonal relationships, making employees feel inefficient.<sup>27</sup> The Job Demands-Resources  
35 148 Model states that each occupation has specific risk factors associated with job stress and that when  
36 149 employees have high levels of job demands and job resources, it stimulates personal growth and  
37 150 development and helps to promote good organizational outcomes.<sup>28</sup> Transformational leadership,  
38 151 perceived social support, and occupational coping self-efficacy are important to nurses in achieving  
39 152 organizational goals as overarching components of job demands and resources. Currently, there is  
40 153 evidence regarding the influential relationship between transformational leadership, perceived social  
41 154 support and self-efficacy. However, it is not yet known whether occupational coping self-efficacy  
42 155 mediates the relationship between transformational leadership and presenteeism, and whether there is  
43 156 a chain of mediation between perceived social support and occupational coping self-efficacy between  
44 157 transformational leadership and presenteeism. Based on these analyses, we propose the following  
45 158 research hypotheses:

49  
50 159 Research Hypothesis 3: Transformational leadership can influence presenteeism among ICU  
51 160 nurses through the mediating role of occupational coping self-efficacy.

52  
53 161 Research Hypothesis 4: Transformational leaders can influence presenteeism among ICU nurses  
54 162 by mediating the chain of perceived social support and occupational coping self-efficacy.



Based on the above analysis, this study used the JD-R model as a theoretical guide to explore the influence mechanism of presenteeism of Chinese ICU nurses from multiple perspectives of job requirements (transformational leadership), job resources (perceived social support), and personal resources (occupational coping self-efficacy), and to establish a hypothetical model (Fig. 1) to provide a theoretical basis for the reduction of presenteeism of ICU nurses.

Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)

## Methods

### Participants

In March-April 2023, the cluster random sampling method was used to divide Sichuan Province into five regions: north Sichuan, east Sichuan, west Sichuan, south Sichuan and Chengdu City. One tertiary hospital was randomly selected from each region of north Sichuan, east Sichuan, west Sichuan, and south Sichuan. Two tertiary hospitals were randomly selected from Chengdu City, and finally, the ICU nurses in these six tertiary hospitals were surveyed. (Including Deyang People's Hospital, Sichuan Provincial People's Hospital, Suining Central Hospital, Yibin First People's Hospital, Affiliated Hospital of Sichuan North Medical College, Leshan People's Hospital) Inclusion criteria: holders of professional qualification certificate for nurses, engaged in ICU clinical work for more than one year; no history of alcohol or drug addiction, no history of mental illness; no history of psychiatric disease-related drugs; informed consent and voluntary participation. Exclusion criteria: internship, regulation training, and advanced training nurses; those currently on sick leave, maternity leave, and other absenteeism. According to the Kendall sample size rough estimation method, the variables in this study were 24 (14 general demographic information + four dimensions of the Transformational Leadership Scale + 3 dimensions of the Perceived Social Support Scale + 2 dimensions of the Occupational Coping Self-Efficacy + 1 dimension of Stanford Presenteeism Scale). At least 5-10 times the number of variables were selected, considering 20% of invalid questionnaires, and the sample size ranged from 150 to 300 cases. A total of 635 questionnaires were recovered in this study; 45 invalid questionnaires with regular filling and logical errors were excluded, and 590 valid questionnaires were finally recovered, with an effective recovery rate of 92.9%.

### Procedures

The data for this study were collected anonymously using an electronic questionnaire called "Questionnaire Star". After obtaining the consent of the relevant person in charge of each hospital, a researcher was identified in each hospital, and uniform training was provided to all researchers to

clarify the purpose, significance, and method of filling out the questionnaires in this study. After the training, the survey researcher distributed the questionnaire to the hospital ICU nurses' WeChat group, and the first page of the questionnaire was set up with a unified filling instruction, explaining the purpose of this study and the precautions for filling in the method. This study followed the principles of informed consent and voluntariness, and the investigators could withdraw from this study at any time in the middle. All survey contents were set as mandatory options in the electronic questionnaire to ensure the complete survey information responses.

**Measures**

**Socio-demographic characteristics**

Fourteen demographic variables were included in this study work, mainly gender, age, marital and childbearing status et al.

**Transformational Leadership Scale, TL**

A questionnaire developed by Li et al. was used.<sup>30</sup>The scale consists of four dimensions with 26 entries. A Likert 5-point scale was used, ranging from 1 (Strongly Disagree) to 5 (Strongly Agree), with a total score of 26 to 130. Higher scores indicated a higher degree of perceived transformational leadership behaviour. The scale has good reliability and validity and the Omega index of the scale in this study was 0.971.

**Perceived Social Support Scale, PSSS**

A questionnaire developed by Blumenthal et al. was used.<sup>31</sup>The scale consists of 3 dimensions with 12 entries. A Likert 7-point scale was used for scoring, ranging from 1 (strongly disagree) to 7 (strongly agree), with a total score of 12-84. Higher scores indicated a higher level of social support felt by the individual. The scale has good reliability and validity and the Omega index of the scale in this study was 0.956.

**Occupational Coping Self Efficacy Scale, OCSE-N**

A questionnaire developed by Pisanti et al. was used.<sup>32</sup> The scale consists of two dimensions with a total of 9 entries. A Likert 5-point scale was used, ranging from 1 (very non-compliant) to 5 (very compliant), with a total score ranging from 9 to 45, with higher scores indicating higher occupational coping self-efficacy. The scale has good reliability and validity and the Omega index of the scale in this study was 0.907.

**Stanford Presenteeism Scale-6, SPS-6**

The scale developed by Koopman et al. was used. <sup>33</sup>The scale consists of two dimensions with six entries. A 5-point Likert scale was used, ranging from 1 (strongly disagree) to 5 (strongly agree), with entries 5 and 6 content being reverse scored, for a total score of 6 to 30, with higher SPS-6 scores indicating greater impairment of health productivity due to an individual's presenteeism. The median score of the scale was used as a boundary to categorize low and high presenteeism. The scale has good reliability and validity and the Omega index of the scale in this study was 0.787.

**Statistical analysis**

SPSS 23.0 was used for statistical analysis. Data that exhibited a normal distribution were described using means and standard deviations. Count data were described using frequencies and constituent ratios. To assess differences between groups, independent t-tests or one-way analysis of variance (ANOVA) were employed. Pearson correlation analysis was used to analyze the correlation between variables. Hierarchical regression was used to analyze the factors influencing presenteeism among nurses and the mediating role among variables. Based on the bias-corrected percentile bootstrap method, the Bootstrap method (5000 samples) yielded 95% confidence intervals for significance testing. The chained mediation effect was verified through Model 6 in the PROCESS 4.1 macro program, with presenteeism as the dependent variable, transformational leadership as the independent variable, and perceived social support and occupational coping self-efficacy as the mediating variables. Transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism scores were standardized before testing the model. Direct, mediated (paths  $a*y$  (Path 1),  $x*c$  (Path 2),  $a*b*c$  (Path 3)), and total effects were examined.

## Ethical considerations

Ethical review approval for this study was obtained from the Medical Ethics Review Committee of Deyang People's Hospital (No. 2021-04-056-K01). The Declaration of Helsinki conducted all study procedures. Before the survey, the researcher obtained access permission from the hospital administration after providing information about the purpose, methodology, and significance of the survey to the investigating organization. At the beginning of the anonymous survey, an informed consent form was included on the cover of the online questionnaire, and completion and submission of the questionnaire was considered as informed consent and voluntary participation in this survey. All participants consciously and voluntarily agreed to participate in this survey. During the survey, participants were fully informed of their right to withdraw and terminate the survey at any stage without any negative consequences. The researcher ensured that all data collected from the participants were anonymous and confidential to protect their privacy.

## Results

### General demographic characteristics

Of the 590 participants, 533 (or 90.34%) were female. Nearly 97.46% of the participants were <40 years old. Most nurses had a bachelor's degree (81.86%), 66.10% were married, 53.39% were mid-level, 86.27% were clinical nurses, and 84.75% were employed under labor contracts. The remaining sociodemographic characteristics (Supplemental Table 1).

### Descriptive and correlation analysis of the scales

In this study, ICU nurses' transformational leadership scores were  $104.06 \pm 17.68$ , perceived social support scores were  $62.58 \pm 11.92$ , occupational coping self-efficacy scores were  $31.13 \pm 6.58$ , and presenteeism scores were  $15.46 \pm 4.45$ . The results of this study showed that transformational leadership, perceived social support, and occupational coping self-efficacy were negatively correlated with presenteeism ( $r = -0.445$ ,  $-0.412$ , and  $-0.486$ ,  $P < 0.05$ ), with correlations of moderate strength; transformational leadership was positively correlated with perceived social support and occupational coping self-efficacy ( $r = 0.515$ ,  $0.369$ ,  $P < 0.05$ ), and the correlations were weak and moderate strength



1  
2 272 respectively; perceived social support was positively correlated with occupational coping  
3  
4 273 self-efficacy ( $r=0.417, P<0.05$ ) and the correlation was moderate strength.(Supplemental Table 2).

6 274 **Multiple stratified regression analysis**

8  
9 275 As shown in Supplemental Table 3, a multivariate hierarchical regression analysis was conducted  
10 276 with presenteeism as the dependent variable. In the first step, the variables that made sense in the  
11 277 univariate analysis of presenteeism were added to the model as control variables. In the second step,  
12 278 after excluding the effects of the above control variables, transformational leadership was negatively  
13 279 associated with presenteeism ( $\beta=-0.090, P<0.001$ ), where transformational leadership had a  
14 280 significant effect on presenteeism, explaining 11.8% of the variance. In the third step, perceived  
15 281 social support was negatively related to presenteeism ( $\beta=-0.068, P<0.05$ ), and adding the mediating  
16 282 variable perceived social support to the model explained an additional 14.0% of the variance in  
17 283 presenteeism. The regression coefficient for transformational leadership decreased from -0.090 in the  
18 284 second step to -0.069 in the third step, which was still significant. In the fourth step, occupational  
19 285 coping self-efficacy was negatively correlated with presenteeism ( $\beta=-0.044, P<0.05$ ), and adding  
20 286 career coping self-efficacy to the model explained an additional 18.7% of the unnoticeable  
21 287 absenteeism variance. The regression coefficient for transformational leadership decreased from  
22 288 -0.069 in the third step to -0.058 in the fourth but remained significant. Statistical analyses initially  
23 289 showed that perceived social support and occupational coping self-efficacy mediated the relationship  
24 290 with presenteeism in the transformational leadership component of Chinese ICU nurses (see  
25 291 Supplemental Table 3).

29 292 **Analysis of chain mediation effects**

31  
32 293 All variables were standardized, with transformational leadership as the independent variable,  
33 294 presenteeism as the dependent variable, perceived social support and occupational coping  
34 295 self-efficacy as the mediating variables, and self-assessed physical health, perceived job stress, and  
35 296 whether or not one has suffered from workplace violence in the past year as control variables, and  
36 297 mediation effects were analyzed using Model 6 in PROCESS.

38  
39 298 The results of the chain mediation modelling of the role of perceived social support,  
40 299 occupational coping self-efficacy in transformational leadership and presenteeism showed that the  
41  
42 300 total effect of transformational leadership on presenteeism was -0.358 (95%CI: -0.428, -0.287;  
43  
44 301  $P<0.001$ ). The coefficients of the indirect paths transformational leadership on perceived social  
45 302 support, perceived social support on occupational coping self-efficacy, transformational leadership  
46 303 on occupational coping self-efficacy, perceived social support on presenteeism, and occupational  
47 304 coping self-efficacy on presenteeism were 0.468 (95%CI: 0.397, 0.538;  $P<0.001$ ), 0.241 (95%CI:  
48  
49 305 0.160, 0.322;  $P<0.001$ ), 0.161 (95%CI: 0.081, 0.241;  $P<0.001$ ), -0.119 (95%CI: -0.198, -0.039;  $P=$   
50 306 0.003), -0.261 (95%CI: -0.339, -0.184;  $P<0.001$ ), with an indirect effect of -0.029 (95%CI: -0.046,  
51  
52 307 -0.016;  $P<0.001$ ), and the 95%CI did not contain zero, indicating that the model of perceived social  
53  
54  
55  
56  
57  
58  
59  
60

support and occupational coping self-efficacy as chain mediators was valid. See Supplemental Table 4, Supplemental Table 5 and Figure 2.

Figure 2: Schematic diagram of the chain-mediated effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

## Discussion

This study explored the relationship between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among ICU nurses. The results found a direct effect of transformational leadership on presenteeism among ICU nurses. They confirmed that perceived social support and occupational coping self-efficacy were chain mediators between transformational leadership and presenteeism. This provides a new perspective for studying the relationship between transformational leadership and presenteeism among ICU nurses.

The results of this study showed that ICU nurses' presenteeism score was ( $15.46 \pm 4.45$ ), of which high presenteeism accounted for 53.9%, which indicated that China's ICU nurses' presenteeism was at a high level, which was worth paying attention to. To analyze the reasons for this, (1) only 56% of ICU nurses in this study had good self-assessed health. Several studies have also confirmed that individual physical and mental health conditions are the root cause of presenteeism.<sup>34, 35</sup> When nurses feel unwell or suffer from chronic illnesses, they may experience an inability to concentrate and devote themselves entirely to their work, which leads to lower work efficiency, lower productivity levels, and presenteeism. (2) 48% of the ICU nurses in this study had a high level of perceived stress. ICU, as an essential area for the rescue and treatment of patients with acute and critical illnesses in healthcare institutions, has a complex working environment. ICU nurses must continuously monitor changes in patients' conditions and cope with various first-aid situations. The high-intensity workload and prolonged work pressure may increase the nurses' fatigue and psychological burden, which may lead to presenteeism behaviors. (3) About 35% of ICU nurses in this study had suffered from workplace violence in the past. Workplace violence is a severe threat to the personal safety of nurses. It is a stressful event that can easily trigger anxiety and depression in nurses, negatively affect employee job satisfaction and loyalty, and increase concerns about the work environment and job security, leading to an inability to concentrate on work, thus resulting in presenteeism.<sup>36</sup>

The results of this study show that the transformational leadership score of ICU nurses is ( $104.06 \pm 17.68$ ), which is at the medium-high level, similar to the results of foreign scholars.<sup>16</sup> In recent years, nursing managers' understanding of scientific management has gradually deepened, the leadership style of nursing team leaders has been continuously improved, and managers who have received higher education have higher qualities and conduct can play a corresponding exemplary role among nurses and can make wise decisions and guidance based on their professional knowledge when leading the team to make changes. Hence, the level of transformational leadership is higher.

The results of this study showed that ICU nurses perceived social support scores of ( $62.58 \pm 11.92$ ), which was at a medium-high level, similar to the findings of Lu et al.<sup>37</sup> Social support, as a positive emotional experience in which an individual subjectively feels that they receive understanding and support from family, society, and friends, can reflect the degree to which an individual gets support in a stressful situation. Social support theory also states that a strengthened

social support network helps to cope with external environmental challenges.<sup>38</sup> It may be related to the fact that the survey respondents in this study were mainly bachelor's degree holders (81.86%), and people with higher education tend to have more knowledge and skills, as well as better communication and expression skills and are more likely to establish and maintain good social relationships. The lower level of perceived social support among those with poor health, perceived high work stress may be related to the decline in participation in social activities and lack of time and energy to maintain interpersonal social relationships among this group.

The results of this study showed that ICU nurses' occupational coping self-efficacy score was (31.13 ± 6.58), which is at the medium level (median total score of 22.5), similar to the results of the study by Pisanti et al.<sup>39</sup> Self-efficacy is not confidence generated for a specific domain but can predict people's behavior in different situations. Studies have shown that individuals with high levels of self-efficacy favor using positive or problem-focused coping strategies, which help them effectively buffer the adverse effects of stress and contribute to maintaining high levels of physical and mental health.<sup>40</sup> It may be related to the fact that the working years of the respondents in this study were mainly 1-5 years, which accounted for about 40%. On the one hand, the ICU work environment is challenging, requiring the handling of critically ill patients and complex medical situations. Low-seniority nurses working in such a high-pressure environment may feel uneasy and anxious, which affects self-efficacy enhancement. On the other hand, newly recruited ICU nurses may lack confidence in their abilities and coping measures due to a lack of sufficient work experience and training, resulting in lower self-efficacy.

This study found that perceived social support mediates the relationship between transformational leadership and presenteeism among ICU nurses, i.e., transformational leadership not only acts directly on presenteeism but also indirectly through perceived social support. According to the theory of transformational leadership, transformational leadership is an upbeat leadership style that stimulates the intrinsic motivation of employees by motivating them so that they can maximize their potential to achieve the highest level of performance, promote their personal growth and career development, and thus improve team cohesion and work performance.<sup>41</sup> On the one hand, when nurse leaders have a high transformational leadership style, they can provide the social support that nurses need. By motivating and stimulating nurses' potential, they feel valued and supported. They are willing to devote themselves to their work in a positive frame of mind, which contributes to the joint development of themselves and the organization and enhances nurses' job satisfaction, which helps to reduce presenteeism; on the other hand, it is based on the theory of social exchange. When individuals receive sufficient support in social exchange, they are more confident and motivated to face challenges at work, thus reducing presenteeism. When nurses perceive the care and support from leaders, colleagues, and organizations, this emotional support is not only conducive to regulating the negative emotions of nurses and reducing the negative impact of work pressure on them but also helps to enhance the nurses' commitment to and identification with the organization, so that they are more engaged in their work and reduce the possibility of presenteeism.<sup>26</sup>

The results of this study found that occupational coping self-efficacy mediates the relationship between transformational leadership and presenteeism among ICU nurses, which means that transformational leadership not only acts directly on presenteeism but also indirectly through occupational coping self-efficacy. Bandura's self-efficacy theory states that when individuals believe they are competent enough to accomplish a task, they are more motivated to engage in it and strive to achieve the desired goal.<sup>42</sup> Managers with a high level of transformational leadership style can motivate nurses through character appeal and vision sharing and stimulate positive emotions in nurses to show more energy, dedication, and focused attitudes to be more confident in dealing with

challenges and pressures at work. Nurses with higher occupational coping self-efficacy are more confident and capable of dealing with difficulties and challenges at work. They are more willing to take the initiative to solve problems, improve work performance, and reduce presenteeism behavior.

The results of this study found that perceived social support and occupational coping self-efficacy acted as chain mediators between transformational leadership and presenteeism among ICU nurses, i.e., transformational leadership among nurses affects presenteeism through perceived social support and occupational coping self-efficacy. According to the JD-R model, job resources can buffer the negative consequences of presenteeism by stimulating employees' internal and external motivation to cope with demanding job tasks. Transformational leadership and perceived social support as an essential external resource and occupational coping self-efficacy as a vital internal resource, managers with a high level of transformational leadership style excel at stimulating nurses' autonomy and creativity by establishing good interpersonal relationships and a teamwork atmosphere, providing nurses with the necessary resources and support, and enhancing nurses' perceptions of social support.<sup>20</sup> When nurses feel the support and encouragement from their leaders, they will be more willing to seek and utilize help and support from external resources, such as colleagues, family, and friends. This social support helps meet nurses' needs at work, reduces work stress and fatigue, and increases job satisfaction and well-being, enhancing nurses' occupational coping self-efficacy. When possessing a higher level of self-efficacy, nurses are more confident that they can better cope with the challenges and pressures at work, which is conducive to maintaining good mental health and reducing the incidence of presenteeism.

Based on the results of this study, we put forward the following recommendations to improve the status of presenteeism among ICU nurses. First, cultivate and promote a transformational leadership style: leaders should pay attention to the needs and emotions of nurses and actively listen to their opinions and suggestions; stimulate nurses' enthusiasm and innovation through incentives and encouragement so that they can feel the meaning and value of their work; establish a positive, open and inclusive work environment and encourage nurses to participate in decision-making to improve their sense of belonging and responsibility and reduce presenteeism. Second, enhance perceived social support: establish a good social support network; organizations should encourage supportive colleague relationships and teamwork and promote interactions and exchanges through regular team-building activities; nursing managers should strengthen communication with nurses, establish a good team communication mechanism, and encourage information exchange and emotional support among nurses; and provide resources for mental health support by providing resources such as psychological counseling services, guidance and training on work-life balance, to help nurses cope with work stress and emotional distress, promote nurses' physical and mental health, and reduce presenteeism. Third, to improve nurses' sense of self-efficacy in occupational coping, regular training and refresher courses are conducted to improve nurses' professional skills and knowledge and enhance their ability to cope with work challenges; work tasks and resources are reasonably allocated to reduce nurses' overload and stress; and appropriate incentives and recognition mechanisms are provided to stimulate nurses' motivation and self-efficacy and to reduce presenteeism.

## Limitation and prospect

First, this study only selected ICU nurses from six tertiary hospitals in Sichuan Province, China, for the survey. As a result, the representativeness of the sample size and the generalizability of the findings are limited. In the future, multi-center and large-sample survey studies can be conducted to explore the presenteeism of ICU nurses in different regions and different levels of hospitals. Secondly, this study was a cross-sectional study and therefore unable to assess the longitudinal



trajectory of change in transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism among ICU nurses. The changes in presenteeism and related influencing factors among ICU nurses can be analysed in depth from multiple perspectives in the future through longitudinal studies.

## Conclusions

In summary, China's ICU nurses' presenteeism is at a high level, and transformational leadership can not only directly affect ICU nurses' presenteeism but also indirectly affect ICU nurses' presenteeism by the chain mediating role of perceived social support and occupational coping self-efficacy. Nursing managers should pay attention to developing a transformational leadership style to enhance social support and improve ICU nurses' occupational coping efficacy, thus reducing ICU nurses' presenteeism behavior.

**Acknowledgments** The authors thank all the participating nurses and investigators in this study for their generous contribution.

**Contributors** Guarantor is Jijun Wu. Jijun Wu, Yuxin Li, Qin Lin: conceptualisation and design of the study, wrote the manuscript, and analysed data. Xian Rong, Xiaoli Zhong: contributed to the writing and revision of articles. Yuting Fan, Jiquan Zhang, Zhenfan Liu, Xiaoli Liu: contributed to the analysis and processing of data. All authors contributed to the article and approved the submitted version.

**Funding** This work was supported by the Sichuan Hospital Management and Development Center (approval number: SCYG2023-31).

**Competing interests** None declared.

**Patient and public involvement** Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

**Patient consent for publication** Not applicable.

**Ethics approval** This study was approved by the Deyang People's Hospital Ethics Committee (2021-04-056-K01).

**Data availability statement** Data are available upon reasonable request. The datasets generated during and/or analysed during this study are available from the corresponding author on reasonable request.

## References

- Chapman LS. Presenteeism and its role in worksite health promotion. *Am J Health Promot.* 2005;19(4):suppl 1-8.
- Kivimäki M, Head J, Ferrie JE, et al. Working while ill as a risk factor for serious coronary events: the Whitehall II study. *Am J Public Health.* 2005;95(1):98-102.
- Webster RK, Liu R, Karimullina K, et al.. A systematic review of infectious illness Presenteeism: prevalence, reasons and risk factors. *BMC Public Health.* 2019;19(1):799.

4. Mosadeghrad AM. Occupational stress and turnover intention: implications for nursing management. *Int J Health Policy Manag.* 2013;1(2):169-76.
5. McKevitt C, Morgan M, Dundas R, et al.. Sickness absence and 'working through' illness: a comparison of two professional groups. *J Public Health Med.* 1997;19(3):295-300.
6. Min A, Kang M, Park H. Global prevalence of presenteeism in the nursing workforce: A meta-analysis of 28 studies from 14 countries. *J Nurs Manag.* 2022;30(7):2811-24.
7. Warren CL, White-Means SI, Wicks MN, et al.. Cost burden of the presenteeism health outcome: diverse workforce of nurses and pharmacists. *J Occup Environ Med.* 2011;53(1):90-9.
8. Bracewell LM, Campbell DI, Faure PR, et al. Sickness presenteeism in a New Zealand hospital. *N Z Med J.* 2010;123(1314):31-42.
9. Shan G, Wang S, Wang W, et al. Presenteeism in Nurses: Prevalence, Consequences, and Causes From the Perspectives of Nurses and Chief Nurses. *Front Psychiatry.* 2020;11:584040.
10. Letvak SA, Ruhm CJ, Gupta SN. Nurses' presenteeism and its effects on self-reported quality of care and costs. *Am J Nurs.* 2012;112(2):30-8; quiz 48, 39.
11. Nagata T, Mori K, Ohtani M, et al. Total Health-Related Costs Due to Absenteeism, Presenteeism, and Medical and Pharmaceutical Expenses in Japanese Employers. *J Occup Environ Med.* 2018;60(5):e273-e80.
12. Senek M, Robertson S, Ryan T, et al. The association between care left undone and temporary Nursing staff ratios in acute settings: a cross- sectional survey of registered nurses. *BMC Health Serv Res.* 2020;20(1):637.
13. Bettencourt AP, McHugh MD, Sloane DM, et al. Nurse Staffing, the Clinical Work Environment, and Burn Patient Mortality. *J Burn Care Res.* 2020;41(4):796-802.
14. Tao QY, Ma XD, Rui X, et al. Effect of ICU Nursing Manpower Allocation on the Completion Rate of Cluster Therapy for Septic Shock. *Chinese Health Quality Management.* 2021;28(08), 43-46.
15. Chen CY, Chen CH, Li CI. The influence of leader's spiritual values of servant leadership on employee motivational autonomy and eudaemonic well-being. *J Relig Health.* 2013;52(2):418-38.
16. Al-Thawabiya A, Singh K, Al-Lenjawi BA, et al. Leadership styles and transformational leadership skills among nurse leaders in Qatar, a cross-sectional study. *Nurs Open.* 2023;10(6):3440-6.
17. Abdul Salam H, Dumit NY, Clinton M, et al. Transformational leadership and predictors of resilience among registered nurses: a cross-sectional survey in an underserved area. *BMC Nurs.* 2023;22(1):37.
18. Wu X, Hayter M, Lee AJ, et al. Positive spiritual climate supports transformational leadership as means to reduce nursing burnout and intent to leave. *J Nurs Manag.* 2020;28(4):804-13.
19. Labrague LJ. Relationship between transformational leadership, adverse patient events, and nurse-assessed quality of care in emergency units: The mediating role of work satisfaction. *Australas Emerg Care.* 2023.
20. Labrague LJ, Obeidat AA. Transformational leadership as a mediator between work-family conflict, nurse-reported patient safety outcomes, and job engagement. *J Nurs Scholarsh.* 2022;54(4):493-500.

21. Li Y, Guo B, Wang Y, et al. Serial-Multiple Mediation of Job Burnout and Fatigue in the Relationship Between Sickness Presenteeism and Productivity Loss in Nurses: A Multicenter Cross-Sectional Study. *Front Public Health*. 2021;9:812737.

22. Brborović H, Daka Q, Dakaj K, et al. Antecedents and associations of sickness presenteeism and sickness absenteeism in nurses: A systematic review. *Int J Nurs Pract*. 2017;23(6).

23. Fiorini LA, Houdmont J, Griffiths A. Nurses' illness perceptions during presenteeism and absenteeism. *Occup Med (Lond)*. 2020;70(2):101-6.

24. Rainbow JG, Drake DA, Steege LM. Nurse Health, Work Environment, Presenteeism and Patient Safety. *West J Nurs Res*. 2020;42(5):332-9.

25. Miloseva L, Vukosavljevic-Gvozden T, Richter K, et al. Perceived social support as a moderator between negative life events and depression in adolescence: implications for prediction and targeted prevention. *Epma j*. 2017;8(3):237-45.

26. Yang T, Ma T, Liu P, et al. Perceived social support and presenteeism among healthcare workers in China: the mediating role of organizational commitment. *Environ Health Prev Med*. 2019;24(1):55.

27. Liu XL, Jia P, Wen XX, et al. Current status and influencing factors of hidden absence of ICU nurses in China. *J. Nur*. 2022;29(16):1-5.

28. Demerouti E, Bakker AB, Nachreiner F, Schaufeli WB. The job demands-resources model of burnout. *J Appl Psychol*. 2001;86(3):499-512.

29. Ni P, Chen JP, Liu N. The sample size estimation in quantitative nursing research. *Chin. J. Nurs*. 2010;45(04):378-80.

30. Li CP, Shi K. The Structure and Measurement of Transformational Leadership in China. *Acta Psychologica Sinica*. 2005(06):97-105.

31. Blumenthal JA, Burg MM, Barefoot J, et al. Social support, type A behavior, and coronary artery disease. *Psychosom Med*. 1987;49(4):331-40.

32. Pisanti R, Lombardo C, Lucidi F, et al. Development and validation of a brief Occupational Coping Self-Efficacy Questionnaire for Nurses. *J Adv Nurs*. 2008;62(2):238-47.

33. Koopman C, Pelletier KR, Murray JF, et al. Stanford presenteeism scale: health status and employee productivity. *J Occup Environ Med*. 2002;44(1):14-20.

34. Whysall Z, Bowden J, Hewitt M. Sickness presenteeism: measurement and management challenges. *Ergonomics*. 2018;61(3):341-54.

35. Shan G, Wang W, Wang S, et al. Authoritarian leadership and nurse presenteeism: the role of workload and leader identification. *BMC Nurs*. 2022;21(1):337.

36. Yang T, Shen YM, Zhu M, et al. Effects of Co-Worker and Supervisor Support on Job Stress and Presenteeism in an Aging Workforce: A Structural Equation Modelling Approach. *Int J Environ Res Public Health*. 2015;13(1):ijerph13010072.

37. Lu J, Wang B, Dou X, et al. Moderating effects of perceived social support on self-efficacy and psychological well-being of Chinese nurses: a cross-sectional study. *Front Public Health*. 2023;11:1207723.

38. Uchino BN. Social support and health: a review of physiological processes potentially underlying links to disease outcomes. *J Behav Med*. 2006;29(4):377-87.




39. Pisanti R, van der Doef M, Maes S, et al. Occupational coping self-efficacy explains distress and well-being in nurses beyond psychosocial job characteristics. *Front Psychol.* 2015;6:1143.
40. Jex SM, Bliese PD, Buzzell S, et al. The impact of self-efficacy on stressor-strain relations: coping style as an explanatory mechanism. *J Appl Psychol.* 2001;86(3):401-9.
41. Abd-El Aliem SMF, Abou Hashish EA. The Relationship Between Transformational Leadership Practices of First-Line Nurse Managers and Nurses' Organizational Resilience and Job Involvement: A Structural Equation Model. *Worldviews Evid Based Nurs.* 2021;18(5):273-82.
42. Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev.* 1977;84(2):191-215.




Figure 1: Hypothesized Model of the Relationship between Transformational Leadership (TL), Perceived Social Support(PSSS), Occupational Coping Self-Efficacy(OCSE-N) and Presenteeism (SPS-6)

Figure 2: Schematic diagram of the chain-mediated effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14



ne 10, 2025 at Agence Bibliographique de l  
echnologies.



Results

Supplementary Table 1: Relationship between demographic characteristics of ICU nurses and presenteeism

Items	N	SPS-6 Mean ±SD	t/F	P	Multiple comparisons
Sex			-0.378	0.706	/
male	57	15.25±5.10			
female	533	15.48±4.38			
Age			0.052	0.950	/
< 30	267	15.39±4.32			
30~ < 40	308	15.51±4.66			
≥40	15	15.47±2.10			
Marital status			1.410	0.239	/
unmarried	189	15.87±4.36			
married but not having children	73	15.55±4.14			
married and having children	317	15.15±4.58			
Divorced or other	11	16.82±3.97			

Highest degree					
College and below	93	15.31±4.54	0.086	0.918	/
undergraduate	483	15.49±4.32			
Master's degree or above	14	15.21±4.87			
Professional title			1.971	0.140	/
junior level	102	15.36±4.67			
middle level	315	15.77±4.34			
high level	173	14.94±4.50			
Position			1.476	0.229	/
clinical nurse	509	15.58±4.44			
nursing team leader	68	14.78±4.64			
head nurse	13	14.23±3.47			
Years of experience in ICU			1.903	0.150	/
1~ < 5	252	15.07±4.36			
5~ < 10	204	15.88±4.45			
≥10	134	15.54±4.60			

Average monthly income			1.945	0.121	/
1~ < 6000	150	15.63±4.46			
6000~ < 8000	268	15.75±4.49			
8000~ < 10000	132	14.64±4.28			
≥10000	40	15.53±4.57			
Type of contract			-1.266	0.206	/
professional preparation	90	14.91±3.96			
labor contract	500	15.56±4.53			
Self-assessed health status			36.031	<0.001	①<②< ③
good	328	14.27±4.20			
general	233	16.62±4.14			
worse	29	19.59±4.89			
Whether or not you have a chronic disease			1.598	0.111	/
No	87	16.16±4.39			
Yes	503	15.34±4.46			



Perceived work stress			28.679	<0.001	④<⑤<⑥
lower	13	11.77±3.81			
middle	292	14.34±3.93			
high	285	16.78±4.58			
ICU human resources			1.732	0.178	/
< 1:2.5~3	347	15.25±4.58			
=1:2.5~3	143	15.45±4.27			
>1:2.5~3	100	16.19±4.24			
Exposure to workplace violence in the past year			5.763	<0.001	/
No	386	14.71±4.39			
Yes	204	16.87±4.24			

Note:①good; ②general; ③worse; ④lower; ⑤middle; ⑥high

Supplementary Table 2: Correlations between transformational leadership, perceived social support, occupational coping self-efficacy, and presenteeism

Variables	Mean ±SD	1	2	3	4
Transformational leadership(1)	104.06±17.68	1	-	-	-

Perceived social support(2)	62.58±11.92	0.515**	1	-	-
Occupational coping self-efficacy (3)	31.13±6.58	0.369**	0.417**	1	-
Presenteeism(4)	15.46±4.45	-0.445**	-0.412**	-0.486**	1

\*\**P* <0.05

Supplementary Table 3: Multiple stratified regression analysis of presenteeism of ICU nurses in China

	Step1	Step2	Step3	Step4
Step1				
Self-assessed health status	1.883**	1.475**	1.290**	1.057**
Perceived work stress	1.729**	1.392**	1.268**	0.803**
Exposure to workplace violence in the past year	-1.371**	-0.939**	-0.892**	-0.584
Step2				
Transformational leadership	—	-0.090**	-0.069**	-0.058**

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies. Ensignment Supérieur (ABES).

Step3				
Perceived social support	—	—	-0.068**	-0.044**
Step4				
Occupational coping self-efficacy	—	—	—	-0.177**
<i>F</i>	42.575**	61.893**	55.090**	56.639**
<i>R</i> <sup>2</sup>	0.179	0.297	0.320	0.368
Adjustment <i>R</i> <sup>2</sup>	0.175	0.293	0.315	0.362

\*\**P* < 0.01

Supplementary Table 4: Paths of indirect mediating effects of perceived social support, occupational coping self-efficacy between transformational leadership and presenteeism

Path	Coeff	95%CI	
		LLCI	ULCI
Transformational leadership→Perceived Social Support →Presenteeism	-0.055	-0.104	-0.012
Transformational leadership→Occupational Coping Self Efficacy→Presenteeism	-0.042	-0.076	-0.017

Transformational leadership→Perceived Social Support →Occupational Coping Self Efficacy→Presenteeism	-0.029	-0.046	-0.016
---------------------------------------------------------------------------------------------------------	--------	--------	--------

Supplementary Table 5 : Analysis of the chain-mediated effects of perceived social support, occupational coping self-efficacy on the relationship between transformational leadership and presenteeism

	R <sup>2</sup>	F	Coeff	SE	<i>t</i>	<i>P</i>	LLCI	ULCI
Outcome	0.297	61.700						
Perceived Social Support								
Transformational leadership			0.468	0.036	12.980	<0.001	0.397	0.538
Outcome	0.300	50.176						
Occupational Coping Self Efficacy								
Transformational leadership			0.161	0.041	3.941	<0.001	0.081	0.241
Perceived Social Support			0.241	0.041	5.830	<0.001	0.160	0.322
outcome	0.368	56.639						
Presenteeism								

Transformational leadership			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Perceived Social Support			-0.119	0.040	-2.935	0.003	-0.198	-0.039
Occupational Coping Self Efficacy			-0.261	0.039	-6.638	<0.001	-0.339	-0.184
Outcome	0.297	61.893						
Presenteeism								
Transformational leadership			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Total effect			-0.358	0.036	-9.929	<0.001	-0.428	-0.287
Direct effect			-0.231	0.039	-5.865	<0.001	-0.308	-0.153
Total indirect effect			-0.127	0.027	-	-	-0.184	-0.080