

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<u>http://bmjopen.bmj.com</u>).

If you have any questions on BMJ Open's open peer review process please email <u>info.bmjopen@bmj.com</u>

## **BMJ Open**

#### Disabled or handicapped- examining the factors affecting the social inclusion of people living with disability in India.

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-090220
Article Type:	Original research
Date Submitted by the Author:	19-Jun-2024
Complete List of Authors:	Mirza, Moonis ; All India Institute of Medical Sciences - Bathinda, Department of Hospital Administration Esht, Vandana; Jazan University College of Applied Medical Sciences, Physical Therapy Department Verma, Madhur ; All India Institute of Medical Sciences Bathinda, Department of Community & Family Medicine Bahadur, Bajarang; International Institute for Population Sciences, Demography Jaiswal, Ajit; International Institute for Population Sciences, Demography Alagarajan, Manoj; International Institute for Population Sciences, Demography Kakkar, Rakesh; All India Institute of Medical Sciences - Bathinda, Department of Community & Family Medicine
Keywords:	Disabled Persons, PUBLIC HEALTH, Health Equity





I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies

3 1	1	Title Page
4 5	2	Disabled or handicapped- examining the factors affecting the
6	Z	
7	3	social inclusion of people living with disability in India.
8	4	
9	5	Type: Original Article
10	6	Moonis Mirza*, Vandana Esht <sup>1</sup> *, Madhur Verma <sup>*#</sup> , Bajarang Bahadur*,
11	7	Ajit Kumar Jaiswal <sup>3</sup> , Manoj Alagarajan, Rakesh Kakkar
12 13	8	*authors contributed equally
13 14	9	#corresponding author
15	10	
16	11	Detailed Author Affiliations:
17	12	1. Moonis Mirza (MD)
18	13	Associate Professor of Hospital Administration, All India Institute of Medical
19	14	Sciences Bathinda (Punjab), India-151001
20	15	Email: moonismirza@gmail.com.
21	16	2. Vandana Esht (Phd)
22 23	17	Associate Professor, Physical Therapy Department, College of Applied Medical
24	18	Sciences, Jazan University, Jazan, Saudi Arabia
25	19	Email: vandanaesht@jazanu.edu.sa.
26	20	3. Madhur Verma (MD)
27	20	Associate Professor of Community and Family Medicine, All India Institute of
28	22	Medical Sciences Bathinda (Punjab), India-151001
29	23	Email: drmadhurverma@gmail.com
30	23 24	4. Bajarang Bahadur
31 32		
33	25	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra) India -400088
34	26	
35	27	Email: <u>bajarang7894@gmail.com</u> .
36	28	5. Ajit Kumar Jaiswal
37	29	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
38	30	India -400088
39 40	31	Email: <u>ajitjaiswal20@gmail.com</u> .
40 41	32	6. Manoj Alagarajan
42	33	Assistant Professor, International Institute for Population Sciences, Mumbai
43	34	(Maharashtra) India -400088
44	35	Email: <u>alagarajan@iipsindia.ac.in</u> .
45	36	7. Rakesh Kakkar (MD)
46	37	Professor of Community and Family Medicine, All India Institute of Medical
47	38	Sciences Bathinda (Punjab), India-151001
48 49	39	Email: drrakesh75@rediffmail.com.
<del>5</del> 0	40	
51	41	Details of the corresponding author
52	42	Dr. Madhur Verma (MD)
53	43	Associate Professor of Community and Family Medicine,
54	44	All India Institute of Medical Sciences Bathinda (Punjab),
55	45	India-151001
56 57	46	Email: <u>drmadhurverma@gmail.com</u>
57 58	47	Phone: +91 9466445513
58 59	48	Orcid id: 0000-0002-1787-8392
60	49	

3

4

5

6

1

2	
2	
3	
4	
3         4         5         6         7         8         10         11         12         13         14         15         16         17         18         201         223         24         25         26         27         28         290         31         32         33	
6	
7	
,	
8	
9	
10	
11	
12	
12	
13	
14	
15	
16	
17	
17	
18	
19	
20	
21	
22	
22	
23	
24	
25	
26	
27	
27	
28	
29 30 31 32 33 34 35 36 37	
30	
31	
27	
22	
33	
34	
35	
36	
20	
57	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

### 2 Abstract

#### Manuscript

**Introduction:** People living with disabilities (PLD) are particularly at risk of social exclusion due to physical obstacles, societal attitudes and practices that exclude such groups. The study's primary aim was to examine the epidemiology of disabilities and the accessibility of PLDs to crucial services, such as education, healthcare, and employment.

**Methods:** We did a secondary data analysis of the 76<sup>th</sup> round of the National Sample Survey 7 8 (2018) conducted in India that focussed on disability. The cross-sectional survey included 576,796 individuals. The presence of "any disability" was primary dependent variable. The 9 10 impact of disability on the activities of daily living was assessed by the difficulties faced in 11 accessing public buildings, public transport, loss of job after disability, availability of any help or support, enrolment in any special schools, and possession of a disability certificate. 12 Prevalence was estimated using sampling weights using Stata (version 17.0). Bivariate analysis 13 was done to depict the association between dependent and independent variables. Multivariable 14 binary logistic regression analysis explored the independent variables affecting the likelihood 15 16 of living with 'any disability'. All p-values<0.05 were considered statistically significant.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

17 **Results:** Disability prevalence of any kind was about 2.2%, with significant disparities. Nearly 18 45% of the PLDs who did not have disability since birth were between 15 and 59 years old. and 20.8% did not receive any aid or help from the government. About 40%, and 57.7% 19 reported inability to use public transport, and accessing public buildings. Around 60.7% of 20 PLDs reported a loss of work due to disability, and 69.6% did not have any disability certificate. 21 22 **Conclusions:** The study suggests a high burden of PLDs who feel socially excluded despite numerous efforts by the government to improve the social inclusion of such people. There is a 23 need for advocacy and empathy in society to improve the well-being of PLDs, help them 24 improve their productivity, and contribute to the best of their abilities. 25

2		
3	1	Keywords: Disability, inequity, accessibility, universal health coverage.
4	-	<b>Key tolds.</b> Disability, inequily, accessionity, aniversal nearth coverage.
5		
6	2	
7	-	
8		
9	3	
10	5	
11	4	
	4	
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
41		
42 43		
43 44		
44 45		
45 46		
40 47		
48 40		
49 50		
50		
51 52		
52		
53		
54		
55		
56		
57		
58		
59		
60		
		3

#### 1 Introduction

The term "disability" has been defined and understood in various ways by scholars, organisations, and legal frameworks globally. Disability is defined as limitations in performing routine activities. Impairment is any deviation in psychological, physiological, or anatomical structure/function. Handicaps represent a relative disadvantage due to ill health, considering dimensions like mobility, orientation, occupation, social integration, physical independence, and economic self-sufficiency. [1,2] The World Health Organization's (WHO) International Classification of Functioning, Disability, and Health (ICF) encompass physical impairments, activity limitations, and restrictions in physical participation to provide a holistic understanding of disability after considering individual and environmental factors.[3] According to the "bio-psycho-social model", disability has evolved from being viewed as a medical to a social construct, considering one's environment, personality traits, quality of life, and selfsufficiency.[4] 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Disability is a global issue, impacting 1.3 billion people or 16% of the population.[5] According to the world report on disability published by the WHO and the World Bank, of the total disabled population globally, 80% were in the working-age group, with a significant portion living in developing countries.[6][7] In India, the problem is equally concerning, with a wide range of disabilities afflicting the population. A recent study using the National Family Health Survey-5 (NFHS-5) data found the overall prevalence of disability in India to be 4.52%, with locomotor disabilities accounting for 44.70% of all disabilities.[8] These are followed by psychiatric disabilities, which are highest among the working-age population, and visual and hearing disability among the aged population. [9,10] The findings concur with the reports from the Census 2011 and the 76th round of the National Sample Survey Organization, which depict a disability prevalence of 2.2%, affecting 14,085,000 and 4,406,000 people in rural and urban areas. Of these, about 13% were seriously crippled and could not self-care, even with aid/

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

appliances.[11,12] The number of PLDs in India had increased over the last decade (2001-11), from 21.9 to 26.8 million.[13] with an age-dependent increase, being highest in individuals above 60 years.[8,14] The Increasing ageing population complicated by the simultaneously increasing prevalence of chronic diseases is a significant contributing factor to disability.[15] It is estimated that 323 million people in India (19.1% of the total population) will be over 60 years of age by 2050, thus escalating the disability burden substantially.[16]

These emerging concerns require an urgent obligation to have inclusive policies and interventions towards PLDs.[16] To attain genuine social inclusion, it is imperative to shift from perceiving disability as a medical or welfare concern to acknowledging it as a fundamental human rights issue. From a social perspective, disability is often seen as a result of barriers imposed by society rather than an inherent limitation of an individual's body or mind. These barriers can include physical obstacles, as well as societal attitudes and practices that exclude or marginalise people with disabilities. Globally, the most concerning issue faced by PLD is inequitable access to resources like employment, education, healthcare, and social and legal support, leading to social disparities and disproportionately higher rates of poverty.[17] The international organisations have constantly highlighted the barriers to PLD's social and economic inclusion.[18] They have also emphasised the right to education, a conducive workplace, and similar interventions to create a social environment that is open, inclusive, and accessible to PLDs and prevent them from feeling handicapped. [6,19–22] Based on these unmet needs, every nation is obligated be inclusive by addressing the inequities faced by PLD under international human rights law and the Convention on the Rights of Persons with Disabilities (CRPD).[23,24] But the world is far from appreciating the rights of PLD, leading to poorer health, lower education achievements, and fewer economic opportunities, thus worsening the social disparities.[5,6]

#### **BMJ** Open

These emerging disparities make it imperative to study the access to essential services by the PLDs. Given the multifaceted nature of their exclusion, understanding the diverse experiences of PLDs is paramount for effective policymaking. However, the existing discrepancies in official statistics underscore the intricate nature of disability, thus requiring a nuanced approach to build our assumptions. Existing literature has been primarily limited to exploring the epidemiology of disability in India, but none has looked into policies that improve their social inclusion and minimise the emerging social disparities due to disability. With this background, this study examines the epidemiology of disabilities, and accessibility of PLDs to crucial services, such as education, healthcare, and employment, for PLDs in India to provide insights for specific interventions and support inclusive development. 

11 Methodology

Data sources: We conducted a secondary analysis of the data from the 76th National Sample Survey (NSS), conducted by the Ministry of Statistics, Planning, and Implementation (MOSPI) between July and December 2018. The survey (NSS) collects socio-economic data employing scientific sampling methods and serves as a crucial tool to gauge various socio-economic aspects across all states of India. Its primary objective is to identify unmet needs within the population, thereby aiding the government in formulating effective policies to address them. The survey made its first attempt to collect information on the number of PLDs during 15th round (July 1959 - June 1960).[25] The survey on PLD (Schedule 26) was last conducted during the 58th round of NSS (July – December 2002). Information was collected from the households on the nature of the disability, viz. visual, hearing, speech, locomotor, and mental disability of the household members. In the 76<sup>th</sup> round, the main objective of the survey was to estimate indicators of incidence and prevalence of disability, cause of disability, age at onset of disability, facilities available to the PLDs, difficulties faced in accessing public building/public transport, arrangement of regular caregiver, out-of-pocket expense relating to 

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

disability, etc. Further, estimates were obtained on various employment and unemployment
 particulars in usual status for the household members with at least one disability. For each
 household member aged 12 to 59 years, information was collected on whether or not they
 received vocational/technical training and details related to such training.

Sampling design and sample size: The 76th NSS employed a stratified two-stage sampling design, utilising Census 2011 as the sampling frame. In the first stage, villages/urban blocks were selected, and in the second stage, households in both rural and urban areas were chosen.[26] Encompassing all states and union territories of India, the NSS 76th round covered 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks), including 1,18,152 households with a population of 576,796 individuals (4,02,589 in rural and 1,73,980 in urban). Within this, the present study focuses on 1,07,125 individuals consisting of 61,707 males and 45,305,96 females) who reported at least one disability during the survey. 

13 Study Variables

14 Dependent variable: The presence of "any disability" was our primary dependent variable.
15 This is made by the presence of at least one condition among all seven disability types,
16 elaborated subsequently

 Locomotor disability: A person was categorised as living with locomotor disability based on a positive response to any of the following three conditions: (i) whether having difficulty in using hands, fingers, toes, body movement (including cerebral palsy, muscular dystrophy); (ii)whether having loss of sensation in the body due to paralysis, leprosy, other reasons; or (iii)whether having deformity of the body part(s) like hunch back, dwarfism, deformity due to leprosy, caused by acid attack, etc.

Visual disability: It was identified using a direct question: "Whether having difficulty in seeing, counting fingers of hand from a distance of 10 feet (with spectacles, if using, and both eyes taken together)."

#### **BMJ** Open

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
10
19 20
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
52 53
53 54
55
56
57
58
59

Hearing disability: The categorisation was based on the question: "Whether having
 difficulty in hearing day-to-day conversational speech (without hearing aid, if using, and
 both ears taken together)"

4 4. Speech and language disability: It was assessed using a question: "Whether having
5 difficulty in speech (unable to speak like a normal person/ speech is not comprehensible,
6 including laryngectomy, aphasia) which is base for speech disability.

7 5. Mental retardation/intellectual disability: This disability variable has been prepared
8 based on the following question "Whether having difficulty in understanding/

9 *comprehension or communicating in doing daily activities*"

6. Mental illness: This disability was identified when there was a positive response to any of the three conditions: (i) whether having unnecessary and excessive worry and anxiety, repetitive behaviour/ thoughts, changes of mood or mood swings, talking/laughing to self, staring in space; (ii) whether having unusual experiences of hearing voices, seeing visions, strange smell or sensation or strange taste; or (iii) whether having unusual behaviour or difficulty in social interactions and adaptability.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

16 7. Other disabilities: To identify other types of disability of the persons, the following question was used: "Whether having any of the following: Parkinson's disease, multiple sclerosis, other chronic neurological conditions, thalassemia, haemophilia, sickle cell disease".

Predictor variables: In the present study, the variables were chosen following a literature
 review and the scope of data collected in the original survey. We included age groups, place of
 residence, education level, religion, wealth status or monthly per capita income (MPCI) level,
 gender, marital status, social group, and regions. The impact of disability on the activities of
 daily living was assessed by the difficulties faced in accessing public buildings, public

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

transport, loss of job after disability, availability of any help or support, enrolment in any
 special schools, and possession of a disability certificate.

Statistical methodology: The prevalence, along with the dispersion of all disability variables, were estimated as part of univariate analysis by using sampling weights. Further, the prevalence of all disability types was estimated per socio-economic characteristics, and the associations were tested using bivariate analysis through a chi-squares test. Multivariable binary logistic regression analysis was used to explore the independent variables affecting the likelihood of living with 'any disability', which was the dependent variable coded by 1 and otherwise 0. The analysis depicted the unadjusted and adjusted odds ratio (95% confidence interval). All p-values<0.05 were considered statistically significant. All the analysis was done using Stata (version 17.0). Graphical maps were created using MS Excel sheets to depict the regional disparities. 

Patient and public involvement: Patients and/or the public were not involved in the design,
or conduct, or reporting, or dissemination plans of this research.

#### **Results**

Table 1 provides a comprehensive overview of the weighted prevalence of different types of disabilities across various socio-demographic characteristics in India. About 2.2% of the participants had at least one form of disability. The majority of such participants had a locomotor disability (1.36%), followed by Hearing(0.30%), visual (0.23%), speech-related (0.23), mental retardation (0.16%), mental illness (0.16%), and other types (0.05%) of disabilities. The highest prevalence of any disability, locomotor, speech and 'other' disabilities was seen in 50-65 years. However, the proportion of participants with visual and hearing disabilities was highest in the eldest age group, while mental retardation and mental illness were highest in the 6-35 years age group. Further, male gender, ever-married participants from rural areas, with minimal or no educational attainment, following Hinduism, belonging to OBC

Page 11 of 30

#### **BMJ** Open

social castes, poorer wealth index quintile, and Southern part of India depicted the highest
 prevalence.

We further assessed the origin of disability as per the type (Table 2). The most common cause
of locomotor and speech disability was disease (46.3%, 61.9%), while 'Other causes' were
most commonly involved in visual (46.5%) and hearing (49.7%) disabilities. ). Around 18.5%
of PLD had it since birth, while one-third (6.1%) had developed it in the last 1 year. Road was
the most common place of occurrence of disability (41.9%), followed by home (32.9%). Only
28% of PLD were consulting doctors and undergoing treatment.

Table 3 depicts the living conditions of PLDs. Nearly half of the PLDs who did not have disability since birth were between 15 and 59 years old (45.9%), while nearly one-fifth (20.8%) had received any aid or help from the government. 57% of PLDs lived with their spouses, and 62.8% reported that caregivers were available. About 40% reported an inability to use public transport, while 54.4% reported inaccessibility to public buildings. Further, 57.7% of PLDs reported facing difficulties while accessing public buildings. Around 60.7% of PLDs reported a loss of work due to disability onset, and 69.6% did not have any official document certifying their disability for administrative purposes. Figure 1 further depicts the geographic disparities in the access to basic services by the PLDs. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

**Table 4** demonstrates the results from the multivariable binary logistic regression analysis to present the socio-demographic variables affecting the likelihood of living with disability. We found a significantly higher likelihood of living with disability with increasing age, urban residence, social castes other than scheduled tribes, richest wealth quintiles, and living in a Northern or Southern region of India. However, female gender, more years of education, following the Islamic religion, currently married/widowed vs never married, higher socio-economic status depicted a lower likelihood.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### Discussion

We report here an investigation of multiple perspectives on the social inclusion of PLDs using nationally representative data from India. We report certain interesting findings for the first time that have profound policy implications. First, there are significant disparities in disability prevalence per socio-demographic characteristics. Second, one-fifth of PLDs had developed it since birth. Third, the roads were the most common place for the onset of disability, followed by home. Fourth, around half reported an inability to use public transport and buildings. Lastly, the majority of PLD reported a loss of work due to disability onset and did not have any official document certifying their disability.

The disability prevalence depicted a significant inclination towards higher age, male gender, rural areas, and lower socio-economic status. A mere 2.2% prevalence is equivalent to around 30 million PLDs is expected to increase in the near future and calls for urgent attention. While there was a preponderance of males with locomotor disabilities, speech and language disabilities were significantly higher in females. As per the estimates obtained from the previous 36th, 47th, and 58th rounds of NSS, there is a constant rise in disability prevalence in rural (1.8% in the 36th round to 2.3% in 76th round) as well as urban (1.4% in 36th round to 2.0% in 76th round) areas, with the overall increase from 1.6% in 36th round in year 1981 to 2.2% in 76th round in year 2018.[27][26]Another study based on NFHS-5 depicts an overall disability prevalence of 4.52%, with a higher proportion of locomotor disabilities (44.70%), followed by mental disabilities (20.28%).[8] Similarly, an increased prevalence of locomotor (1.35%), visual (0.23%), and hearing disability (0.30%) among the elderly population belonging to rural areas, with a low level of education and low wealth quintile, respectively.[27][28] 

We observed a high proportion of PLDs had developed it since birth. The high burden calls
for adopting a more rigorous screening toolkit and investigations at the primary healthcare

Page 13 of 30

#### **BMJ** Open

level. Pregnancy is still fraught with uncertainty about the health status of the newborn child in resource-constrained settings. So, the preparation should target pregnancy more comprehensively concerning screening Down's syndrome and similar intellectual disabilities, later extending to include screening for auditory and visual disabilities.[28] Newborn screening can allow for early psychological or therapeutic interventions and improve the quality of life of affected children.[29] Such screening tests can also help parents make timely decisions for either terminating the pregnancy or preparing for raising a child with a disability. Better awareness through adequate counselling of such bereaved parents may reduce parental anxiety. Meanwhile, the Rashtriya Bal Swasthya Karyakram (RBSK) provides free healthcare for children with disabilities up to 18.[30] Additionally, the government has various healthcare schemes that cater to the specific needs of PLDs. The government provides assistive devices and aids such as wheelchairs, hearing aids, and prosthetic limbs at subsidised rates through schemes like the Assistance to Disabled Persons for Purchase/Fitting of Aids and Appliances (ADIP). [31] Under ADIP, aids and appliances are provided to PLDs at subsidised rates. Deendaval Disabled Rehabilitation Scheme (DDRS) provides financial assistance to NGOs for various rehabilitation services for persons with disabilities.[32] 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

The most **common place of disability origin was road**, followed by home. Trauma is an important cause of locomotor disability, and in India, it is the second most common cause of locomotor disability.[33] Previous estimates suggest that the poorest quintiles are maximally impacted by road crashes. Most victims are pedestrians, bicyclists and motorcyclists, who are less prone to adopt safety gear while on the road and also do not have adequate access to medical and social safety nets.[34] Anecdotal evidence from Chandigarh, a Union Territory of India, suggests that stringent traffic mutually benefits the public and the administration. On one side, it reduces morbidity due to road traffic acts, while on the other side, penalties generate massive revenues to run and develop the administration and also generate awareness. An

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### **BMJ** Open

> increasing number of domestic accidents are equally concerning. Domestic accidents may be subjected to under-reporting as most of the domestic injuries are considered minor, often neglected, and may be easily forgotten and subjected to recall bias. This changing trend is similar to many developed nations where more accidents happen in home than anywhere else. With increasing population, and population density, we expect an increase. Domestic accidents depend on the physical and social environment and also on the functional capacity of the individual. While road traffic accidents are unforeseen and unexpected, it is generally accepted that domestic accidents can be prevented and minimised by taking adequate safety measures well in time.[35]

We observed that there is still scope for improving the accessibility of public buildings and transport by the PWDs, as they must accommodate PWDs' needs. Various schemes and initiatives demonstrate the Indian government's commitment to securing the rights and welfare of disabled populations in the country. India's commitment to the United Nations Convention on the Rights of PWD (UNCRPD) is embodied in the Rights of Persons with Disabilities Act of 2016 (RPWD Act, 2016) and emphasises dignity, autonomy, and non-discrimination for Persons with Disabilities (PWD).[36][37]. The Act further mandates inclusive education, vocational training, and self-employment opportunities without discrimination. [28]To increase the accessibility of public buildings, The Rights of Persons with Disabilities Act 2016 and the National Building Code of India 2016 [38] outline expanded guidelines for building accessibility. Compliance with these standards has been made crucial, with responsibility falling on those involved in commissioning, designing, constructing, or managing built environments. The building design must adhere to relevant legislation, including equality and safety regulations. This focus on accessibility has fostered the adoption of universal design concepts, leading to numerous best practices for creating inclusive environments. These encompass accessible buildings, parking areas, parks, and recreational facilities, reflecting a

#### **BMJ** Open

concerted effort to ensure equal access and inclusion for people with disabilities in the built environment.

In addition to the above, the Indian government has taken several steps to ensure that the rights of disabled populations are secured. The Right to Education Act (RTE) aims to provide free and compulsory education for children with disabilities up to 18 years. [39] The government-funded higher education institutions reserve 5% of seats for PWDs, fostering diversity and enhancing workforce opportunities. This legislation reflects India's dedication to empowering individuals with disabilities, ensuring their full participation in society.[37] Additionally, the Samagra Shiksha Abhiyan integrates children with disabilities into mainstream education.[40] Likewise, many people lost their current jobs due to the onset of disabilities. Employment can enhance social sustainability and individual well-being.[41] Loss of jobs can be linked to the social stigma associated with impairment or disabilities and the perception of such people being less productive. Many employers have depict ill-founded views about the work-related abilities of PLDs; these negative views are often a result of interrelated concerns that permeate the entire employment cycle. [42] It is to be empasised that negative attitudes toward disability disempower individuals with disabilities and lead to their social exclusion and isolation. By contrast, a healthy society encourages positive attitudes toward individuals with disabilities and promotes social inclusion.[43] However, various initiatives have been introduced to promote employment opportunities for PLDs. This includes reservation quotas in government jobs and incentives for the private sector to employ persons with disabilities. The government provides financial assistance and benefits to persons with disabilities through schemes like the National Handicapped Finance and Development Corporation (NHFDC) which offers loans and subsidies to start self-employment ventures.[44]. Some prominent schemes introduced for disabled people in India include the National Handicapped Finance and Development Corporation (NHFDC), which provides financial

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

assistance to persons with disabilities for self-employment, education, and training.[44]
Scheme for Implementation of Persons with Disabilities Act (SIPDA) [45] to create barrierfree environments and improve the quality of life for persons with disabilities. Accessible India
Campaign (Sugamya Bharat Abhiyan) focuses on making public infrastructure and
transportation accessible for persons with disabilities. Inclusive Education for Disabled at
Secondary Stage (IEDSS) [46] supports the inclusive education of students with disabilities at

There are a few strengths and limitations of this study that should be acknowledged. Its major strength lies in its novelty by bringing social science and medicine to a common platform. We have used the latest nationally representative data, and adequately weighted estimates can help us guide the policy.. The present study takes a novel approach by initially delineating the proportions of various types of disabilities. Subsequently, it delves into the analysis concerning "any disability," thus unveiling unique characteristics within this broader category. By doing so, the study not only broadens the scope of understanding but also highlights the nuanced interplay between different types of disabilities and their impact on hospitalisation rates. This shift towards a more inclusive analysis holds promise for informing policy decisions and healthcare interventions tailored to address the complex needs of individuals with disabilities. The major limitation lies in the study's cross-sectional nature, which limits causality and temporal associations and is limited by recall bias, particularly when assessing disabilities since birth. Being a secondary analysis, we are limited by the number of variables that can further explain social inclusion and exclusion. There was also a non-uniformity in the sample size to assess different questions related to the impact of disability. 

There are a few policy implications and recommendations emerging from the study. Given the
increasing prevalence of disability and the concurrent escalating proportion of the geriatric
population, we need to work on improving the accessibility for PLDs. A large number of

#### **BMJ** Open

disabilities originating since birth calls for more robust ante-natal and neonatal screening protocols supported by adequate counselling and rehabilitation services. A high proportion of PLDs agreed to have a caretaker who can help us improve their quality of life by adopting a family-centred approach to rehabilitation and empowering the family members of PLDs. Despite many schemes extended by the government to enhance the social inclusion of PLDs, high social exclusion calls for more health advocacy around this issue. 

To conclude, while most of the previous research has predominantly emphasised individual heterogeneity among PLDs, our study suggests a high burden of PLDs who feel socially excluded despite numerous efforts by the government to improve the social inclusion of such people. There is a need for advocacy and empathy in society to improve the well-being of PLDs, help them improve their productivity, and contribute to the best of their abilities. This will contribute to realising our national goals and stand towards our global commitment to the 2030 Agenda for Sustainable Development, which recognises the promotion of the rights, perspectives and well-being of PLDs as a pre-requisite while envisaging a more sustainable and inclusive world 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **Declarations**

Acknowledgements: Nil 

- Ethics statement: The ethical approvals were not deemed necessary since it was secondary data analysis. No patient-level data were used in this paper.
- **Patient and Public Involvement**: Patients were not involved at any stage of this study.
- **Funding:** No funding was involved at any stage of this study.
- Data availability: Data is available from the first author upon reasonable request.
- Ethics approval: Not applicable

Authors' contribution: MM, BB, and MA conceptualised the study, MV and AKJ collected data, drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted the final version; MA and RK critically reviewed the manuscript from policy and feasibility points of view. All the authors read and approved the final version of the manuscript.

1 2		
3	1	References
4 5	2	1. A. J. CAMPBELL WJBMCRCLLJAL and FCM. Disease, impairment, disability and social
6 7	3	handicap: a community based study of people aged 70 years and over. Disabil Rehabil.
8 9	4	1994;16:72–9.
10	5	2. Prince MJ, Harwood " R H, Blizard RA, Thomas A. Impairment, disability and handicap as
11 12	6	risk factors for depression in old age. The Gospel Oak Project V. Psychol Med. 1997.
13 14	7	3. International Classification of Functioning, Disability and Health (ICF) [Internet]. [cited
15 16	8	2024 Jan 3]. Available from: https://www.who.int/standards/classifications/international-
17	9	classification-of-functioning-disability-and-health
18 19	10	4. Mahmud I, Clarke L, Ploubidis GB. Socio-demographic determinants of the severity of
20 21	11	locomotor disability among adults in Bangladesh: a cross-sectional study, December
22	12	2010–February 2011. Archives of Public Health [Internet]. 2017;75:47. Available from:
23 24	13	http://archpublichealth.biomedcentral.com/articles/10.1186/s13690-017-0217-5
25 26	14	5. Global report on health equity for persons with disabilities   Knowledge Action Portal on
27 28	15	NCDs [Internet]. [cited 2024 Jan 3]. Available from: https://www.knowledge-action-
29	16	portal.com/en/content/global-report-health-equity-persons-disabilities
30 31	17	6. World Health Organization., World Bank. World report on disability. World Health
32 33	18	Organization; 2011.
34 35	19	7. Health Organization W. WORLD REPORT ON DISABILITY WHO Library Cataloguing-
36	20	in-Publication Data. 2011 [cited 2022 Feb 9]; Available from:
37 38	21	www.who.int/about/licensing/copyright_form/en/index.html
39 40	22	8. Pattnaik S, Murmu J, Agrawal R, Rehman T, Kanungo S, Pati S. Prevalence, pattern and
41 42	23	determinants of disabilities in India: Insights from NFHS-5 (2019–21). Front Public Health
43	24	[Internet]. 2023 [cited 2024 Mar 16];11. Available from: /pmc/articles/PMC10009251/
44 45	25	9. Patel S. An Empirical Study of Causes of Disability in India. The Internet Journal of
46 47	26	Epidemiology. 2008;6.
48	27	10. Sivadasan L, Narayanan A. Factors of Resilience Among Physically Disabled: An
49 50	28	Interpretative Phenomenological Analysis. Indian Journal of Positive Psychology
51 52	29	[Internet]. 2016 [cited 2024 Feb 22];7:113-8. Available from: https://www.i-
53 54	30	scholar.in/index.php/ijpp/article/view/123703
55	31	11. Unit level data & Report on NSS 76th Round for Schedule 1.2, July-December, 2018
56 57	32	(Drinking Water, Sanitation, Hygiene and Housing Condition)   Ministry of Statistics and
58 59 60	33	Program Implementation   Government Of India [Internet]. [cited 2024 Jan 6]. Available
		18

Page 20 of 30

BMJ Open

2 3		
4	1	from: https://mospi.gov.in/unit-level-data-report-nss-76th-round-schedule-12-july-
5 6	2	december-2018-drinking-water-sanitation
7 8	3	12. India - Survey of Persons with Disabilities NSS 76th Round : July 2018 - December 2018
9	4	- Overview [Internet]. [cited 2024 Feb 22]. Available from:
10 11	5	https://microdata.gov.in/nada43/index.php/catalog/154/overview
12 13	6	13. Ministry of Statistics and Programme Implementation G of I. Persons with Disabilities
14	7	(Divyangjan) in India-A Statistical Profile: 2021 [Internet]. Available from:
15 16	8	www.mospi.gov.in
17 18	9	14. Nations U, of Economic D, Affairs S, Division P. World Population Prospects: The 2010
19	10	Revision, Volume I: Comprehensive Tables.
20 21	11	15. Bickenbach JE, Cieza A, Sabariego C, Tchounwou PB. Disability and Public Health. J
22 23	12	Environ Res Public Health [Internet]. 2016 [cited 2024 Jan 3];13:123. Available from:
24 25	13	www.mdpi.com/journal/ijerph
26	14	16. New York: United Nations. United Nation, Department of Economic Social Affairs
27 28	15	Population Division. World Population Ageing 2017 [Internet]. 2017. Available from:
29 30	16	https://www.un.org/en/development/desa/population/publications/pdf/ageing/WPA2017_
31 32	17	Report.pdf
33	18	17. Groce NE, United Nations. Department of Economic and Social Affairs. Disability and the
34 35	19	Millennium Development Goals : a review of the MDG process and strategies for inclusion
36 37	20	of disability issues in Millennium Development Goal efforts. United Nations; 2011.
38	21	18. Disability Inclusion Overview [Internet]. [cited 2024 Jan 3]. Available from:
39 40	22	https://www.worldbank.org/en/topic/disability
41 42	23	19. Article 27 – Work and employment   United Nations Enable [Internet]. [cited 2024 Jan 5].
43	24	Available from: https://www.un.org/development/desa/disabilities/convention-on-the-
44 45	25	rights-of-persons-with-disabilities/article-27-work-and-employment.html
46 47	26	20. 70/1. Transforming our world: the 2030 Agenda for Sustainable Development
48 49	27	Transforming our world: the 2030 Agenda for Sustainable Development Preamble. 2015;
50	28	21. Article 24 – Education   United Nations Enable [Internet]. [cited 2024 Jan 5]. Available
51 52	29	from: https://www.un.org/development/desa/disabilities/convention-on-the-rights-of-
53 54	30	persons-with-disabilities/article-24-education.html
55	31	22. Disability and Development Report Realizing the Sustainable Development Goals
56 57	32	by, for and with persons with disabilities. 2018 [cited 2024 Jan 5]; Available from:
58 59	33	http://shop.un.org
60		

#### BMJ Open

1 2		
3 4	1	23. International Human Rights Law   OHCHR [Internet]. [cited 2024 Jan 3]. Available from:
5	2	https://www.ohchr.org/en/instruments-and-mechanisms/international-human-rights-law
6 7	3	24. Convention on the Rights of Persons with Disabilities (CRPD)   Division for Inclusive
8 9	4	Social Development (DISD) [Internet]. [cited 2024 Jan 3]. Available from:
10 11	5	https://social.desa.un.org/issues/disability/crpd/convention-on-the-rights-of-persons-
12	6	with-disabilities-crpd
13 14	7	25. Ministry of Statistics and Program Implementation (Government of India). Introduction:
15 16	8	Coverage, Concepts, Design and Definitions [Internet]. National Sample Surveys. 2024
17 18	9	[cited 2024 May 29]. Available from:
19	10	https://www.mospi.gov.in/sites/default/files/NSS7612dws/NSS_76_ins_Ch1.pdf
20 21	11	26. Ministry of Statistics and Program Implementation (Government of India). Note on Sample
22 23	12	Design and Estimation Procedure of NSS 76th Round [Internet]. National Sample Surveys.
24	13	2018 [cited 2024 May 29]. p. 1–125. Available from:
25 26	14	https://mospi.gov.in/sites/default/files/NSS7612dws/Estimation Procedure_NSS 76.pdf
27 28	15	27. Ministry of Statistics and Programme Implementation. NSS 76th round (July – December
29 30	16	2018) Persons with Disabilities in India. Government of India [Internet]. 2018 [cited 2023
31	17	Nov 3]; Available from: www.mospi.gov.
32 33	18	28. Acharya K. Prenatal testing for intellectual disability: Misperceptions and reality with
34 35	19	lessons from down syndrome. Dev Disabil Res Rev [Internet]. 2011;17:27-31. Available
36 37	20	from: https://onlinelibrary.wiley.com/doi/10.1002/ddrr.135
38	21	29. Bailey DB, Skinner D, Warren SF. Newborn Screening for Developmental Disabilities:
39 40	22	Reframing Presumptive Benefit. Am J Public Health [Internet]. 2005;95:1889-93.
41 42	23	Available from: https://ajph.aphapublications.org/doi/full/10.2105/AJPH.2004.051110
43 44	24	30. RBSK-Rashtriya Bal Swasthya Karyakram :: National Health Mission [Internet]. [cited
45	25	2024Mar19].Availablefrom:
46 47	26	https://nhm.gov.in/index4.php?lang=1&level=0&linkid=499&lid=773
48 49	27	31. SCHEME OF ASSISTANCE TO DISABLED PERSONS FOR PURCHASE/FITTING
50	28	OF AIDS/APPLIANCES (ADIP SCHEME) Govt. of India Ministry of Social Justice and
51 52	29	Empowerment, Shastri Bhawan New Delhi.
53 54	30	32. DDRS   Department of Empowerment of Persons with Disabilities (DEPwD)   India
55 56	31	[Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/ddrs/
57	32	33. Dhole SR, Gaur AK, More SN, Popalwar H, Lokhande V. Original Article Study of
58 59	33	Locomotor Disability Due To Various Types of Trauma. National Journal Of Medical
60	34	Research. 2004;5:1–5.
		20

Page 22 of 30

BMJ Open

3 4	1	34. The World Bank. Traffic Crash Injuries and Disabilities: The Burden on Indian Society
5	2	[Internet]. 2021 [cited 2024 May 29]. Available from:
6 7	3	https://www.worldbank.org/en/country/india/publication/traffic-crash-injuries-and-
8 9	4	disabilities-the-burden-on-indian-society
10	5	35. Rehman T, Sulgante S, Sekhar Kar S. Prevalence and pattern of domestic accidents in the
11 12	6	field practice area of Jawaharlal Institute of Urban Health Centre, Puducherry: a cross-
13 14	7	sectional analytical study. J Inj Violence Res [Internet]. 2020;12. Available from:
15 16	8	http://www.jivresearch.org/jivr/index.php/jivr/article/view/1182
17	9	36. Convention on the Rights of Persons with Disabilities and Optional Protocol UNITED
18 19	10	NATIONS.
20 21	11	37. MINISTRY OF LAW AND JUSTICE, (Legislative Department). THE RIGHTS OF
22 23	12	PERSONS WITH DISABILITIES ACT, 2016 (NO. 49 OF 2016). MINISTRY OF LAW
24	13	AND JUSTICE; Dec 27, 2016.
25 26	14	38. National Building Code - Bureau of Indian Standards [Internet]. [cited 2024 Mar 19].
27 28	15	Available from: https://www.bis.gov.in/standards/technical-department/national-
29	16	building-code/
30 31	17	39. Right To Education [Internet]. [cited 2024 Mar 19]. Available from:
32 33	18	https://righttoeducation.in/know-your-rte/about
34 35	19	40. Ministry of Education (Government of India). Samagra Shiksha [Internet]. 2022 [cited 2024
36	20	Jun 1]. Available from: https://samagra.education.gov.in/
37 38	21	41. Qiu N, Jiang Y, Sun Z, Du M. The impact of disability-related deprivation on employment
39 40	22	opportunity at the neighborhood level: does family socioeconomic status matter? Front
41 42	23	Public Health [Internet]. 2023;11. Available from:
43	24	https://www.frontiersin.org/articles/10.3389/fpubh.2023.1232829/full
44 45	25	42. Bonaccio S, Connelly CE, Gellatly IR, Jetha A, Martin Ginis KA. The Participation of
46 47	26	People with Disabilities in the Workplace Across the Employment Cycle: Employer
48	27	Concerns and Research Evidence. J Bus Psychol [Internet]. 2020;35:135-58. Available
49 50	28	from: http://link.springer.com/10.1007/s10869-018-9602-5
51 52	29	43. Babik I, Gardner ES. Factors Affecting the Perception of Disability: A Developmental
53 54	30	Perspective. Front Psychol [Internet]. 2021;12. Available from:
55	31	https://www.frontiersin.org/articles/10.3389/fpsyg.2021.702166/full
56 57	32	44. National Divyangjan Finance and Development Corporation   Department of
58 59 60	33	Empowerment of Persons with Disabilities (DEPwD)   India [Internet]. [cited 2024 Mar
00		

<ul> <li>1 19]. Available from: https://depwd.gov.in/national-handicapped-finance-and development-corporation/</li> <li>3 45. SIPDA   Department of Empowerment of Persons with Disabilities (DEPwD)   Ind [Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>5 46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Ministry of Education [Internet]. [cited 2024 Mar 19]. Available from https://www.education.gov.in/iedss</li> </ul>	<ul> <li>development-corporation/</li> <li>45. SIPDA   Department of Empowerment of Persons with Disabilities (DEPwD)</li> <li>[Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Mini</li> <li>Education [Internet]. [cited 2024 Mar 19]. Available</li> <li>https://www.education.gov.in/iedss</li> </ul>					
<ul> <li>45. SIPDA   Department of Empowerment of Persons with Disabilities (DEPwD)   Ind [Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Ministry of Education [Internet]. [cited 2024 Mar 19]. Available from https://www.education.gov.in/iedss</li> </ul>	<ul> <li>45. SIPDA   Department of Empowerment of Persons with Disabilities (DEPwD)</li> <li>[Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Mini</li> <li>Education [Internet]. [cited 2024 Mar 19]. Available</li> <li>https://www.education.gov.in/iedss</li> </ul>		wd.gov.in/r	national-ha	ndicapped-fina	nce-and-
<ul> <li>[Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Ministry of Education [Internet]. [cited 2024 Mar 19]. Available from https://www.education.gov.in/iedss</li> </ul>	<ul> <li>[Internet]. [cited 2024 Mar 19]. Available from: https://depwd.gov.in/sipda/</li> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Mini</li> <li>Education [Internet]. [cited 2024 Mar 19]. Available</li> <li>https://www.education.gov.in/iedss</li> </ul>		` D	:4 D: 1:		\   <b>T</b> 1'
<ul> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Ministry of Education [Internet]. [cited 2024 Mar 19]. Available from https://www.education.gov.in/iedss</li> </ul>	<ul> <li>46. Inclusive Education of the Disabled at Secondary Stage   Government of India, Mini</li> <li>Education [Internet]. [cited 2024 Mar 19]. Available</li> <li>https://www.education.gov.in/iedss</li> </ul>					)   India
6 Education [Internet]. [cited 2024 Mar 19]. Available from 7 https://www.education.gov.in/iedss 8	6 Education [Internet]. [cited 2024 Mar 19]. Available 7 https://www.education.gov.in/iedss 8		-		-	
7 https://www.education.gov.in/iedss	7 https://www.education.gov.in/iedss					
8			24 Mar	19].	Available	from
8 For peer teriew only	<sup>8</sup> To be en review only					

### BMJ Open Tables Tables Table 1: Prevalence of different types of disabilities across different socio-demographic characteristics, NSS, 76<sup>th</sup> round, India.

3

Background characteristics	Total sample N	Locomotor N (%)	Vision N (%)	Hearing N (%)	Speech N (%)	Mental Retardation           N (%)         8564 (0.16)           8564 (0.16)         60           445 (5.3)         60	Mental Illness	Others N (%)	Any one disability N (%)
6	576,796	61981 (1.36)	11977 (0.23)	15294 (0.30)	12661 (0.23)	8564 (0.16)	<b>6</b> 751 (0.16)	3121 (0.05)	107,125 (2.20)
Age Group (completed years)						latec	лет 125. С		
up to 5	50,010	1494 (2.2)	182 (1.5)	311 (2)	907 (7.3)	445 (5.3) <b>ö</b>	<b>4</b> 1 (0.5)	182 (5.5)	2839 (2.5)
`6-17	152,084	7290 (10.8)	1210 (9.2)	1977 (12.6)	4515 (35.8)	3492 (41.2)	<b>6 0 0 0 0 0 0 0 0 0 0</b>	691 (21.5)	16695 (14.4)
18-35	166,862	11546 (18)	1386 (10.7)	2036 (13.3)	3273 (26.4)	2796 (33) a	<b>4</b> 915 (27.6)	601 (19.8)	20673 (18.8)
36-49	104,790	11434 (18.1)	1557 (12.3)	2118 (13)	1812 (13.8)	1113 (12.4)	<b>646 (25)</b>	478 (14.8)	18665 (17.2)
50-65	80,025	16627 (27.9)	3609 (31.1)	3843 (25.1)	1495 (11.4)	561 (6.5) <b>B</b>	409 (21.3)	645 (21.9)	26420 (25.7)
65+	23,025	13590 (23)	4033 (35.2)	5009 (34)	659 (5.3)	157 (1.6)	· 80 (10.1)	524 (16.6)	21833 (21.4)
Gender				191		Al tra	1jope		
Male	298,982	36862 (58.7)	6014 (50.2)	7993 (52)	7554 (60.4)	5202 (61.7) <b>5</b> .	<b>3</b> 856 (56.8)	1764 (58.9)	61707 (57.3)
Female	277,716	25110 (41.3)	5958 (49.8)	7296 (48)	5106 (39.6)	3359 (38.3) a	2893 (43.2)	1355 (41.1)	45396 (42.7)
Marital Status						nd si	2		
Never Married	257,794	16912 (24.7)	2719 (20.8)	3987 (24.2)	8708 (67.8)	7450 (86.9)	<b>2</b> 281 (46.1)	1314 (40.4)	36813 (31.4)
Ever Married	287,768	33257 (55.3)	5541 (46.9)	7094 (47.5)	3086 (25.3)	791 (9.3) <b>ह</b>	<b>3</b> 381 (35.8)	1402 (47.2)	50108 (48.8)
Widowed	29,644	11293 (19)	3616 (31.5)	4024 (27.1)	690 (5.4)	190 (2.1) <b>ho</b>	975 (12.5)	366 (11.1)	18933 (18.5)
divorced/separated	1,590	519 (1)	101 (0.8)	189 (1.1)	177 (1.4)	133 (1.8) <b>G</b>	<b>8</b> 314 (5.5)	39 (1.2)	1271 (1.3)
Area of residence						ķ	at A		
Rural	401,474	42222 (71.6)	8809 (76.3)	11121 (74.9)	9164 (72.9)	5974 (69.9)	<b>6</b> <b>6</b> <b>7</b> 72 (73.1)	2055 (62.4)	75091 (72.8)
Urban	175,322	19759 (28.4)	3168 (23.7)	4173 (25.1)	3497 (27.1)	2590 (30.1)	<b>1 1 1 1 1 1 1 1 1 1</b>	1066 (37.6)	32034 (27.2)
							bliog		
Educational attainment			1	1	1	5846 (69.3)	<b>3</b> 285 (49.6)	1108 (34.1)	50848 (48.9)

				BMJ Open		1 by copyright,	bmjopen-2024		
Literate but not formal	169,468	15002 (23.2)	2483 (19.4)	3700 (22.9)	3428 (26.7)	<b>1858 (21) nc</b>	<b>29</b> (23.3)	859 (29)	26145 (23
Upto primary	200,712	16885 (26.5)	1987 (15.5)	2782 (16.9)	1908 (14.9)	808 (9.1) <b>u</b>	<b>8</b> 523 (24.1)	916 (28.7)	25210 (23
Upto secondary	52,489	3718 (5.8)	347 (2.6)	447 (2.9)	206 (1.5)	52 (0.6) <b>5</b>	<b>9</b> 214 (3.1)	238 (8.2)	4922 (4.6
Preferred Religion						<b></b>	<del>Б</del> Ма		
Hindu	465,055	49548 (81.9)	9479 (82.9)	12090 (82.6)	9658 (78.7)	6540 (78.7)	<b>1 1 1 1 1 1 1 1 1 1</b>	2444 (80.8)	84742 (81
Islam	82,924	8375 (12.5)	1601 (12.5)	1927 (11.7)	2021 (15.6)	1366 (15.9)	<b>9</b> <b>9</b> 67 (18.4)	402 (12.6)	14658 (12
Others	28,817	4058 (5.6)	897 (4.6)	1277 (5.7)	982 (5.7)	658 (5.4) <b>ö</b>	<b>5</b> 21 (6.9)	275 (6.5)	7725 (5.5
Social Group						text			
Scheduled Tribe	53,251	6049 (8.3)	1491 (9.1)	1923 (9.5)	1478 (9.4)	822 (7.2) and	<b>6</b> 70 (7.8)	452 (12.3)	11729 (8.
Scheduled Caste	106,559	12240 (20.4)	2407 (21.3)	2805 (19.4)	2467 (20.5)	1602 (19.2)	<b>2</b> 269 (19.9)	574 (17.8)	20925 (20
Other Backward Classes	261,808	26861 (44.7)	5205 (46)	6583 (45.5)	5482 (44.7)	3806 (45.8)		1167 (40.2)	46223 (44
General	155,178	16831 (26.6)	2874 (23.6)	3983 (25.6)	3234 (25.4)	2334 (27.8)		928 (29.7)	28248 (20
Wealth Index				0		Al tr	mjop		
Poorer	139,451	17681 (30.2)	3919 (35.1)	4933 (34.7)	3552 (30.1)	2025 (25.3) <b>2</b> .		823 (25.8)	31259 (3
Poor	119,425	12553 (20.5)	2474 (20.8)	3005 (19.4)	2746 (21.4)	1773 (20.9) a	364 (20.5)	524 (16.2)	21959 (20
Middle	116,427	11468 (18.2)	2271 (18.5)	2730 (17.4)	2434 (18.5)	1751 (20) a	<b>B</b> 302 (18.1)	550 (17.3)	20058 (18
Richer	107,200	10440 (16)	1864 (14.4)	2480 (15.4)	2080 (15.8)	1611 (18.3) <mark>2</mark> .	<b>9</b> 161 (16.8)	593 (19.9)	17946 (15
Richest	94,293	9839 (15.1)	1449 (11.1)	2146 (13)	1849 (14.2)	1404 (15.5)	<b>5</b> 92 (13.6)	631 (20.7)	15903 (14
Regions of India						chno	13,		
Northern	80,441	8787 (14.4)	1478 (13.1)	1692 (11.7)	1347 (11.1)	1144 (13.5) <mark>6</mark>	<b>N</b> N 31 (14.2)	216 (7.6)	14305 (13
Southern	120,725	13448 (23)	2814 (24.7)	4013 (27.3)	2958 (24.8)	2141 (25.6) <sup>.</sup>	<b>4</b> 447 (21.3)	714 (25.5)	23699 (23
Western	78,844	8387 (12.7)	1286 (10.1)	1740 (11.1)	1423 (11.3)	1293 (15.2)	<b>g</b> <b>g</b> 06 (10.6)	540 (17.7)	13708 (12
Eastern	129,717	12790 (20.3)	2538 (21.9)	3238 (22.5)	3248 (27.1)	1762 (21.3)	<b>6</b> 672 (26.3)	954 (30.4)	23061 (21
North-Eastern	22,101	3858 (2.1)	1335 (4.5)	1620 (3.7)	1308 (3.4)	594 (2)	<b>5</b> 82 (2.7)	282 (2.4)	8839 (2.8
Central	144,968	14711 (27.4)	2526 (25.6)	2991 (23.8)	2377 (22.4)	1630 (22.6)	<b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	415 (16.3)	23513 (20
		1	1	24	1	L	ohique		
		For peer review	only - http://br		n/site/about/gu	uidelines.xhtml	e de l		

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

	Locomotor	Visual	Hearing	Speech and language	Mental retardation/	ō Ment® Meness o →	Other types of disability	Any Disability
Total sample size	61980	1156	1281	2013	1217	523 523 523 523 523 523 523 523 523 523	768	61980
Causes of disability						ny 20 nseig es re		
Disease	28673 (46.3)	454 (39.3)	484 (37.8)	1246 (61.9)	NA	25. E Jinén latec	NA	NA
Other than disease due to burn	723 (1.2)	88 (0.7)	1 (0.1)	8 (0.4)	NA	TO NAME	NA	NA
Injuries other than burn	13876 (22.4)	156 (13.5)	158 (12.4)	105 (5.2)	NA	May 2025, Downloaded from http: cEnseigneme£t Superieur (ABES) uses related to text and data mini 111	NA	NA
Other causes	18702 (30.2)	538 (46.5)	637 (49.7)	654 (32.5)	NA	n d d fr	NA	NA
Disability Since Birth		MO.				ata r		
Yes	11,488 (18.5)	91 (7.9)	198 (15.4)	1041 (51.7)	955 (78.5)		119 (15.5)	11,488 (18.5)
No	50,052 (80.8)	1062 (91.9)	1081 (84.4)	964 (47.9)	258 (21.2)		645 (84)	50,052 (80.8)
Not Known	440 (0.7)	3 (0.2)	2 (0.2)	8 (0.4)	4 (0.3)	<b>F</b> a (1	4 (0.4)	440 (0.7)
Disability commenced in last 365 days				10		Jopen.bmj.co (1 VI <del>tf</del> aining, an		
sample size	48741	1034.2	1052.4	938.7	251.6	<b>%</b> 94.9	628.6	48741
Yes	2987 (6.1)	72 (7)	65 (6.2)	100 (10.6)	11 (4.4)	4(Har)(10,2)	48 (7.7)	2987 (6.1)
No	45754 (93.9)	961 (93)	987 (93.8)	839 (89.4)	240 (95.6)	358 (888)	580 (92.3)	45754 (93.9)
Place of occurrence of disability						13, 2 hnol		
Sample size	14281	161	157	105	33	ologies	63	14281
Workplace	2308 (16.2)	13 (8.3)	30 (19.2)	11 (10.9)	2 (6.9)	9 (1 <b>B</b>	11 (18.1)	2308 (16.2)
Road	5977 (41.9)	46 (28.5)	43 (27.5)	41 (38.7)	9 (25.9)	35 (40 <b>6</b> )	15 (23.8)	5977 (41.9)
Home	4693 (32.9)	93 (57.9)	73 (46.3)	45 (42.4)	19 (58.5)	33 (38	31 (49.5)	4693 (32.9)
Other places	1302 (9.1)	9 (5.3)	11 (7)	8 (8)	3 (8.7)	8 (9.5	5 (8.6)	1302 (9.1)
	For poor		25	omj.com/site/abo	aut/auidaliace	8 (9.327) Biggaphique de l	1 1	

# BMJ Open Table 2: Percentage distribution of different disability types and their associated information, NSS 76<sup>th</sup> round, India.

30				BMJ O	pen		bmjopen-2024-090220 d by copyright, includi		
Treatment taken/ treatment	undergoing						open-2024-090220 o copyright, including		
	Sample size	61980	1156	1281	2013	1217	ng on 15 <sup>23</sup> 15	768	61980
yes: c	consulting doctor	35,923 (58)	566.6 (49)	617 (48.2)	1,080 (53.7)	710 (58.4)		330 (43)	35923 (58)
	Otherwise	1565 (2.5)	22 (1.9)	34 (2.7)	42 (2.1)	36 (2.9)		6 (0.7)	1564.5 (2.5
	ting doctor, plus rgoing treatment	17329 (28)	375 (32.4)	418 (32.7)	719 (35.7)	355 (29.2)	/ 20225. Downloaded f seignem®nt Superleu srejatedrto text and c	397 (51.7)	17329 (28)
	Otherwise	860 (1.4)	34 (2.9)	21 (1.7)	20 (1)	4 (0.3)		8 (1)	860 (1.4)
Attending speci	al school/special therapy	116 (0.2)	2.9 (0.3)	0 (0)	4 (0.2)	6 (0.5)	AD FUS Tata	0 (0)	116 (0.2)
Cannot	afford treatment	2040 (3.3)	75 (6.4)	73 (5.7)	72 (3.6)	55 (4.6)		8 (1)	2040 (3.3)
No treatment	available for the disability	699 (1.1)	13 (1.1)	8 (0.6)	17 (0.8)	16 (1.3)	ng, 4( traking, and	5 (0.7)	699 (1.1)
	Not required	2717 (4.4)	60 (5.2)	97 (7.6)	47 (2.3)	26 (2.1)		14 (1.8)	2717 (4.4)
	Not known	732 (1.2)	8 (0.7)	12 (0.9)	13 (0.7)	9 (0.7)	<b>نور الح</b> بکھ(0.6)	1 (0.1)	732 (1.2)

Note: Causes of disability were recorded for individuals with disabilities like locomotor, visual, hearing, and speech. Disability Commenced in the last 365 days was recorded for those individuals who did not have a disability since birth' but disability commenced during the last 365 days before the survey.

during the last 365 days before the survey. Place of occurrence was recorded for individuals with disabilities who are experiencing disability post their birds, and for whom the cause of disability was burn, injury or other than burn. 26 For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

### 1 Table 3: Living conditions of the people living with disabilities, NSS76<sup>th</sup> round

<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Weighted percentag
Percentage distribution of persons who were not having disability since birth	
by different age at the onset of disability (n= 48,727)	17.0
0 to 4 years	17.2 9.0
5 to 14 years	45.9
15 to 59 years 60 years and above	28.0
Receipt of aid/help (n=61,712)	20.0
Received aid/help from Government	20.8
Received aid/help from organisations other than government	4.1
Did not receive aid/help	75.1
Living arrangement(n=61,962)	
Living alone or with a spouse	57.0
Living with others	43.0
Arrangement of regular caregiver(n=61,980)	
Care-giver required but not available	0.1
Care-giver is not required	37.1
Care-giver is available	62.8
Access to public Transport (n=61,980)	
Yes	59.6
No	40.4
Accesses to public building (n=61,980)	
Yes	45.6
No	54.4
Difficulty faced accessing public building(n= 27,756)	
difficulty faced: due to stairs and non-availability of ramp, grooved tiles or lift	57.7
in opening doors	4.4
no seating arrangement: in the waiting area at the point of receiving service	1.6 0.8
no special toilet seats	0.8
no sign for direction/ instruction/no public announcement system	0.7
no difficulty faced	27.6
others	7.0
Working before onset (For persons of age 15 years and above; n=55,819)	7.0
Yes	40.3
No	59.7
Disability causing loss or change in job(n= 21,559)	
loss of work	60.7
change of work	18.3
no loss or change of work	21.3
Having Disability Certificate(n=61,980)	
Yes	30.4
No	69.6
Percentage of Disability as per Certificate (n=20,213)	
40% or more but less than 60%	49.3
60% or more but less than 80%	36.3
80% or more	12.8
none of these	1.6

1
2
3
4
5
6
7
<i>'</i>
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57

Table 4: Multivariable binary logistic regression analysis exploring the likelihood of living
 with any disability per the 76<sup>th</sup> round of the NSS, India.

	Unadjusted Odds	p-value	Adjusted Odds		
	ratio (95% C.I)		ratio (95% C.I)	p-value	
Age Group (Completed years)					
Up to 5 years	<b>Reference value</b>		Reference value		
6 - 18 years	2.1(2-2.1)	< 0.001	3.5(3.4-3.7)	< 0.001	
19-35 years	2.3(2.2-2.4)	< 0.001	8.4(8-8.8)	< 0.001	
36-49 years	3.5(3.4-3.7)	< 0.001	17.6(16.8-18.5)	< 0.001	
50-65 years	6.4(6.1-6.7)	< 0.001	25.8(24.5-27.1)	< 0.001	
65+ years	17.5(16.7-18.2)	< 0.001	58.4(55.4-61.5)	< 0.001	
Gender					
Male	Reference value		Reference value		
Female	0.7(0.7-0.7)	< 0.001	0.6(0.6-0.6)	< 0.001	
Place of Residence					
Rural	Reference value		Reference value		
Urban	1.02(1.01-1.03)	0.03	1.3(1.2-1.3)	< 0.001	
Social Group					
Scheduled Tribe	Reference value		Reference value		
Scheduled Caste	1.1(1.1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001	
Other Backward Classes	1.1(1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001	
General	1.1(1.1-1.1)	< 0.001	1.3(1.3-1.3)	< 0.001	
Educational attainment		0.001		0.001	
No education	Reference value		Reference value		
Upto Primary class	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.5)	< 0.001	
Upto Secondary Class	0.4(0.4-0.4)	< 0.001	0.4(0.4-0.4)	< 0.001	
Graduate & Above	0.3(0.3-0.4)	< 0.001	0.3(0.3-0.3)	< 0.001	
Preferred Religion	0.5(0.5 0.4)	-0.001	0.5(0.5 0.5)		
Hindu	Reference value		Reference value		
Islam	0.8(0.8-0.9)	< 0.001	0.9(0.9-0.9)	<0.001	
Others	0.9(0.9-1)	< 0.001	1(1-1.1)	0.019	
Marital Status	0.9(0.9-1)	<0.001	1(1-1.1)	0.017	
Never married	Reference value		Reference value		
Currently married	1.3(1.3-1.3)	< 0.001	0.3(0.3-0.3)	< 0.001	
widowed	5.9(5.8-6.1)	<0.001	0.6(0.5-0.6)	<0.001	
Divorced/separated	4.4(4.1-4.8)	<0.001	1.1(1-1.2)	0.001	
Wealth Index	4.4(4.1-4.0)	<0.001	1.1(1-1.2)	0.011	
Poorest	Reference value		Reference value		
Poor	0.6(0.6-0.6)	< 0.001	0.7(0.7-0.7)	< 0.001	
Middle		<0.001		<0.001	
	0.6(0.5-0.6)		0.6(0.6-0.6)	<0.001	
Richer	0.5(0.5-0.5) 0.4(0.4-0.4)	<0.001 <0.001	0.5(0.5-0.6)	<0.001	
Richest	0.4(0.4-0.4)	~0.001	0.5(0.5-0.5)	~0.001	
Regions of India	Dofonon ao valu-		Defenence velue		
Northern	<b>Reference value</b>	<0.001	<b>Reference value</b>	<0.001	
Southern	1.42(1.39-1.46)	<0.001	1.1(1.1-1.2)	<0.001	
Western	1.13(1.1-1.16)	<0.001	1(1-1.1)	0.065	
Eastern	1.15(1.13-1.18)	<0.001	1(0.9-1)	0.001	
North-eastern	1(0.97-1.03)	0.961	1(1-1)	0.361	
Central	1.01(0.98-1.03)	0.653	0.9(0.8-0.9)	< 0.001	

1	Figure Legends
2 3	Figure 1: Geographical disparities in the difficulties faced by the people livin with disabilities as per the 76 <sup>th</sup> Round of the National Sample Survey, India
5	with disublines as per the /or fround of the futtohan Sample Survey, man
	20




Figure 1: Geographical disparities in the difficulties faced by the people living with disabilities as per the 76th Round of the National Sample Survey, India

40x58mm (300 x 300 DPI)

#### Epidemiology of disability and access to disability support and rehabilitation services in India: A secondary data analysis a National Sample Survey (2018).

Journal:	BMJ Open
Journal.	
Manuscript ID	bmjopen-2024-090220.R1
Article Type:	Original research
Date Submitted by the Author:	24-Dec-2024
Complete List of Authors:	Mirza, Moonis ; All India Institute of Medical Sciences - Bathinda, Department of Hospital Administration Esht, Vandana; Jazan University College of Applied Medical Sciences, Physical Therapy Department Verma, Madhur ; All India Institute of Medical Sciences Bathinda, Department of Community & Family Medicine Bahadur, Bajarang; International Institute for Population Sciences, Demography Jaiswal, Ajit; International Institute for Population Sciences, Demography Alagarajan, Manoj; International Institute for Population Sciences, Demography Kakkar, Rakesh; All India Institute of Medical Sciences - Bathinda, Department of Community & Family Medicine
<b>Primary Subject Heading</b> :	Public health
Secondary Subject Heading:	Epidemiology, General practice / Family practice, Global health, Health services research, Occupational and environmental medicine
Keywords:	Disabled Persons, PUBLIC HEALTH, Health Equity





I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



3	1	Title Page
4		8
5 6	2	Epidemiology of disability and access to disability support and
7	3	rehabilitation services in India: A secondary data analysis a
, 8 9	4	National Sample Survey (2018).
10	5	
11	6	Type: Original Article
12	7	Moonis Mirza*, Vandana Esht <sup>1</sup> *, Madhur Verma <sup>*#</sup> , Bajarang Bahadur*,
13		
14	8	Ajit Kumar Jaiswal <sup>3</sup> , Manoj Alagarajan, Rakesh Kakkar
15	9	
16	10 11	*authors contributed equally #corresponding author
17	12	#corresponding aution
18	13	Detailed Author Affiliations:
19	14	1. Moonis Mirza (MD)
20	14	
21 22		Associate Professor of Hospital Administration, All India Institute of Medical
22	16	Sciences Bathinda (Punjab), India-151001
24	17	Email: <u>moonismirza@gmail.com</u> .
25	18	O <u>rcid</u> id: 0000-0002-8844-7311
26	19	
27	20	2. Vandana Esht (Phd)
28	21	Associate Professor, Physical Therapy Department, College of Applied Medical
29	22	Sciences, Jazan University, Jazan, Saudi Arabia
30	23	Email: <u>vandanaesht@jazanu.edu.sa</u> .
31	24	
32	25	3. Madhur Verma (MD)
33 34	26	Associate Professor of Community and Family Medicine, All India Institute of
34 35	27	Medical Sciences Bathinda (Punjab), India-151001
36	28	Email: drmadhurverma@gmail.com
37	29	
38	30	4. Bajarang Bahadur
39	31	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
40	32	India -400088
41	33	Email: bajarang7894@gmail.com.
42		Ellian. <u>Dajarang/894(0)ginan.com</u> .
43	34 25	
44 45	35	5. Ajit Kumar Jaiswal Mahil International Institute for Deputation Sciences Mumhei (Maharashtro)
45 46	36	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
40	37	India -400088
48	38	Email: <u>ajitjaiswal20@gmail.com</u> .
49	39	
50	40	6. Manoj Alagarajan
51	41	Assistant Professor, International Institute for Population Sciences, Mumbai
52	42	(Maharashtra) India -400088
53	43	Email: <u>alagarajan@iipsindia.ac.in</u> .
54	44	
55	45	7. Rakesh Kakkar (MD)
56 57	46	Professor of Community and Family Medicine, All India Institute of Medical
57 58	47	Sciences Bathinda (Punjab), India-151001
50 59	48	Email: drrakesh75@rediffmail.com.
60	49	

2	
3	
4	
4 5 6 7	
6	
7	
/	
8	
9 10	
10	
11	
12	
13	
14	
15	
16	
12 13 14 15 16 17 18 19	
18	
19	
20	
21	
22	
23	
24	
25	
25 26 27	
27	
28	
29	
30	
31	
32	
33	
34 25	
35 36 37	
0C 7C	
3/	
38	
39	
40	
41 42	
42	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	

# Details of the corresponding author Dr. Madhur Verma (MD) Associate Professor of Community and Family Medicine,

All India Institute of Medical Sciences Bathinda (Punjab),
India-151001
Email: drmadhurverma@gmail.com
Phone: +91 9466445513

Orcid id: 0000-0002-1787-8392 8 to been to in only

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

**Manuscript** 

Abstract **Objective:** The primary aim of this study was to examine the epidemiology of disabilities in India and assess access to disability support and rehabilitation services by people with Disabilities (PWDs). Design: This study is a secondary analysis of the data from the 76th round of the National Sample Survey (2018), that focussed on disability in India. Setting: The survey employed a stratified two-stage sampling design based on Census 2011, covering all states and union territories of India. Villages and urban blocks were selected in the first stage, while households were chosen in the second stage across rural and urban areas. **Participants**: The survey included data from a population of 576,796 individuals residing in 1,18,152 households from 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks). The analysis focussed on 1,07,125 individuals (61,707 males and 45,305 females) who reported at least one disability. **Outcome Measures**: The primary outcome was "any disability". Secondary outcomes included access to disability support and rehabilitation services that assessed difficulties faced in accessing public buildings, transport, loss of employment after disability, availability of government support, enrolment in special schools, and possession of a disability certificate. Results: The overall weighted disability prevalence was 2.2%, with significant disparities across socio-demographic characteristics. Among PWDs, 45.9% of those who acquired disabilities after birth were aged between 15 and 59, and 20.8% received no government aid. About 40% of PWDs struggled to use public transport, and 57.7% had difficulties accessing 

public buildings. Additionally, 60.7% reported job loss due to disability, and 69.6% lacked a
disability certificate.

### **BMJ** Open

Conclusion: This study highlights disparities faced by PWDs in accessing disability support
 and rehabilitation services. There is an urgent need for concerted efforts to minimise such
 experiences. This will help us enhance the well-being and participation of PWDs and empower
 them to contribute to society with their true potential.

Keywords: Disability, inequity, disparities, accessibility, health access.

to per trien only

1

1 2 3 4	1	Strengths and limitations of this study
5 6 7	2	• One of the very first comprehensive assessments of accessibility issues of the people
8 9	3	living with disability data from the 76 <sup>th</sup> round of the National Sample Survey (2018).
10 11 12	4	• We estimated the proportion of people with disability who could access basic services
12 13 14	5	through a weighted analysis that makes the results generalisable and highlights
15 16	6	actionable points.
17 18 19	7	• The lack of a standardised definition of disability was the critical limitation of the study,
20 21	8	which restricts sub-national and national comparisons over time and regions.
22 23	9	• The possibility of estimates being affected by recall bias and social desirability bias
24 25 26	10	may not be ruled out.
27 28	11	• We were limited by the number of variables available in the primary data, which
29 30 31	12	restricted us from making further conclusions about the social inclusion of people with
32 33	13	disability.
34 35	14	disability.
36 37 38		
39 40		
41 42 43		
43 44 45		
46 47		
48 49		
50 51 52		
53 54		
55 56		
57 58 59		
60		

1

1	
2	
3	
4	
5	
6	
7	
, 8	
9	
9 10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
23 24	
24 25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37 38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
50 51	
52	
53	
54	
55	
56	
57	
58	
59	

60

# Manuscript

# 3 Introduction

4 As per the United Nations Convention on the Rights of Persons with Disabilities (CRPD), persons with disabilities (PWD) include those who have long-term physical, mental, 5 6 intellectual or sensory impairments which, in interaction with various barriers, may hinder their 7 full and effective participation in society on an equal basis with others.[1] Disability is a global concern, impacting 1.3 billion people or 16% of the population.[2] The World Health 8 9 Organization (WHO) and the World Bank's World Report on Disability highlight that 80% of the global disabled population is of working age, with a substantial proportion residing in 10 11 developing countries.[3] India is one of the most populous countries, and the burden of 12 disabilities afflicting the population is concerning.[4] With the increasing proportion of the 13 geriatric population, the burden of disability has also proportionately increased (from 21.9 to 14 26.8 million) over the last two rounds of the national census (2001-2011).[5,6] The reports from the 2011 Census and the 76th round of the National Sample Survey (NSS) estimate 15 disability prevalence to be around 2.2%.[7] But the fifth round of the National Family Health 16 Survey-5 (2019-21) estimates an overall disability prevalence of 4.52%.[8] The discrepancy in 17 available estimates is due to differences in the methodologies, poor quality and inconsistent 18 19 data, and lack of standardisation of the definition, which underscores the intricate nature of the 20 disability.[9,10]

The CRPD defines disability as an evolving concept as it results from the interaction between persons with impairments and attitudinal and environmental barriers that hinder full and effective participation in society on an equal basis with others.[1] This evolution of the definition highlights the constantly changing needs of PWDs, which are largely unmet.[11,12] Articles 6, 7, 9, 24, and 27 of CRPD talk about the gender, age, accessibility, education, work and employment rights for empowering the PWD by addressing such needs so that they live

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

independently and participate fully in all aspects of life, who are otherwise less prioritised over the general population.[13–17] Low priority increases the existing disparities, leading to poorer health outcomes, lower educational attainment, and reduced economic opportunities, thereby exacerbating social inequities.[18] Addressing these disparities is a global priority as mandated by the second principle of the Sustainable Development Goals (SDGs), "Leave no one behind", which is the central, transformative promise of the Agenda 2030.[19] The International Human Rights Law and the CRPD also obligate each country to tackle the inequalities faced by PWDs.[1,20] Despite ratification by most countries, the world remains far from fully recognising and upholding the rights and needs of PWDs.[18] The needs of PWD can span from personal functional assistance (daily activities and extent of disability), social integration (living conditions, caregivers, and public accessibility), economic rehabilitation (impact on employment and finances) to service access (certification and receipt of government/NGO support) necessitating a comprehensive approach.[21] But access to such services is less studied, and it is crucial to highlight disparities that affect the disability care continuum and also limit the efforts to minimise social exclusion of PWD and foster a social environment that is inclusive and accessible to all.[22] 

Previous literature from India has primarily focused on the epidemiology of disability.[10] The lack of disability-friendly infrastructure, affordable assistive technologies, support services, including personal assistance, therapy, aids and vocational rehabilitation, and comprehensive care perpetuates inequalities.[23] Still, it is less explored by the scientific community. Within this context, the 76th NSS collects data regarding disability and PWD's access to different disability support and rehabilitation services and provides an opportunity to study them. Thus, the primary aim of the study was to explore the epidemiology of disabilities and the accessibility of PWDs to various disability support and rehabilitation services to provide insights for specific interventions. 

1 Methodology

Data sources: We conducted a secondary analysis of the cross-sectional data from the 76th National Sample Survey (NSS) conducted by the Ministry of Statistics, Planning, and Implementation (MOSPI) between July and December 2018. MoSPI has formulated a code of ethics that follows the principles of ethics and sets out certain standards of conduct for the members of the Committees in order to protect the confidentiality of the data/information acquired by them by virtue of their membership in such Committees. The NSS collects socio-economic data using scientific sampling methods and serves as a crucial tool to gauge various socio-economic aspects across all states of India. Its primary objective is to identify unmet needs within the population, thereby aiding the government in formulating effective policies to address them.

The survey made its first attempt to collect information on the number of PWDs during the 15th round (July 1959 - June 1960).[24] In the 76<sup>th</sup> round, the main objective of the survey was to estimate indicators of incidence and prevalence of disability, cause of disability, age at onset of disability, facilities available to the PWDs, difficulties faced in accessing public building/public transport, arrangement of regular caregiver, out-of-pocket expense relating to disability, etc. using a structured questionnaire.[25] Further, estimates were obtained on various employment and unemployment particulars in usual status for the household members with at least one disability. For each household member aged 12 to 59 years, information was collected on whether or not they received vocational/technical training and details related to such training. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Sampling design and sample size: The 76th NSS employed a stratified two-stage sampling
design, utilising Census 2011 as the sampling frame.[7] The survey commenced on 1st July
2018 for six months'. In the first stage, villages/urban blocks were selected, followed by the
selection of households in rural and urban areas at the second stage. This round of NSS

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

encompassed all states and union territories of India except the villages in Andaman and
Nicobar Islands, which are difficult to access, covering a total of 8,992 village/urban blocks
(5,378 rural villages and 3,614 urban blocks) and including 118,152 households representing a
population of 576,796 individuals (402,589 in rural areas and 173,980 in urban areas). Within
this, the present study focuses on 1,07,125 individuals consisting of 61,707 males and 45,418
females) who reported at least one disability during the survey.

7 Study Variables

Bependent variable: The presence of "any disability" was our primary dependent variable. MOSPI defines a "Person with disability" as a person with a long-term physical, mental,
intellectual or sensory impairment which, in interaction with barriers, hinders his full and
effective participation in society equally with others.[7] The variable is created by the presence
of at least one condition among all seven disability types, elaborated subsequently

 Locomotor disability: A person was categorised as living with locomotor disability based on a positive response to any of the following three conditions: (i) whether having difficulty in using hands, fingers, toes, body movement (including cerebral palsy, muscular dystrophy); (ii)whether having loss of sensation in the body due to paralysis, leprosy, other reasons; or (iii)whether having deformity of the body part(s) like hunch back, dwarfism, deformity due to leprosy, caused by acid attack, etc.

Visual disability: It was identified using a direct question: "Whether having difficulty in seeing, counting fingers of hand from a distance of 10 feet (with spectacles, if using, and both eyes taken together)."

3. Hearing disability: The categorisation was based on the question: "Whether having
difficulty in hearing day-to-day conversational speech (without hearing aid, if using, and
both ears taken together)"

### **BMJ** Open

4. Speech and language disability: It was assessed using a question: "Whether having difficulty in speech (unable to speak like a normal person/ speech is not comprehensible, including laryngectomy, aphasia) which is base for speech disability. 5. Mental retardation/intellectual disability: This disability variable has been prepared based on the following question "Whether having difficulty in understanding/ comprehension or communicating in doing daily activities" 6. Mental illness: This disability was identified when there was a positive response to any of the three conditions: (i) whether having unnecessary and excessive worry and anxiety, repetitive behaviour/ thoughts, changes of mood or mood swings, talking/laughing to self, staring in space; (ii) whether having unusual experiences of hearing voices, seeing visions, strange smell or sensation or strange taste; or (iii) whether having unusual behaviour or difficulty in social interactions and adaptability. 7. Other disabilities: To identify other types of disability of the persons, the following question was used: "Whether having any of the following: Parkinson's disease, multiple sclerosis, other chronic neurological conditions, thalassemia, haemophilia, sickle cell disease". The access to different disability support and rehabilitation services by the PWD were 

18 secondary dependent variables that were assessed by studying the receipt of aid/help (received 19 aid/help from government, received aid/help from organisations other than government, did 20 not receive aid/help), living arrangement(living alone or with a spouse, living with others), 21 arrangement of regular caregiver(care-giver required but not available, care-giver is not 22 required, care-giver is available), access to public transport (yes, no), accesses to public 23 building (yes, no), difficulty faced in accessing public building (difficulty faced due to stairs 24 and non-availability of ramp, grooved tiles or lift, in opening doors, no seating arrangement: in

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

the waiting area, at the point of receiving service, no special toilet seats, no sign for direction/ instruction/no public announcement system, no difficulty faced, and others). employed/working before onset of disability (yes, no), disability causing loss or change in job (loss of work, change of work, no loss or change of work), having disability certificate(yes, no), and percentage of disability as per certificate (40-60%, 60-80%, >80%, and none of these). Predictor variables: In the present study, the variables were chosen following a literature review and the scope of data collected in the original survey.[26–29] Research has extensively explored how various socio-demographic factors influence the prevalence and types of disabilities. This review presented key insights from the literature review on how disability is impacted by age group (completed years) categorised as: up to 5, 6-17, 18-35, 36-49, 50-65 and 65+ completed years, sex(male, female), marital status (never married, ever married, widowed, divorced/separated), area of residence (rural, urban), educational attainment (non-literate, literate but not formal, upto primary, upto secondary), preferred religion (Hindu, Islam, others), social group (scheduled tribe, scheduled caste, other backward classes, general), wealth index (poorer, poor, middle, richer, richest), regions of India (northern, southern, western, eastern, north-eastern and central). Specifically, PWDs were characterised using variables like causes of disability (disease, other than disease due to burn, injuries other than burn, other causes), age at the onset of disability (0 to 4, 5 to 14, 15 to 59, and 60 years and above), the origin of disability from birth (yes, no, not known), disability commenced in last 365 days (yes, no), place of occurrence of disability (workplace, road, home, other places), treatment taken/undergoing treatment (yes: consulting doctor, otherwise, yes: consulting doctor, plus undergoing treatment, otherwise, attending special school/special therapy, cannot afford treatment, no treatment available for the disability, not required and not known). 

Statistical methodology: The prevalence, along with the dispersion of all disability variables,
were estimated as part of a univariate analysis by using already calculated sampling weights

Page 13 of 45

### BMJ Open

with clustering as provided with the datasets.[30] The details of sampling weight have been described in the NSS 76th round report. We used the SVY command while using sampling weights.[31] Further, the prevalence of all disability types was estimated per socio-economic characteristics, and the associations were tested using bivariate analysis through a chi-squares test. The access to different services was depicted using weighted proportions. The missing data were handled using the Available case analysis (ACA) technique, and the estimates were generated using the available data, leading to the different sample sizes as they vary from variable to variable. It helped us retain more data compared to listwise deletion. Multivariable binary logistic regression analysis was used to explore the independent variables affecting the likelihood of living with 'any disability', which was the dependent variable coded by 1 and otherwise 0. Additionally, binary logistic regressions are also employed on all seven types of disabilities. The analysis depicted the unadjusted and adjusted odds ratio (95% confidence interval). All p-values<0.05 were considered statistically significant. All the analysis was done using Stata (version 17.0). Graphical maps were created using MS Excel sheets to depict the regional disparities.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

16 Patient and public involvement: None

### **Results**

Table 1 provides a comprehensive overview of the weighted prevalence of different types of disabilities across various socio-demographic characteristics in India. Of the total participants, 107,125 (2.2%) of the participants had at least one form of disability. The majority of such participants had a locomotor disability 61,981 (1.36%), followed by Hearing 15,294 (0.30%), visual 11,977 (0.23%), speech-related 12,661 (0.23), mental retardation 8,564 (0.16%), mental illness 6,751 (0.16%), and other types 3,121 (0.05%) of disabilities. The highest prevalence of any disability, locomotor, speech and 'other' disabilities was seen in 50-65 years. However, the proportion of participants with visual and hearing disabilities was highest in the eldest age

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

group, while mental retardation and mental illness were highest in the 6-35 years age group. Further, male sex, ever-married participants from rural areas, with minimal or no educational attainment, following Hinduism, belonging to other backward social castes, poorer wealth index quintile, and Southern part of India depicted the highest prevalence. We further assessed the origin of disability as per the type (Table 2). The most common cause of locomotor and speech disability was disease 28,673 (46.3%), 1246 (61.9%), while 'Other causes' were most commonly involved in visual 538 (46.5%) and hearing 637 (49.7%) disabilities. Around 11,488 (18.5%) of PWD had it from birth. Of the total participants, 2987 (6.1%) participants who acquired it in the last year preceding the survey. The most common place of disability origin was road 5977 (41.9%), followed by home, 4693 (32.9%). Only 17,329 (28%) of PWD were consulting doctors and undergoing treatment. Table 3 depicts the living conditions of people with any disability and access to crucial services, and Supplementary Table 1 provides results in more detail for each type of disability. Overall, nearly half of the PWDs who did not have disability since birth were between 15 and 59 years old (45.9%), while nearly one-fifth (20.8%) had received any aid or help from the government. 57% of PWDs lived with their spouses, and 62.8% reported that caregivers were available. About 40% reported an inability to use public transport, while 54.4% reported inaccessibility to public buildings. Further, 57.7% of PWDs reported facing difficulties while accessing public buildings. Around 60.7% of PWDs reported a loss of work due to disability

20 onset, and 69.6% did not have any official document certifying their disability for
21 administrative purposes. Figure 1 further depicts the geographic disparities in the PWDs'
22 access to basic services.

Table 4 demonstrates the multivariable binary logistic regression analysis results to present the
 socio-demographic variables affecting the likelihood of living with any type of disability. We
 found a significantly higher likelihood of living with disability with increasing age (Adjusted

### **BMJ** Open

Odds ratio: 58.4; 95% Confidence Interval: 55.4-61.5 in >65 years vs up to 5 years), urban residence (1.3; 1.2-1.3) vs rural, social castes (1.3; 1.3-1.3 in general caste) vs scheduled tribes, and living in a Southern region of India (1.1; 1.1-1.2) compared to those from North India. However, female sex (0.6; 0.6-0.6), more years of education (0.3; 0.3-0.3), Islam followers (0.9; 0.9-0.9), currently married/widowed vs never married (0.3; 0.3-0.3), and higher socioeconomic status (0.5; 0.5-0.5) depicted significantly lower likelihood. Supplementary Table 2 provides results from the more detailed regression analysis for each type of disability.

8 Discussion

We report an investigation that assesses the epidemiology of PWD and their access to disability support and rehabilitation services in India using nationally representative data from India. Our findings reveal critical insights that have profound policy implications. First, we identify concerning disparities in disability prevalence across socio-demographic groups. Second, one-fifth of PWDs reported acquiring their disability at birth. Third, the most common place of disability origin was roads, followed by home. Fourth, approximately half of PWDs reported challenges in using public transport and buildings. Lastly, the majority of PWD reported a loss of work due to disability onset and did not have any official document certifying their disability. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Disability prevalence was notably higher among older individuals, males, rural populations, and those from lower socio-economic backgrounds. Despite a modest 2.2% prevalence rate, this figure represents around 30 million people in India, and it is expected to rise, indicating an urgent need for attention. While there was a preponderance of males with locomotor disabilities, speech and language disabilities were significantly higher in females. As per the estimates obtained from the previous 36th, 47th, and 58th rounds of NSS, there is a constant rise in disability prevalence in rural (1.8% in the 36th round to 2.3% in 76th round) as well as urban (1.4% in 36th round to 2.0% in 76th round) areas, with the overall increase from 1.6%

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

in 36th round in year 1981 to 2.2% in 76th round in year 2018.[7] Another study based on NFHS-5 depicts an overall disability prevalence of 4.52%, with a higher proportion of locomotor disabilities (44.70%), followed by mental disabilities (20.28%).[4] Similarly, an increased prevalence of locomotor (1.35%), visual (0.23%), and hearing disability (0.30%) among the elderly population belonging to rural areas, with a low level of education and low wealth quintile, respectively.

We observed that a high proportion of survey participants had their disabilities from birth. However, the available data limits our further understanding of such disabilities, whether they were congenital or acquired during the birthing process. Still, this high burden calls for mitigation strategies that target pregnancy more comprehensively and screening for intra-uterine pathologies causing disabilities like Down's syndrome and intellectual disabilities, later extending to include screening for auditory and visual disabilities, should be made more accessible.[32] Such screening tests can also help parents make timely decisions for either terminating the pregnancy or preparing for raising a child with a disability. Better awareness through adequate counselling of such bereaved parents may reduce parental anxiety. Further, adopting more rigorous screening toolkits and investigations for newborn screening at the primary healthcare level through the expansion of the Rashtriya Bal Swasthya Karyakram (Indian National program that involves screening of children from birth to 18 years of age for 4 Ds- Defects at birth, Diseases, Deficiencies and Development delays, spanning 32 common health conditions for early detection and free treatment and management, including surgeries at tertiary level) would help in increasing scope for early psychological or therapeutic interventions that would impact the quality of life of affected children.[33] In addition, the Pradhan Mantri Jan Arogya Yojana (PM-JAY) also offers free healthcare for children with disabilities not covered by the RBSK due to various reasons.[34,35] Additionally, the government has various healthcare schemes that cater to the specific needs of PWDs. The

Page 17 of 45

### **BMJ** Open

government provides assistive devices and aids such as wheelchairs, hearing aids, and prosthetic limbs at subsidised rates through schemes like the Assistance to Disabled Persons for Purchase/Fitting of Aids and Appliances (ADIP).[36] Under ADIP, aids and appliances are provided to PWDs at subsidised rates. Deendayal Disabled Rehabilitation Scheme (DDRS) provides financial assistance to NGOs for various rehabilitation services for persons with disabilities.[37] Apart from this, there is still scope for improvement to address specific issues related to health and ethics, the need to shift societal attitudes toward people with mental disabilities, and the set-up of accessible support systems for affected persons and their families (e.g. schools, vocational training) to improve the social inclusion of people with disabilities since birth.[38] 

The most common place of disability origin was road, followed by home. Trauma is an important cause of locomotor disability, and in India, it is the second most common cause of locomotor disability.[39] Previous estimates suggest that road crashes maximally impact the poorest quintiles. Most people who experience road trauma are pedestrians, bicyclists and motorcyclists, are less prone to adopt safety gear while on the road, and also do not have adequate access to medical and social safety nets. [40,41] Anecdotal evidence from Chandigarh, a Union Territory of India, suggests that stringent traffic mutually benefits the public and the administration. On one side, it reduces morbidity due to road traffic acts, while on the other side, penalties generate massive revenues to run and develop the administration and also generate awareness. An increasing number of domestic accidents are equally concerning.[42] Domestic accidents may be subjected to under-reporting as most of the domestic injuries are considered minor, often neglected, and may be easily forgotten and subjected to recall bias. This changing trend is similar to many developed nations where more accidents happen in home than anywhere else. With increasing population and population density, we expect an increase. Domestic accidents depend on the physical and social environment and also on the

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

### **BMJ** Open

functional capacity of the individual. While road traffic accidents are unforeseen and
 unexpected, it is generally accepted that domestic accidents can be prevented and minimised
 by taking adequate safety measures well in time.[43]

We observed that there is still scope for improving the accessibility of public buildings and transport by the PWDs, as they must accommodate PWDs' needs. Various schemes and initiatives demonstrate the Indian government's commitment to securing the rights and welfare of disabled populations in the country. India's commitment to the United Nations Convention on the Rights of PWD (UNCRPD) is embodied in the Rights of Persons with Disabilities Act of 2016 (RPWD Act, 2016). It emphasises dignity, autonomy, and non-discrimination for Persons with Disabilities (PWD).[44] The Act further mandates inclusive education, vocational training, and self-employment opportunities without discrimination. To increase the accessibility of public buildings, the Rights of Persons with Disabilities Act 2016 and the National Building Code of India 2016 outline expanded guidelines for building accessibility.[45] Compliance with these standards has been made compulsory, with responsibility falling on those involved in commissioning, designing, constructing, or managing built environments. The building design must adhere to relevant legislation, including equality and safety regulations. This focus on accessibility has fostered the adoption of universal design concepts, leading to numerous best practices for creating inclusive environments. These encompass accessible buildings, parking areas, parks, and recreational facilities, reflecting a concerted effort to ensure equal access and inclusion for people with disabilities in the built environment.

In addition to the above, the Indian government has taken several steps to ensure that the rights of disabled populations are secured. The Right to Education Act (RTE) aims to provide free and compulsory education for children with disabilities up to 18 years.[46] The governmentfunded higher education institutions reserve 5% of seats for PWDs, fostering diversity and Page 19 of 45

### **BMJ** Open

enhancing workforce opportunities. This legislation reflects India's dedication to empowering individuals with disabilities, ensuring their full participation in society.[44] Additionally, the Samagra Shiksha Abhiyan integrates children with disabilities into mainstream education.[47] The National Education Policy 2020 also prioritises "inclusion" by aiming to fully integrate children with disabilities into the mainstream education system, providing necessary accommodations and support to ensure their active participation in the learning process without segregation or discrimination; this includes accessible infrastructure, specialised teaching methods, and assistive technologies tailored to individual needs.[48]

Likewise, many people lost their current jobs due to the onset of disabilities. Employment can enhance social sustainability and individual well-being.[49] Loss of jobs can be linked to the social stigma associated with impairment or disabilities and the perception of such people being less productive. Many employers have ill-founded views about the work-related abilities of PWDs; these negative views are often a result of interrelated concerns that permeate the entire employment cycle.[50] It is to be emphasised that negative attitudes toward disability disempower individuals with disabilities and lead to their social exclusion and isolation. By contrast, a healthy society encourages positive attitudes toward individuals with disabilities and promotes social inclusion.[51] However, various initiatives have been introduced to promote employment opportunities for PWDs. This includes reservation quotas in government jobs and incentives for the private sector to employ persons with disabilities. The government provides financial assistance and benefits to persons with disabilities through schemes like the National Handicapped Finance and Development Corporation (NHFDC), which offers loans and subsidies for education and training or self-employment ventures.[52] Some prominent schemes introduced for disabled people in India include the National Handicapped Finance and Development Corporation (NHFDC), which provides financial assistance to persons with disabilities for self-employment, education, and training.[52] Scheme for Implementation of Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Persons with Disabilities Act (SIPDA) to create barrier-free environments and improve the
quality of life for persons with disabilities.[53] Accessible India Campaign (Sugamya Bharat
Abhiyan) focuses on making public infrastructure and transportation accessible for persons
with disabilities. Inclusive Education for Disabled at Secondary Stage (IEDSS) supports the
inclusive education of students with disabilities at the secondary level.[54]

This study has a few strengths and limitations that should be acknowledged. Its major strength lies in its novelty by bringing social science and medicine to a common platform. The estimates generated using the weighted analysis are nationally representative and can serve as robust evidence to help guide the policies that improve accessibility. The present study takes a novel approach by initially delineating the proportions of various types of disabilities. Subsequently, it delves into the analysis concerning "any disability," thus unveiling unique characteristics within this broader category. By doing so, the study not only broadens the scope of understanding but also highlights the nuanced interplay between different types of disabilities and the socio-demographic backgrounds of PWD. This shift towards a more inclusive analysis holds promise for informing policy decisions and healthcare interventions tailored to address the complex needs of individuals with disabilities. The major limitation lies in the study's cross-sectional nature, which limits causality and temporal associations and is limited by recall bias, particularly when assessing disabilities from birth. We need more qualitative studies to better assess the impact of inaccessibility to basic support and rehabilitative services.[12] As a secondary analysis, we are limited by the number of variables that can further explain issues affecting accessibility to services. Due to a limited number of explanatory variables, the possibility of residual confounding cannot be negated. There was also a non-uniformity in the sample size when assessing different questions related to the impact of disability, but it was handled using available case analysis techniques to generate estimates and retain more data compared to listwise deletion. Lastly, some terms used in the manuscript may not be inclusive

### **BMJ** Open

or even perceived as offensive by some readers but are coherent with the original survey report
 to prevent confusion in case some readers want to refer to the original report.

A few policy implications and recommendations emerged from the study. Given the increasing prevalence of disability and the concurrent escalating proportion of the geriatric population, we need to work on improving the accessibility for PWDs. A large number of disabilities originating from birth calls for more robust ante-natal and neonatal screening protocols supported by adequate counselling and rehabilitation services. Our results depict that a high proportion of PWDs have a caretaker who is available. Previous studies have suggested that empowering the caretakers can help improve the quality of life of PWDs. At the same time, there is an added burden on caregivers that should considered. empathetically Despite many schemes touched upon in the manuscript extended by the government to enhance the social inclusion of PWDs, there is a high unmet need that calls for more health advocacy around this issue.

To conclude, while most of the previous research has predominantly emphasised individual heterogeneity among PWDs, our study suggests that a large proportion of PWDs experience disparities in accessing disability support and rehabilitation services. There is an urgent need for concerted efforts to minimise such experiences, enhance the well-being and participation of PWDs, and empower them to contribute to society with their true potential. This will contribute to realising our national goals and stand towards our global commitment to the 2030 Agenda for Sustainable Development, which recognises the promotion of the rights, perspectives and well-being of PWDs as a pre-requisite while envisaging a more sustainable and inclusive world.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

**Declarations** 

• Acknowledgements: Nil

**Competing interests:** None

9 25 •

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

### **BMJ** Open

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
73
24
24
25
26
27
28
29
30
21
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1 2

> 1 Ethics statement: The ethical approvals were not deemed necessary since it was • 2 secondary data analysis. No patient-level data were used in this paper. However, the 3 original survey was conducted by the Ministry of Statistics and Programme Implementation (MoSPI), which is mandated to act as the nodal agency for the integrated 4 5 development of the statistical systems in India. The Ministry, as part of its comprehensive 6 decision-making process on various matters, has formulated a Code of Ethics for Members 7 of the various Committees constituted by MoSPI or by the Organizations, Institutions, bodies, etc., funded by it that follow the principles of ethics and set out certain standards 8 9 of conduct for the members of the Committees in order to protect the confidentiality of the data/information acquired by them by virtue of their membership in such Committees. 10

- 11 Patient and Public Involvement: None
- **Funding:** No funding was involved at any stage of this study.
- Data availability: Data (Reference ID: DDI-IND-MOSPI-NSSO-76Rnd-Sch26.0-July2018 December 2018) is freely available on the website of the Ministry of Statistics and Programme Implementation (GOI) MOSPI's
   https://microdata.gov.in/nada43/index.php/catalog/154/overview, and can be accessed as
   per standard protocols.
  - 18 Ethics approval: Not applicable

Authors' contribution: MM, BB, and MA conceptualised the study, MV and AKJ
 collected data, drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis
 and drafted the final version; MA and RK critically reviewed the manuscript from policy
 and feasibility points of view. All the authors read and approved the final version of the
 manuscript. MM is responsible for the overall content as guarantor.

<sup>25</sup> References

24

<sup>26</sup> 26 1. United Nations. Convention on the Rights of Persons with Disabilities [Internet].

Page 23 of 45

### BMJ Open

Protected by co
Enseignement Superieur (ABES) . rotected by copyright, including for uses related to text and data mining, Al training, and similar technologies.
ologies.

1			
2 3	1		Human Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
4 5	2		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
6 7	3		persons-disabilities
8 9	4	2.	World Health Organization. Global report on health equity for persons with disabilities
10	5		[Internet]. 2023 [cited 2024 Dec 10]. Available from: https://www.knowledge-action-
11 12	6		portal.com/en/content/global-report-health-equity-persons-disabilities
13 14	7	3.	World Health Organization. World Report on Disability [Internet]. 2011 [cited 2022
15 16	8		Feb 9]. p. 1–27. Available from:
17	9		www.who.int/about/licensing/copyright_form/en/index.html
18 19	10	4.	Pattnaik S, Murmu J, Agrawal R, Rehman T, Kanungo S, Pati S. Prevalence, pattern
20 21	11		and determinants of disabilities in India: Insights from NFHS-5 (2019–21). Front
22	12		Public Heal. 2023;11:1036499.
23 24	13	5.	Ministry of Statistics and Programme Implementation(GOI) - MOSPI. Elderly in India
25 26	14		2021 [Internet]. 2021 [cited 2024 Dec 16]. Available from:
27 28	15		https://mospi.gov.in/sites/default/files/publication_reports/Elderly in India 2021.pdf
29	16	6.	Paul K, Saha S. Burden of Disability in India (1881–2011). J Multidiscip Res Healthc.
30 31	17		2015 Oct 5;2(1):31–54.
32 33	18	7.	Ministry of Statistics and Program Implementation Government of India. Persons with
34 35	19		Disabilities in India-NSS 76th report [Internet]. NSS Report No 583 (76/26/1). 2018
36	20		[cited 2024 Dec 12]. p. 209. Available from:
37 38	21		https://www.mospi.gov.in/sites/default/files/publication_reports/Report_583_Final_0.p
39 40	22		df
41 42	23	8.	International Institute for Population Sciences. National Family Health Survey (NFHS-
43	24		5) 2019-21 [Internet]. India Report. 2022 [cited 2024 Dec 16]. Available from:
44 45	25		https://dhsprogram.com/pubs/pdf/FR375/FR375.pdf
46 47	26	9.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in
48 49	27		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr.
50	28		2024 Dec 1;23(1):1–16.
51 52	29	10.	Chanda S, Sekher T V. Identification of Disability for Inclusive Development: Lessons
53 54	30		from Disability Census of Kerala, India. SAGE Open. 2023;13(3).
55	31	11.	Department of Economic and Social Affairs. Disability and Development Report 2018
56 57	32		[Internet]. United Nations. 2019 [cited 2024 Dec 16]. Available from:
58 59	33		https://www.un.org/development/desa/disabilities/wp-
60	34		content/uploads/sites/15/2019/07/disability-report-chapter2.pdf
			22

2			
3 4	1	12.	Chavan BS. Relevance of qualitative research in disability. J Disabil Manag Rehabil.
5 6	2		2015;1(1):1–2.
7	3	13.	United Nations- Division for Inclusive Social Development (DISD). Article 24 -
8 9	4		Education [Internet]. Social Development Issues-Disability. [cited 2024 Dec 15].
10 11	5		Available from: https://social.desa.un.org/issues/disability/crpd/article-24-education
12	6	14.	United Nations- Division for Inclusive Social Development (DISD). Article 27 - Work
13 14	7		and employment [Internet]. Social Development Issues-Disability. [cited 2024 Dec
15 16	8		12]. Available from: https://www.un.org/development/desa/disabilities/convention-on-
17	9		the-rights-of-persons-with-disabilities/article-27-work-and-employment.html
18 19	10	15.	United Nations- Division for Inclusive Social Development (DISD). Article 6 -
20 21	11		Women with disabilities [Internet]. Social Development Issues-Disability. [cited 2024
22	12		Dec 12]. Available from: https://social.desa.un.org/issues/disability/crpd/article-6-
23 24	13		women-with-disabilities
25 26	14	16.	United Nations- Division for Inclusive Social Development (DISD). Article 7 -
27 28	15		Children with disabilities [Internet]. Social Development Issues-Disability. [cited 2024
29	16		Dec 12]. Available from: https://social.desa.un.org/issues/disability/crpd/article-7-
30 31	17		children-with-disabilities
32 33	18	17.	United Nations- Division for Inclusive Social Development (DISD). Article 9 -
34 35	19		Accessibility [Internet]. Disability. [cited 2024 Dec 10]. Available from:
36	20		https://social.desa.un.org/issues/disability/crpd/article-9-accessibility
37 38	21	18.	Sophie Mitra AP and BV. Disability and Poverty in Developing Countries: A Snapshot
39 40	22		from the World Health Survey [Internet]. The World Bank - Social Protection and Lab.
41	23		2011 [cited 2024 Dec 17]. Available from:
42 43	24		https://documents1.worldbank.org/curated/en/501871468326189306/pdf/625640NWP
44 45	25		0110900PUBLIC00BOX361487B.pdf
46 47	26	19.	United Nations. Transforming our world: the 2030 Agenda for Sustainable
48	27		Development [Internet]. Department of Economic and Social Affairs Sustainable
49 50	28		Development. 2015 [cited 2024 Dec 12]. Available from:
51 52	29		https://sdgs.un.org/2030agenda
53 54	30	20.	United Nations. International Human Rights Law [Internet]. Instruments &
55	31		mechanisms. [cited 2024 Dec 10]. Available from:
56 57	32		https://www.ohchr.org/en/instruments-and-mechanisms/international-human-rights-
58 59	33		law
60	34	21.	World Bank Group. Disability Inclusion [Internet]. Understanding Poverty. 2023 [cited
			23

### BMJ Open

1 2			
2 3 4	1		2024 Dec 12]. Available from: https://www.worldbank.org/en/topic/disability
5	2	22.	Saran A, Hunt X, White H, Kuper H. Protocol: Effectiveness of interventions for
6 7	3		improving social inclusion outcomes for people with disabilities in low- and
8 9	4		middle-income countries: A systematic review. Campbell Syst Rev. 2021 Sep
10 11	5		29;17(3):e1191.
12	6	23.	Centers for Disease Control and Prevention. Disability and Health Disability Barriers
13 14	7		[Internet]. Disability Inclusion. [cited 2024 Dec 17]. Available from:
15 16	8		https://www.cdc.gov/ncbddd/disabilityandhealth/disability-barriers.html
17 18	9	24.	Ministry of Statistics and Programme Implementation G of I. Note on sample design
19	10		and estimation procedure of NSS 76th round. Ministry of Statistics and Programme
20 21	11		Implementation, Government of India.
22 23	12	25.	National Sample Survey Office, Ministry of Statistics and Program Implementation
24 25	13		Government of India. Schedule 26: Survey of persons with disabilities [Internet].
26	14		Seventy-Sixth round: July, 2018 - December, 2018, 2018. 2018 [cited 2024 Dec 12].
27 28	15		Available from:
29 30	16		https://www.mospi.gov.in/sites/default/files/NSS7612dws/NSS_76_sch_26.0.pdf
31 32	17	26.	Okoro CA, Hollis ND, Cyrus AC, Griffin-Blake S. Prevalence of Disabilities and
33	18		Health Care Access by Disability Status and Type Among Adults - United States,
34 35	19		2016. MMWR Morb Mortal Wkly Rep. 2018 Aug 17;67(32):882–7.
36 37	20	27.	Ozawa MN, Hun Yeo Y. Race/ethnicity and socioeconomic class as correlates of
38	21		disability in old age. J Gerontol Soc Work. 2008;51(3-4):337-65.
39 40	22	28.	Kavanagh AM, Krnjacki L, Aitken Z, Lamontagne AD, Beer A, Baker E, et al.
41 42	23		Intersections between disability, type of impairment, gender and socio-economic
43 44	24		disadvantage in a nationally representative sample of 33,101 working-aged
45	25		Australians. Disabil Health J. 2015 Apr 1;8(2):191–9.
46 47	26	29.	Courtney-Long EA, Carroll DD, Zhang QC, Stevens AC, Griffin-Blake S, Armour BS,
48 49	27		et al. Prevalence of Disability and Disability Type Among AdultsUnited States,
50 51	28		2013. MMWR Morb Mortal Wkly Rep. 2015 Jul 31;64(29):777-82.
52	29[d	lataset	30.Ministry of Statistics and Programme Implementation(GOI) - MOSPI. India -
53 54	30	Sı	urvey of Persons with Disabilities NSS 76th Round : July 2018 - December 2018 -
55 56	31	0	verview [Internet]. Central Data Catalog. 2018 [cited 2024 Dec 10]. Available from:
57 58	32	ht	tps://microdata.gov.in/nada43/index.php/catalog/154/overview
59	33	31.	Stata. SVY estimation — Estimation commands for survey data [Internet]. [SEM] sem
60	34		- Structural equation model estimation command. [cited 2024 Dec 17]. Available
			34

1 2

2			
3 4	1		from: https://www.stata.com/manuals13/svysvyestimation.pdf
5 6	2	32.	Acharya K. Prenatal testing for intellectual disability: Misperceptions and reality with
7	3		lessons from down syndrome. Dev Disabil Res Rev. 2011 Jan 1;17(1):27-31.
8 9	4	33.	Bailey DB, Skinner D, Warren SF. Newborn Screening for Developmental
10 11	5		Disabilities: Reframing Presumptive Benefit. Am J Public Health. 2005
12	6		Nov;95(11):1889.
13 14	7	34.	National Health Authority, Government of India. Pradhan Mantri Jan Arogya Yojana
15 16	8		(PM-JAY) [Internet]. About PM-JAY. 2019 [cited 2024 Dec 10]. Available from:
17	9		https://nha.gov.in/PM-JAY
18 19	10	35.	Ministry of Health and Family Welfare. Government of India. RBSK-Rashtriya Bal
20 21	11		Swasthya Karyakram [Internet]. Schemes. 2024 [cited 2024 Dec 10]. Available from:
22 23	12		https://rbsk.mohfw.gov.in/RBSK/
24	13	36.	Department of Empowerment of Persons with Disabilities (DEPwD). Assistance to
25 26	14		Persons with Disabilities for Purchase/Fitting of Aids /Appliances (ADIP) [Internet].
27 28	15		Scheme. [cited 2024 Dec 17]. Available from: https://depwd.gov.in/adip/
29 30	16	37.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
31	17		India. Deendayal Divyangjan Rehabilitation Scheme (DDRS) [Internet]. Schemes.
32 33	18		2023 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/ddrs/
34 35	19	38.	Hayes AM, Bulat J. Disabilities Inclusive Education Systems and Policies Guide for
36 37	20		Low- and Middle-Income Countries. RTI Press Publication. Research Triangle Park,
38	21		NC: RTI Press; 2017 Jul.
39 40	22	39.	Dhole RS, Gaur KA, More NS, Popalwar H, Lokhande V. Study of locomotor
41 42	23		disability due to various types of Trauma. Natl J Med Res. 2015;5(3):194-8.
43	24	40.	Musselwhite CBA, Avineri E, Susilo YO, Bhattachary D. Public attitudes towards
44 45	25		motorcyclists' safety: A qualitative study from the United Kingdom. Accid Anal Prev.
46 47	26		2012 Nov;49:105–13.
48 49	27	41.	World Bank Group. Traffic crash injuries and disabilities: The burden on Indian
50	28		society [Internet]. Policy Document. 2021 [cited 2024 Dec 17]. Available from:
51 52	29		https://www.worldbank.org/en/country/india/publication/traffic-crash-injuries-and-
53 54	30		disabilities-the-burden-on-indian-society
55	31	42.	Cole EOB, Christie SA, Oke R, Motwani G, Dickson D, Chendjou W, et al. Too
56 57	32		serious to ignore: The epidemiologic and economic burden of home injuries in the
58 59	33		Southwest Region of Cameroon-A community-based study. Bourgeois D, editor.
60	34		PLoS One. 2022 Sep 22;17(9):e0274686.

Page 27 of 45

1

### BMJ Open

of domestic accidents in the	
h Centre, Puducherry: a cross-	
).	
es. The Rights of persons with	
cited 2024 Dec 11]. Available	1
49_1.pdf	
dia 2016 (NBC 2016)	פ
ble from:	rotec
ational-building-code/	ted b
[cited 2024 Dec 10]. Available	y cop
	Enseignement Superieur ( Protected by copyright, including for uses related to text and dat
hiksha [Internet]. 2021 [cited	nt, inc
n.gov.in/about.html	ludir
ment of India. National	ng for
17]. Available from:	En
es/NEP_Final_English_0.pdf	s rela
elated deprivation on	neme nted t
family socioeconomic status	Enseignement Superieur ses related to text and di
	perie t and
Ginis KA. The Participation of	
ployment Cycle: Employer	ABES) a mini
Apr 1;35(2):135–58.	ng, A
Disability: A Developmental	l trai
	ning,
es (DEPwD). National	and
Internet]. Organizations Under	simili
s://depwd.gov.in/national-	ar tec
es (DEPwD), Government of	ng, Al training, and similar technologies
ns with Disabilities Act, 2016	ogies
Available from:	
ducation of the Disabled at	
4 Dec 17]. Available from:	

2			
3 4	1	43.	Rehman T, Sulgante S, Sekhar S. Prevalence and pattern of domestic accidents in the
5	2		field practice area of Jawaharlal Institute of Urban Health Centre, Puducherry: a cross-
6 7	3		sectional analytical study. J Inj Violence Res. 2020;12(1).
8 9	4	44.	Department of Empowerment of Persons with Disabilities. The Rights of persons with
10 11	5		disabilities act 2016 [Internet]. Policy Document. 2016 [cited 2024 Dec 11]. Available
12	6		from: https://legislative.gov.in/sites/default/files/A2016-49_1.pdf
13 14	7	45.	Bureau of Indian Standards. National building code of India 2016 (NBC 2016)
15 16	8		[Internet]. SP 7 : 2016. 2016 [cited 2024 Dec 21]. Available from:
17 18	9		https://www.bis.gov.in/standards/technical-department/national-building-code/
19	10	46.	Centre for Civil Society. Right To Education [Internet]. [cited 2024 Dec 10]. Available
20 21	11		from: https://righttoeducation.in/know-your-rte/about
22 23	12	47.	Ministry of Education, Government of India. Samagra Shiksha [Internet]. 2021 [cited
24	13		2024 Dec 17]. Available from: https://samagra.education.gov.in/about.html
25 26	14	48.	The Ministry of Human Resource Development; Government of India. National
27 28	15		Education Policy, 2020 [Internet]. 2020 [cited 2024 Dec 17]. Available from:
29 30	16		https://www.education.gov.in/sites/upload_files/mhrd/files/NEP_Final_English_0.pdf
31	17	49.	Qiu N, Jiang Y, Sun Z, Du M. The impact of disability-related deprivation on
32 33	18		employment opportunity at the neighborhood level: does family socioeconomic status
34 35	19		matter? Front Public Heal. 2023 Aug 9;11:1232829.
36 37	20	50.	Bonaccio S, Connelly CE, Gellatly IR, Jetha A, Martin Ginis KA. The Participation of
38	21		People with Disabilities in the Workplace Across the Employment Cycle: Employer
39 40	22		Concerns and Research Evidence. J Bus Psychol. 2020 Apr 1;35(2):135–58.
41 42	23	51.	Babik I, Gardner ES. Factors Affecting the Perception of Disability: A Developmental
43	24		Perspective. Front Psychol. 2021 Jun 21;12:702166.
44 45	25	52.	Department of Empowerment of Persons with Disabilities (DEPwD). National
46 47	26		divyangjan finance and development corporation-India [Internet]. Organizations Under
48 49	27		DEPwD. 2024 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/national-
50	28		handicapped-finance-and-development-corporation/
51 52	29	53.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
53 54	30		India. Scheme for Implementation of the Rights of Persons with Disabilities Act, 2016
55	31		(SIPDA) [Internet]. Schemes. 2016 [cited 2024 Dec 12]. Available from:
56 57	32		https://depwd.gov.in/sipda/
58 59	33	54.	Ministry of Education, Government of India. Inclusive Education of the Disabled at
60	34		Secondary Stage [Internet]. About MoE. 2016 [cited 2024 Dec 17]. Available from:

https://www.education.gov.in/iedss

to beet teries only

# BMJ Open Tables Tables Table 1: Prevalence of different types of disabilities across different socio-demographic characteristics, NSS, 76<sup>th</sup> round, India (n=576,796)

	Locomotor N (%)	Vision N (%)	Hearing N (%)	Speech N (%)	Mental Retardation N (%)	Mental Illnes N (%)	for Others Uses related to 0482 (5.5)	Any one disability N (%)
C C	61981 (1.36)	11977 (0.23)	15294 (0.30)	12661 (0.23)	8564 (0.16)	6751 (0.16)		107,125 (2.20
Age Group (completed years)							25. C Inem	
up to 5	1494 (2.2)	182 (1.5)	311 (2)	907 (7.3)	445 (5.3)	41 (0.5)		2839 (2.5)
`6-17	7290 (10.8)	1210 (9.2)	1977 (12.6)	4515 (35.8)	3492 (41.2)	1060 (15.4)	2 5 6 1 (21.5)	16695 (14.4)
18-35	11546 (18)	1386 (10.7)	2036 (13.3)	3273 (26.4)	2796 (33)	1915 (27.6)	n e e e e e e e e e e e e e e e e e e e	20673 (18.8)
36-49	11434 (18.1)	1557 (12.3)	2118 (13)	1812 (13.8)	1113 (12.4)	1646 (25)		18665 (17.2)
50-65	16627 (27.9)	3609 (31.1)	3843 (25.1)	1495 (11.4)	561 (6.5)	1409 (21.3)	5 (21.9)	26420 (25.7)
65+	13590 (23)	4033 (35.2)	5009 (34)	659 (5.3)	157 (1.6)	680 (10.1)	• • • • • • • • • • • • • • • • • • •	21833 (21.4)
Sex				101			liop	
Male	36862 (58.7)	6014 (50.2)	7993 (52)	7554 (60.4)	5202 (61.7)	3856 (56.8)	1764 (58.9)	61707 (57.3)
Female	25110 (41.3)	5958 (49.8)	7296 (48)	5106 (39.6)	3359 (38.3)	2893 (43.2)	1355 (41.1)	45396 (42.7)
Marital Status							nd s	
Never Married	16912 (24.7)	2719 (20.8)	3987 (24.2)	8708 (67.8)	7450 (86.9)	3281 (46.1)	ਨ _ `	36813 (31.4)
Ever Married	33257 (55.3)	5541 (46.9)	7094 (47.5)	3086 (25.3)	791 (9.3)	2381 (35.8)	1502 (47.2)	50108 (48.8)
Widowed	11293 (19)	3616 (31.5)	4024 (27.1)	690 (5.4)	190 (2.1)	775 (12.5)		18933 (18.5)
divorced/separated	519 (1)	101 (0.8)	189 (1.1)	177 (1.4)	133 (1.8)	314 (5.5)	<b>20</b> 9 (1.2)	1271 (1.3)
Area of residence							at / es.	
Rural	42222 (71.6)	8809 (76.3)	11121 (74.9)	9164 (72.9)	5974 (69.9)	4772 (73.1)	255 (62.4)	75091 (72.8)
Urban	19759 (28.4)	3168 (23.7)	4173 (25.1)	3497 (27.1)	2590 (30.1)	1979 (26.9)	1866 (37.6)	32034 (27.2)
Educational attainment							Biblio	
Non-literate	26376 (44.5)	7160 (62.6)	8365 (57.3)	7119 (56.9)	5846 (69.3)	3285 (49.6)	19208 (34.1)	50848 (48.9)

Page	30	of 45	
------	----	-------	--

				BMJ Open		d by copyright,	bmjopen-2024	
						pyrig	en-20	
Literate but not formal	15002 (23.2)	2483 (19.4)	3700 (22.9)	3428 (26.7)	1858 (21)	ן 1629 (23.3) מון 1629	<b>24</b> - <b>09</b> 59 (29)	26145 (23
Upto primary	16885 (26.5)	1987 (15.5)	2782 (16.9)	1908 (14.9)	808 (9.1)	1623 (24.1)	<b>9</b> 6 (28.7)	25210 (23
Upto secondary	3718 (5.8)	347 (2.6)	447 (2.9)	206 (1.5)	52 (0.6)	214 (3.1) <b>G</b>	<b>92</b> 38 (8.2)	4922 (4.0
Preferred Religion		. ,					<u>0</u>	
Hindu	49548 (81.9)	9479 (82.9)	12090 (82.6)	9658 (78.7)	6540 (78.7)	5063 (74.7)	2444 (80.8)	84742 (81
Islam	8375 (12.5)	1601 (12.5)	1927 (11.7)	2021 (15.6)	1366 (15.9)	1167 (18.4)	442 (12.6)	14658 (12
Others	4058 (5.6)	897 (4.6)	1277 (5.7)	982 (5.7)	658 (5.4)	521 (6.9)	<b>9</b> 75 (6.5)	7725 (5.5
Social Group						o text		
Scheduled Tribe	6049 (8.3)	1491 (9.1)	1923 (9.5)	1478 (9.4)	822 (7.2)	670 (7.8) and	<b>4</b> 2 (12.3)	11729 (8.
Scheduled Caste	12240 (20.4)	2407 (21.3)	2805 (19.4)	2467 (20.5)	1602 (19.2)	1269 (19.9)		20925 (20
Other Backward Classes	26861 (44.7)	5205 (46)	6583 (45.5)	5482 (44.7)	3806 (45.8)	2915 (45.7)	<b>5</b> <b>11</b> 67 (40.2)	46223 (44
General	16831 (26.6)	2874 (23.6)	3983 (25.6)	3234 (25.4)	2334 (27.8)	1897 (26.6)	8 (29.7)	28248 (2
Wealth Index						A A	, jo	
Poorer	17681 (30.2)	3919 (35.1)	4933 (34.7)	3552 (30.1)	2025 (25.3)	1932 (31) <b>a</b>	<b>2</b> 3 (25.8)	31259 (3
Poor	12553 (20.5)	2474 (20.8)	3005 (19.4)	2746 (21.4)	1773 (20.9)	1364 (20.5)	24 (16.2)	21959 (20
Middle	11468 (18.2)	2271 (18.5)	2730 (17.4)	2434 (18.5)	1751 (20)	1302 (18.1)	\$0(17.3)	20058 (18
Richer	10440 (16)	1864 (14.4)	2480 (15.4)	2080 (15.8)	1611 (18.3)	1161 (16.8)	<b>5</b> 3 (19.9)	17946 (15
Richest	9839 (15.1)	1449 (11.1)	2146 (13)	1849 (14.2)	1404 (15.5)	992 (13.6) <b>a</b>	<b>É</b> l (20.7)	15903 (14
Regions of India						techn	ne 13	
Northern	8787 (14.4)	1478 (13.1)	1692 (11.7)	1347 (11.1)	1144 (13.5)	021 (14 2) 0	$\sqrt{16}$	14305 (13
Southern	13448 (23)	2814 (24.7)	4013 (27.3)	2958 (24.8)	2141 (25.6)	1447 (21.3)	<b>2</b> 10 (7.6) <b>7</b> 14 (25.5)	23699 (23
Western	8387 (12.7)	1286 (10.1)	1740 (11.1)	1423 (11.3)	1293 (15.2)	706 (10.6)	20 (17.7)	13708 (12
Eastern	12790 (20.3)	2538 (21.9)	3238 (22.5)	3248 (27.1)	1762 (21.3)	1672 (26.3)	967 4 (30.4)	23061 (21
North-Eastern	3858 (2.1)	1335 (4.5)	1620 (3.7)	1308 (3.4)	594 (2)	582 (2.7)	<b>9</b> 82 (2.4)	8839 (2.8
Central	14711 (27.4)	2526 (25.6)	2991 (23.8)	2377 (22.4)	1630 (22.6)	1413 (24.8)	<b>4</b> 5 (16.3)	23513 (2
	. ,						raphique de l	
				29			e de	

3 4

Page	31	of	45
------	----	----	----

3

Table 2: Percentage distribution	oution of diff	erent disa	bility types	s and their a	ssociated i		on, NSS 76 <sup>t</sup>	<sup>h</sup> round,
	Locomotor	Visual	Hearing	Speech and language	Mental retardation/	Ngent Pl Mgent Pl Mgne Ss - 1	Other types of disability	Any Disal
Total sample size	61980	1156	1281	2013	1217	- r 5 User Ma	768	61980
Causes of disability						y 20 s reig		
Disease	28673 (46.3)	454 (39.3)	484 (37.8)	1246 (61.9)	NA	Internation	NA	NA
Other than disease due to burn	723 (1.2)	88 (0.7)	1 (0.1)	8 (0.4)	NA		NA	NA
Injuries other than burn	13876 (22.4)	156 (13.5)	158 (12.4)	105 (5.2)	NA	May 2025. Downloaded from http: ?Enseignement Superieur (ABES) Uses related fo text and data mini 111	NA	NA
Other causes	18702 (30.2)	538 (46.5)	637 (49.7)	654 (32.5)	NA	n d u	NA	NA
Disability from Birth		MO.				ata n		
Yes	11,488 (18.5)	91 (7.9)	198 (15.4)	1041 (51.7)	955 (78.5)		119 (15.5)	11,488 (1
No	50,052 (80.8)	1062 (91.9)	1081 (84.4)	964 (47.9)	258 (21.2)		645 (84)	50,052 (8
Not Known	440 (0.7)	3 (0.2)	2 (0.2)	8 (0.4)	4 (0.3)	5 (18)	4 (0.4)	440 (0.7
Disability commenced in last 365 days				19		jopen.bmj.co (l kfaining, an		
sample size	48741	1034.2	1052.4	938.7	251.6	<b>3</b> 94.	628.6	48741
Yes	2987 (6.1)	72 (7)	65 (6.2)	100 (10.6)	11 (4.4)	40 (10 2)	48 (7.7)	2987 (6.
No	45754 (93.9)	961 (93)	987 (93.8)	839 (89.4)	240 (95.6)	358 (888)	580 (92.3)	45754 (93
Place of occurrence of disability						13, 20 hnol		
Sample size	14281	161	157	105	33	2025 at	63	14281
Workplace	2308 (16.2)	13 (8.3)	30 (19.2)	11 (10.9)	2 (6.9)	9 (1 <b>Age</b>	11 (18.1)	2308 (16
Road	5977 (41.9)	46 (28.5)	43 (27.5)	41 (38.7)	9 (25.9)	35 (40 cm)	15 (23.8)	5977 (41
Home	4693 (32.9)	93 (57.9)	73 (46.3)	45 (42.4)	19 (58.5)	33 (38 <b>8</b> )	31 (49.5)	4693 (32
Other places	1302 (9.1)	9 (5.3)	11 (7)	8 (8)	3 (8.7)	8 (9.93) hique de	5 (8.6)	1302 (9.

### a.

Dama	22	~f 1	~
Page	32	014	С

		BMJ Open BMJ Open BMJ Open-2024-090220							
Freatment taken/undergoing reatment									
Sample size	61980	1156	1281	2013	1217	15 <sup>23</sup> -15	768	61980	
yes: consulting doctor	35,923 (58)	566.6 (49)	617 (48.2)	1,080 (53.7)	710 (58.4)		330 (43)	35923 (58)	
Otherwise	1565 (2.5)	22 (1.9)	34 (2.7)	42 (2.1)	36 (2.9)	2025 reign	6 (0.7)	1564.5 (2.5)	
Yes: consulting doctor, plus undergoing treatment	17329 (28)	375 (32.4)	418 (32.7)	719 (35.7)	355 (29.2)	srejanement Superieu®(AB	397 (51.7)	17329 (28)	
Otherwise	860 (1.4)	34 (2.9)	21 (1.7)	20 (1)	4 (0.3)	12 ar	8 (1)	860 (1.4)	
Attending special school/special therapy	116 (0.2)	2.9 (0.3)	0 (0)	4 (0.2)	6 (0.5)	ie from fie £(Al d data	0 (0)	116 (0.2)	
Cannot afford treatment	2040 (3.3)	75 (6.4)	73 (5.7)	72 (3.6)	55 (4.6)		8 (1)	2040 (3.3)	
No treatment available for the disability	699 (1.1)	13 (1.1)	8 (0.6)	17 (0.8)	16 (1.3)	9 <b>9,4</b> 1 tr	5 (0.7)	699 (1.1)	
Not required	2717 (4.4)	60 (5.2)	97 (7.6)	47 (2.3)	26 (2.1)	and Alphang And Alphang Alphan	14 (1.8)	2717 (4.4)	
Not known	732 (1.2)	8 (0.7)	12 (0.9)	13 (0.7)	9 (0.7)	<u>تو</u> بکھا(0.6)	1 (0.1)	732 (1.2)	

Note: Causes of disability were recorded for individuals with disabilities like locomotor, visual, hearing, and speech. Disability Commenced in the last 365 days was recorded for those individuals who did not have a disability from birth' but disability commenced during the last 365 days before the survey.

during the last 365 days before the survey. Place of occurrence was recorded for individuals with disabilities who are experiencing disability post their birds, and for whom the cause of disability was burn, injury or other than burn. 31 For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Weighted percer	
Age at the onset of disability* (n=48,727)		
0 to 4 years	17.2	
5 to 14 years	9.0	
15 to 59 years	45.9	
60 years and above	28.0	
Receipt of aid/help (n=61,712)	• • • •	
Received aid/help from Government	20.8	
Received aid/help from organisations other than government	4.1	
Did not receive aid/help Living arrangement(n=61,962)	75.1	
Living arrangement(n=61,962) Living alone or with a spouse	57.0	
Living alone of with a spouse Living with others	43.0	
Arrangement of regular caregiver(n=61,980)	-+J.U	
Care-giver required but not available	0.1	
Care-giver required but not available	37.1	
Care-giver is available	62.8	
Access to public Transport (n=61,980)		
Yes	59.6	
No	40.4	
Accesses to public building (n=61,980)		
Yes	45.6	
No	54.4	
Difficulty faced accessing public building(n= 27,756)		
difficulty faced: due to stairs and non-availability of ramp, grooved tiles or lift	57.7	
in opening doors	4.4	
no seating arrangement: in the waiting area	1.6	
at the point of receiving service	0.8	
no special toilet seats	0.7	
no sign for direction/ instruction/no public announcement system no difficulty faced	0.3 27.6	
others	7.0	
Employed/working before onset of disability (For persons of age 15 years and	7.0	
above; n=55,819)		
Yes	40.3	
No	59.7	
Disability causing loss or change in job(n= 21,559)		
loss of work	60.7	
change of work	18.3	
no loss or change of work	21.3	
Having Disability Certificate(n=61,980)		
Yes	30.4	
No	69.6	
Percentage of Disability as per Certificate (n=20,213)		
40-<60%	49.3	
<u>≥60-&lt;80%</u>	36.3	
<u>≥80%</u>	12.8	
none of these	1.6	

•

1
2
3
4
5
6
/
8 9
9 10
11
12 13
14 15
15 16 17
10
17 18
19 20
20 21
21
22 23
23
24 25
25
23 24 25 26 27 28 29
27
28 29
30
31
32
33
34
35
36
27
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
50

	Unadjusted Odds	p-value	Adjusted Odds	
	ratio (95% C.I)		ratio (95% C.I)	p-value
Age Group (Completed years)				
Up to 5 years	Reference value		Reference value	
6 - 18 years	2.1(2-2.1)	< 0.001	3.5(3.4-3.7)	< 0.001
19-35 years	2.3(2.2-2.4)	< 0.001	8.4(8-8.8)	< 0.001
36-49 years	3.5(3.4-3.7)	< 0.001	17.6(16.8-18.5)	< 0.001
50-65 years	6.4(6.1-6.7)	< 0.001	25.8(24.5-27.1)	< 0.001
65+ years	17.5(16.7-18.2)	< 0.001	58.4(55.4-61.5)	< 0.001
Sex				
Male	<b>Reference value</b>		Reference value	
Female	0.7(0.7-0.7)	< 0.001	0.6(0.6-0.6)	< 0.001
Place of Residence				
Rural	Reference value		Reference value	
Urban	1.02(1.01-1.03)	0.03	1.3(1.2-1.3)	< 0.001
Social Group				
Scheduled Tribe	Reference value		Reference value	
Scheduled Caste	1.1(1.1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
Other Backward Classes	1.1(1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
General	1.1(1.1-1.1)	< 0.001	1.3(1.3-1.3)	< 0.001
Educational attainment				
No education	Reference value		Reference value	
Upto Primary class	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.5)	< 0.001
Upto Secondary Class	0.4(0.4-0.4)	< 0.001	0.4(0.4-0.4)	< 0.001
Graduate & Above	0.3(0.3-0.4)	< 0.001	0.3(0.3-0.3)	< 0.001
Preferred Religion				
Hindu	Reference value		Reference value	
Islam	0.8(0.8-0.9)	< 0.001	0.9(0.9-0.9)	< 0.001
Others	0.9(0.9-1)	< 0.001	1(1-1.1)	0.019
Marital Status				
Never married	Reference value		Reference value	
Currently married	1.3(1.3-1.3)	< 0.001	0.3(0.3-0.3)	< 0.001
widowed	5.9(5.8-6.1)	< 0.001	0.6(0.5-0.6)	< 0.001
Divorced/separated	4.4(4.1-4.8)	< 0.001	1.1(1-1.2)	0.011
Wealth Index				
Poorest	Reference value		Reference value	
Poor	0.6(0.6-0.6)	< 0.001	0.7(0.7-0.7)	< 0.001
Middle	0.6(0.5-0.6)	< 0.001	0.6(0.6-0.6)	< 0.001
Richer	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.6)	< 0.001
Richest	0.4(0.4-0.4)	< 0.001	0.5(0.5-0.5)	< 0.001
Regions of India		-		
Northern	Reference value		Reference value	
Southern	1.42(1.39-1.46)	< 0.001	1.1(1.1-1.2)	< 0.001
Western	1.13(1.1-1.16)	< 0.001	1(1-1.1)	0.065

### Table 4: Multivariable binary logistic regression analysis exploring the likelihood of living with any disability per the 76<sup>th</sup> round of the NSS, India. 1 2

58 59 60 3

< 0.001

0.961

0.653

1(0.9-1)

0.9(0.8-0.9)

1(1-1)

0.001

0.361

< 0.001

Eastern

Central

North-eastern

1.15(1.13-1.18)

1.01(0.98-1.03)

1(0.97-1.03)

4	<b>Figure I</b> aganda
1 2	Figure Legends Figure 1: Geographical disparities in the difficulties faced by the people living
3	with disabilities as per the 76 <sup>th</sup> Round of the National Sample Survey, India
	34




Figure 1: Geographical disparities in the difficulties faced by the people living with disabilities as per the 76th Round of the National Sample Survey, India


40x58mm (300 x 300 DPI)

# BMJ Open Supplementary Table 1: Living conditions of the people living with different types of disabilities, as per the 76<sup>th</sup> report of the National Sample Survey Organization India (2017-18)

<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Locomotor	Visual	Hearing 225	Speech	Mental retardness	Mental illness	Others
	Weighted %	Weighted %	Weighter to	Weighted %	Weighted %	Weighted %	Weighted %
Age at the onset of disability		-	o tex				
0 to 4 years	17.2	3.0	4.2 ft a	21.0	51.0	10.1	9.9
5 to 14 years	9.0	2.3	4.2 transformed 4.2 transformed 3.0 dtata 17.4 transformed 75.4 min	9.6	17.3	12.3	7.0
15 to 59 years	45.9	22.1	17.4 at in on	40.9	24.0	40.5	49.2
60 years and above	28.0	72.6	75.43	28.4	7.7	37.1	33.8
Total number of participants	48,737	1,035	1,05 <b>£.9</b>	946	259	395	632
Receipt of aid/help			/bm 9, /				
Received aid/help from Government	20.8	22.2	20.7 🚽 🦉	29.2	37.2	25.5	20.0
Received aid/help from organisations other than			8.6g				
government	4.1	10.2	8.6 m	4.0	3.3	6.0	2.7
Did not receive aid/help	75.1	67.7	70.8	66.8	59.5	68.5	77.3
Total number of participants	61,712	1,145	1,272 ₹	2,010	1,215	521	766
Living arrangement			imil				
Living alone or with a spouse	57.0	43.5	41.6 <sup></sup>	26.8	4.1	35.4	55.8
Living with others	43.0	56.5	58.4 <sup>ec</sup> 1	73.2	95.9	64.6	44.2
Total number of participants	61,962	1,156	58.4 <u>6</u> 1,28 <u>0</u> 9025 0.0.9 at	2,013	1,217	523	768
Arrangement of regular caregiver			025 ogi				
Care-giver required but not available	0.1	0.0		0.1	0.9	0.0	0.3
Care-giver is not required	37.1	11.5	15.7 <b>g</b>	8.8	5.6	10.8	13.4
Care-giver is available	62.8	88.6	84.2	91.1	93.6	89.2	86.3
Total number of participants	61,980	1,156	1,281 <u>B</u>	2,013	1,217	523	768
Accesses to public building			1,281 B				
Yes	45.6	25.4	29.4 gra	27.2	26.0	26.0	29.9

de For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml 3 4

		BMJ Open	36/br ted b				
			njope vy cop				
			136/bmjopen-2024-090220 cted by copyright_includii 70.6 1281				
No	54.4	74.6	70.6	72.8	74.0	74.0	70.1
Total number of participants	61,980	1156	1281 <b>E 8</b>	2013	523	523	768
Difficulty faced accessing public building			20 Idin				
difficulty faced: due to stairs and non-availability of			on ' g fe				
ramp, grooved tiles or lift	57.7	63.2	60.7° 15 N	55.4	49.7	46.7	52.2
in opening doors	4.4	1.6	1.3 ses	2.8	1.0	7.6	2.8
no seating arrangement: in the waiting area	1.6	3.0	2.9 reig 20	0.7	1.4	1.7	2.1
at the point of receiving service	0.8	5.7	2.1 at en	0.9	0.8	1.3	0.3
no special toilet seats	0.7	0.4	128 ILluding for uses related to text and data mid 2.0 and the set of the set	0.7	0.0	0.8	0.9
no sign for direction/ instruction/no public			vnlc t Si tey				
announcement system	0.3	2.2	2.0 to bad	2.2	2.1	1.3	0.0
no difficulty faced	27.6	8.4	17.6 <b>0 Te</b>	15.2	17.7	24.2	25.8
others	7.0	15.4	13.34 Tron	22.1	27.4	16.3	15.8
Total number of participants	27,756	330	4333 8 2	537	330	134	226
Working before onset (For >15 years and above)			<u> </u>				
Yes	40.3	44.4	35.9	32.7	5.6	38.5	53.6
No	59.7	55.6	35.9 · bn 64.1	67.3	94.4	61.5	46.4
Total number of participants	55,819	1093	1173 <del>3</del> ; <u>5</u>	1353	690	448	667
Disability causing loss or change in job			ing				
loss of work	60.7	75.3	72.83	86.5	80.9	84.2	82.8
change of work	18.3	11.0	5.7 <b>G</b> ₹	5.2	2.7	8.7	5.9
no loss or change of work	21.3	13.7	21.5	8.3	16.4	7.1	11.4
Total number of participants	21,559	465	21.5 <sup>m</sup> on June 404 <sup>ar</sup> tune	425	37	165	343
Having Disability Certificate	ii		ech				
Yes	30.4	14.0	16.100 83.900 83.900	41.7	59.8	29.9	24.9
No	69.6	86.0	83.9 <u>6</u> . 83	58.3	40.2	70.1	75.1
Total number of participants	61,980	1156	1281 *	2013	1217	523	768
Percentage of Disability as per Certificate			Ag				
40% or more but less than 60%	49.3	23.2	22.5 <b>R</b>	16.9	14.6	27.7	29.7
60% or more but less than 80%	36.3	37.6	34.2 👜	32.3	35.5	43.0	37.3
80% or more	12.8	38.7	34.2 Bi 42.2 bi	50.3	49.1	29.0	31.7
none of these	1.6	0.5	1.1 <b>g</b> ra	0.5	0.8	0.4	1.3



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 40 of	45	
------------	----	--

Primary		< 0.001		< 0.001		< 0.001	opyright,	< 0.001		< 0.001		< 0.00
Secondary	0.58(0.56-0.59)	< 0.001	0.84(0.82-0.86)	< 0.001	0.51(0.49-0.53)	<0.001	0.24(0.23-5:25) 0.11(0.11-5:12)	< 0.001	0.53(0.5-0.56)	<0.001	0.52(0.49-0.56)	< 0.00
and Higher Education	0.57(0.56-0.58)	< 0.001	0.76(0.74-0.78)	< 0.001	0.25(0.24-0.26)	<0.001		< 0.001	0.47(0.44-0.49)	<0.001	0.34(0.32-0.36)	<0.00
Religion	0.57(0.55-0.6)		0.66(0.63-0.68)		0.12(0.11-0.14)		0.05(0.04. 9.06) 9.15		0.28(0.24-0.32)		0.15(0.13-0.17)	
Hindu (Ref)							1 S May					
Muslim		< 0.001		0.004		0.021	0.83(0.79-	0		-0.001		
Others	0.84(0.82-0.86)	< 0.001	0.96(0.94-0.99)	0.004	1.05(1-1.11)	0.031		0		<0.001	1.08(1.01-1.16)	0.0
Marital status	0.84(0.82-0.87)		0.99(0.95-1.03)	0.607	1.07(1-1.14)	0.057	1.13(1.05- 6 nt wnl 6 Snl	0.001	1.08(0.99-1.18)	0.101	1.17(1.06-1.29)	0.00
Un-married (Ref)	1			6	1		1 alload		1		1	
Currently married	1.89(1.86-1.93)	< 0.001	0.52(0.51-0.54)	< 0.001	0.31(0.3-0.33)	< 0.001	0.15(0.14-6	0	0.66(0.62-0.69)	<0.001	0.13(0.12-0.14)	<0.0
Widowed	5.99(5.83-6.15)	< 0.001	0.93(0.89-0.97)	0.001	0.53(0.49-0.57)	< 0.001	0.15(0.14-00); 0.16(0.15-00); 0.16(0.15-00);	0		< 0.001	0.22(0.19-0.24)	<0.0
Divorced/separated	2.98(2.7-3.28)	< 0.001	0.92(0.83-1.01)	0.091	1.79(1.54-2.09)	< 0.001	0.16(0.15-0.200		9.06(8.02-10.23)	< 0.001	1.76(1.54-2.02)	< 0.00
Wealth	2.96(2.7-5.26)		0.92(0.05-1.01)	0.071	1.7)(1.34-2.07)		<u></u>	0	7.00(8.02-10.23)		1.70(1.54-2.02)	
Poorest (Ref)	1		1		1	CL	<u>≯</u> jop		1		1	
Poor	0.67(0.66-0.69)	< 0.001	0.78(0.76-0.8)	< 0.001	0.77(0.73-0.81)	< 0.001	0.81(0.77-g.85)	0	0.7(0.65-0.75)	< 0.001	0.83(0.77-0.89)	<0.00
Middle	0.6(0.59-0.62)	< 0.001	0.67(0.66-0.69)	< 0.001	0.67(0.64-0.71)	< 0.001	0.74(0.7-0 38)	0	0.66(0.62-0.71)	< 0.001	0.8(0.74-0.86)	< 0.0
Richer	0.55(0.54-0.56)	< 0.001	0.58(0.57-0.6)	< 0.001	0.58(0.55-0.61)	< 0.001	0.69(0.65-6,73)	0	0.6(0.55-0.64)	< 0.001	0.75(0.69-0.81)	<0.00
Richest	0.52(0.51-0.54)	< 0.001	0.52(0.5-0.53)	< 0.001	0.52(0.49-0.55)	< 0.001	0.71(0.66- <b>8</b> .75) <b>2</b>	0	0.52(0.48-0.56)	< 0.001	0.7(0.64-0.77)	<0.00
Region							June ar te					
Northern (Ref)	1		1		1		13,		1		1	
Southern	1.26(1.22-1.3)	< 0.001	0.97(0.94-1)	0.073	1.78(1.67-1.9)	< 0.001	1.84(1.72 0 97)	< 0.001	1.25(1.15-1.36)	< 0.001	1.05(0.96-1.15)	0.2
Western	1.12(1.08-1.15)	< 0.001	0.99(0.95-1.02)	0.429	1.23(1.14-1.32)	< 0.001	1.29(1.19-1.39)	< 0.001	0.88(0.79-0.97)	0.008	0.84(0.76-0.93)	0.00
Eastern	1.02(0.99-1.05)	0.288	0.86(0.84-0.89)	< 0.001	1.7(1.59-1.81)	< 0.001	1.42(1.33-1.52) <b>e</b>	< 0.001	1.25(1.16-1.36)	< 0.001	1.12(1.03-1.22)	0.00
North-eastern	0.69(0.66-0.71)	< 0.001	0.66(0.63-0.69)	< 0.001	1.59(1.47-1.71)	< 0.001	1.64(1.51-1.78)	< 0.001	1.01(0.91-1.12)	0.833	0.95(0.85-1.06)	0.3
Central	1.03(1-1.05)	0.075	0.94(0.91-0.97)	< 0.001	1.08(1.01-1.15)	0.026	0.85(0.79-0.92) <u>bi</u>	< 0.001	0.93(0.85-1.01)	0.073	0.85(0.78-0.93)	< 0.0

<del>ة</del> For peer review only - http://bmjopen.bmj.com/site/about/g**u**idelines.xhtml

			rom Multivaria e NSS, India (C		ary logistic reg	ressior	136/bmjopen-2024@90220 c cted by copyright; analy analy	loring th	e likelihood o	f living	with different	types o
		Hearing	disability			Visual o	<u>មួ</u> ទ្ធ lisability ថ្មី ភ្ល			Mental	retardness.	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p- value	Un-adjusted OR (95% CI)	p- value	Adjusted (95% CI)	p-value	Un-adjusted OR (95% CI)	p-value	Adjusted OR (95% CI)	p-value
Age (Years)							2025 relat					
<18 (Ref)	1		1		1		1 ted t		1		1	
18-35	1.95(1.73-2.2)	< 0.001	5.16(4.55-5.85)	0	10.37(1.94-2.65)	< 0.001	6.57(5.59 <b>6</b> /32	< 0.001	1.88(1.7-2.08)	< 0.001	33.33(30-37.04)	< 0.00
35-49	3.23(2.87-3.64)	< 0.001	9.31(8.14-10.65)	0	X	< 0.001	13.95(11.29)	< 0.001	1.17(1.05-1.31)	0.005	34.13(30.24-38.51)	< 0.001
50-59	6.63(5.91-7.45)	< 0.001	15.34(13.43-17.52)	0	31.04(9.17-12.36)	< 0.001	29.2(24.7 d \$4.48)	< 0.001	0.65(0.57-0.74)	<0.001	18.86(16.39-21.71)	< 0.00
65+	20.67(18.42-23.2)	< 0.001	38.97(34.06-44.58)	0	43.68(23.92-32.23)	1	61.23(51.74- <b>6</b> 77)	< 0.001	0.4(0.33-0.48)	< 0.001	11.39(9.26-14.01)	< 0.00
Gender							nttp: hinii					
Male (Ref)	1		1		1	0.	1 <b>g</b> , <b>/</b>		1		1	
female	0.96(0.93-0.99)	0.012	0.73(0.7-0.75)	< 0.001	1.04(1.01-1.08)	0.022	0.76(0.73	< 0.001	0.68(0.65-0.71)	< 0.001	0.76(0.73-0.8)	< 0.001
Place of residence	· · · · · · · · · · · · · · · · · · ·						inin					
Rural (Ref)	1		1		1				1		1	
Urban	0.86(0.83-0.9)	< 0.001	1.07(1.03-1.12)	0.001	0.83(0.8-0.86)	< 0.001	1.08(1.04 ml.13)	0.001	1(0.96-1.05)	0.894	1.18(1.11-1.24)	< 0.001
Social groups							imila					
Scheduled tribe (Ref)	1		1		1		ar teo		1		1	
Scheduled caste	0.89(0.84-0.94)	< 0.001	0.95(0.89-1.01)	0.084	0.99(0.93-1.06)	0.734	1.04(0.977113)	0.228	1.2(1.1-1.3)	< 0.001	1.24(1.13-1.36)	< 0.00
Other backward	0.9(0.86-0.95)	< 0.001	1.02(0.96-1.08)		0.92(0.87-0.98)		1.04(0.97 <b>ð</b> .12) <b>9</b> 1.03(0.97 <b>ð</b> .12)		1.23(1.14-1.32)	< 0.001	1.49(1.37-1.63)	< 0.00
Others	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001		<0.003	1.02(0.95-1.0		1.26(1.17-1.37)	< 0.001	1.91(1.74-2.09)	<0.00
Education level	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001	0.85(0.8-0.91)	<0.001	1.02(0.93-1.0 <b>2</b>	0.570	1.20(1.17-1.37)		1.91(1./4-2.07)	
Illiterate (Ref)	1		1		1		1 <b>D</b>		1		1	-
Primary	0.47(0.45-0.48)	< 0.001	0.65(0.62-0.68)	< 0.001	0.36(0.35-0.38)	< 0.001	0.57(0.55-0.6)	< 0.001	0.34(0.32-0.35)	< 0.001	0.1(0.1-0.11)	< 0.00
Secondary	0.31(0.29-0.32)	< 0.001	0.44(0.42-0.46)	< 0.001	0.26(0.24-0.27)	< 0.001	0.43(0.4-0.45)	< 0.001	0.13(0.12-0.14)	< 0.001	0.03(0.03-0.04)	< 0.00

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 43 of 45	

BMJ	Open
-----	------

136/bmjopen cted by copy

and Higher	< 0.001		< 0.001		< 0.001	, <del>,</del> 4	< 0.001		< 0.001		< 0.0
Education 0.22(0.2-0.25)		0.29(0.27-0.33)		0.2(0.18-0.23)		0.33(0.29 <b>a)</b> .37 <b>b</b>		0.04(0.03-0.05)		0.01(0.01-0.01)	
Religion						vright, in 2220 0.33(0.296).329 2220					
Hindu (Ref) 1		1		1		g on		1		1	
Muslim 0.8(0.76-0.84)	< 0.001	0.88(0.84-0.93)	< 0.001	0.85(0.8-0.89)	< 0.001	1(0.94-1.06) z	0.995	1.05(0.99-1.12)	0.089	0.71(0.67-0.76)	<0.0
Others 1.11(1.05-1.18)	< 0.001	1.08(1.01-1.16)	0.024	0.99(0.92-1.06)	0.802	1(0.94-1.06) Z 0.94(0.879 82)	0.112	1.05(0.97-1.14)	0.195	1.27(1.15-1.39)	<0.0
Marital status						2025 relat		· · · · · · · · · · · · · · · · · · ·			
Un-married (Ref) 1		1		1		1 ed men		1		1	
Currently married 1.63(1.57-1.7)	< 0.001	0.42(0.39-0.45)	< 0.001	1.87(1.78-1.96)	< 0.001	0.36(0.33 <b>5) 98</b>	< 0.001	0.09(0.09-0.1)	< 0.001	0.03(0.03-0.03)	<0.0
Widowed 7.49(7.16-7.84)	< 0.001	0.77(0.72-0.84)	< 0.001	9.8(9.31-10.31)	< 0.001	0.36(0.33 <b>t</b> ) 9 <b>t</b> 0.36(0.33 <b>t</b> ) 9 <b>t</b> 0.36(0.33 <b>t</b> ) 9 <b>t</b> 0	< 0.001	0.17(0.15-0.19)	< 0.001	0.04(0.03-0.05)	<0.0
Divorced/separated 4.27(3.68-4.97)	< 0.001	1.15(0.98-1.35)	0.096	3.26(2.67-3.99)	< 0.001	0.67(0.54 <b>8) 53</b>	< 0.001	1.56(1.31-1.85)	< 0.001	0.36(0.3-0.44)	<0.
Wealth						0.67(0.5489555) 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
Poorest (Ref) 1		1		1				1		1	
Poor 0.6(0.57-0.63)	< 0.001	0.74(0.71-0.78)	< 0.001	0.62(0.59-0.65)	< 0.001	0.8(0.76- <b>9</b> 84)	< 0.001	0.87(0.82-0.93)	< 0.001	0.93(0.87-1)	0.0
Middle 0.54(0.51-0.56)	< 0.001	0.67(0.64-0.7)	< 0.001	0.56(0.54-0.59)	< 0.001	0.73(0.69 1.77	< 0.001	0.85(0.8-0.91)	< 0.001	0.92(0.86-0.99)	0.0
Richer 0.49(0.47-0.52)	< 0.001	0.62(0.59-0.65)	< 0.001	0.47(0.44-0.49)	< 0.001	0.61(0.57,7).64	< 0.001	0.79(0.74-0.85)	< 0.001	0.92(0.85-0.99)	0.0
Richest 0.43(0.41-0.45)	< 0.001	0.57(0.54-0.6)	< 0.001	0.37(0.35-0.39)	< 0.001	0.5(0.47-@54)8	< 0.001	0.7(0.65-0.75)	< 0.001	0.91(0.84-0.99)	0.
Region						d si					
Northern (Ref) 1		1		1		3. 5		1		1	
Southern 1.94(1.83-2.05)	< 0.001	1.52(1.43-1.61)	< 0.001	1.54(1.45-1.64)	<0.001	1 <b>a b</b> 1.1(1.03- <b>b</b> 18) <b>b</b>	0.006	1.51(1.4-1.62)	< 0.001	1.7(1.57-1.84)	<0.
Western 1.19(1.12-1.28)	< 0.001	1.07(1-1.15)	0.053	1.01(0.93-1.08)	0.883	0.88(0.82 <b>0</b> ).96	0.002	1.31(1.21-1.42)	< 0.001	1.49(1.37-1.63)	<0.
Eastern 1.34(1.26-1.42)	< 0.001	1.18(1.11-1.26)	<0.001	1.2(1.13-1.28)	<0.001	1(0.93-1.92) 25	0.981	1.07(1-1.16)	0.062	0.92(0.84-0.99)	0.0
North-eastern 1.57(1.46-1.68)	< 0.001	1.58(1.47-1.7)	< 0.001	1.47(1.37-1.59)	< 0.001	1.52(1.41-1.65	<0.001	0.84(0.76-0.93)	0.002	0.82(0.74-0.92)	0.0
Central 1.08(1.02-1.15)	0.01	1(0.94-1.06)	0.96	1.05(0.98-1.12)	0.182	0.91(0.85-0.97	0.006	0.87(0.81-0.94)	<0.001	0.63(0.58-0.69)	<0.0

Bibliographique

					BMJ Open	rted hy	136/bm	
Supplementary T disabilities per th	Table 2: Result         1e 76 <sup>th</sup> round of	ts fron f the N	n Multivariate SS, India (Con	binary le nt)	ogistic regression analysi	i opvright Ancludin	1360mjopen-2024 Sector on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence	es of
	Othe	er types	of disabilities		g tor	a for	on 15	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CD	p- value	uses	Ens	May 200	
Age (Years)		value		Value	reia	eign r≏la		
<18 (Ref)	1		1		teq 1	eme		
18-35	0.98(0.83-1.16)	0.8	1.46(1.21-1.77)	< 0.001		ont S		
35-49	1.23(1.04-1.46)	0.018	2.37(1.91-2.93)	< 0.001	Xt ar	upei vt ar	oade	
50-59	1.84(1.56-2.17)	< 0.001	3.51(2.84-4.34)	< 0.001		าieur ว่า d	; č.	
65+	3.3(2.78-3.9)	< 0.001	6.01(4.81-7.5)	< 0.001		A A B		
Gender						nin S		
Male (Ref)	1		1			2 · 2		
female	0.81(0.75-0.87)	< 0.001	0.8(0.74-0.86)	< 0.001	Ta		jo pe	
Place of residence						inin		
Rural (Ref)	1		1		9, an	יי רוג	nj.cc	
Urban	1.2(1.12-1.29)	< 0.001	1.21(1.11-1.31)	< 0.001		20.		
Social groups								
Scheduled tribe (Ref)	1		1		r tec	rtec	une	
Scheduled caste	0.78(0.69-0.88)	< 0.001	0.82(0.72-0.94)	0.004		- in مربا	13, 2	
Other backward class	0.68(0.61-0.76)	< 0.001	0.71(0.63-0.81)	< 0.001		lonic	025	
Others	0.91(0.81-1.02)	0.098	0.89(0.78-1.01)	0.066	Ň	נ ה נ	at A	
Education level						- Gen	Agence	
Illiterate (Ref)	1		1			a	Φ	
Primary	0.84(0.76-0.91)	< 0.001	0.88(0.8-0.98)	0.018			BibliograpI	
Secondary	0.79(0.72-0.86)	< 0.001	0.89(0.81-0.99)	0.034		ייט	igra a	

graphique For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 45 of 45

1 2 3 4	
5 6 7 8 9 10	
11 12 13 14 15	
16 17 18 19 20	
21 22 23 24 25	
26 27 28 29 30	
31 32 33 34	
35 36 37 38 39 40	
41 42 43 44 45	
46 47	

and Higher Education	0.93(0.81-1.07)	0.334	0.97(0.83-1.14)	0.713	
Religion					
Hindu (Ref)	1		1		
Muslim	0.83(0.74-0.92)	< 0.001	0.88(0.79-0.98)	0.021	
Others	1.18(1.04-1.34)	0.01	1.09(0.94-1.26)	0.239	
Marital status					
Un-married (Ref)	1		1		
Currently married	0.97(0.9-1.04)	0.409	0.48(0.42-0.54)	< 0.001	
Widowed	1.89(1.68-2.12)	< 0.001	0.55(0.46-0.66)	< 0.001	
Divorced/separated	2.57(1.86-3.54)	< 0.001	1.29(0.92-1.81)	0.142	
Wealth					
Poorest (Ref)	1		1		
Poor	0.63(0.57-0.71)	< 0.001	0.72(0.64-0.8)	< 0.001	
Middle	0.66(0.59-0.73)	< 0.001	0.76(0.68-0.85)	< 0.001	
Richer	0.72(0.65-0.8)	< 0.001	0.84(0.75-0.94)	0.002	
Richest	0.78(0.7-0.86)	< 0.001	0.88(0.78-0.99)	0.038	
Region					
Northern (Ref)	1		1		
Southern	2.66(2.28-3.1)	< 0.001	2.62(2.25-3.07)	< 0.001	
Western	2.9(2.48-3.4)	< 0.001	2.82(2.4-3.31)	< 0.001	
Eastern	3.09(2.67-3.59)	< 0.001	3.23(2.77-3.77)	< 0.001	
North-eastern	2.12(1.77-2.53)	< 0.001	1.98(1.64-2.38)	< 0.001	
Central	1.17(1-1.38)	0.056	1.26(1.07-1.49)	0.007	

136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Enseignement Superieur (ABES) . cted by copyright, including for uses related to text and data mining, Al training, and similar technologies. Agence Bibliographique

٩

BMJ Open

## Epidemiology of disability and access to disability support and rehabilitation services in India: A secondary data analysis a National Sample Survey (2018).

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-090220.R2
Article Type:	Original research
Date Submitted by the Author:	07-Mar-2025
Complete List of Authors:	Mirza, Moonis ; All India Institute of Medical Sciences - Bathinda, Department of Hospital Administration Esht, Vandana; Jazan University College of Applied Medical Sciences, Physical Therapy Department Verma, Madhur ; All India Institute of Medical Sciences Bathinda, Department of Community & Family Medicine Bahadur, Bajarang; International Institute for Population Sciences, Demography Jaiswal, Ajit; International Institute for Population Sciences, Demography Alagarajan, Manoj; International Institute for Population Sciences, Demography Kakkar, Rakesh; All India Institute of Medical Sciences - Bathinda, Department of Community & Family Medicine
<b>Primary Subject Heading</b> :	Public health
Secondary Subject Heading:	Epidemiology, General practice / Family practice, Global health, Health services research, Occupational and environmental medicine
Keywords:	Disabled Persons, PUBLIC HEALTH, Health Equity





I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

2		
3	4	Title Dego
4	1	Title Page
5	2	Epidemiology of disability and access to disability support and
6	3	rehabilitation services in India: A secondary data analysis a
7	5	• •
8	4	National Sample Survey (2018).
9	5	
10 11	6	Type: Original Article
12		
13	7	Moonis Mirza*, Vandana Esht <sup>1</sup> *, Madhur Verma <sup>*#</sup> , Bajarang Bahadur*,
14	8	Ajit Kumar Jaiswal³, Manoj Alagarajan, Rakesh Kakkar
15	9	
16	10	*authors contributed equally
17	11 12	#corresponding author
18		Detailed Author Affiliations:
19	13	
20	14	1. Moonis Mirza (MD)
21	15	Associate Professor of Hospital Administration, All India Institute of Medical
22	16	Sciences Bathinda (Punjab), India-151001
23 24	17	Email: <u>moonismirza@gmail.com</u> .
25	18	O <u>rcid</u> id: 0000-0002-8844-7311
26	19	
27	20	2. Vandana Esht (Phd)
28	21	Associate Professor, Physical Therapy Department, College of Applied Medical
29	22	Sciences, Jazan University, Jazan, Saudi Arabia
30	23	Email: vandanaesht@jazanu.edu.sa.
31	24	
32	25	3. Madhur Verma (MD)
33	26	Associate Professor of Community and Family Medicine, All India Institute of
34 25	27	Medical Sciences Bathinda (Punjab), India-151001
35 36	28	Email: drmadhurverma@gmail.com
30 37	28	Eman. <u>dimadnurverma(a)gman.com</u>
38	29 30	1 Dejayang Dahadur
39		4. Bajarang Bahadur Mahil International Institute for Depulation Sciences, Mumhai (Maharashtra)
40	31	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
41	32	India -400088
42	33	Email: <u>bajarang7894@gmail.com</u> .
43	34	
44	35	5. Ajit Kumar Jaiswal
45	36	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
46 47	37	India -400088
47 48	38	Email: <u>ajitjaiswal20@gmail.com</u> .
40 49	39	
50	40	6. Manoj Alagarajan
51	41	Assistant Professor, International Institute for Population Sciences, Mumbai
52	42	(Maharashtra) India -400088
53	43	Email: alagarajan@iipsindia.ac.in.
54	44	
55	45	7. Rakesh Kakkar (MD)
56	46	Professor of Community and Family Medicine, All India Institute of Medical
57	40 47	Sciences Bathinda (Punjab), India-151001
58 50	47 48	Email: drrakesh75@rediffmail.com.
59 60	48 49	Eman. <u>arrakosny starteminan.com</u> .
00	43	

2	
2	
3	
4	
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	
6	
7	
8	
9	
10	
11	
12	
12	
14	
14	
15	
16	
17	
18	
19	
20 21	
21	
22	
23	
24	
25	
25	
22 23 24 25 26 27	
27	
28	
29	
30	
31 32 33 34	
32	
33	
34	
35	
36	
37	
35 36 37 38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	

60

3 4 5 6	Associate Professor of Community and Family Medicine, All India Institute of Medical Sciences Bathinda (Punjab), India-151001
6 7	Email: <u>drmadhurverma@gmail.com</u> Phone: +91 9466445513
8	Orcid id: 0000-0002-1787-8392

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

**Manuscript** 

Abstract **Objective:** The primary aim of this study was to examine the epidemiology of disability in India and assess access to disability support and rehabilitation services by person with disability (PWD). Design: This study is a secondary analysis of the data from the 76th round of the National Sample Survey (2018), that focussed on disability in India. Setting: The survey employed a stratified two-stage sampling design based on Census 2011, covering all states and union territories of India. Villages and urban blocks were selected in the first stage, while households were chosen in the second stage across rural and urban areas. **Participants**: The survey included data from a population of 576,796 individuals residing in 1,18,152 households from 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks). The analysis focussed on 1,07,125 individuals (61,707 males and 45,305 females) who reported at least one disability. **Outcome Measures**: The primary outcome was "any disability". Secondary outcomes included access to disability support and rehabilitation services that assessed difficulties faced in accessing public buildings, transport, loss of employment after disability, availability of government support, enrolment in special schools, and possession of a disability certificate. Results: The overall weighted disability prevalence was 2.2%, with significant disparities across socio-demographic characteristics. Among PWD, 45.9% of those who acquired disability after birth were aged between 15 and 59, and 20.8% received no government aid. About 40% of PWD struggled to use public transport, and 57.7% had difficulties accessing public buildings. Additionally, 60.7% reported job loss due to disability, and 69.6% lacked a disability certificate.

#### **BMJ** Open

Conclusion: This study highlights disparities faced by PWD in accessing disability support and rehabilitation services. There is an urgent need for concerted efforts to minimise such experiences. This will help us enhance the well-being and participation of PWD and empower them to contribute to society with their true potential.

**Keywords:** *Disability, inequity, disparities, accessibility, health access.* 

to perteries only

2	1	Strengths and limitations of this study
4 5		
6 7	2	• One of the very first comprehensive assessments of accessibility issues of the people
8 9	3	living with disability data from the 76 <sup>th</sup> round of the National Sample Survey (2018).
10 11 12	4	• We estimated the proportion of person with disability who could access basic services
12 13 14	5	through a weighted analysis that makes the results generalisable and highlights
15 16	6	actionable points.
17 18 19	7	• The lack of a standardised definition of disability was the critical limitation of the study,
20 21	8	which restricts sub-national and national comparisons over time and regions.
22 23	9	• The possibility of estimates being affected by recall bias and social desirability bias
24 25 26	10	may not be ruled out.
20 27 28	11	• We were limited by the number of variables available in the primary data, which
29 30	12	restricted us from making further conclusions about the social inclusion of person with
31 32 33	13	disability.
33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 34 55 56 57 58 59 60	14	disability.

1 2		
3 4	1	Manuscript
5 6	2 3	Introduction
7 8 9 10 11 12 13 14 15 16 17	4	As per the United Nations Convention on the Rights of Persons with Disabilities (CRPD), a
	5	persons with disability (PWD) includes those who have long-term physical, mental,
	6	intellectual, or sensory impairments which, in interaction with various barriers, may hinder
	7	their full and effective participation in society on an equal basis with others.[1] Disability is a
	8	global concern, impacting 1.3 billion people, or 16% of the population.[2] The World Health
18 19	9	Organization (WHO) and the World Bank's World Report on Disability highlight that 80% of
20 21 22	10	the global disabled population is of working age, with a substantial proportion residing in
22 23 24	10	developing countries.[3] India is one of the most populous countries, and the proportion of
25		
26 27	12	Indian PWD is concerning.[4] With the increasing proportion of the geriatric population, the
28 29 30 31 32 33 34 35 36 37 38	13	burden of disability has also proportionately increased (from 21.9 to 26.8 million) over the last
	14	two rounds of the national census (2001-2011).[5,6] The reports from the 2011 Census and
	15	the 76th round of the National Sample Survey (NSS) estimate disability prevalence to be
	16	around 2.2%.[7] But the fifth round of the National Family Health Survey-5 (2019-21)
	17	estimates an overall disability prevalence of 4.52%.[8] The discrepancy in available estimates
39 40 41	18	is due to methodological differences, poor quality and inconsistent data, and lack of
42 43	19	standardisation of the definition, which underscores the intricate nature of disability.[9,10]
44 45	20	The CRPD identifies disability as an evolving concept and highlights the constantly changing
46 47	21	needs of PWD, which are largely unmet. $[11-13]$ The different articles of CRPD (6, 7, 9, 24,
48 49 50	22	and 27) focus on key aspects such as gender, age, accessibility, education, and employment to
50 51 52	23	empower PWD by addressing specific needs. For instance, article 6 caters to gender-related
53 54	24	needs, which may include protections against gender-based discrimination and access to
55 56		
57 58	25	reproductive healthcare, while article 7 focuses on the needs of children with disability and that
59 60	26	they receive inclusive education (article 24) and older adults with disability access to necessary

## **Manuscript**

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

social and healthcare services (article 9). These measures aim to enable independent living and full participation in all aspects of life, ensuring that PWD are not deprioritised compared to the general population.[14–18] The limited priority given to the needs of PWD in society increases the existing disparities, leading to poorer health outcomes, lower educational attainment, and reduced economic opportunities, thereby exacerbating social inequities.[19] Addressing these disparities is a global priority as mandated by the second principle of the Sustainable Development Goals (SDGs), "Leave no one behind", which is the central, transformative promise of the Agenda 2030.[20] International human rights law, including the CRPD, Convention on the Elimination of All Forms of Discrimination Against Women (CEDAW), Convention on the Rights of the Child (CRC), International Covenant on Civil and Political Rights (ICCPR), International Covenant on Economic, Social and Cultural Rights (ICESCR), collectively uphold the principles of equality and non-discrimination, obligates each country to address the inequalities faced by PWD, ensuring that they have equitable access to services, full participation in society, and protection from exclusionary practices.[1,21] Since March 2007, 192 parties, including India, have ratified CRPD till January 2025. Despite progress, the world still falls short of fully recognising and upholding the rights and needs of PWD.[19] The needs of PWD can span from *personal functional assistance* (daily activities and extent of disability), social integration (living conditions, caregivers, and public accessibility), economic rehabilitation (impact on employment and finances) to service access (certification and receipt of government/NGO support) necessitating a comprehensive approach.[22] However, access to such services is less studied, and it is crucial to highlight disparities that affect the disability care continuum and also limit the efforts to minimise social exclusion of PWD and foster a social environment that is inclusive and accessible to all. [22][23] 

Previous literature from India has primarily focused on the epidemiology of disability.[10] The
lack of disability-friendly infrastructure, affordable assistive technologies, support services,

#### **BMJ** Open

including personal assistance, therapy, aids and vocational rehabilitation, and comprehensive care perpetuates inequalities.[24] Still, it is less explored by the scientific community. Within this context, the 76th NSS collects data regarding disability and PWD's access to different disability support and rehabilitation services and provides an opportunity to study them. [7] Thus, the primary aim of the study was to explore the epidemiology of disability and the accessibility of PWD to various disability support and rehabilitation services to provide insights for specific interventions.

#### Methodology

**Data sources:** We conducted a secondary analysis of the cross-sectional data from the 76th National Sample Survey (NSS) conducted by the Ministry of Statistics, Planning, and Implementation (MoSPI) between July and December 2018. MoSPI has formulated a code of ethics and sets out certain standards of conduct for the members of the Survey Committees (group of people appointed to conduct and supervise the survey). The data for NSSO is collected in accordance with the Collection of Statistics Act, 2008, which ensures transparency in data collection by issuing public notifications outlining the subject, purpose, and methodology of the survey. Participation in these surveys is generally voluntary, with respondents providing implied consent by answering survey questions after being informed about the study's objectives. Additionally, the Act mandates confidentiality safeguards, ensuring that collected data is used solely for statistical purposes. While respondents are legally obligated to provide accurate information, the data remains anonymous and protected. Thus, the NSSO follows ethical guidelines to uphold privacy while maintaining the integrity of national statistics.[25] The NSS collects socio-economic data using interviews through scientific sampling methods and serves as a crucial tool to gauge various socio-economic aspects across all states of India. Its primary objective is to identify unmet needs within the population, thereby aiding the government in formulating effective policies to address them.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

The survey made its first attempt to collect information on the number of PWD during the 15th round (July 1959 - June 1960).[26] In the 76th round, the main objective of the survey was to estimate indicators of incidence and prevalence of disability, cause of disability, age at onset of disability, facilities available to the PWD, difficulties faced in accessing public building/public transport, arrangement of regular caregiver, out-of-pocket expense relating to disability, etc. using a structured questionnaire.[27] Further, estimates were obtained on various employment and unemployment particulars in usual status for the household members with at least one disability. For PWD aged 12 to 59 years, information was collected on whether or not they received vocational/technical training and details related to such training.

Sampling design and sample size: The 76th NSS employed a stratified two-stage sampling design, utilising Census 2011 as the sampling frame.[7] The survey commenced on 1st July 2018 for six months. In the first stage, villages/urban blocks were selected, followed by the selection of households in rural and urban areas in the second stage. This round of NSS encompassed all states and union territories of India except the villages in Andaman and Nicobar Islands, which are difficult to access, covering a total of 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks) and including 118,152 households representing a population of 576,796 individuals (402,589 in rural areas and 173,980 in urban areas). Within this, the present study focuses on 1,07,125 individuals consisting of 61,707 males and 45,418 females) who reported at least one disability during the survey. 

20 Study Variables

Dependent variable: The presence of "any disability" was our primary dependent variable.
MoSPI defines a "Person with disability" as a person with a long-term physical, mental,
intellectual or sensory impairment which, in interaction with barriers, hinders full and effective
participation in society equally with others.[7] The variable is created by the presence of at
least one condition among all seven disability types, elaborated subsequently

### BMJ Open

2 3	1	1.	Locomotor disability: A person was categorised as living with locomotor disability based
4 5 6	2		on a positive response to any of the following three conditions: <i>(i) whether having difficulty</i>
6 7			
8 9	3		in using hands, fingers, toes, body movement (including cerebral palsy, muscular
10 11	4		dystrophy); (ii)whether having loss of sensation in the body due to paralysis, leprosy, other
12 13	5		reasons; or (iii)whether having deformity of the body part(s) like hunch back, dwarfism,
14 15 16	6		deformity due to leprosy, caused by acid attack, etc."
17 18	7	2.	Visual disability: It was identified using a direct question: "Whether having difficulty in
19 20 21	8		seeing, counting fingers of hand from a distance of 10 feet (with spectacles, if using, and
22 23	9		both eyes taken together)."
24 25	10	2	Henrich Backlitter The set of institute and hand on the markings "Hill along having
25 26	10	з.	Hearing disability: The categorisation was based on the question: "Whether having
27 28	11		difficulty in hearing day-to-day conversational speech (without hearing aid, if using, and
29 30 31	12		both ears taken together)"
32 33	13	4.	Speech and language disability: It was assessed using a question: "Whether having
34 35 26	14		difficulty in speech (unable to speak like a normal person/ speech is not comprehensible,
36 37 38	15		including laryngectomy, aphasia) which is base for speech disability."
39 40	16	5.	Mental retardation/intellectual disability: This disability variable has been prepared
41 42 43	17		based on the following question "Whether having difficulty in understanding/
44 45 46	18		comprehension or communicating in doing daily activities"
40 47 48	19	6.	Mental illness: This disability was identified when there was a positive response to any
49 50	20		of the three conditions: "(i) whether having unnecessary and excessive worry and anxiety,
51 52	21		repetitive behaviour/ thoughts, changes of mood or mood swings, talking/laughing to self,
53 54 55	22		staring in space; (ii) whether having unusual experiences of hearing voices, seeing visions,
55 56 57	23		strange smell or sensation or strange taste; or (iii) whether having unusual behaviour or
58 59 60	24		difficulty in social interactions and adaptability."
			10

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

7. Other disability: To identify other types of disability of the persons, the following question was used: "Whether having any of the following: Parkinson's disease, multiple sclerosis, other chronic neurological conditions, thalassemia, haemophilia, sickle cell disease".

The access to disability support and rehabilitation services by the PWD were secondary dependent variables. For this study, we adopted the United Nations CRPD definition of 'disability support,' which is stated as 'the means to ensure that PWD can fully enjoy their rights and participate equally in society." The original survey assessed disability support by estimating the proportion of PWD ever receiving any aid/help (received aid/help from government, or received aid/help from organisations other than government, did not receive aid/help), living arrangement (living alone or with a spouse, living with others), arrangement of regular caregiver (care-giver required but not available, care-giver is not required, care-giver is available), access to public transport (yes, no), accesses to public building (yes, no), difficulty faced in accessing public building (difficulty faced due to stairs and non-availability of ramp, grooved tiles or lift, in opening doors, no seating arrangement: in the waiting area, at the point of receiving service, no special toilet seats, no sign for direction/ instruction/no public announcement system, no difficulty faced, and others), employed/working before onset of disability (yes, no), disability causing loss or change in job (loss of work, change of work, no loss or change of work), having disability certificate (yes, no), and percentage of disability as per certificate (40-60%, 60-80%, >80%, and none of these). Disability certificate is issued to PWD by the competent medical authorities notified by the State/UT Government and aims to encourage transparency, efficiency and ease of delivering the government benefits to the person with disabilities and to ensure uniformity.[28,29] 

24 Predictor variables: In the present study, the predictor variables were chosen following a
25 literature review and the scope of data collected in the original survey.[30–33] We included

Page 13 of 49

#### **BMJ** Open

age group (completed years) categorised as; upto 5, 6-17, 18-35, 36-49, 50-65 and 65+ completed years, sex (male, female), marital status (never married, ever married, widowed, divorced/separated), area of residence (rural, urban), educational attainment (non-literate, literate but not formal, upto primary, upto secondary), preferred religion (Hindu, Islam, others), social group (scheduled tribe, scheduled caste, other backward classes, general), wealth index (poorer, poor, middle, richer, richest), regions of India (northern, southern, western, eastern, north-eastern and central). For readers outside India, the term 'backward class, schedule caste and schedule tribe' refers to socially and educationally disadvantaged groups legally recognised by the constitution of India, that have historically faced discrimination and marginalisation, and aim to promote social justice by reducing disparities, enhancing representation in education and employment, and fostering socio-economic inclusion. [34] 

Specifically, PWD were characterised using variables like causes of disability (disease, other than disease due to burn, injuries other than burn, other causes), age at the onset of disability (0 to 4, 5 to 14, 15 to 59, and 60 years and above), the origin of disability from birth (yes, no, not known), disability commenced in last 365 days (yes, no), place of occurrence of disability (workplace, road, home, other places), treatment taken/undergoing treatment (yes: consulting doctor, otherwise, yes: consulting doctor, plus undergoing treatment, otherwise, attending special school/special therapy, cannot afford treatment, no treatment available for the disability, not required and not known). 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Statistical methodology: The prevalence, along with the dispersion of all disability variables, were estimated as part of a univariate analysis by using already calculated sampling weights with clustering as provided with the datasets.[35] The details of sampling weight have been described in the NSS 76th round report. We used the SVY command while using sampling weights.[36] Further, the prevalence of all disability types was estimated per socio-economic characteristics, and the associations were tested using bivariate analysis through a chi-squared 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

test. The access to different services was depicted using weighted proportions. The missing data were handled using the Available case analysis (ACA) technique, and the estimates were generated using the available data, leading to the different sample sizes as they vary from variable to variable. It helped us retain more data compared to listwise deletion. However, the relationships between the pattern of missing data and observed variables was studied to assess the nature of the missing data using the Little's MCAR (Missing cases at random) test. The results suggested that the data were not completely at random but likely missing at random (MAR), and therefore, the ACA technique was considered appropriate for retaining more data compared to listwise deletion. Further, a sensitivity analysis was conducted to assess the robustness of the findings to different missing data handling techniques. Results obtained using ACA were compared with those from Complete Case Analysis (CCA), and the findings were consistent across the two methods. Lastly, multivariable binary logistic regression analysis was used to explore the independent variables affecting the likelihood of living with 'any disability', which was the dependent variable coded by 1 and otherwise 0. Additionally, binary logistic regressions are also employed on all seven types of disability. The analysis depicted the unadjusted and adjusted odds ratio (95% confidence interval). All p-values<0.05 were considered statistically significant. All the analysis was done using Stata (version 17.0). Graphical maps were created using MS Excel sheets to depict the regional disparities. 

19 Patient and public involvement: None

## **Results**

Table 1 provides a comprehensive overview of the weighted prevalence of different types of
disability across various socio-demographic characteristics in India. Of the total participants,
107,125 (2.2%) of the participants had at least one form of disability. The majority of such
participants had a locomotor disability 61,981 (1.36%), followed by hearing 15,294 (0.30%),
visual 11,977 (0.23%), speech-related 12,661 (0.23), mental retardation 8,564 (0.16%), mental

#### **BMJ** Open

illness 6,751 (0.16%), and other types 3,121 (0.05%) of disability. The highest prevalence of
any disability, locomotor, speech and 'other' disability was seen in 50-65 years. However, the
proportion of participants with visual and hearing disability was highest in the eldest age group,
while mental retardation and mental illness were highest in the 6-35 years age group. Disability
prevalence was notably higher among older individuals, males, rural populations, and those
from lower socioeconomic backgrounds with minimal or no educational attainment, and living
in the southern part of India.

8 We further assessed the origin of disability as per the type (Table 2). The most common cause 9 of locomotor and speech disability was disease 28,673 (46.3%), 1246 (61.9%), while 'other 10 causes' were most commonly involved in visual 538 (46.5%) and hearing 637 (49.7%) 11 disability. Around 11,488 (18.5%) of PWD had their disability from birth. Of the total 12 participants, 2987 (6.1%) participants acquired their disability in the last year preceding the 13 survey. The most common place of disability origin was road 5977 (41.9%), followed by home, 14 4693 (32.9%). Only 17,329 (28%) of PWD were consulting doctors and undergoing treatment. Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Table 3 depicts the living conditions of PWD and access to crucial services, and Supplementary Table 1 provides results in more detail for each type of disability. Overall, nearly half of the PWD who did not have disability since birth were between 15 and 59 years old (45.9%), while nearly one-fifth (20.8%) had received aid or help from the government. 57% of PWD lived with their spouses, and 62.8% reported that caregivers were available. About 40% reported an inability to use public transport, while 54.4% reported inaccessibility to public buildings. Further, 57.7% of PWD reported facing difficulties while accessing public buildings. Around 60.7% of PWD reported a loss of work due to disability onset, and 69.6% did not have any official document certifying their disability for administrative purposes. Figure 1 further depicts the geographic disparities in the PWD' access to basic services.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Table 4 demonstrates the multivariable binary logistic regression analysis results to present the socio-demographic variables affecting the likelihood of living with any type of disability. We found a significantly higher likelihood of living with disability with increasing age (Adjusted Odds ratio: 58.4; 95% Confidence Interval: 55.4-61.5 in >65 years vs up to 5 years), urban residence (1.3; 1.2-1.3) vs rural, social castes (1.3; 1.3-1.3 in general caste) vs scheduled tribes, and living in a Southern region of India (1.1; 1.1-1.2) compared to those from North India. However, female sex (0.6; 0.6-0.6), more years of education (0.3; 0.3-0.3), Islam followers (0.9; 0.9-0.9), currently married/widowed vs never married (0.3; 0.3-0.3), and higher socio-economic status (0.5; 0.5-0.5) depicted significantly lower likelihood of living with disability. Supplementary Table 2 provides results from the more detailed regression analysis for each type of disability. 

## 12 Discussion

We report an investigation that assesses the epidemiology of PWD and their access to disability support and rehabilitation services in India using nationally representative data. Our key findings have profound policy implications. First, we identify concerning disparities in disability prevalence across socio-demographic groups. Second, one-fifth of PWD reported acquiring their disability at birth. Third, the most common place of disability origin was roads, followed by home. Fourth, approximately half of PWD reported challenges in using public transport and buildings. Lastly, the majority of PWD reported a loss of work due to disability onset and did not have any official document certifying their disability. 

Disability prevalence was notably higher among older individuals, males, rural populations,
and those from lower socio-economic backgrounds. Despite a modest 2.2% prevalence rate,
this figure represents around 30 million people in India, and it is expected to rise, indicating an
urgent need for attention. While there was a preponderance of males with locomotor disability,
speech and language disability were significantly higher in females. As per the estimates

Page 17 of 49

#### **BMJ** Open

obtained from the previous 36th, 47th, and 58th rounds of NSS, there is a constant rise in
disability prevalence in rural (1.8% in the 36th round to 2.3% in the 76th round) as well as
urban (1.4% in 36th round to 2.0% in 76th round) areas, with the overall increase from 1.6%
in 36th round in year 1981 to 2.2% in 76th round in year 2018.[7] Secondary analysis of another
national survey (NFHS-5) depicts an overall disability prevalence of 0.95%, with a higher
proportion of locomotor disability (0.4%), followed by mental disability (0.2%).[37]

We observed that a high proportion of survey participants had their disability from birth. However, the available data limits our further understanding of such disability, whether the onset was intrauterine or acquired during the birthing process. Such limited information still necessitates mitigation strategies targeting pregnant females by ensuring accessibility to screening for intra-uterine pathologies causing disability like Down's syndrome and intellectual disability and later extending the access to screening for auditory and visual disability.[38] Further, adopting more rigorous screening toolkits and investigations for newborns at the primary healthcare level through the expansion of the Rashtriya Bal Swasthya Karvakram (Indian National program that involves screening of children from birth to 18 years of age for 4 Ds- Defects at birth, Diseases, Deficiencies and Development delays, spanning 32 common health conditions for early detection and free treatment and management, including surgeries at tertiary level) would help in increasing scope for early psychological or therapeutic interventions that would impact the quality of life of children with disability.[39] In addition, the Pradhan Mantri Jan Arogya Yojana (PM-JAY) offers free healthcare for children with disability, who are not covered under the RBSK scheme.[40,41]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

The most common place of disability origin was road, followed by home. Trauma is an important cause of locomotor disability, and in India, it is the second most common cause of locomotor disability.[42] Previous estimates suggest that road crashes maximally impact the poorest quintiles. A lack of appropriate safety gear while on the road is often a factor in road

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

trauma. People who experience road trauma often have inadequate access to medical and social safety nets after injury.[43,44] Anecdotal evidence from Chandigarh, a Union Territory of India, suggests that strict compliance with the traffic rules can mutually benefit the public and the administration. On one side, it reduces morbidity due to road traffic accidents, while on the other side, penalties due to non-compliance generate revenues and also generate awareness. An increasing number of domestic accidents are equally concerning.[45] Domestic accidents may be subjected to under-reporting as most of the domestic injuries are considered minor, often neglected, and may be easily forgotten and subjected to recall bias. This changing trend is similar to many developed nations where more accidents happen at home than anywhere else. With increasing population and population density, we expect an increase. Domestic accidents depend on the physical and social environment and also on the functional capacity of the individual. While road traffic accidents are unforeseen and unexpected, it is generally accepted that domestic accidents can be prevented and minimised by taking adequate safety measures well in time.[46] 

We observed that there is a scope for improving the accessibility of public buildings and transport for the PWD; they must accommodate PWD's needs. Various schemes and initiatives demonstrate the Indian government's commitment to securing the rights and welfare of disabled populations in the country. India's commitment to the United Nations Convention on the Rights of PWD (UNCRPD) is embodied in the Rights of Persons with Disabilities Act of 2016 (RPWD Act, 2016). It emphasises dignity, autonomy, and non-discrimination for PWD.[47] The Act further mandates inclusive education, vocational training, and self-employment opportunities without discrimination. To increase the accessibility of public buildings, the RPWD Act 2016 and the National Building Code of India 2016 outline expanded guidelines for building accessibility.[48] Compliance with these standards has been made compulsory, with responsibility falling on those involved in commissioning, designing, constructing, or

#### **BMJ** Open

managing built environments. The building design must adhere to relevant legislation,
including equality and safety regulations. This focus on accessibility has fostered the adoption
of universal design concepts, leading to numerous best practices for creating inclusive
environments. These encompass accessible buildings, parking areas, parks, and recreational
facilities, reflecting a concerted effort to ensure equal access and inclusion for PWD in the built
environment.

#### 

## Government schemes to improve inclusion and access

The government has a variety of healthcare schemes like the Assistance to Disabled Persons for Purchase/Fitting of Aids and Appliances (ADIP) that cater to the specific needs of PWD and provides assistive devices, aids such as wheelchairs, hearing aids, and prosthetic limbs at subsidised rates.[49] The Deendaval Disabled Rehabilitation Scheme (DDRS) provides financial assistance to NGOs for various rehabilitation services for PWD.[50] However, the scheme faces inconsistencies in service availability across different states. The lack of standardisation in rehabilitation programs results in variable quality of care, while administrative delays in fund disbursement further hinder its effectiveness.[51] Moreover, rural and economically weaker sections often struggle to access these services, limiting the scheme's reach and equity. While DDRS aligns with the principle of equal opportunities under the RPWD Act of 2016, its impact is weakened by poor implementation and monitoring mechanisms. Apart from catering to the healthcare needs of PWD, we must address specific issues related to health and ethics and the need to shift societal attitudes toward PWD to improve social inclusion.[52]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

In addition to the health-related needs, the Government of India has taken several steps to
secure the social rights of PWD. Right to Education Act (RTE) aims to provide free and
compulsory education for children with a disability up to 18 years.[53] The 'Samagra Shiksha
Abhiyan' integrates children with disability into mainstream education.[54] The National

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Education Policy 2020 also prioritises "inclusion" by aiming to fully integrate children with disability into the mainstream education system, providing necessary accommodations and support to ensure their active participation in the learning process without segregation or discrimination; this includes accessible infrastructure, specialised teaching methods, and assistive technologies tailored to individual needs.[55] Training gaps for teachers for PWD, lack of assistive technology, and poor enforcement of inclusive education policies hinder meaningful inclusion.[56] The government-funded higher education institutions in India reserve 5% of seats for PWD to foster diversity and enhance employment opportunities, but the effectiveness of such policies is hindered by challenges [57] such as infrastructural barriers, lack of accessible learning materials, and inadequate support services. Many PWDs also lack access to skill development programs, which limits their employability. The government also provides financial assistance and benefits to PWD through schemes like the National Handicapped Finance and Development Corporation (NHFDC); which offers loans and subsidies for education and training or self-employment ventures.[58] 

Employment can enhance social sustainability and individual well-being.[59] But, we observed that a very high proportion of PWDs had a change or loss of their jobs due to the onset of disability. Loss of jobs can be linked to the social stigma associated with impairment or disability and the perception of such people being less productive. Many employers have ill-founded views about the work-related abilities of PWD; these negative views are often a result of interrelated concerns that permeate the entire employment cycle.[60] It is to be emphasised that negative attitudes toward disability disempower PWD and lead to social exclusion. By contrast, a healthy society encourages positive attitudes toward PWD and promotes social inclusion.[61] Various initiatives have been introduced to promote employment opportunities for PWD. But, a lack of awareness and red tape discourages many PWDs from receiving

#### **BMJ** Open

employment benefits. While the RPWD Act mandates non-discrimination in employment, the
absence of accountability measures continues to hinder its success. Many PWDs also lack
formal certification as seen in our study, restricting their access to essential services and
benefits.[62][63]

Other prominent schemes introduced for PWD in India include the National Handicapped Finance and Development Corporation (NHFDC) which provides financial assistance to persons with disability for self-employment, education, and training; Scheme for Implementation of Persons with Disabilities Act (SIPDA) to create barrier-free environments and improve the quality of life for PWD; Accessible India Campaign (Sugamya Bharat Abhiyan) focuses on making public infrastructure and transportation accessible for person with disability and Inclusive Education for Disabled at Secondary Stage (IEDSS) supports the inclusive education of students with disability at the secondary level.[58][64][65] Despite multiple policy frameworks supporting disability inclusion, several gaps remain in implementation and enforcement. [66] The mere existence of legislation and policies does not guarantee their effectiveness. There is a pressing need for stronger monitoring mechanisms, improved financial transparency, and enhanced awareness campaigns to bridge the gap between policy intent and real-world impact. The government must prioritise accountability measures to ensure scheme implementation and greater investment in infrastructure and assistive technologies to create an inclusive environment for PWD. [67]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

## Strengths and limitations of the study

The studies major strength lies in its novelty by bringing social science and medicine to a common platform. The estimates generated using the weighted analysis are nationally representative, and depict strong external validity due to its national coverage, stratified sampling approach, and standardised definitions. The emerging results can serve as robust evidence to help guide the policies that improve accessibility. The present study takes a novel

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

approach by initially delineating the proportions of various types of disability. Subsequently, it delves into the analysis concerning "any disability," thus unveiling unique characteristics within this broader category. By doing so, the study not only broadens the scope of understanding but also highlights the nuanced interplay between different types of disability and the socio-demographic backgrounds of PWD. This shift towards a more inclusive analysis holds promise for informing policy decisions and healthcare interventions tailored to address the complex needs of individuals with disability. The major limitation lies in the study's cross-sectional nature, which limits causality and temporal associations and is limited by recall bias, particularly when assessing disability from birth. We need more qualitative studies to better assess the impact of inaccessibility to basic support and rehabilitative services.[12] As a secondary analysis, we are limited by the number of variables that can further explain issues affecting accessibility to services. Due to a limited number of explanatory variables, the possibility of residual confounding cannot be negated. There was also a non-uniformity in the sample size when assessing different questions related to the impact of disability, but it was handled using available case analysis techniques to generate estimates and retain more data compared to listwise deletion. Lastly, some terms used in the manuscript, like the categorisation of disability (e.g., using "mental retardation" instead of "intellectual disability"), the terminology used to describe social classes ("backward classes" instead of "disadvantaged classes") is non-inclusive, outdated, perceived offensive by the PWD, and lacks alignment with the global vision targeting inclusion and discrimination. However, it is still being used so that the manuscript is coherent with the original survey report and would help prevent confusion in case some readers want to refer to the original report.

23 Policy implications and recommendations

A few policy implications and recommendations emerged from the study. Given the increasing
prevalence of disability and the concurrent escalating proportion of the geriatric population,

Page 23 of 49

#### **BMJ** Open

we need to work on improving the accessibility for PWD. A large number of disability originating from birth calls for more robust ante-natal and neonatal screening protocols supported by adequate counselling and rehabilitation services. Our results depict that a high proportion of PWD have a caretaker who is available. Previous studies have suggested that empowering the caretakers can help improve the quality of life of PWD.[68] We must simultaneously think of ways (like investing in developing more assistive devices and making them affordable) to help us share the added burden on caregivers.[68] Despite many schemes extended by the government to enhance the social inclusion of PWD that have been briefly described in the manuscript, there is a need for health advocacy drives to sensitise the population about the needs of PWD, improve social inclusion and minimise discrimination. The use of non-inclusive language in the original dataset used in the study necessitates using more appropriate language to promote inclusivity. It is recommended that future national surveys focus on more inclusive language, which is compliant with the CRPD and the globally ongoing disability rights movements. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

### 15 Conclusions

While previous research has primarily emphasised individual heterogeneity among PWDs, our study indicated that a large proportion of PWD experience systemic disparities in accessing disability support and rehabilitation services. The high prevalence varies significantly as per the studied socio-demographic characteristics, reinforcing the urgent need for targeted interventions. We acknowledge that while individual differences exist, these do not negate the common challenges faced by PWDs in securing equitable access to essential services. Despite government initiatives, there remain gaps in accessibility, public awareness, and enforcement of disability rights. There is an urgent need for concerted efforts to minimise these disparities, enhance the well-being and participation of PWD, and empower them to contribute meaningfully to society. Furthermore, our findings underscore that many disabilities originate from birth or early childhood, yet the availability of early screening, diagnostic services, and

#### Page 24 of 49

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **BMJ** Open

> timely interventions remains inadequate. Strengthening antenatal and neonatal screening, particularly for intrauterine conditions and birth-related complications, could significantly improve early detection and management of disabilities. As a society, we must work toward reshaping societal and institutional perceptions of disability, shifting the focus from viewing disability as a personal deficit or burden to recognising it as a societal construct that can be addressed through inclusion, accessibility, and policy-driven structural changes. A more inclusive and disability-friendly society is essential not only for ensuring the dignity and rights of PWD but also for achieving socioeconomic development and social justice. These efforts align with India's commitment to the CRPD and contribute to the global vision set by the 2030 Agenda for Sustainable Development, which recognises the promotion of the rights, perspectives, and well-being of PWD as a fundamental prerequisite for a more sustainable and inclusive world.

#### **13 Declarations**

Acknowledgements: This study used the National Sample Survey (NSS), 76th round
Person with Disability in India Survey 2018. The authors gratefully acknowledge members
of the study field team, including those who were involved in mapping/listing/segmentation
and the main survey during data collection. The authors also acknowledge all the
respondents for their active participation in this study.

• Competing interests: None

Ethics statement: The ethical approvals were not deemed necessary since it was secondary
 data analysis. No patient-level data were used in this paper. However, the original survey
 was conducted by the Ministry of Statistics and Programme Implementation (MOSPI),
 which is mandated to act as the nodal agency for the integrated development of the statistical
 systems in India. The Ministry, as part of its comprehensive decision-making process on
 various matters, has formulated a Code of Ethics for Members of the various Committees

### BMJ Open

3 4	1		constituted by MOSPI or by the Organizations, Institutions, bodies, etc., funded by it that
5 6	2		follow the principles of ethics and set out certain standards of conduct for the members of
7 8 9	3		the Committees in order to protect the confidentiality of the data/information acquired by
10 11	4		them by virtue of their membership in such Committees.
12 13	5	•	Patient and Public Involvement: None
14 15 16	6	•	Funding: No funding was involved at any stage of this study.
17 18	7	•	Data availability: Data (Reference ID: DDI-IND-MOSPI-NSSO-76Rnd-Sch26.0-July2018
19 20 21	8		December 2018) is freely available on the website of the Ministry of Statistics and
21 22 23	9		Programme Implementation (GOI) MOSPI's
24 25	10		https://microdata.gov.in/nada43/index.php/catalog/154/overview, and can be accessed as
26 27 28	11		per standard protocols.
28 29 30 31 32 33 34 35 36 37	12	•	Ethics approval: Not applicable
	13	•	Authors' contribution: MM, BB, and MA conceptualised the study, MV and AKJ collected
	14		data, drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted
	15		the final version; MA and RK critically reviewed the manuscript from policy and feasibility
38 39	16		points of view. All the authors read and approved the final version of the manuscript. MM
40 41	17		is responsible for the overall content as guarantor.
42 43 44	18		
44 45	19	F	References
46	20	1	United Nations. Convention on the Rights of Persons with Disabilities [Internet]. Human
47 48	21		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
49 50	22		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
50 51 52	23		persons-disabilities
52	24	2	World Health Organization. Global report on health equity for persons with disabilities
54 55	25		[Internet]. 2023 [cited 2024 Dec 10]. Available from: https://www.knowledge-action-
56 57	26		portal.com/en/content/global-report-health-equity-persons-disabilities
58 59 60			
00			

2		To now the principles of ethics and set out certain standards of conduct for the memoers of
3		the Committees in order to protect the confidentiality of the data/information acquired by
4		them by virtue of their membership in such Committees.
5	•	Patient and Public Involvement: None
6	•	Funding: No funding was involved at any stage of this study.
7	•	Data availability: Data (Reference ID: DDI-IND-MOSPI-NSSO-76Rnd-Sch26.0-July2018
8		December 2018) is freely available on the website of the Ministry of Statistics and
9		Programme Implementation (GOI) MOSPI's
0		https://microdata.gov.in/nada43/index.php/catalog/154/overview, and can be accessed as
1		per standard protocols.
2	•	Ethics approval: Not applicable
3	•	Authors' contribution: MM, BB, and MA conceptualised the study, MV and AKJ collected
4		data, drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted
5		the final version; MA and RK critically reviewed the manuscript from policy and feasibility
6		points of view. All the authors read and approved the final version of the manuscript. MM
7		is responsible for the overall content as guarantor.
8 9 0 1 2 3	1.	Rights Instruments. 2008 [cited 2024 Dec 16]. Available from: https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights- persons-disabilities
4 5	2.	World Health Organization. Global report on health equity for persons with disabilities [Internet]. 2023 [cited 2024 Dec 10]. Available from: https://www.knowledge-action-
.6		portal.com/en/content/global-report-health-equity-persons-disabilities

Page 26 of 49

BMJ Open

2 3 4	1	3.	World Health Organization. World Report on Disability [Internet]. 2011 [cited 2022 Feb
5	2		9]. p. 1–27. Available from:
6 7	3		www.who.int/about/licensing/copyright_form/en/index.html
8 9	4	4.	Pattnaik S, Murmu J, Agrawal R, Rehman T, Kanungo S, Pati S. Prevalence, pattern and
10	5		determinants of disabilities in India: Insights from NFHS-5 (2019-21). Front Public
11 12	6		Health. 2023;11:1036499.
13 14 15 16	7	5.	Ministry of Statistics and Programme Implementation(GOI) - MOSPI. Elderly in India
	8		2021 [Internet]. 2021 [cited 2024 Dec 16]. Available from:
17	9		https://mospi.gov.in/sites/default/files/publication_reports/Elderly in India 2021.pdf
18 19	10	6.	Paul K, Saha S. Burden of Disability in India (1881–2011). Journal of Multidisciplinary
20 21	11		Research in Healthcare. 2015 Oct 5;2(1):31–54.
22	12	7.	Ministry of Statistics and Program Implementation Government of India. Persons with
23 24	13		Disabilities in India-NSS 76th report [Internet]. NSS Report No 583 (76/26/1). 2018
25 26	14		[cited 2024 Dec 12]. p. 209. Available from:
27 28	15		https://www.mospi.gov.in/sites/default/files/publication_reports/Report_583_Final_0.p
29	16		df
30 31 32 33 34 35 36 37 38 39 40 41	17	8.	International Institute for Population Sciences. National Family Health Survey (NFHS-
	18		5) 2019-21 [Internet]. India Report. 2022 [cited 2024 Dec 16]. Available from:
	19		https://dhsprogram.com/pubs/pdf/FR375/FR375.pdf
	20	9.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in
	21		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr.
	22		2024 Dec 1;23(1):1–16.
	23	10.	Chanda S, Sekher T V. Identification of Disability for Inclusive Development: Lessons
42 43	24		from Disability Census of Kerala, India. Sage Open. 2023;13(3).
44 45	25	11.	Department of Economic and Social Affairs. Disability and Development Report 2018
46 47	26		[Internet]. United Nations. 2019 [cited 2024 Dec 16]. Available from:
48 49	27		https://www.un.org/development/desa/disabilities/wp-
50	28		content/uploads/sites/15/2019/07/disability-report-chapter2.pdf
51 52	29	12.	Chavan BS. Relevance of qualitative research in disability. Journal of Disability
53 54	30		Management and Rehabilitation. 2015;1(1):1–2.
55	31	13.	United Nations. Convention on the Rights of Persons with Disabilities [Internet]. Human
56 57	32		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
58 59	33		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
60	34		persons-disabilities

Page 27 of 49

1

### BMJ Open

1 2			
3 4	1	14.	United Nations- Division for Inclusive Social Development (DISD). Article 24 -
5	2		Education [Internet]. Social Development Issues-Disability. [cited 2024 Dec 15].
6 7	3		Available from: https://social.desa.un.org/issues/disability/crpd/article-24-education
8 9	4	15.	United Nations- Division for Inclusive Social Development (DISD). Article 27 – Work
10 11	5		and employment [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
12	6		Available from: https://www.un.org/development/desa/disabilities/convention-on-the-
13 14	7		rights-of-persons-with-disabilities/article-27-work-and-employment.html
15 16	8	16.	United Nations- Division for Inclusive Social Development (DISD). Article 6 - Women
17	9		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
18 19	10		Available from: https://social.desa.un.org/issues/disability/crpd/article-6-women-with-
20 21	11		disabilities
22 23	12	17.	United Nations- Division for Inclusive Social Development (DISD). Article 7 - Children
24	13		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
25 26	14		Available from: https://social.desa.un.org/issues/disability/crpd/article-7-children-with-
27 28	15		disabilities
29 30	16	18.	United Nations- Division for Inclusive Social Development (DISD). Article 9 -
31	17		Accessibility [Internet]. Disability. [cited 2024 Dec 10]. Available from:
32 33	18		https://social.desa.un.org/issues/disability/crpd/article-9-accessibility
34 35	19	19.	Sophie Mitra AP and BV. Disability and Poverty in Developing Countries: A Snapshot
36 37	20		from the World Health Survey [Internet]. The World Bank - Social Protection and Lab.
38	21		2011 [cited 2024 Dec 17]. Available from:
39 40	22		https://documents1.worldbank.org/curated/en/501871468326189306/pdf/625640NWP
41 42	23		0110900PUBLIC00BOX361487B.pdf
43	24	20.	United Nations. Transforming our world: the 2030 Agenda for Sustainable Development
44 45	25		[Internet]. Department of Economic and Social Affairs Sustainable Development. 2015
46 47	26		[cited 2024 Dec 12]. Available from: https://sdgs.un.org/2030agenda
48 49	27	21.	United Nations. International Human Rights Law [Internet]. Instruments & mechanisms.
50	28		[cited 2024 Dec 10]. Available from: https://www.ohchr.org/en/instruments-and-
51 52	29		mechanisms/international-human-rights-law
53 54	30	22.	World Bank Group. Disability Inclusion [Internet]. Understanding Poverty. 2023 [cited
55	31		2024 Dec 12]. Available from: https://www.worldbank.org/en/topic/disability
56 57	32	23.	Saran A, Hunt X, White H, Kuper H. Protocol: Effectiveness of interventions for
58 59 60	33		improving social inclusion outcomes for people with disabilities in low- and

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

### BMJ Open

1 2			
3 4	1		middle-income countries: A systematic review. Campbell Systematic Reviews. 2021
5	2		Sep 29;17(3):e1191.
6 7	3	24.	Centers for Disease Control and Prevention. Disability and Health Disability Barriers
8 9	4		[Internet]. Disability Inclusion. [cited 2024 Dec 17]. Available from:
10 11	5		https://www.cdc.gov/ncbddd/disabilityandhealth/disability-barriers.html
12	6	25.	Ministry of state for statistics and Program implementation. Handbook on Collection of
13 14	7		statistics act, 2008 [Internet]. Ministry of Law and Justice. 2008 [cited 2025 Mar 4].
15 16	8		Available from:
17	9		https://www.mospi.gov.in/sites/default/files/main_menu/handbook_%20collection_of_
18 19	10		statistic_act/hand_col_stat_act_2008.pdf
20 21	11	26.	Ministry of Statistics and Programme Implementation G of I. Note on sample design
22 23	12		and estimation procedure of NSS 76th round. Ministry of Statistics and Programme
24	13		Implementation, Government of India.
25 26	14	27.	National Sample Survey Office, Ministry of Statistics and Program Implementation
27 28	15		Government of India. Schedule 26: Survey of persons with disabilities [Internet].
29 30	16		Seventy-Sixth round: July, 2018 - December, 2018, 2018. 2018 [cited 2024 Dec 12].
31	17		Available from:
32 33	18		https://www.mospi.gov.in/sites/default/files/NSS7612dws/NSS_76_sch_26.0.pdf
34 35	19	28.	Government of Assam H and FW. Disability Certificate   Health & Family Welfare
36 37	20		Government Of Assam, India [Internet]. Disability Certificate. [cited 2025 Feb 17].
38	21		Available from: https://hfw.assam.gov.in/information-services/disability-certificate
39 40	22	29.	Disabilities. D of E of P with. Unique Disability ID [Internet]. Ministry of Social Justice
41 42	23		and Empowerment, Governmenet of India of India. [cited 2025 Mar 3]. Available from:
43	24		https://swavlambancard.gov.in/faqs
44 45	25	30.	Okoro CA, Hollis ND, Cyrus AC, Griffin-Blake S. Prevalence of Disabilities and Health
46 47	26		Care Access by Disability Status and Type Among Adults - United States, 2016.
48 49	27		MMWR Morb Mortal Wkly Rep. 2018 Aug 17;67(32):882–7.
50	28	31.	Ozawa MN, Hun Yeo Y. Race/ethnicity and socioeconomic class as correlates of
51 52	29		disability in old age. J Gerontol Soc Work. 2008;51(3-4):337-65.
53 54	30	32.	Kavanagh AM, Krnjacki L, Aitken Z, Lamontagne AD, Beer A, Baker E, et al.
55 56	31		Intersections between disability, type of impairment, gender and socio-economic
57	32		disadvantage in a nationally representative sample of 33,101 working-aged Australians.
58 59	33		Disabil Health J. 2015 Apr 1;8(2):191–9.
60			

Page 29 of 49

## **BMJ** Open

1	22	Courtman Long EA. Correll DD. Zhang OC. Stayong AC. Criffin Blake S. Armour DS
1 2	33.	Courtney-Long EA, Carroll DD, Zhang QC, Stevens AC, Griffin-Blake S, Armour BS, et al. Provolonge of Disability and Disability Tyme Among Adulta, United States, 2012
2		et al. Prevalence of Disability and Disability Type Among AdultsUnited States, 2013.
	24	MMWR Morb Mortal Wkly Rep. 2015 Jul 31;64(29):777–82.
4 5	34.	Department of Social Justice and Empowerment M of SJ and EG of I. About the Division   Department of Social Justice and Empowerment - Covernment of India
5		Division   Department of Social Justice and Empowerment - Government of India
6		[Internet]. [cited 2025 Mar 3]. Available from:
7	[dat	https://socialjustice.gov.in/common/31548
8	lata	aset] 35. Ministry of Statistics and Programme Implementation(GOI) - MOSPI. India -
9		Survey of Persons with Disabilities NSS 76th Round : July 2018 - December 2018 -
10		Overview [Internet]. Central Data Catalog. 2018 [cited 2024 Dec 10]. Available from:
11	26	https://microdata.gov.in/nada43/index.php/catalog/154/overview
12	36.	Stata. SVY estimation — Estimation commands for survey data [Internet]. [SEM] sem
13		— Structural equation model estimation command. [cited 2024 Dec 17]. Available from:
14	27	https://www.stata.com/manuals13/svysvyestimation.pdf
15	37.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in
16		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr
17		[Internet]. 2024 Dec 1 [cited 2025 Mar 3];23(1):1–16. Available from: https://ij-
18	• •	healthgeographics.biomedcentral.com/articles/10.1186/s12942-024-00363-w
19	38.	Acharya K. Prenatal testing for intellectual disability: Misperceptions and reality with
20		lessons from down syndrome. Dev Disabil Res Rev. 2011 Jan 1;17(1):27–31.
21	39.	Bailey DB, Skinner D, Warren SF. Newborn Screening for Developmental Disabilities:
22		Reframing Presumptive Benefit. Am J Public Health. 2005 Nov;95(11):1889.
23	40.	National Health Authority, Government of India. Pradhan Mantri Jan Arogya Yojana
24		(PM-JAY) [Internet]. About PM-JAY. 2019 [cited 2024 Dec 10]. Available from:
25		https://nha.gov.in/PM-JAY
26	41.	Ministry of Health and Family Welfare. Government of India. RBSK-Rashtriya Bal
27		Swasthya Karyakram [Internet]. Schemes. 2024 [cited 2024 Dec 10]. Available from:
28		https://rbsk.mohfw.gov.in/RBSK/
29	42.	Dhole RS, Gaur KA, More NS, Popalwar H, Lokhande V. Study of locomotor disability
30		due to various types of Trauma. National journal of medical research. 2015;5(3):194–8.
31	43.	Musselwhite CBA, Avineri E, Susilo YO, Bhattachary D. Public attitudes towards
32		motorcyclists' safety: A qualitative study from the United Kingdom. Accid Anal Prev.
33		2012 Nov;49:105–13.

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

### BMJ Open

2 3 4	1	44.	World Bank Group. Traffic crash injuries and disabilities: The burden on Indian society
5	2		[Internet]. Policy Document. 2021 [cited 2024 Dec 17]. Available from:
6 7	3		https://www.worldbank.org/en/country/india/publication/traffic-crash-injuries-and-
8 9	4		disabilities-the-burden-on-indian-society
10	5	45.	Cole EOB, Christie SA, Oke R, Motwani G, Dickson D, Chendjou W, et al. Too serious
11 12	6		to ignore: The epidemiologic and economic burden of home injuries in the Southwest
13 14	7		Region of Cameroon—A community-based study. Bourgeois D, editor. PLoS One. 2022
15 16	8		Sep 22;17(9):e0274686.
17	9	46.	Rehman T, Sulgante S, Sekhar S. Prevalence and pattern of domestic accidents in the
18 19	10		field practice area of Jawaharlal Institute of Urban Health Centre, Puducherry: a cross-
20 21	11		sectional analytical study. J Inj Violence Res. 2020;12(1).
22 23	12	47.	Department of Empowerment of Persons with Disabilities. The Rights of persons with
24	13		disabilities act 2016 [Internet]. Policy Document. 2016 [cited 2024 Dec 11]. Available
25 26	14		from: https://legislative.gov.in/sites/default/files/A2016-49_1.pdf
27 28	15	48.	Bureau of Indian Standards. National building code of India 2016 (NBC 2016)
29 30	16		[Internet]. SP 7: 2016. 2016 [cited 2024 Dec 21]. Available from:
31	17		https://www.bis.gov.in/standards/technical-department/national-building-code/
32 33	18	49.	Department of Empowerment of Persons with Disabilities (DEPwD). Assistance to
34 35	19		Persons with Disabilities for Purchase/Fitting of Aids /Appliances (ADIP) [Internet].
36	20		Scheme. [cited 2024 Dec 17]. Available from: https://depwd.gov.in/adip/
37 38	21	50.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
39 40	22		India. Deendayal Divyangjan Rehabilitation Scheme (DDRS) [Internet]. Schemes. 2023
41 42	23		[cited 2024 Dec 10]. Available from: https://depwd.gov.in/ddrs/
43	24	51.	Kumar SG, Roy G, Kar SS. Disability and Rehabilitation Services in India: Issues and
44 45	25		Challenges. J Family Med Prim Care [Internet]. 2012 [cited 2025 Mar 3];1(1):69.
46 47	26		Available from: https://pmc.ncbi.nlm.nih.gov/articles/PMC3893941/
48 49	27	52.	Hayes AM, Bulat J. Disabilities Inclusive Education Systems and Policies Guide for
50	28		Low- and Middle-Income Countries. RTI Press Publication. Research Triangle Park,
51 52	29		NC: RTI Press; 2017 Jul.
53 54	30	53.	Centre for Civil Society. Right To Education [Internet]. [cited 2024 Dec 10]. Available
55	31		from: https://righttoeducation.in/know-your-rte/about
56 57	32	54.	Ministry of Education, Government of India. Samagra Shiksha [Internet]. 2021 [cited
58 59	33		2024 Dec 17]. Available from: https://samagra.education.gov.in/about.html
60			

Page 31 of 49

#### BMJ Open

1 2			
3	1	55.	The Ministry of Human Resource Development; Government of India. National
4 5	2		Education Policy, 2020 [Internet]. 2020 [cited 2024 Dec 17]. Available from:
6 7	3		https://www.education.gov.in/sites/upload_files/mhrd/files/NEP_Final_English_0.pdf
8 9	4	56.	Ahmed SK, Jeffries D, Chakraborty A, Carslake T, Lietz P, Rahayu B, et al. Teacher
10	5		professional development for disability inclusion in low- and middle-income Asia-
11 12	6		Pacific countries: An evidence and gap map. Campbell Systematic Reviews [Internet].
13 14	7		2022 Dec 1 [cited 2025 Mar 3];18(4):e1287. Available from:
15 16	8		https://onlinelibrary.wiley.com/doi/full/10.1002/cl2.1287
17	9	57.	Bera M, Kartick Chandra Pramanik P. Access Challenges For Students With Disabilities
18 19	10		In Higher Education. 2023 [cited 2025 Mar 3];11:2320-882. Available from:
20 21	11		www.ijcrt.org
22 23	12	58.	Department of Empowerment of Persons with Disabilities (DEPwD). National
24	13		divyangjan finance and development corporation-India [Internet]. Organizations Under
25 26	14		DEPwD. 2024 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/national-
27 28	15		handicapped-finance-and-development-corporation/
29 30	16	59.	Qiu N, Jiang Y, Sun Z, Du M. The impact of disability-related deprivation on
31	17		employment opportunity at the neighborhood level: does family socioeconomic status
32 33	18		matter? Front Public Health. 2023 Aug 9;11:1232829.
34 35	19	60.	Bonaccio S, Connelly CE, Gellatly IR, Jetha A, Martin Ginis KA. The Participation of
36 37	20		People with Disabilities in the Workplace Across the Employment Cycle: Employer
38	21		Concerns and Research Evidence. J Bus Psychol. 2020 Apr 1;35(2):135–58.
39 40	22	61.	Babik I, Gardner ES. Factors Affecting the Perception of Disability: A Developmental
41 42	23		Perspective. Front Psychol. 2021 Jun 21;12:702166.
43	24	62.	Jameel S. Disability in the Context of Higher Education: Issues and Concerns in India.
44 45	25		Electronic Journal for Inclusive Education. 2011 Jan 1;2(7).
46 47	26	63.	Moumita Barman. Barriers to higher education for persons with disabilities block their
48 49	27		meaningful growth. News article - The Siasat Daily. 2024 Jan 26;
50	28	64.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
51 52	29		India. Scheme for Implementation of the Rights of Persons with Disabilities Act, 2016
53 54	30		(SIPDA) [Internet]. Schemes. 2016 [cited 2024 Dec 12]. Available from:
55 56	31		https://depwd.gov.in/sipda/
57	32	65.	Ministry of Education, Government of India. Inclusive Education of the Disabled at
58 59	33		Secondary Stage [Internet]. About MoE. 2016 [cited 2024 Dec 17]. Available from:
60	34		https://www.education.gov.in/iedss

2	
3	
4	
5	
6	
7	
8	
9	
10	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
43 44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
50	

12

13 14

1 2

> 1 66. Disempowering the Empowered: The Systemic Failures of India's Disability Welfare 2 Schemes [Internet]. [cited 2025 Mar 3]. Available from: 3 https://www.salzburgglobal.org/news/fellows/article/disempowering-the-empowered-4 the-systemic-failures-of-indias-disability-welfare-schemes

- 5 67. Lawson A, Pineda VS, Walker J, Jain S, Jain M. Revisiting the Conceptual Terrains of 6 the Right to Accessibility in India: The Role of Judicial Enforcement. Laws 2024, Vol 7 13, Page 54 [Internet]. 2024 Aug 16 [cited 2025 Mar 3];13(4):54. Available from: 8 https://www.mdpi.com/2075-471X/13/4/54/htm
- 9 68. Arasu S, Shanbhag D. Quality of Life and Burden of Caregiving Among the Primary Caregivers of Children with Disability in Rural Karnataka. J Family Med Prim Care. 10 2021 Aug 27;10(8):2804-9. 11

# BMJ Open Tables Tables Table 1: Prevalence of different types of disabilities across different socio-demographic characteristics, NSS, 76<sup>th</sup> round, India (n=576,796)

Background characteristics	Locomotor N (%)	Vision N (%)	Hearing N (%)	Speech N (%)	Mental Retardation N (%)	N (%)	<u>8</u> 12(&)	Any one disability N (%)
0	61981 (1.36)	11977 (0.23)	15294 (0.30)	12661 (0.23)	8564 (0.16)	6751 (0.16)	eig3021 (0.05)	107,125 (2.20
Age Group (completed years)							. Do Primei	
up to 5	1494 (2.2)	182 (1.5)	311 (2)	907 (7.3)	445 (5.3)	41 (0.5)		2839 (2.5)
`6-17	7290 (10.8)	1210 (9.2)	1977 (12.6)	4515 (35.8)	3492 (41.2)	1060 (15.4)	an er 🖗 1 (21.5)	16695 (14.4)
18-35	11546 (18)	1386 (10.7)	2036 (13.3)	3273 (26.4)	2796 (33)			20673 (18.8)
36-49	11434 (18.1)	1557 (12.3)	2118 (13)	1812 (13.8)	1113 (12.4)		<b>B4</b> 78 (14.8)	18665 (17.2)
50-65	16627 (27.9)	3609 (31.1)	3843 (25.1)	1495 (11.4)	561 (6.5)	1409 (21.3)	<b>9</b> <b>9</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	26420 (25.7)
65+	13590 (23)	4033 (35.2)	5009 (34)	659 (5.3)	157 (1.6)	680 (10.1)	<b>2</b> 4 (16.6)	21833 (21.4)
Sex							pen	
Male	36862 (58.7)	6014 (50.2)	7993 (52)	7554 (60.4)	5202 (61.7)	3856 (56.8)	1364 (58.9)	61707 (57.3)
Female	25110 (41.3)	5958 (49.8)	7296 (48)	5106 (39.6)	3359 (38.3)	2893 (43.2)	1255 (41.1)	45396 (42.7)
Marital Status							∩⁄ or sim	
Never Married	16912 (24.7)	2719 (20.8)	3987 (24.2)	8708 (67.8)	7450 (86.9)	3281 (46.1)	1 <b>8</b> 14 (40.4)	36813 (31.4)
Ever Married	33257 (55.3)	5541 (46.9)	7094 (47.5)	3086 (25.3)	791 (9.3)	2381 (35.8)		50108 (48.8)
Widowed	11293 (19)	3616 (31.5)	4024 (27.1)	690 (5.4)	190 (2.1)	775 (12.5)	366 (11.1)	18933 (18.5)
divorced/separated	519 (1)	101 (0.8)	189 (1.1)	177 (1.4)	133 (1.8)	314 (5.5)	<b>25</b> 9 (1.2)	1271 (1.3)
Area of residence							t Ag	
Rural	42222 (71.6)	8809 (76.3)	11121 (74.9)	9164 (72.9)	5974 (69.9)	4772 (73.1)	2855 (62.4)	75091 (72.8)
Urban	19759 (28.4)	3168 (23.7)	4173 (25.1)	3497 (27.1)	2590 (30.1)	1979 (26.9)	1066 (37.6)	32034 (27.2)
Educational attainment							oliog	
Non-literate	26376 (44.5)	7160 (62.6)	8365 (57.3)	7119 (56.9)	5846 (69.3)	3285 (49.6)		50848 (48.9)
				1			hique de l	

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

				BMJ Open		d by co	'bmjope	
						d by copyright, i	bmjopen-2024-090259 (29)	
Literate but not formal	15002 (23.2)	2483 (19.4)	3700 (22.9)	3428 (26.7)	1858 (21)	1629 (23.3)	<b>98</b> 59 (29)	26145 (23.3)
Upto primary	16885 (26.5)	1987 (15.5)	2782 (16.9)	1908 (14.9)	808 (9.1)	1623 (24.1)	<b>9</b> 6 (28.7)	25210 (23.1)
Upto secondary	3718 (5.8)	347 (2.6)	447 (2.9)	206 (1.5)	52 (0.6)	214 (3.1)	<b>2</b> 38 (8.2)	4922 (4.6)
Preferred Religion						uses	May Ens	
Hindu	49548 (81.9)	9479 (82.9)	12090 (82.6)	9658 (78.7)	6540 (78.7)	5063 (74.7)	2244 (80.8)	84742 (81.5)
Islam	8375 (12.5)	1601 (12.5)	1927 (11.7)	2021 (15.6)	1366 (15.9)	1167 (18.4)	<b>9</b> 402 (12.6)	14658 (12.9)
Others	4058 (5.6)	897 (4.6)	1277 (5.7)	982 (5.7)	658 (5.4)	521 (6.9) <b>ö</b>	ent Super	7725 (5.5)
Social Group		0r				a Xt	load	
Scheduled Tribe	6049 (8.3)	1491 (9.1)	1923 (9.5)	1478 (9.4)	822 (7.2)	670 (7.8) <b>d</b>	<b>1 2</b> (12.3)	11729 (8.7)
Scheduled Caste	12240 (20.4)	2407 (21.3)	2805 (19.4)	2467 (20.5)	1602 (19.2)	1269 (19.9)		20925 (20.4)
Other Backward Classes	26861 (44.7)	5205 (46)	6583 (45.5)	5482 (44.7)	3806 (45.8)	2915 (45.7)	<b>6</b> 7 (40.2)	46223 (44.9)
General	16831 (26.6)	2874 (23.6)	3983 (25.6)	3234 (25.4)	2334 (27.8)	1897 (26.6)	• 928 (29.7)	28248 (26)
Wealth Index				101			- jop	
Poorer	17681 (30.2)	3919 (35.1)	4933 (34.7)	3552 (30.1)	2025 (25.3)	1932 (31)	\$23 (25.8)	31259 (31)
Poor	12553 (20.5)	2474 (20.8)	3005 (19.4)	2746 (21.4)	1773 (20.9)	یے 1364 (20.5)	\$24 (16.2)	21959 (20.7)
Middle	11468 (18.2)	2271 (18.5)	2730 (17.4)	2434 (18.5)	1751 (20)	1302 (18.1)	<b>2</b> 0 (17.3)	20058 (18.3)
Richer	10440 (16)	1864 (14.4)	2480 (15.4)	2080 (15.8)	1611 (18.3)	1161 (16.8)	<b>5</b> 93 (19.9)	17946 (15.9)
Richest	9839 (15.1)	1449 (11.1)	2146 (13)	1849 (14.2)	1404 (15.5)	992 (13.6) <b>te</b>	<b>\$</b> 1 (20.7)	15903 (14.1)
Regions of India						chnc	<b>1</b> 3	
Northern	8787 (14.4)	1478 (13.1)	1692 (11.7)	1347 (11.1)	1144 (13.5)	931 (14.2) <b>g</b>	<b>8</b> <b>8</b> <b>1</b> 6 (7.6)	14305 (13.8)
Southern	13448 (23)	2814 (24.7)	4013 (27.3)	2958 (24.8)	2141 (25.6)	1447 (21.3) <sup>9</sup>	<b>A</b> 4 (25.5)	23699 (23.3)
Western	8387 (12.7)	1286 (10.1)	1740 (11.1)	1423 (11.3)	1293 (15.2)	706 (10.6)	<b>§</b> 40 (17.7)	13708 (12.3)
Eastern	12790 (20.3)	2538 (21.9)	3238 (22.5)	3248 (27.1)	1762 (21.3)	1672 (26.3)	<b>95</b> 4 (30.4)	23061 (21.8)
North-Eastern	3858 (2.1)	1335 (4.5)	1620 (3.7)	1308 (3.4)	594 (2)	582 (2.7)	$\mathbf{\overline{982}}(2,4)$	8839 (2.8)
Central	14711 (27.4)	2526 (25.6)	2991 (23.8)	2377 (22.4)	1630 (22.6)	1413 (24.8)	<b>4</b> <b>4</b> <b>5</b> (16.3)	23513 (26)
				2			100 (21.1) 100 (2	
		For peer review	only - http://bn	njopen.bmj.cor	n/site/about/gui	delines.xhtml	de l	

Page 34 of 49

1	
•	
2	
2	
3	
Δ	
-+	
5	
ć	
6	
7	
8	
0	
9	
10	
10	
11	
10	
12	
13	
14	
15	
15	
16	
17	
19	
10	
19	
20	
20	
21	
21	
22	
23	
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 33 24 25 26 27 28 29 30 0	
24	
25	
26	
26	
27	
21	
28	
20	
29	
30	
31	
20	
∠د	
33	
24	
34	
35	
55	
30 31 32 33 34 35 36 37	
37	
57	
38	
39	
40	
41	
42	
43	
44	
45	
10	

46

# BMJ Open Table 2: Percentage distribution of different disability types and their associated information, NSS 76<sup>th</sup> round, India. 2

	Locomotor	Visual	Hearing	Speech and language	Mental retardation/	Tent纪 Ment纪 明显。	Other types of disability	Any Disability
Total sample size	61980	1156	1281	2013	1217	2025 réla	768	61980
Causes of disability						ted t		
Disease	28673 (46.3)	454 (39.3)	484 (37.8)	1246 (61.9)	NA	o tex	NA	NA
Other than disease due to burn	723 (1.2)	88 (0.7)	1 (0.1)	8 (0.4)	NA	t an	NA	NA
Injuries other than burn	13876 (22.4)	156 (13.5)	158 (12.4)	105 (5.2)	NA	d fro eur d dat	NA	NA
Other causes	18702 (30.2)	538 (46.5)	637 (49.7)	654 (32.5)	NA	May 2025. Downloaded from <u>http://b</u> 智hseignementSuperie证(ABES). I野s related to fext and data mining.	NA	NA
Disability from Birth						s) S) S)		
Yes	11,488 (18.5)	91 (7.9)	198 (15.4)	1041 (51.7)	955 (78.5)	11 <b>≥</b> (2 <b>€</b> 4)	119 (15.5)	11,488 (18.5)
No	50,052 (80.8)	1062 (91.9)	1081 (84.4)	964 (47.9)	258 (21.2)	403 (786)	645 (84)	50,052 (80.8)
Not Known	440 (0.7)	3 (0.2)	2 (0.2)	8 (0.4)	4 (0.3)	<b>99</b> (1 <b>)</b>	4 (0.4)	440 (0.7)
Disability commenced in last 365 days				V		om/ on Ind simi		
sample size	48741	1034.2	1052.4	938.7	251.6	<b>9</b> 94.8	628.6	48741
Yes	2987 (6.1)	72 (7)	65 (6.2)	100 (10.6)	11 (4.4)	4091(10-2)	48 (7.7)	2987 (6.1)
No	45754 (93.9)	961 (93)	987 (93.8)	839 (89.4)	240 (95.6)	358 (898)	580 (92.3)	45754 (93.9)
Place of occurrence of disability						35% (8025 at		
Sample size	14281	161	157	105	33	86 <b>ge</b> l	63	14281
Workplace	2308 (16.2)	13 (8.3)	30 (19.2)	11 (10.9)	2 (6.9)	9 (1 le B	11 (18.1)	2308 (16.2)
Road	5977 (41.9)	46 (28.5)	43 (27.5)	41 (38.7)	9 (25.9)	35 (405)	15 (23.8)	5977 (41.9)
Home	4693 (32.9)	93 (57.9)	73 (46.3)	45 (42.4)	19 (58.5)	33 (388)	31 (49.5)	4693 (32.9)
	For peer r	eview only - ht	3	mj.com/site/abo	out/quidelines v	hique de l	, ,	

		Page	36	of	49
--	--	------	----	----	----

			BMJ O	pen		bmjopen-2024-090320 on 15 9 by copyright, including for		
Other places	1302 (9.1)	9 (5.3)	11 (7)	8 (8)	3 (8.7)	024-090 <b>2</b> ght, inc)	5 (8.6)	1302 (9.1)
Treatment taken/undergoing treatment						) on 15 ng for		
Sample size	61980	1156	1281	2013	1217	uses uses	768	61980
yes: consulting doctor	35,923 (58)	566.6 (49)	617 (48.2)	1,080 (53.7)	710 (58.4)		330 (43)	35923 (58)
Otherwise	1565 (2.5)	22 (1.9)	34 (2.7)	42 (2.1)	36 (2.9)	d G G G	6 (0.7)	1564.5 (2.5)
Yes: consulting doctor, plus undergoing treatment	17329 (28)	375 (32.4)	418 (32.7)	719 (35.7)	355 (29.2)	s related to text and a	397 (51.7)	17329 (28)
Otherwise	860 (1.4)	34 (2.9)	21 (1.7)	20 (1)	4 (0.3)	1 data	8 (1)	860 (1.4)
Attending special school/special therapy	116 (0.2)	2.9 (0.3)	0 (0)	4 (0.2)	6 (0.5)	a maning, (30)	0 (0)	116 (0.2)
Cannot afford treatment	2040 (3.3)	75 (6.4)	73 (5.7)	72 (3.6)	55 (4.6)		8 (1)	2040 (3.3)
No treatment available for the disability	699 (1.1)	13 (1.1)	8 (0.6)	17 (0.8)	16 (1.3)	trataing,	5 (0.7)	699 (1.1)
Not required	2717 (4.4)	60 (5.2)	97 (7.6)	47 (2.3)	26 (2.1)	, भा (42) भा (42)	14 (1.8)	2717 (4.4)
Not known	732 (1.2)	8 (0.7)	12 (0.9)	13 (0.7)	9 (0.7)	1 	1 (0.1)	732 (1.2)
Note: Causes of disability were reco Disability Commenced in the l during the last 365 days before Place of occurrence was reco was burn, injury or other than	ast 365 days wa e the survey. ded for individu	s recorded for	r those individ	luals who did no	t have a disal	ility of rom bir		
	For peer r	eview only - ht		omj.com/site/abc	ut/guidelines.:	xhtml –		

#### Table 3: Access to disability support and rehabilitation services by the person with disability as per the 76<sup>th</sup> round of the National Sample Survey (2018), India.

Living conditions of the person with disability	Weighted percenta
(n=sample included in the analysis)	
Age at the onset of disability* (n= 48,727)	17.2
0 to 4 years	17.2
5 to 14 years	9.0
15 to 59 years	45.9
60 years and above	28.0
Receipt of aid/help (n=61,712)	• • •
Received aid/help from Government	20.8
Received aid/help from organisations other than government	4.1
Did not receive aid/help	75.1
Living arrangement(n=61,962)	
Living alone or with a spouse	57.0
Living with others	43.0
Arrangement of regular caregiver(n=61,980)	
Care-giver required but not available	0.1
Care-giver is not required	37.1
Care-giver is available	62.8
Access to public Transport (n=61,980)	
Yes	59.6
No	40.4
Accesses to public building (n=61,980)	
Yes	45.6
No	54.4
Difficulty faced accessing public building (n= 27,756)	
difficulty faced: due to stairs and non-availability of ramp, grooved tiles or lift	57.7
in opening doors	4.4
no seating arrangement: in the waiting area	1.6
at the point of receiving service	0.8
no special toilet seats	0.7
no sign for direction/ instruction/no public announcement system	0.3
no difficulty faced	27.6
others	7.0
Employed/working before onset of disability (For person of age 15 years and	1.0
above; n=55,819)	
Yes	40.3
No	59.7
Disability causing loss or change in job(n= 21,559)	
loss of work	60.7
change of work	18.3
no loss or change of work	21.3
Having Disability Certificate(n=61,980)	<u>~1.J</u>
Yes	30.4
i es No	69.6
Percentage of Disability as per Certificate (n=20,213)	07.0
	40.2
40-<60%	49.3
<u>≥60-&lt;80%</u>	36.3
	12.8
≥80% none of these	1.6

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

1
2
3
4
5
6
7
/
8
9
10
11
12
14 15 16
15
16
17
18
10
19
20
21
22
23
24
24
25
26
27
28
29
30
31
32
33
34
34 35
36
37
37 38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
54 55
56
57

1

	Unadjusted Odds	p-value	Adjusted Odds	
	ratio (95% C.I)		ratio (95% C.I)	p-value
Age Group (Completed years)				
Up to 5 years	Reference value		Reference value	
6 - 18 years	2.1(2-2.1)	< 0.001	3.5(3.4-3.7)	< 0.001
19-35 years	2.3(2.2-2.4)	< 0.001	8.4(8-8.8)	< 0.001
36-49 years	3.5(3.4-3.7)	< 0.001	17.6(16.8-18.5)	< 0.001
50-65 years	6.4(6.1-6.7)	< 0.001	25.8(24.5-27.1)	< 0.001
65+ years	17.5(16.7-18.2)	< 0.001	58.4(55.4-61.5)	< 0.001
Sex				
Male	Reference value		Reference value	
Female	0.7(0.7-0.7)	< 0.001	0.6(0.6-0.6)	< 0.001
Place of Residence				
Rural	<b>Reference value</b>		<b>Reference value</b>	
Urban	1.02(1.01-1.03)	0.03	1.3(1.2-1.3)	< 0.001
Social Group				
Scheduled Tribe	<b>Reference value</b>		Reference value	
Scheduled Caste	1.1(1.1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
Other Backward Classes	1.1(1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
General	1.1(1.1-1.1)	< 0.001	1.3(1.3-1.3)	< 0.001
Educational attainment				
No education	Reference value		Reference value	
Upto Primary class	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.5)	< 0.001
Upto Secondary Class	0.4(0.4-0.4)	< 0.001	0.4(0.4-0.4)	< 0.001
Graduate & Above	0.3(0.3-0.4)	< 0.001	0.3(0.3-0.3)	< 0.001
Preferred Religion				
Hindu	Reference value		Reference value	
Islam	0.8(0.8-0.9)	< 0.001	0.9(0.9-0.9)	< 0.001
Others	0.9(0.9-1)	< 0.001	1(1-1.1)	0.019
Marital Status				
Never married	Reference value		Reference value	
Currently married	1.3(1.3-1.3)	< 0.001	0.3(0.3-0.3)	< 0.001
widowed	5.9(5.8-6.1)	< 0.001	0.6(0.5-0.6)	< 0.001
Divorced/separated	4.4(4.1-4.8)	< 0.001	1.1(1-1.2)	0.011
Wealth Index				
Poorest	Reference value		Reference value	
Poor	0.6(0.6-0.6)	< 0.001	0.7(0.7-0.7)	< 0.001
Middle	0.6(0.5-0.6)	< 0.001	0.6(0.6-0.6)	< 0.001
Richer	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.6)	< 0.001
Richest	0.4(0.4-0.4)	< 0.001	0.5(0.5-0.5)	< 0.001
Regions of India		0.001		0.001
Northern	Reference value		Reference value	
Southern	1.42(1.39-1.46)	< 0.001	1.1(1.1-1.2)	< 0.001
Western	1.13(1.1-1.16)	<0.001	1(1-1.1)	0.065
estern		0.001		0.000

### Table 4: Multivariable binary logistic regression analysis exploring the likelihood of living with any disability per the 76<sup>th</sup> round of the NSS, India.

3

< 0.001

0.961

0.653

1(0.9-1)

0.9(0.8-0.9)

1(1-1)

0.001

0.361

< 0.001

Eastern

Central

North-eastern

1.15(1.13-1.18)

1.01(0.98-1.03)

1(0.97-1.03)

1	Figure Legends
2 3	Figure 1: Geographical disparities in the difficulties faced by the people livin with disability as per the 76 <sup>th</sup> Round of the National Sample Survey, India

BMJ Open: first published as 10.1136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.




Figure 1: Geographical disparities in the difficulties faced by the people living with disabilities as per the 76th Round of the National Sample Survey, India

40x58mm (600 x 600 DPI)

# BMJ Open Supplementary Table 1: Living conditions of the people living with different types of disabilities, as per the 76<sup>th</sup> report of the National Sample Survey Organization India (2017-18)


<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Locomotor	Visual	Hearing 2025	Speech	Mental retardness	Mental illness	Others
	Weighted %	Weighted %	Weighte	Weighted %	Weighted %	Weighted %	Weighted %
Age at the onset of disability			o tex				
0 to 4 years	17.2	3.0	4.2 tar	21.0	51.0	10.1	9.9
5 to 14 years	9.0	2.3	3.0 def from 17.4 a A B B B A A A A A A A A A A A A A A A	9.6	17.3	12.3	7.0
15 to 59 years	45.9	22.1	17.4 at Con	40.9	24.0	40.5	49.2
60 years and above	28.0	72.6	75.4 <b>3 8 3</b>	28.4	7.7	37.1	33.8
Total number of participants	48,737	1,035	1,05 <b>ଙ୍କୁ ଅ</b> ତ୍ର	946	259	395	632
Receipt of aid/help			g, /				
Received aid/help from Government	20.8	22.2	<b>ia. binj</b> ion 20.7 <b>t</b> r	29.2	37.2	25.5	20.0
Received aid/help from organisations other than			8.6g				
government	4.1	10.2	8.6 m	4.0	3.3	6.0	2.7
Did not receive aid/help	75.1	67.7	70.89 8 1,272 2	66.8	59.5	68.5	77.3
Total number of participants	61,712	1,145		2,010	1,215	521	766
Living arrangement			imil				
Living alone or with a spouse	57.0	43.5	41.6 <b>rt une</b> 58.4 <b>ct 1</b>	26.8	4.1	35.4	55.8
Living with others	43.0	56.5	58.4 <sup>ec</sup> 1	73.2	95.9	64.6	44.2
Total number of participants	61,962	1,156	1,2800 gje	2,013	1,217	523	768
Arrangement of regular caregiver			logi				
Care-giver required but not available	0.1	0.0	0.0 s a	0.1	0.9	0.0	0.3
Care-giver is not required	37.1	11.5	15.7 g 84.2 c	8.8	5.6	10.8	13.4
Care-giver is available	62.8	88.6	84.2 ng	91.1	93.6	89.2	86.3
Total number of participants	61,980	1,156	1,281 <b>D</b>	2,013	1,217	523	768
Accesses to public building			1,281 B				
Yes	45.6	25.4	29.4 gra	27.2	26.0	26.0	29.9

de For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml 3 4

Page	42	of	49
------	----	----	----

		BMJ Oper	36/brr				
			cted by copyright <u>incl</u> udii 70.6 <u>1</u> 28 <u>1</u> 28				
No	54.4	74.6	9024-0 70.6-i	72.8	74.0	74.0	70.1
Total number of participants	61,980	1156	128 🖻 👸	2013	523	523	768
Difficulty faced accessing public building			220 on 15 N 60.7 u				
difficulty faced: due to stairs and non-availability of			on . Ig fe				
ramp, grooved tiles or lift	57.7	63.2	60.7°° 15	55.4	49.7	46.7	52.2
in opening doors	4.4	1.6	1.3 es	2.8	1.0	7.6	2.8
no seating arrangement: in the waiting area	1.6	3.0	2.9 reig	0.7	1.4	1.7	2.1
at the point of receiving service	0.8	5.7	2.1 ate	0.9	0.8	1.3	0.3
no special toilet seats	0.7	0.4	1.3 csEnseignement2.9 class2.9 class2.1 ct0.0 ct0.0 ctcs0.0 ctcs2.0 at an of the second s	0.7	0.0	0.8	0.9
no sign for direction/ instruction/no public			vnlo vt Sit				
announcement system	0.3	2.2	2.0 to bad	2.2	2.1	1.3	0.0
no difficulty faced	27.6	8.4	17.6ª ried	15.2	17.7	24.2	25.8
others	7.0	15.4	13.3tt On	22.1	27.4	16.3	15.8
Total number of participants	27,756	330		537	330	134	226
Working before onset (For >15 years and above)			tp:/ S) inin				
Yes	40.3	44.4	35.9	32.7	5.6	38.5	53.6
No	59.7	55.6	64.1 <b>4 9</b>	67.3	94.4	61.5	46.4
Total number of participants	55,819	1093		1353	690	448	667
Disability causing loss or change in job			bm ing				
loss of work	60.7	75.3	72.83	86.5	80.9	84.2	82.8
change of work	18.3	11.0	5.7 <b>d</b>	5.2	2.7	8.7	5.9
no loss or change of work	21.3	13.7	21.5	8.3	16.4	7.1	11.4
Total number of participants	21,559	465	21.5 <u>m</u> 404 <b>ar</b> tune	425	37	165	343
Having Disability Certificate			e 1				
Yes	30.4	14.0	16.100 83.900	41.7	59.8	29.9	24.9
No	69.6	86.0	83.9 <b>6</b>	58.3	40.2	70.1	75.1
Total number of participants	61,980	1156	1281 2	2013	1217	523	768
Percentage of Disability as per Certificate			Age				
40% or more but less than 60%	49.3	23.2	22.5 ng	16.9	14.6	27.7	29.7
60% or more but less than 80%	36.3	37.6	34.2	32.3	35.5	43.0	37.3
80% or more	12.8	38.7	34.2 <u>B</u> 42.2 <u>S</u> 1.1 <u>S</u>	50.3	49.1	29.0	31.7
none of these	1.6	0.5	1.1 <b>ğ</b>	0.5	0.8	0.4	1.3

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

	1		I		1		136/bmjopen-2024 cted by copyright		1		I	
Primary	0.58(0.56-0.59)	< 0.001	0.84(0.82-0.86)	< 0.001	0.51(0.49-0.53)	< 0.001	0.24(0.23-5:25)	< 0.001	0.53(0.5-0.56)	< 0.001	0.52(0.49-0.56)	< 0.00
Secondary	0.57(0.56-0.58)	< 0.001	0.76(0.74-0.78)	< 0.001	0.25(0.24-0.26)	< 0.001	0.24(0.23-525) 0.11(0.11-512)	< 0.001	0.47(0.44-0.49)	< 0.001	0.34(0.32-0.36)	< 0.00
and Higher Education	0.57(0.55-0.6)	< 0.001	0.66(0.63-0.68)	< 0.001	0.12(0.11-0.14)	< 0.001	0.05(0.04 <b>9</b> .06)	< 0.001	0.28(0.24-0.32)	< 0.001	0.15(0.13-0.17)	<0.00
Religion							15 N or u					
Hindu (Ref)	1		1		1		1 Ses		1		1	
Muslim	0.84(0.82-0.86)	< 0.001	0.96(0.94-0.99)	0.004	1.05(1-1.11)	0.031	1 887 1000 0.83(0.79-1000 0.83(0.79-1000 0.83(0.79-1000 0.83(0.79-1000 0.83(0.79-1000 0.83(0.79-100000 0.83(0.79-100000 0.83(0.79-1000000000000000000000000000000000000	0	1.16(1.09-1.24)	< 0.001	1.08(1.01-1.16)	0.0
Others	0.84(0.82-0.87)	< 0.001	0.99(0.95-1.03)	0.607	1.07(1-1.14)	0.057	1.13(1.05-	0.001	1.08(0.99-1.18)	0.101	1.17(1.06-1.29)	0.00
Marital status							nt S					
Un-married (Ref)	1		1	F	1		ownload ant Super to text and 1		1		1	
Currently married	1.89(1.86-1.93)	< 0.001	0.52(0.51-0.54)	< 0.001	0.31(0.3-0.33)	< 0.001	0.15(0.14-6 10) -	0	0.66(0.62-0.69)	< 0.001	0.13(0.12-0.14)	< 0.00
Widowed	5.99(5.83-6.15)	< 0.001	0.93(0.89-0.97)	0.001	0.53(0.49-0.57)	< 0.001	0.15(0.14-4 at 20 fr 0.16(0.15-20 fr 0.66(0.56-20 fr 0.66(0.56-20 fr	0	1.6(1.48-1.74)	< 0.001	0.22(0.19-0.24)	< 0.00
Divorced/separated	2.98(2.7-3.28)	< 0.001	0.92(0.83-1.01)	0.091	1.79(1.54-2.09)	< 0.001	0.66(0.56- <b>B.19</b> )	0	9.06(8.02-10.23)	< 0.001	1.76(1.54-2.02)	< 0.00
Wealth							Ģ. <mark>b</mark>					
Poorest (Ref)	1		1		1		Al tra		1		1	
Poor	0.67(0.66-0.69)	< 0.001	0.78(0.76-0.8)	< 0.001	0.77(0.73-0.81)	< 0.001	0.81(0.77-th 85)	0	0.7(0.65-0.75)	< 0.001	0.83(0.77-0.89)	<0.00
Middle	0.6(0.59-0.62)	< 0.001	0.67(0.66-0.69)	< 0.001	0.67(0.64-0.71)	< 0.001	0.74(0.7-0a78) c	0	0.66(0.62-0.71)	< 0.001	0.8(0.74-0.86)	< 0.00
Richer	0.55(0.54-0.56)	< 0.001	0.58(0.57-0.6)	< 0.001	0.58(0.55-0.61)	< 0.001	0.69(0.65-673)	0	0.6(0.55-0.64)	< 0.001	0.75(0.69-0.81)	<0.00
Richest	0.52(0.51-0.54)	< 0.001	0.52(0.5-0.53)	< 0.001	0.52(0.49-0.55)	< 0.001	0.71(0.66-th 75)	0	0.52(0.48-0.56)	< 0.001	0.7(0.64-0.77)	<0.00
Region							r te					
Northern (Ref)	1		1		1		13,		1		1	
Southern	1.26(1.22-1.3)	< 0.001	0.97(0.94-1)	0.073	1.78(1.67-1.9)	< 0.001	1.84(1.72 (97))	< 0.001	1.25(1.15-1.36)	< 0.001	1.05(0.96-1.15)	0.25
Western		< 0.001	0.99(0.95-1.02)	0.429	1.23(1.14-1.32)	< 0.001	1.29(1.19-1.39)	< 0.001	0.88(0.79-0.97)		0.84(0.76-0.93)	0.00
Eastern	1.02(0.99-1.05)	0.288	0.86(0.84-0.89)	< 0.001	1.7(1.59-1.81)	< 0.001	1.42(1.33-1.52) <b>e</b>	< 0.001	1.25(1.16-1.36)	< 0.001	1.12(1.03-1.22)	0.00
North-eastern	0.69(0.66-0.71)		0.66(0.63-0.69)	< 0.001	1.59(1.47-1.71)	< 0.001	1.64(1.51-1.78)	< 0.001	1.01(0.91-1.12)		0.95(0.85-1.06)	0.38
Central	, , , , , , , , , , , , , , , , , , ,		0.94(0.91-0.97)	< 0.001	1.08(1.01-1.15)	0.026		< 0.001	0.93(0.85-1.01)		0.85(0.78-0.93)	< 0.00

			rom Multivaria e NSS, India (C		ary logistic reg	ressior	136/bmjopen-2024 <b>0</b> 90220 c cted by copyright <del>;g</del> ncluding analyycludin	loring th	e likelihood o	f living	with different	types o
		Hearing	disability			Visual o	<u>មួ</u> ទ្ធ lisability ថ្មី ភ្ល			Mental	retardness.	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p- value	Un-adjusted OR (95% CI)	p- value	Adjusted (95% CI)	p-value	Un-adjusted OR (95% CI)	p-value	Adjusted OR (95% CI)	p-value
Age (Years)							2025 relat					
<18 (Ref)	1		1		1		1 ted t		1		1	
18-35	1.95(1.73-2.2)	< 0.001	5.16(4.55-5.85)	0	10.37(1.94-2.65)	< 0.001	6.57(5.59 <b>6</b> /32	< 0.001	1.88(1.7-2.08)	< 0.001	33.33(30-37.04)	< 0.00
35-49	3.23(2.87-3.64)	< 0.001	9.31(8.14-10.65)	0	X	< 0.001	13.95(11.29)	< 0.001	1.17(1.05-1.31)	0.005	34.13(30.24-38.51)	< 0.001
50-59	6.63(5.91-7.45)	< 0.001	15.34(13.43-17.52)	0	31.04(9.17-12.36)	< 0.001	29.2(24.7 d \$4.48)	< 0.001	0.65(0.57-0.74)	<0.001	18.86(16.39-21.71)	< 0.00
65+	20.67(18.42-23.2)	< 0.001	38.97(34.06-44.58)	0	43.68(23.92-32.23)	1	61.23(51.74-017)	< 0.001	0.4(0.33-0.48)	< 0.001	11.39(9.26-14.01)	< 0.00
Gender							nttp: hinii					
Male (Ref)	1		1		1	0.	1 <b>g</b> , <b>/</b>		1		1	
female	0.96(0.93-0.99)	0.012	0.73(0.7-0.75)	< 0.001	1.04(1.01-1.08)	0.022	0.76(0.73	< 0.001	0.68(0.65-0.71)	< 0.001	0.76(0.73-0.8)	< 0.001
Place of residence	· · · · · · · · · · · · · · · · · · ·						inin					
Rural (Ref)	1		1		1				1		1	
Urban	0.86(0.83-0.9)	< 0.001	1.07(1.03-1.12)	0.001	0.83(0.8-0.86)	< 0.001	1.08(1.04 <b>m</b> ].13	0.001	1(0.96-1.05)	0.894	1.18(1.11-1.24)	< 0.001
Social groups							imila					
Scheduled tribe (Ref)	1		1		1		ar teo		1		1	
Scheduled caste	0.89(0.84-0.94)	< 0.001	0.95(0.89-1.01)	0.084	0.99(0.93-1.06)	0.734	104(0.977113)	0.228	1.2(1.1-1.3)	< 0.001	1.24(1.13-1.36)	< 0.00
Other backward	0.9(0.86-0.95)	< 0.001	1.02(0.96-1.08)		0.92(0.87-0.98)		1.04(0.97 <b>ð</b> .12) <b>9</b> 1.03(0.97 <b>ð</b> .12)		1.23(1.14-1.32)	< 0.001	1.49(1.37-1.63)	< 0.00
Others	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001		<0.003	1.02(0.95-1.0		1.26(1.17-1.37)	< 0.001	1.91(1.74-2.09)	< 0.00
Education level	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001	0.85(0.8-0.91)	<0.001	1.02(0.93-1.0 <b>2</b>	0.570	1.20(1.17-1.37)		1.91(1./4-2.07)	
Illiterate (Ref)	1		1		1		1 <b>D</b>		1		1	-
Primary	0.47(0.45-0.48)	< 0.001	0.65(0.62-0.68)	< 0.001	0.36(0.35-0.38)	< 0.001	0.57(0.55-0.6)	< 0.001	0.34(0.32-0.35)	< 0.001	0.1(0.1-0.11)	< 0.00
Secondary	0.31(0.29-0.32)	< 0.001	0.44(0.42-0.46)	< 0.001	0.26(0.24-0.27)	< 0.001	0.43(0.4-0.45)	< 0.001	0.13(0.12-0.14)	< 0.001	0.03(0.03-0.04)	< 0.00

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

9					В	MJ Open	136/bmj					
							136/bmjopen-2024 cted by copyright,					
and Higher Education	0.22(0.2-0.25)	< 0.001	0.29(0.27-0.33)	< 0.001	0.2(0.18-0.23)	< 0.001	ht 24	< 0.001	0.04(0.03-0.05)	< 0.001	0.01(0.01-0.01)	
Religion							0.33(0.29 ii).3 20					
Hindu (Ref)	1		1		1		ng f		1		1	
Muslim	0.8(0.76-0.84)	< 0.001	0.88(0.84-0.93)	< 0.001	0.85(0.8-0.89)	< 0.001	<b>9 15</b> 1(0.94-1. <b>06)</b>	0.995	1.05(0.99-1.12)	0.089	0.71(0.67-0.76)	
Others	1.11(1.05-1.18)	< 0.001	1.08(1.01-1.16)	0.024	0.99(0.92-1.06)	0.802	1(0.94-1.06) N 0.94(0.875 9) 2	0.112	1.05(0.97-1.14)	0.195	1.27(1.15-1.39)	
Marital status							025 elat					
Un-married (Ref)	1		1		1		related to t		1		1	
Currently married	1.63(1.57-1.7)	< 0.001	0.42(0.39-0.45)	< 0.001	1.87(1.78-1.96)	< 0.001	0.36(0.33	< 0.001	0.09(0.09-0.1)	< 0.001	0.03(0.03-0.03)	
Widowed	7.49(7.16-7.84)	< 0.001	0.77(0.72-0.84)	< 0.001	9.8(9.31-10.31)	< 0.001	0.73(0.67 <sup>a</sup> ) 0.73	< 0.001	0.17(0.15-0.19)	< 0.001	0.04(0.03-0.05)	
Divorced/separated	4.27(3.68-4.97)	< 0.001	1.15(0.98-1.35)	0.096		< 0.001	0.67(0.54 <b>8)</b> % 3 <b>a b</b> m	< 0.001	1.56(1.31-1.85)	< 0.001	0.36(0.3-0.44)	
Wealth					100		ta m		\$ F			
Poorest (Ref)	1		1		1		1 Inin		1		1	
Poor	0.6(0.57-0.63)	< 0.001	0.74(0.71-0.78)	< 0.001	0.62(0.59-0.65)	< 0.001	0.8(0.76-0-84)	< 0.001	0.87(0.82-0.93)	< 0.001	0.93(0.87-1)	
Middle	0.54(0.51-0.56)	< 0.001	0.67(0.64-0.7)	< 0.001	0.56(0.54-0.59)	< 0.001	0.73(0.69 <b>a</b> ).77	< 0.001	0.85(0.8-0.91)	< 0.001	0.92(0.86-0.99)	
Richer	0.49(0.47-0.52)	< 0.001	0.62(0.59-0.65)	< 0.001	0.47(0.44-0.49)	< 0.001	0.61(0.57	< 0.001	0.79(0.74-0.85)	< 0.001	0.92(0.85-0.99)	
Richest	0.43(0.41-0.45)	< 0.001	0.57(0.54-0.6)	< 0.001	0.37(0.35-0.39)	< 0.001	0.5(0.47-254)8	< 0.001	0.7(0.65-0.75)	< 0.001	0.91(0.84-0.99)	
Region							d si					
Northern (Ref)	1		1		1		1 mila		1		1	
Southern	1.94(1.83-2.05)	< 0.001	1.52(1.43-1.61)	< 0.001	1.54(1.45-1.64)	< 0.001	1.1(1.03- <b>ig</b> 18) <sup>m</sup>	0.006	1.51(1.4-1.62)	< 0.001	1.7(1.57-1.84)	
Western	1.19(1.12-1.28)	< 0.001	1.07(1-1.15)	0.053	1.01(0.93-1.08)	0.883	5 1	0.002	1.31(1.21-1.42)	< 0.001	1.49(1.37-1.63)	
Eastern	1.34(1.26-1.42)	< 0.001	1.18(1.11-1.26)	< 0.001	1.2(1.13-1.28)	< 0.001	1(0.93-1.927) 25	0.981	1.07(1-1.16)	0.062	0.92(0.84-0.99)	
North-eastern	1.57(1.46-1.68)	< 0.001	1.58(1.47-1.7)	< 0.001	1.47(1.37-1.59)	< 0.001	1.52(1.41-1.65)	< 0.001	0.84(0.76-0.93)	0.001	0.82(0.74-0.92)	
Central	1.08(1.02-1.15)	0.01	1(0.94-1.06)	0.96	1.05(0.98-1.12)	0.182	Đ.		0.87(0.81-0.94)		0.63(0.58-0.69)	

ö

Bibliographique

					BMJ Open	rted hy	136/bm	
Supplementary T disabilities per th	Table 2: Result         1e 76 <sup>th</sup> round of	ts fron f the N	n Multivariate SS, India (Con	binary le nt)	ogistic regression analysi	i opvright Ancludin	1360mjopen-2024 Sector on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence	es of
	Othe	er types	of disabilities		g tor	a for	on 15	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CD	p- value	uses	Ens	May 200	
Age (Years)		value		Value	reia	eign r≏la		
<18 (Ref)	1		1		teq 1	eme		
18-35	0.98(0.83-1.16)	0.8	1.46(1.21-1.77)	< 0.001		ont S		
35-49	1.23(1.04-1.46)	0.018	2.37(1.91-2.93)	< 0.001	Xt ar	upei vt ar	oade	
50-59	1.84(1.56-2.17)	< 0.001	3.51(2.84-4.34)	< 0.001		าieur ว่า d	; č.	
65+	3.3(2.78-3.9)	< 0.001	6.01(4.81-7.5)	< 0.001		ې A ا		
Gender						nin S		
Male (Ref)	1		1			2 · 2		
female	0.81(0.75-0.87)	< 0.001	0.8(0.74-0.86)	< 0.001	Ta		jo pe	
Place of residence						inin		
Rural (Ref)	1		1		9, an	יי רוג	nj.cc	
Urban	1.2(1.12-1.29)	< 0.001	1.21(1.11-1.31)	< 0.001		20.		
Social groups								
Scheduled tribe (Ref)	1		1		r tec	rtec	une	
Scheduled caste	0.78(0.69-0.88)	< 0.001	0.82(0.72-0.94)	0.004		- in مربا	13, 2	
Other backward class	0.68(0.61-0.76)	< 0.001	0.71(0.63-0.81)	< 0.001		lonic	025	
Others	0.91(0.81-1.02)	0.098	0.89(0.78-1.01)	0.066	Ň	נ ה נ	at A	
Education level						- Gen	Agence	
Illiterate (Ref)	1		1			a	Φ	
Primary	0.84(0.76-0.91)	< 0.001	0.88(0.8-0.98)	0.018			BibliograpI	
Secondary	0.79(0.72-0.86)	< 0.001	0.89(0.81-0.99)	0.034		ייט	igra a	

http://bmjopen.bmj.com/ on June 13, 2025 at BES) . mining, Al training, and similar technologies graphique

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

	1				1
and Higher Education	0.93(0.81-1.07)	0.334	0.97(0.83-1.14)	0.713	
Religion					
Hindu (Ref)	1		1		
Muslim	0.83(0.74-0.92)	< 0.001	0.88(0.79-0.98)	0.021	
Others	1.18(1.04-1.34)	0.01	1.09(0.94-1.26)	0.239	
Marital status					
Un-married (Ref)	1		1		
Currently married	0.97(0.9-1.04)	0.409	0.48(0.42-0.54)	< 0.001	
Widowed	1.89(1.68-2.12)	< 0.001	0.55(0.46-0.66)	< 0.001	
Divorced/separated	2.57(1.86-3.54)	< 0.001	1.29(0.92-1.81)	0.142	
Wealth			4	~6	
Poorest (Ref)	1		1		
Poor	0.63(0.57-0.71)	< 0.001	0.72(0.64-0.8)	< 0.001	10
Middle	0.66(0.59-0.73)	< 0.001	0.76(0.68-0.85)	< 0.001	er revie
Richer	0.72(0.65-0.8)	< 0.001	0.84(0.75-0.94)	0.002	
Richest	0.78(0.7-0.86)	< 0.001	0.88(0.78-0.99)	0.038	
Region					
Northern (Ref)	1		1		
Southern	2.66(2.28-3.1)	< 0.001	2.62(2.25-3.07)	< 0.001	
Western	2.9(2.48-3.4)	< 0.001	2.82(2.4-3.31)	< 0.001	
Eastern	3.09(2.67-3.59)	< 0.001	3.23(2.77-3.77)	< 0.001	
North-eastern	2.12(1.77-2.53)	< 0.001	1.98(1.64-2.38)	< 0.001	
Central	1.17(1-1.38)	0.056	1.26(1.07-1.49)	0.007	

136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Enseignement Superieur (ABES) . cted by copyright, including for uses related to text and data mining, Al training, and similar technologies. Ship Agence Bibliographique

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

BMJ Open

#### Epidemiology of disability and access to disability support and rehabilitation services in India: A secondary data analysis a National Sample Survey (2018).

Journal:	BMJ Open					
Manuscript ID	omjopen-2024-090220.R3					
Article Type:	Original research					
Date Submitted by the Author:	01-Apr-2025					
Complete List of Authors:	Mirza, Moonis ; All India Institute of Medical Sciences - Bathinda, Department of Hospital Administration Esht, Vandana; Jazan University College of Applied Medical Sciences, Physical Therapy Department Verma, Madhur ; All India Institute of Medical Sciences Bathinda, Department of Community & Family Medicine Bahadur, Bajarang; International Institute for Population Sciences, Demography Jaiswal, Ajit; International Institute for Population Sciences, Demography Alagarajan, Manoj; International Institute for Population Sciences, Demography Kakkar, Rakesh; All India Institute of Medical Sciences - Bathinda, Department of Community & Family Medicine					
<b>Primary Subject Heading</b> :	Public health					
Secondary Subject Heading:	Epidemiology, General practice / Family practice, Global health, Health services research, Occupational and environmental medicine					
Keywords:	Disabled Persons, PUBLIC HEALTH, Health Equity					





I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

2		
3	4	Title Dego
4	1	Title Page
5	2	Epidemiology of disability and access to disability support and
6	3	rehabilitation services in India: A secondary data analysis a
7	5	• •
8	4	National Sample Survey (2018).
9	5	
10 11	6	Type: Original Article
12		
13	7	Moonis Mirza*, Vandana Esht <sup>1</sup> *, Madhur Verma <sup>*#</sup> , Bajarang Bahadur*,
14	8	Ajit Kumar Jaiswal³, Manoj Alagarajan, Rakesh Kakkar
15	9	
16	10	*Authors contributed equally
17	11 12	#corresponding author
18		Detailed Author Affiliations
19	13	Detailed Author Affiliations:
20	14	1. Moonis Mirza (MD)
21	15	Associate Professor of Hospital Administration, All India Institute of Medical
22	16	Sciences Bathinda (Punjab), India-151001
23 24	17	Email: <u>moonismirza@gmail.com</u> .
24 25	18	O <u>rcid</u> id: 0000-0002-8844-7311
26	19	
27	20	2. Vandana Esht (Phd)
28	21	Associate Professor, Physical Therapy Department, College of Applied Medical
29	22	Sciences, Jazan University, Jazan, Saudi Arabia
30	23	Email: vandanaesht@jazanu.edu.sa.
31	24	
32	25	3. Madhur Verma (MD)
33	26	Associate Professor of Community and Family Medicine, All India Institute of
34	20	Medical Sciences Bathinda (Punjab), India-151001
35		
36	28	Email: <u>drmadhurverma@gmail.com</u>
37 38	29	
39	30	4. Bajarang Bahadur
40	31	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
41	32	India -400088
42	33	Email: <u>bajarang7894@gmail.com</u> .
43	34	
44	35	5. Ajit Kumar Jaiswal
45	36	Mphil, International Institute for Population Sciences, Mumbai (Maharashtra)
46	37	India -400088
47	38	Email: ajitjaiswal20@gmail.com.
48	39	
49 50	40	6. Manoj Alagarajan
50 51	41	Assistant Professor, International Institute for Population Sciences, Mumbai
52	42	(Maharashtra) India -400088
53	42	Email: alagarajan@iipsindia.ac.in.
54	43 44	Eman. <u>anagarajan(a) pomara.ac.m</u> .
55		7 Dalzosh Kaldzan (MD)
56	45	7. Rakesh Kakkar (MD)
57	46	Professor of Community and Family Medicine, All India Institute of Medical
58	47	Sciences Bathinda (Punjab), India-151001
59	48	Email: drrakesh75@rediffmail.com.
60	49	

1 2		
3 4	50	Details of the corresponding author
5	51	Dr. Madhur Verma (MD)
6	52	Associate Professor of Community and Family Medicine,
7 8	53 54	All India Institute of Medical Sciences Bathinda (Punjab), India-151001
9	55	Email: <u>drmadhurverma@gmail.com</u>
10 11	56	Phone: +91 9466445513
12	57	Orcid id: 0000-0002-1787-8392
13		
14 15		
16		
17 18		
19		
20 21		
22		
23 24		
24 25		
26		
27 28		
29		
30 31		
32		
33 34		
35		
36 37		
38		
39 40		
41		
42 43		
44		
45 46		
40 47		
48		
49 50		
51		
52 53		
54		
55 56		
57		
58		
59 60		

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

disability certificate.

#### **Manuscript** Abstract **Objective:** The primary aim of this study was to examine the epidemiology of disability in India and assess access to disability support and rehabilitation services by people with disability (PWD). **Design**: This study is a secondary analysis of the data from the 76th round of the National Sample Survey (2018), focussing on disability in India. Setting: The survey employed a stratified two-stage sampling design based on Census 2011, covering all states and union territories of India. Villages and urban blocks were selected in the first stage, while households were chosen in the second stage across rural and urban areas. **Participants**: The survey included data from a population of 576,796 individuals residing in 1,18,152 households from 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks). The analysis focussed on 1,07,125 individuals (61,707 males and 45,305 females) who reported at least one disability. **Outcome Measures**: The primary outcome was "any disability". Secondary outcomes included access to disability support and rehabilitation services that assessed difficulties faced in accessing public buildings, transport, loss of employment after disability, availability of government support, enrolment in special schools, and possession of a disability certificate. Results: The overall weighted disability prevalence was 2.2%, with significant disparities across socio-demographic characteristics. Among PWD, 45.9% of those who acquired disability after birth were aged between 15 and 59, and 20.8% received no government aid. About 40% of PWD struggled to use public transport, and 57.7% had difficulties accessing public buildings. Additionally, 60.7% reported job loss due to disability, and 69.6% lacked a

#### **BMJ** Open

82 Conclusion: This study highlights disparities faced by PWD in accessing disability support
83 and rehabilitation services. There is an urgent need for concerted efforts to minimise such
84 experiences. This will help us enhance the well-being and participation of PWD and empower
85 them to contribute to society with their true potential.

to per trien only

5 Keywords: Disability, inequity, disparities, accessibility, health access.

1 2 3 4	89	Strengths and limitations of this study
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	90	• One of the very first comprehensive assessments of accessibility issues of the people
	91	living with disability data from the 76 <sup>th</sup> round of the National Sample Survey (2018).
	92	• We estimated the proportion of people with disability who could access basic services
	93	through a weighted analysis that makes the results generalisable and highlights
	94	actionable points.
	95	• The lack of a standardised definition of disability was the critical limitation of the study,
	96	which restricts sub-national and national comparisons over time and regions.
21 22 23	97	• The possibility of estimates being affected by recall bias and social desirability bias
24 25 26 27 28 29 30 31 32 33 34 35 36 37	98	may not be ruled out.
	99	• We were limited by the number of variables available in the primary data, which
	100	restricted us from making further conclusions about the social inclusion of people with
	101	disability.
	102	
	102	
38 39		
40 41 42		
42 43 44		
45 46		
47 48		
49 50 51		
52 53		
54 55		
56 57 58		
59 60		

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

55 56

57 58 59

60

1

2		
3 4	103	Manuscript
5 6	104 105	Introduction
7 8	105	As per the United Nations Convention on the Rights of Persons with Disabilities (CRPD),
9 10		
11 12	107	people with disability (PWD) include those who have long-term physical, mental, intellectual,
13	108	or sensory impairments which, in interaction with various barriers, may hinder their full and
14 15 16	109	effective participation in society on an equal basis with others.[1] Disability is a global concern,
17 18	110	impacting 1.3 billion people, or 16% of the population.[2] The World Health Organization
19 20	111	(WHO) and the World Bank's World Report on Disability highlight that 80% of the global
21 22	112	disabled population is of working age, with a substantial proportion residing in developing
23 24 25	113	countries.[3] India is one of the most populous countries, with a concerning proportion of
26 27	114	PWD.[4] With the increasing proportion of the geriatric population, the burden of disability
28 29	115	has also proportionately increased (from 21.9 to 26.8 million) over the last two rounds of the
30 31 32	116	national census (2001-2011).[5,6] The reports from the 2011 Census and the 76th round of the
33 34	117	National Sample Survey (NSS) estimate disability prevalence to be around 2.2%.[7] However,
35 36	118	the fifth round (2019-21) of the Indian National Family Health Survey (large-scale nationally
37 38	119	representative survey with repeated cross-sectional design) estimates an overall disability
39 40 41	120	prevalence of 4.52%.[8] The discrepancy in available estimates is due to methodological
42 43	121	differences, poor quality and inconsistent data, and lack of standardised definition, which
44 45 46	122	underscores the intricate nature of disability.[9,10]
47 48	123	The CRPD identifies disability as an evolving concept and highlights the constantly changing
49 50 51	124	needs of PWD, which are largely unmet. [11–13] The different articles of CRPD (6, 7, 9, 24,
52 53	125	and 27) focus on key aspects such as gender, age, accessibility, education, and employment to
54	126	empower PWD by addressing specific needs. For instance, article 6 caters to gender-related

needs, which may include protections against gender-based discrimination and access to
reproductive healthcare, while Articles 7 and 24 focus on the needs of children with disability

empower PWD by addressing specific needs. For instance, article 6 caters to gender-related

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

and ensure inclusive education, and Article 9 ascertains that older adults with disability have access to necessary social and healthcare services. These measures aim to enable independent living and full participation in all aspects of life, ensuring that PWD are not deprioritised compared to the general population.[14–18] The limited priority given to the needs of PWD in society increases the existing disparities, leading to poorer health outcomes, lower educational attainment, and reduced economic opportunities, thereby exacerbating social inequities.[19] Addressing these disparities is a global priority as mandated by the second principle of the Sustainable Development Goals (SDGs), "Leave no one behind", which is the central, transformative promise of the Agenda 2030.[20] International human rights law, including the CRPD, Convention on the Elimination of All Forms of Discrimination Against Women (CEDAW), Convention on the Rights of the Child (CRC), International Covenant on Civil and Political Rights (ICCPR), International Covenant on Economic, Social and Cultural Rights (ICESCR), collectively uphold the principles of equality and non-discrimination, obligate each country to address the inequalities faced by PWD, ensuring that they have equitable access to services, full participation in society, and protection from exclusionary practices.[1,21] Between March 2007 and January 2025, 192 parties, including India, formally agreed to the CRPD. Despite progress, there remains a gap in fully recognising and upholding the rights and needs of PWD.[19] The needs of PWD can span from *personal functional assistance* (daily activities and extent of disability), social integration (living conditions, caregivers, and public accessibility), economic rehabilitation (impact on employment and finances) to service access (certification and receipt of government/Non-Government Organization (NGO) support) necessitating a comprehensive approach.[22] However, access to such services is less studied, so it is crucial to highlight disparities that affect the disability care continuum and limit the efforts to minimise social exclusion of PWD and foster a social environment that is inclusive and accessible to all. [22][23]

Page 9 of 49

#### **BMJ** Open

Previous literature from India has primarily focused on the epidemiology of disability.[10] The lack of disability-friendly infrastructure, affordable assistive technologies, support services, including personal assistance, therapy, aids and vocational rehabilitation, and comprehensive care perpetuates inequalities.[24] However, it remains underexplored by the scientific community. Within this context, the 76th NSS collects data regarding disability and access of people with disability to various disability support and rehabilitation services, thus providing an opportunity to study them. [7] Thus, the primary aim of the study was to explore the epidemiology of disability and the accessibility of PWD to various disability support and rehabilitation services to provide insights for specific interventions.

#### 163 Methodology

**Data sources:** We conducted a secondary analysis of the cross-sectional data from the 76th National Sample Survey (NSS) conducted by the Ministry of Statistics, Planning, and Implementation (MoSPI) between July and December 2018. MoSPI has formulated a code of ethics and sets out certain standards of conduct for the members of the Survey Committees (group of people appointed to conduct and supervise the survey). The data for NSSO is collected in accordance with the Collection of Statistics Act, 2008, which ensures transparency in data collection by issuing public notifications outlining the subject, purpose, and methodology of the survey. Participation in these surveys is generally voluntary, with respondents providing implied consent by answering survey questions after being informed about the study's objectives. Additionally, the Act mandates confidentiality safeguards, ensuring that collected data is used solely for statistical purposes. While respondents are legally obligated to provide accurate information, the data remains anonymous and protected. Thus, the NSSO follows ethical guidelines to uphold privacy while maintaining the integrity of national statistics.[25] The NSS collects socio-economic data using interviews through scientific sampling methods and serves as a crucial tool to gauge various socio-economic 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### **BMJ** Open

aspects across all states of India. Its primary objective is to identify unmet needs within thepopulation, thereby aiding the government in formulating effective policies to address them.

The survey made its first attempt to collect information on the number of PWD during the 15th round (July 1959 - June 1960).[26] In the 76th round, the main objective of the survey was to estimate indicators of incidence and prevalence of disability, cause of disability, age at onset of disability, facilities available to the PWD, difficulties faced in accessing public building/public transport, arrangement of regular caregiver, out-of-pocket expense relating to disability, etc. using a structured questionnaire.[27] Further, estimates were obtained on various employment and unemployment particulars in usual status for the household members with at least one disability. For PWD aged 12 to 59 years, information was collected on whether or not they received vocational/technical training and details related to such training.

Sampling design and sample size: The 76th NSS employed a stratified two-stage sampling design, utilising Census 2011 as the sampling frame.[7] The survey commenced on 1st July 2018 for six months. In the first stage, villages/urban blocks were selected, followed by the selection of households in rural and urban areas in the second stage. This round of NSS encompassed all states and union territories of India except the villages in Andaman and Nicobar Islands, which are difficult to access, covering a total of 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks) and including 118,152 households representing a population of 576,796 individuals (402,589 in rural areas and 173,980 in urban areas). Within this, the present study focuses on 1,07,125 individuals consisting of 61,707 males and 45,418 females) who reported at least one disability during the survey.

<sup>3</sup> 200 Study Variables

Dependent variable: The presence of "any disability" was our primary dependent variable.
 MoSPI defines a "Person with disability" as a person with a long-term physical, mental,
 intellectual or sensory impairment which, in interaction with barriers, hinders full and effective

Page 11 of 49

1

#### BMJ Open

2	204	participation in society equally with others.[7] The variable is created by the presence of at
4 5 7 8 9 10	205	east one condition among all seven disability types, elaborated subsequently
	206	1. Locomotor disability: A person was categorised as living with locomotor disability based
11 12	207	on a positive response to any of the following three conditions: (i) whether having difficulty
13 14 15 16 17 18 19 20 21	208	in using hands, fingers, toes, body movement (including cerebral palsy, muscular
	209	dystrophy); (ii)whether having loss of sensation in the body due to paralysis, leprosy, other
	210	reasons; or (iii)whether having deformity of the body part(s) like hunch back, dwarfism,
	211	deformity due to leprosy, caused by acid attack, etc."
22 23	212	2. Visual disability: It was identified using a direct question: "Whether having difficulty in
24 25 26	213	seeing, counting fingers of hand from a distance of 10 feet (with spectacles, if using, and
20 27 28	214	both eyes taken together)."
29 30 31 32 33	215	3. Hearing disability: The categorisation was based on the question: "Whether having
	216	difficulty in hearing day-to-day conversational speech (without hearing aid, if using, and
34 35 26	217	both ears taken together)"
36 37 38 39 40	218	4. Speech and language disability: It was assessed using a question: "Whether having
	219	difficulty in speech (unable to speak like a normal person/ speech is not comprehensible,
41 42 43	220	including laryngectomy, aphasia) which is base for speech disability."
44 45	221	5. Mental retardation/intellectual disability: This disability variable has been prepared
46 47 48	222	based on the following question "Whether having difficulty in understanding/
48 49 50	223	comprehension or communicating in doing daily activities"
51 52 53	224	6. Mental illness: This disability was identified when there was a positive response to any
54 55	225	of the three conditions: "(i) whether having unnecessary and excessive worry and anxiety,
56 57	226	repetitive behaviour/ thoughts, changes of mood or mood swings, talking/laughing to self,
58 59 60	227	staring in space; (ii) whether having unusual experiences of hearing voices, seeing visions,
		10

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### **BMJ** Open

strange smell or sensation or strange taste; or (iii) whether having unusual behaviour or difficulty in social interactions and adaptability." 

7. Other disability: To identify other types of disability of the persons, the following question was used: "Whether having any of the following: Parkinson's disease, multiple sclerosis, other chronic neurological conditions, thalassemia, haemophilia, sickle cell disease".

The access to disability support and rehabilitation services by the PWD were secondary dependent variables. For this study, we adopted the United Nations CRPD definition of 'disability support,' which is stated as 'the means to ensure that PWD can fully enjoy their rights and participate equally in society." The original survey assessed disability support by estimating the proportion of PWD ever receiving any aid/help (received aid/help from government, or received aid/help from organisations other than government, did not receive aid/help), living arrangement (living alone or with a spouse, living with others), arrangement of regular caregiver (care-giver required but not available, care-giver is not required, care-giver is available), access to public transport (yes, no), accesses to public building (yes, no), difficulty faced in accessing public building (difficulty faced due to stairs and non-availability of ramp, grooved tiles or lift, in opening doors, no seating arrangement: in the waiting area, at the point of receiving service, no special toilet seats, no sign for direction/ instruction/no public announcement system, no difficulty faced, and others), employed/working before onset of disability (yes, no), disability causing loss or change in job (loss of work, change of work, no loss or change of work), having disability certificate (yes, no), and percentage of disability as per certificate (40-60%, 60-80%, >80%, and none of these). Disability certificate is issued to PWD by the competent medical authorities notified by the State/UT Government and aims to encourage transparency, efficiency and ease of delivering the government benefits to the person with disabilities and to ensure uniformity.[28,29] 

Page 13 of 49

#### **BMJ** Open

Predictor variables: In the present study, the predictor variables were chosen following a literature review and the scope of data collected in the original survey.[30–33] We included doctor, otherwise, yes: consulting doctor, plus undergoing treatment, otherwise, attending special school/special therapy, cannot afford treatment, no treatment available for the

age group (completed years) categorised as; upto 5, 6-17, 18-35, 36-49, 50-65 and 65+ completed years, sex (male, female), marital status (never married, ever married, widowed, divorced/separated), area of residence (rural, urban), educational attainment (non-literate, literate but not formal, upto primary, upto secondary), preferred religion (Hindu, Islam, others), social group (scheduled tribe, scheduled caste, other backward classes, general), wealth index (poorer, poor, middle, richer, richest), regions of India (northern, southern, western, eastern, north-eastern and central). For readers outside India, the term 'backward class, schedule caste and schedule tribe' refers to socially and educationally disadvantaged groups legally recognised by the constitution of India, that have historically faced discrimination and marginalisation, and aim to promote social justice by reducing disparities, enhancing representation in education and employment, and fostering socio-economic inclusion. [34] Specifically, PWD were characterised using variables like causes of disability (disease, other than disease due to burn, injuries other than burn, other causes), age at the onset of disability (0 to 4, 5 to 14, 15 to 59, and 60 years and above), the origin of disability from birth (yes, no, not known), disability commenced in last 365 days (yes, no), place of occurrence of disability (workplace, road, home, other places), treatment taken/undergoing treatment (yes: consulting

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

Statistical methodology: The prevalence, along with the dispersion of all disability variables, were estimated as part of a univariate analysis by using already calculated sampling weights with clustering as provided with the datasets.[35] The details of sampling weight have been described in the NSS 76th round report. We used the SVY command while using sampling

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies

weights.[36] Further, the prevalence of all disability types was estimated per socio-economic characteristics, and the associations were tested using bivariate analysis through a chi-squared test. The access to different services was depicted using weighted proportions. Missing data were handled using the Available Case Analysis (ACA) technique, where estimates were generated based on the available data. This resulted in varying sample sizes across variables but allowed for greater data retention compared to listwise deletion. Little's MCAR (Missing Completely at Random) test was performed to assess whether the missingness was related to observed variables. The test results indicated that the data were not missing completely at random but were likely dependent on observed variables, suggesting that the data were missing at random (MAR). Therefore, the use of ACA was considered appropriate for preserving more data while minimizing potential bias compared to listwise deletion Further, a sensitivity analysis was conducted to assess the robustness of the findings to different missing data handling techniques. Results obtained using ACA were compared with those from Complete Case Analysis (CCA), and the findings were consistent across the two methods. Lastly, multivariable binary logistic regression analysis was used to explore the independent variables affecting the likelihood of living with 'any disability', which was the dependent variable coded by 1 and otherwise 0. Additionally, binary logistic regressions are also employed on all seven types of disability. The analysis depicted the unadjusted and adjusted odds ratio (95% confidence interval). All p-values<0.05 were considered statistically significant. All the analysis was done using Stata (version 17.0). Graphical maps were created using MS Excel sheets to depict the regional disparities.

- **Patient and public involvement:** None
- **Results**

Table 1 provides a comprehensive overview of the weighted prevalence of different types of
 disability across various socio-demographic characteristics in India. Of the total participants,

#### **BMJ** Open

107,125 (2.2%) of the participants had at least one form of disability. The majority of such participants had a locomotor disability 61,981 (1.36%), followed by hearing 15,294 (0.30%), visual 11,977 (0.23%), speech-related 12,661 (0.23), mental retardation 8,564 (0.16%), mental illness 6,751 (0.16%), and other types 3,121 (0.05%) of disability. The highest prevalence of any disability, locomotor, speech and 'other' disability was seen in 50-65 years. However, the proportion of participants with visual and hearing disability was highest in the eldest age group, while mental retardation and mental illness were highest in the 6-35 years age group. Disability prevalence was notably higher among older individuals, males, rural populations, and those from lower socioeconomic backgrounds with minimal or no educational attainment, and living in the southern part of India. 

We further assessed the origin of disability as per the type (Table 2). The most common cause of locomotor and speech disability was disease 28,673 (46.3%), 1246 (61.9%), while 'other causes' were most commonly involved in visual 538 (46.5%) and hearing 637 (49.7%) disability. Around 11,488 (18.5%) of PWD had their disability from birth. Of the total participants, 2987 (6.1%) participants acquired their disability in the last year preceding the survey. The most common place of disability origin was road 5977 (41.9%), followed by home, 4693 (32.9%). Only 17,329 (28%) of PWD were consulting doctors and undergoing treatment. Table 3 depicts the living conditions of PWD and access to crucial services, and Supplementary Table 1 provides results in more detail for each type of disability. Overall, nearly half of the PWD who did not have disability since birth were between 15 and 59 years old (45.9%), while nearly one-fifth (20.8%) had received aid or help from the government. 57% of PWD lived with their spouses, and 62.8% reported that caregivers were available. About 40% reported an inability to use public transport, while 54.4% reported inaccessibility to public buildings. Further, 57.7% of PWD reported facing difficulties while accessing public buildings. Around 60.7% of PWD reported a loss of work due to disability onset, and 69.6% did not have any 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

official document certifying their disability for administrative purposes. Figure 1 furtherdepicts the geographic disparities in the PWD' access to basic services.

Table 4 demonstrates the multivariable binary logistic regression analysis results to present the socio-demographic variables affecting the likelihood of living with any type of disability. We found a significantly higher likelihood of living with disability with increasing age (Adjusted Odds ratio: 58.4; 95% Confidence Interval: 55.4-61.5 in >65 years vs up to 5 years), urban residence (1.3; 1.2-1.3) vs rural, social castes (1.3; 1.3-1.3 in general caste) vs scheduled tribes, and living in a Southern region of India (1.1; 1.1-1.2) compared to those from North India. However, female sex (0.6; 0.6-0.6), more years of education (0.3; 0.3-0.3), Islam followers (0.9; 0.9-0.9), currently married/widowed vs never married (0.3; 0.3-0.3), and higher socio-economic status (0.5; 0.5-0.5) depicted significantly lower likelihood of living with disability. Supplementary Table 2 provides results from the more detailed regression analysis for each type of disability.

#### **Discussion**

We report an investigation that assesses the epidemiology of PWD and their access to disability support and rehabilitation services in India using nationally representative data. Our key findings have profound policy implications. First, we identify concerning disparities in disability prevalence across socio-demographic groups. Second, one-fifth of PWD reported acquiring their disability at birth. Third, the most common place of disability origin was the road, followed by home. Fourth, approximately half of PWD reported challenges in using public transport and buildings. Lastly, the majority of PWD reported a loss of work due to disability onset and lacked official certification of their disability.

<sup>55</sup> 350 Disability prevalence was notably higher among older individuals, males, rural populations,
 <sup>57</sup> 351 and those from lower socio-economic backgrounds. Despite a modest 2.2% prevalence rate,
 <sup>59</sup> 352 this figure represents around 30 million people in India, and it is expected to rise, indicating an

Page 17 of 49

#### **BMJ** Open

urgent need for attention. While there was a preponderance of males with locomotor disability, speech and language disabilities were significantly higher in females. As per the estimates obtained from the previous 36th, 47th, and 58th rounds of NSS, there is a constant rise in disability prevalence in rural (1.8% in the 36th round to 2.3% in the 76th round) as well as urban (1.4% in the 36th round to 2.0% in the 76th round) areas, with the overall increase from 1.6% in the 36th round in year 1981 to 2.2% in the 76th round in the year 2018.[7] Secondary analysis of another national survey (NFHS-5) depicts an overall disability prevalence of 0.95%, with a higher proportion of locomotor disability (0.4%), followed by mental illness (0.2%).[37] We observed that a high proportion of survey participants had their disability from birth. However, the available data limits our further understanding of such disability, whether the onset was intrauterine or acquired during the birthing process. Such limited information still necessitates mitigation strategies targeting pregnant females by ensuring accessibility to screening for intra-uterine pathologies causing disability such as Down's syndrome and intellectual disability and later extending the access to screening for auditory and visual disability.[38] Further, adopting more rigorous screening toolkits and investigations for newborns at the primary healthcare level through the expansion of the Rashtriya Bal Swasthya Karyakram (Indian National program that involves screening of children from birth to 18 years of age for 4 Ds- Defects at birth, Diseases, Deficiencies and Development delays, spanning 32 common health conditions for early detection and free treatment and management, including surgeries at the tertiary level) would help in increasing the scope for early psychological or therapeutic interventions that would impact the quality of life of children with disability.[39] In addition, the Pradhan Mantri Jan Arogya Yojana (PM-JAY) offers free healthcare for children with disability who are not covered under the RBSK scheme.[40,41] The most common place of disability origin was the road, followed by home. Trauma is an 

377 important cause of locomotor disability, and in India, it is the second most common cause of

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

locomotor disability.[42] Previous estimates suggest that road crashes maximally impact the poorest quintiles. A lack of appropriate safety gear while on the road is often a factor in road trauma. People who experience road trauma often have inadequate access to medical and social safety nets after injury.[43,44] Anecdotal evidence from Chandigarh, a Union Territory of India, suggests that strict compliance with traffic rules can mutually benefit the public and the administration. On one side, it reduces morbidity due to road traffic accidents, while on the other side, penalties due to non-compliance generate revenues and raise awareness. An increasing number of domestic accidents are equally concerning.[45] Domestic accidents may be underreported as most of the domestic injuries are considered minor, often neglected, and may be easily forgotten and subject to recall bias. This changing trend is similar to many developed nations where more accidents happen at home than anywhere else. We expect an increase in such incidents with increasing population and population density. Domestic accidents depend on the physical and social environment and also on the functional capacity of the individual. While road traffic accidents are unforeseen and unexpected, it is generally accepted that domestic accidents can be prevented and minimised by taking adequate safety measures well in time.[46]

We observed that there is scope for improving the accessibility of public buildings and transport for the PWD; these facilities must accommodate PWD's needs. Various schemes and initiatives demonstrate the Indian government's commitment to securing the rights and welfare of disabled populations in the country. India's commitment to the United Nations Convention on the Rights of PWD (UNCRPD) is embodied in the Rights of Persons with Disabilities Act of 2016 (RPWD Act, 2016). It emphasises dignity, autonomy, and non-discrimination for PWD.[47] The Act further mandates inclusive education, vocational training, and selfemployment opportunities without discrimination. To increase the accessibility of public buildings, the RPWD Act 2016 and the National Building Code of India 2016 outline expanded

#### **BMJ** Open

guidelines for building accessibility.[48] Compliance with these standards has been made compulsory, with responsibility falling on those involved in commissioning, designing, constructing, or managing built environments. The building design must adhere to relevant legislation, including equality and safety regulations. This focus on accessibility has fostered the adoption of universal design concepts, leading to numerous best practices for creating inclusive environments. These encompass accessible buildings, parking areas, parks, and recreational facilities, reflecting a concerted effort to ensure equal access and inclusion for PWD in the built environment. 

#### Government schemes to improve inclusion and access

The government has a variety of healthcare schemes such as the Assistance to Disabled Persons for Purchase/Fitting of Aids and Appliances (ADIP), which cater to the specific needs of PWD and provide assistive devices, aids such as wheelchairs, hearing aids, and prosthetic limbs at subsidised rates.[49] The Deendaval Disabled Rehabilitation Scheme (DDRS) provides financial assistance to NGOs for various rehabilitation services for PWD.[50] However, the scheme faces inconsistencies in service availability across different states. The lack of standardisation in rehabilitation programs results in variable quality of care, while administrative delays in fund disbursement further hinder its effectiveness.[51] Moreover, rural and economically weaker sections often struggle to access these services, limiting the scheme's reach and equity. While DDRS aligns with the principle of equal opportunities under the RPWD Act of 2016, its impact is weakened by poor implementation and inadequate monitoring mechanisms. Apart from catering to the healthcare needs of PWD, we must address specific issues related to health and ethics as well as the need to shift societal attitudes toward PWD to improve social inclusion.[52] 

In addition to health-related needs, the Government of India has taken several steps to secure the social rights of PWD. The Right to Education Act (RTE) aims to provide free and 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

compulsory education for children with disability up to 18 years.[53] The 'Samagra Shiksha Abhiyan' integrates children with disability into mainstream education.[54] The National Education Policy 2020 also prioritises "inclusion" by aiming to fully integrate children with disability into the mainstream education system, providing necessary accommodations and support to ensure their active participation in the learning process without segregation or discrimination; this includes accessible infrastructure, specialised teaching methods, and assistive technologies tailored to individual needs.[55] Training gaps among teachers working with PWD, lack of assistive technology, and poor enforcement of inclusive education policies hinder meaningful inclusion.[56] The government-funded higher education institutions in India reserve 5% of seats for PWD to foster diversity and enhance employment opportunities, but the effectiveness of such policies is hindered by challenges [57], such as infrastructural barriers, lack of accessible learning materials, and inadequate support services. Many PWD lack access to skill development programs, limiting their employability. The government also provides financial assistance and benefits to PWD through schemes like the National Handicapped Finance and Development Corporation (NHFDC), which offers loans and subsidies for education and training or self-employment ventures.[58] 

0 444

Employment can enhance social sustainability and individual well-being.[59] However, we observed that a very high proportion of PWD had a change or loss of their jobs due to the onset of disability. Loss of jobs can be linked to the social stigma associated with impairment or disability and the perception of such people being less productive. Many employers have illfounded views about the work-related abilities of PWD; these negative views are often a result of interrelated concerns that permeate the entire employment cycle.[60] It is to be emphasised that negative attitudes toward disability disempower PWD and lead to social exclusion. By contrast, a healthy society encourages positive attitudes toward PWD and promotes social

#### **BMJ** Open

453 inclusion.[61] Various initiatives have been introduced to promote employment opportunities
454 for PWD. However, a lack of awareness and red tape discourage many PWD from receiving
455 employment benefits. While the RPWD Act mandates non-discrimination in employment, the
456 absence of accountability measures continues to hinder its success. Many PWD also lack
457 formal certification as seen in our study, restricting their access to essential services and
458 benefits.[62][63]

Other prominent schemes introduced for PWD in India include the National Handicapped Finance and Development Corporation (NHFDC), which provides financial assistance to persons with disability for self-employment, education, and training; Scheme for Implementation of Persons with Disabilities Act (SIPDA) to create barrier-free environments and improve the quality of life for PWD; Accessible India Campaign (Sugamya Bharat Abhiyan) focuses on making public infrastructure and transportation accessible for people with disability and Inclusive Education for Disabled at Secondary Stage (IEDSS) supports the inclusive education of students with disability at the secondary level. [58][64][65] Despite multiple policy frameworks supporting disability inclusion, several gaps remain in implementation and enforcement. [66] The mere existence of legislation and policies does not guarantee their effectiveness. There is a pressing need for stronger monitoring mechanisms, improved financial transparency, and enhanced awareness campaigns to bridge the gap between policy intent and real-world impact. The government must prioritise accountability measures to ensure scheme implementation and greater investment in infrastructure and assistive technologies to create an inclusive environment for PWD. [67]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

. 2 474

#### Strengths and limitations of the study

The study's major strength lies in its novelty by bringing social science and medicine to a
 common platform. The estimates generated using weighted analysis are nationally
 representative and depict strong external validity due to their national coverage, stratified

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

sampling approach, and standardised definitions. The emerging results can serve as robust evidence to help guide policy that improve accessibility. The present study takes a novel approach by initially delineating the proportions of various types of disability. Subsequently, it delves into the analysis concerning "any disability," thus unveiling unique characteristics within this broader category. By doing so, the study not only broadens the scope of understanding but also highlights the nuanced interplay between different types of disability and the socio-demographic backgrounds of PWD. This shift towards a more inclusive analysis holds promise for informing policy decisions and healthcare interventions tailored to address the complex needs of people with disabilities.

The major limitation lies in the study's cross-sectional nature, which limits the assessment of causality and temporal associations and is susceptible to recall bias, particularly when assessing disability from birth. We need more qualitative studies to better assess the impact of inaccessibility to basic support and rehabilitative services.[12] As a secondary analysis, we are limited by the number of variables that can further explain issues affecting accessibility to services. Due to the limited number of explanatory variables, the possibility of residual confounding cannot be negated. There was also non-uniformity in the sample size when assessing different questions related to the impact of disability, but it was handled using available case analysis techniques to generate estimates and retain more data compared to listwise deletion. Lastly, some terms used in the manuscript, like the categorisation of disability (e.g., using "mental retardation" instead of "intellectual disability"), the terminology used to describe social classes ("backward classes" instead of "disadvantaged classes") are non-inclusive, outdated, perceived as offensive by PWD, and lack alignment with the global vision targeting inclusion and discrimination. However, these terms are retained so that the manuscript is coherent with the original survey report and would help prevent confusion in case some readers want to refer to the original report.

Page 23 of 49

#### 503 Policy implications and recommendations

A few policy implications and recommendations emerged from the study. Given the increasing prevalence of disability and the concurrent escalating proportion of the geriatric population, we need to work on improving accessibility for PWD. A large number of disability originating from birth calls for more robust antenatal and neonatal screening protocols supported by adequate counselling and rehabilitation services. Our results depict that a high proportion of PWD have a caretaker who is available. Previous studies have suggested that empowering the caretakers can help improve the quality of life of PWD.[68] We must simultaneously think of ways (like investing in developing more assistive devices and making them affordable) to help us share the added burden on caregivers.[68] Despite many schemes extended by the government to enhance the social inclusion of PWD that have been briefly described in the manuscript, there is a need for health advocacy drives to sensitise the population about the needs of PWD, improve social inclusion and minimise discrimination. The use of noninclusive language in the original dataset used in the study necessitates using more appropriate language to promote inclusivity. It is recommended that future national surveys focus on more inclusive language, which is compliant with the CRPD and the globally ongoing disability rights movements. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### 520 Conclusions

While previous research has primarily emphasised individual heterogeneity among PWDs, our study indicated that a large proportion of PWD experience systemic disparities in accessing disability support and rehabilitation services. The high prevalence varies significantly as per the studied socio-demographic characteristics, reinforcing the urgent need for targeted interventions. We acknowledge that while individual differences exist, these do not negate the common challenges faced by PWDs in securing equitable access to essential services. Despite government initiatives, there remain gaps in accessibility, public awareness, and enforcement of disability rights. There is an urgent need for concerted efforts to minimise these disparities,

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

enhance the well-being and participation of PWD, and empower them to contribute meaningfully to society. Furthermore, our findings underscore that many disabilities originate from birth or early childhood, yet the availability of early screening, diagnostic services, and timely interventions remains inadequate. Strengthening antenatal and neonatal screening, particularly for intrauterine conditions and birth-related complications, could significantly improve early detection and management of disabilities. As a society, we must work toward reshaping societal and institutional perceptions of disability, shifting the focus from viewing disability as a personal deficit or burden to recognising it as a societal construct that can be addressed through inclusion, accessibility, and policy-driven structural changes. A more inclusive and disability-friendly society is essential not only for ensuring the dignity and rights of PWD but also for achieving socioeconomic development and social justice. These efforts align with India's commitment to the CRPD and contribute to the global vision set by the 2030 Agenda for Sustainable Development, which recognises the promotion of the rights, perspectives, and well-being of PWD as a fundamental prerequisite for a more sustainable and inclusive world.

**Declarations** 

Acknowledgements: This study used the National Sample Survey (NSS), 76th round
Person with Disability in India Survey 2018. The authors gratefully acknowledge members
of the study field team, including those who were involved in mapping/listing/segmentation
and the main survey during data collection. The authors also acknowledge all the
respondents for their active participation in this study.

550 • **Competing interests:** None

Ethics statement: The ethical approvals were not deemed necessary since it was secondary
 data analysis. No patient-level data were used in this paper. However, the original survey
 was conducted by the Ministry of Statistics and Programme Implementation (MOSPI),

Page 25 of 49

#### **BMJ** Open

elopment of the statistical	
ision-making process on	
the various Committees	
es, etc., funded by it that	-
nduct for the members of	
information acquired by	Prote
	cted b
	у сору
	/right,
6Rnd-Sch26.0-July2018	Enseignement Superieur (A Protected by copyright, including for uses related to text and data
inistry of Statistics and	ng for
MOSPI's	Ense uses r
and can be accessed as	elated
	∍nt Su to text
	and d
y, MV and AKJ collected	ata mir
d the analysis and drafted	s). ving, A
om policy and feasibility	l traini
n of the manuscript. MM	ng, an
	d simil
	ar tech
	ing, Al training, and similar technologies
<ul><li>bilities [Internet]. Human</li><li>6]. Available from:</li></ul>	es.
s/convention-rights-	

3 4	554		which is mandated to act as the nodal agency for the integrated development of the statistical
5 6	555		systems in India. The Ministry, as part of its comprehensive decision-making process on
7 8	556		various matters, has formulated a Code of Ethics for Members of the various Committees
9 10 11	557		constituted by MOSPI or by the Organizations, Institutions, bodies, etc., funded by it that
12 13	558		follow the principles of ethics and set out certain standards of conduct for the members of
14 15	559		the Committees in order to protect the confidentiality of the data/information acquired by
16 17 18	560		them by virtue of their membership in such Committees.
19 20	561	•	Patient and Public Involvement: None
21 22	562	•	Funding: No funding was involved at any stage of this study.
23 24	563	•	Data availability: Data (Reference ID: DDI-IND-MOSPI-NSSO-76Rnd-Sch26.0-July2018
25 26 27	564		December 2018) is freely available on the website of the Ministry of Statistics and
28 29	565		Programme Implementation (GOI) MOSPI's
30 31	566		https://microdata.gov.in/nada43/index.php/catalog/154/overview, and can be accessed as
32 33 34	567		per standard protocols.
34 35 36	568	•	Ethics approval: Not applicable
37 38	569	•	Authors' contribution: MM, BB, and MA conceptualised the study, MV and AKJ collected
39 40			data, drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted
41 42	570		data, draned the manuscript, and reviewed it. VE, MIV, and AKJ did the analysis and draned
43 44	571		the final version; MA and RK critically reviewed the manuscript from policy and feasibility
45 46	572		points of view. All the authors read and approved the final version of the manuscript. MM
47 48	573		is responsible for the overall content as guarantor.
49 50	574		
51	575	R	References
52 53	576	1.	
54 55	577		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
56	578		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
57 58	579		persons-disabilities
58 59	515		Persons disubilities

Page 26 of 49

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

BMJ Open

1 2												
3 4	580	2.	World Health Organization. Global report on health equity for persons with disabilities									
5	581		[Internet]. 2023 [cited 2024 Dec 10]. Available from: https://www.knowledge-action-									
6 7	582		portal.com/en/content/global-report-health-equity-persons-disabilities									
8 9	583	3.	World Health Organization. World Report on Disability [Internet]. 2011 [cited 2022 Feb									
10 11	584		9]. p. 1–27. Available from:									
12	585		www.who.int/about/licensing/copyright_form/en/index.html									
13 14	586	4.	Pattnaik S, Murmu J, Agrawal R, Rehman T, Kanungo S, Pati S. Prevalence, pattern and									
15 16	587		determinants of disabilities in India: Insights from NFHS-5 (2019-21). Front Public									
17 18	588		Health. 2023;11:1036499.									
19	589	5.	Ministry of Statistics and Programme Implementation(GOI) - MOSPI. Elderly in India									
20 21	590		2021 [Internet]. 2021 [cited 2024 Dec 16]. Available from:									
22 23	591		https://mospi.gov.in/sites/default/files/publication_reports/Elderly in India 2021.pdf									
24	592	6.	Paul K, Saha S. Burden of Disability in India (1881–2011). Journal of Multidisciplinary									
25 26	593		Research in Healthcare. 2015 Oct 5;2(1):31–54.									
27 28	594	7.	Ministry of Statistics and Program Implementation Government of India. Persons with									
29 30	595		Disabilities in India-NSS 76th report [Internet]. NSS Report No 583 (76/26/1). 2018									
31	596		[cited 2024 Dec 12]. p. 209. Available from:									
32 33	597		https://www.mospi.gov.in/sites/default/files/publication_reports/Report_583_Final_0.p									
34 35	598		df									
36 37	599	8.	International Institute for Population Sciences. National Family Health Survey (NFHS-									
38	600		5) 2019-21 [Internet]. India Report. 2022 [cited 2024 Dec 16]. Available from:									
39 40	601		https://dhsprogram.com/pubs/pdf/FR375/FR375.pdf									
41 42	602	9.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in									
43	603		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr.									
44 45	604		2024 Dec 1;23(1):1–16.									
46 47	605	10.	Chanda S, Sekher T V. Identification of Disability for Inclusive Development: Lessons									
48 49	606		from Disability Census of Kerala, India. Sage Open. 2023;13(3).									
50	607	11.	Department of Economic and Social Affairs. Disability and Development Report 2018									
51 52	608		[Internet]. United Nations. 2019 [cited 2024 Dec 16]. Available from:									
53 54	609		https://www.un.org/development/desa/disabilities/wp-									
55	610		content/uploads/sites/15/2019/07/disability-report-chapter2.pdf									
56 57	611	12.	Chavan BS. Relevance of qualitative research in disability. Journal of Disability									
58 59	612		Management and Rehabilitation. 2015;1(1):1–2.									
60												

#### BMJ Open

2 3		10								
4	613	13.	United Nations. Convention on the Rights of Persons with Disabilities [Internet]. Human							
5 6	614		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:							
7 8	615		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-							
9	616		persons-disabilities							
10 11	617	14.	United Nations- Division for Inclusive Social Development (DISD). Article 24 -							
12 13	618		Education [Internet]. Social Development Issues-Disability. [cited 2024 Dec 15].							
14	619		Available from: https://social.desa.un.org/issues/disability/crpd/article-24-education							
15 16	620	15.	United Nations- Division for Inclusive Social Development (DISD). Article 27 – Work							
17 18	621		and employment [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].							
19	622		Available from: https://www.un.org/development/desa/disabilities/convention-on-the-							
20 21	623		rights-of-persons-with-disabilities/article-27-work-and-employment.html							
22 23	624	16.	United Nations- Division for Inclusive Social Development (DISD). Article 6 - Women							
24	625		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].							
25 26	626		Available from: https://social.desa.un.org/issues/disability/crpd/article-6-women-with-							
27 28	627		disabilities							
29	628	17.	United Nations- Division for Inclusive Social Development (DISD). Article 7 - Children							
30 31	629		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].							
32 33	630		Available from: https://social.desa.un.org/issues/disability/crpd/article-7-children-with-							
34 35	631		disabilities							
36	632	18.	United Nations- Division for Inclusive Social Development (DISD). Article 9 -							
37 38	633		Accessibility [Internet]. Disability. [cited 2024 Dec 10]. Available from:							
39 40	634		https://social.desa.un.org/issues/disability/crpd/article-9-accessibility							
41	635	19.	Sophie Mitra AP and BV. Disability and Poverty in Developing Countries: A Snapshot							
42 43	636		from the World Health Survey [Internet]. The World Bank - Social Protection and Lab.							
44 45	637		2011 [cited 2024 Dec 17]. Available from:							
46	638		https://documents1.worldbank.org/curated/en/501871468326189306/pdf/625640NWP							
47 48	639		0110900PUBLIC00BOX361487B.pdf							
49 50	640	20.	United Nations. Transforming our world: the 2030 Agenda for Sustainable Development							
51 52	641		[Internet]. Department of Economic and Social Affairs Sustainable Development. 2015							
53	642		[cited 2024 Dec 12]. Available from: https://sdgs.un.org/2030agenda							
54 55	643	21.	United Nations. International Human Rights Law [Internet]. Instruments & mechanisms.							
56 57	644		[cited 2024 Dec 10]. Available from: https://www.ohchr.org/en/instruments-and-							
58	645		mechanisms/international-human-rights-law							
59 60										

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **BMJ** Open

22. World Bank Group. Disability Inclusion [Internet]. Understanding Poverty. 2023 [cited 2024 Dec 12]. Available from: https://www.worldbank.org/en/topic/disability 23. Saran A, Hunt X, White H, Kuper H. Protocol: Effectiveness of interventions for improving social inclusion outcomes for people with disabilities in low- and middle-income countries: A systematic review. Campbell Systematic Reviews. 2021 Sep 29;17(3):e1191. 24. Centers for Disease Control and Prevention. Disability and Health Disability Barriers [Internet]. Disability Inclusion. [cited Dec 17]. Available from: https://www.cdc.gov/ncbddd/disabilityandhealth/disability-barriers.html 25. Ministry of state for statistics and Program implementation. Handbook on Collection of statistics act, 2008 [Internet]. Ministry of Law and Justice. 2008 [cited 2025 Mar 4]. Available from: https://www.mospi.gov.in/sites/default/files/main menu/handbook %20collection of statistic act/hand col stat act 2008.pdf 26. Ministry of Statistics and Programme Implementation G of I. Note on sample design and estimation procedure of NSS 76th round. Ministry of Statistics and Programme Implementation, Government of India. National Sample Survey Office, Ministry of Statistics and Program Implementation 27. Government of India. Schedule 26: Survey of persons with disabilities [Internet]. Seventy-Sixth round: July, 2018 - December, 2018, 2018. 2018 [cited 2024 Dec 12]. Available from: https://www.mospi.gov.in/sites/default/files/NSS7612dws/NSS 76 sch 26.0.pdf Government of Assam H and FW. Disability Certificate | Health & Family Welfare | 28. Government Of Assam, India [Internet]. Disability Certificate. [cited 2025 Feb 17]. Available from: https://hfw.assam.gov.in/information-services/disability-certificate 29. Disabilities. D of E of P with. Unique Disability ID [Internet]. Ministry of Social Justice and Empowerment, Governmenet of India of India. [cited 2025 Mar 3]. Available from: https://swavlambancard.gov.in/faqs 30. Okoro CA, Hollis ND, Cyrus AC, Griffin-Blake S. Prevalence of Disabilities and Health Care Access by Disability Status and Type Among Adults - United States, 2016. MMWR Morb Mortal Wkly Rep. 2018 Aug 17;67(32):882-7. 31. Ozawa MN, Hun Yeo Y. Race/ethnicity and socioeconomic class as correlates of disability in old age. J Gerontol Soc Work. 2008;51(3-4):337-65. 

#### BMJ Open

2 3	679	32.	Kavanagh AM, Krnjacki L, Aitken Z, Lamontagne AD, Beer A, Baker E, et al.
4 5	680	52.	Intersections between disability, type of impairment, gender and socio-economic
6	681		disadvantage in a nationally representative sample of 33,101 working-aged Australians.
7 8	682		Disabil Health J. 2015 Apr 1;8(2):191–9.
9 10	683	33.	Courtney-Long EA, Carroll DD, Zhang QC, Stevens AC, Griffin-Blake S, Armour BS,
11	684	55.	
12 13			et al. Prevalence of Disability and Disability Type Among AdultsUnited States, 2013.
14 15	685 686	24	MMWR Morb Mortal Wkly Rep. 2015 Jul 31;64(29):777–82.
16 17	686	34.	Department of Social Justice and Empowerment M of SJ and EG of I. About the
18	687		Division   Department of Social Justice and Empowerment - Government of India
19 20	688		[Internet]. [cited 2025 Mar 3]. Available from:
21	689		https://socialjustice.gov.in/common/31548
22 23	690	[data	set] 35. Ministry of Statistics and Programme Implementation(GOI) - MOSPI. India -
24 25	691		Survey of Persons with Disabilities NSS 76th Round : July 2018 - December 2018 -
26	692		Overview [Internet]. Central Data Catalog. 2018 [cited 2024 Dec 10]. Available from:
27 28	693		https://microdata.gov.in/nada43/index.php/catalog/154/overview
29 30	694	36.	Stata. SVY estimation — Estimation commands for survey data [Internet]. [SEM] sem
31 32	695		— Structural equation model estimation command. [cited 2024 Dec 17]. Available from:
33	696		https://www.stata.com/manuals13/svysvyestimation.pdf
34 35	697	37.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in
36 37	698		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr
38	699		[Internet]. 2024 Dec 1 [cited 2025 Mar 3];23(1):1-16. Available from: https://ij-
39 40	700		healthgeographics.biomedcentral.com/articles/10.1186/s12942-024-00363-w
41 42	701	38.	Acharya K. Prenatal testing for intellectual disability: Misperceptions and reality with
43	702		lessons from down syndrome. Dev Disabil Res Rev. 2011 Jan 1;17(1):27-31.
44 45	703	39.	Bailey DB, Skinner D, Warren SF. Newborn Screening for Developmental Disabilities:
46 47	704		Reframing Presumptive Benefit. Am J Public Health. 2005 Nov;95(11):1889.
48	705	40.	National Health Authority, Government of India. Pradhan Mantri Jan Arogya Yojana
49 50	706		(PM-JAY) [Internet]. About PM-JAY. 2019 [cited 2024 Dec 10]. Available from:
51 52	707		https://nha.gov.in/PM-JAY
53	708	41.	Ministry of Health and Family Welfare. Government of India. RBSK-Rashtriya Bal
54 55	709		Swasthya Karyakram [Internet]. Schemes. 2024 [cited 2024 Dec 10]. Available from:
56 57	710		https://rbsk.mohfw.gov.in/RBSK/
58 59	711	42.	Dhole RS, Gaur KA, More NS, Popalwar H, Lokhande V. Study of locomotor disability
60	712		due to various types of Trauma. National journal of medical research. 2015;5(3):194–8.

713 43. Musselwhite CBA, Avineri E, Susilo YO, Bhattachary D. Public attitudes towards
 714 motorcyclists' safety: A qualitative study from the United Kingdom. Accid Anal Prev.
 715 2012 Nov;49:105–13.

- 8 World Bank Group. Traffic crash injuries and disabilities: The burden on Indian society 716 44. 9 10 717 [Internet]. Policy Document. 2021 [cited 2024 Dec 17]. Available from: 11 https://www.worldbank.org/en/country/india/publication/traffic-crash-injuries-and-718 12 13 719 disabilities-the-burden-on-indian-society 14
- 15 45. Cole EOB, Christie SA, Oke R, Motwani G, Dickson D, Chendjou W, et al. Too serious 720 16 17 721 to ignore: The epidemiologic and economic burden of home injuries in the Southwest 18 722 Region of Cameroon—A community-based study. Bourgeois D, editor. PLoS One. 2022 19 20 723 Sep 22;17(9):e0274686. 21
- 724 46. Rehman T, Sulgante S, Sekhar S. Prevalence and pattern of domestic accidents in the
   725 field practice area of Jawaharlal Institute of Urban Health Centre, Puducherry: a cross 726 sectional analytical study. J Inj Violence Res. 2020;12(1).
- 727 28 727 47. Department of Empowerment of Persons with Disabilities. The Rights of persons with disabilities act 2016 [Internet]. Policy Document. 2016 [cited 2024 Dec 11]. Available from: https://legislative.gov.in/sites/default/files/A2016-49\_1.pdf
- 32 730 48. Bureau of Indian Standards. National building code of India 2016 (NBC 2016) 33 34 SP 2016. 2016 [cited 2024 Dec 21]. 731 [Internet]. 7: Available from: 35 36 732 https://www.bis.gov.in/standards/technical-department/national-building-code/
- 733
  733
  733
  733
  734
  734
  735
  735
  735
  736
  736
  737
  738
  738
  738
  739
  739
  739
  730
  730
  731
  732
  732
  733
  734
  735
  735
  735
  736
  736
  737
  738
  738
  739
  739
  739
  730
  730
  730
  731
  732
  732
  733
  734
  735
  735
  735
  736
  737
  738
  738
  739
  739
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
  730
- 4373650.Department of Empowerment of Persons with Disabilities (DEPwD), Government of4445737India. Deendayal Divyangjan Rehabilitation Scheme (DDRS) [Internet]. Schemes. 20234647738[cited 2024 Dec 10]. Available from: https://depwd.gov.in/ddrs/
- <sup>48</sup> 739 51. Kumar SG, Roy G, Kar SS. Disability and Rehabilitation Services in India: Issues and Challenges. J Family Med Prim Care [Internet]. 2012 [cited 2025 Mar 3];1(1):69.
  <sup>51</sup> 741 Available from: https://pmc.ncbi.nlm.nih.gov/articles/PMC3893941/
- <sup>53</sup> 742 52. Hayes AM, Bulat J. Disabilities Inclusive Education Systems and Policies Guide for
   <sup>55</sup> 743 Low- and Middle-Income Countries. RTI Press Publication. Research Triangle Park,
   <sup>56</sup> 744 NC: RTI Press; 2017 Jul.
- <sup>58</sup> 59
   <sup>58</sup> 745
   <sup>53</sup> Centre for Civil Society. Right To Education [Internet]. [cited 2024 Dec 10]. Available
   <sup>60</sup> 746
   <sup>60</sup> from: https://righttoeducation.in/know-your-rte/about

Page 31 of 49

1 2

#### BMJ Open

2 3	747	54.	Ministry of Education, Government of India. Samagra Shiksha [Internet]. 2021 [cited
4 5	748		2024 Dec 17]. Available from: https://samagra.education.gov.in/about.html
6 7	749	55.	The Ministry of Human Resource Development; Government of India. National
, 8 9	750		Education Policy, 2020 [Internet]. 2020 [cited 2024 Dec 17]. Available from:
10	751		https://www.education.gov.in/sites/upload files/mhrd/files/NEP Final English 0.pdf
11 12	752	56.	Ahmed SK, Jeffries D, Chakraborty A, Carslake T, Lietz P, Rahayu B, et al. Teacher
13 14	753		professional development for disability inclusion in low- and middle-income Asia-
15	754		Pacific countries: An evidence and gap map. Campbell Systematic Reviews [Internet].
16 17	755		2022 Dec 1 [cited 2025 Mar 3];18(4):e1287. Available from:
18 19	756		https://onlinelibrary.wiley.com/doi/full/10.1002/cl2.1287
20 21	757	57.	Bera M, Kartick Chandra Pramanik P. Access Challenges For Students With Disabilities
22	758		In Higher Education. 2023 [cited 2025 Mar 3];11:2320–882. Available from:
23 24	759		www.ijcrt.org
25 26	760	58.	Department of Empowerment of Persons with Disabilities (DEPwD). National
27 28	761		divyangjan finance and development corporation-India [Internet]. Organizations Under
29	762		DEPwD. 2024 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/national-
30 31	763		handicapped-finance-and-development-corporation/
32 33	764	59.	Qiu N, Jiang Y, Sun Z, Du M. The impact of disability-related deprivation on
34 35	765		employment opportunity at the neighborhood level: does family socioeconomic status
36	766		matter? Front Public Health. 2023 Aug 9;11:1232829.
37 38	767	60.	Bonaccio S, Connelly CE, Gellatly IR, Jetha A, Martin Ginis KA. The Participation of
39 40	768		People with Disabilities in the Workplace Across the Employment Cycle: Employer
41 42	769		Concerns and Research Evidence. J Bus Psychol. 2020 Apr 1;35(2):135–58.
43	770	61.	Babik I, Gardner ES. Factors Affecting the Perception of Disability: A Developmental
44 45	771		Perspective. Front Psychol. 2021 Jun 21;12:702166.
46 47	772	62.	Jameel S. Disability in the Context of Higher Education: Issues and Concerns in India.
48	773		Electronic Journal for Inclusive Education. 2011 Jan 1;2(7).
49 50	774	63.	Moumita Barman. Barriers to higher education for persons with disabilities block their
51 52	775		meaningful growth. News article - The Siasat Daily. 2024 Jan 26;
53 54	776	64.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
55	777		India. Scheme for Implementation of the Rights of Persons with Disabilities Act, 2016
56 57	778		(SIPDA) [Internet]. Schemes. 2016 [cited 2024 Dec 12]. Available from:
58 59	779		https://depwd.gov.in/sipda/
60			

from:

- 65. Ministry of Education, Government of India. Inclusive Education of the Disabled at Secondary Stage [Internet]. About MoE. 2016 [cited 2024 Dec 17]. Available from: https://www.education.gov.in/iedss Disempowering the Empowered: The Systemic Failures of India's Disability Welfare 66. Schemes [Internet]. [cited] Mar 3]. Available https://www.salzburgglobal.org/news/fellows/article/disempowering-the-empowered-the-systemic-failures-of-indias-disability-welfare-schemes
  - 67. Lawson A, Pineda VS, Walker J, Jain S, Jain M. Revisiting the Conceptual Terrains of the Right to Accessibility in India: The Role of Judicial Enforcement. Laws 2024, Vol 13, Page 54 [Internet]. 2024 Aug 16 [cited 2025 Mar 3];13(4):54. Available from: https://www.mdpi.com/2075-471X/13/4/54/htm
  - Arasu S, Shanbhag D. Quality of Life and Burden of Caregiving Among the Primary 68. Caregivers of Children with Disability in Rural Karnataka. J Family Med Prim Care. 2021 Aug 27;10(8):2804-9.

review only

# BMJ Open Tables Tables Table 1: Prevalence of different types of disabilities across different socio-demographic characteristics, NSS, 76<sup>th</sup> round, India (n=576,796)

Background characteristics	Locomotor N (%)	Vision N (%)	Hearing N (%)	Speech N (%)	Mental Retardation N (%)	N (%)	<u>8</u> 12(&)	Any one disability N (%)
0	61981 (1.36)	11977 (0.23)	15294 (0.30)	12661 (0.23)	8564 (0.16)	6751 (0.16)	eig3021 (0.05)	107,125 (2.20
Age Group (completed years)							. Do Primei	
up to 5	1494 (2.2)	182 (1.5)	311 (2)	907 (7.3)	445 (5.3)	41 (0.5)		2839 (2.5)
`6-17	7290 (10.8)	1210 (9.2)	1977 (12.6)	4515 (35.8)	3492 (41.2)	1060 (15.4)	an er 🖗 1 (21.5)	16695 (14.4)
18-35	11546 (18)	1386 (10.7)	2036 (13.3)	3273 (26.4)	2796 (33)			20673 (18.8)
36-49	11434 (18.1)	1557 (12.3)	2118 (13)	1812 (13.8)	1113 (12.4)		<b>B4</b> 78 (14.8)	18665 (17.2)
50-65	16627 (27.9)	3609 (31.1)	3843 (25.1)	1495 (11.4)	561 (6.5)	1409 (21.3)	<b>9</b> <b>9</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	26420 (25.7)
65+	13590 (23)	4033 (35.2)	5009 (34)	659 (5.3)	157 (1.6)	680 (10.1)	<b>2</b> 4 (16.6)	21833 (21.4)
Sex							pen	
Male	36862 (58.7)	6014 (50.2)	7993 (52)	7554 (60.4)	5202 (61.7)	3856 (56.8)	1364 (58.9)	61707 (57.3)
Female	25110 (41.3)	5958 (49.8)	7296 (48)	5106 (39.6)	3359 (38.3)	2893 (43.2)	1255 (41.1)	45396 (42.7)
Marital Status							n∕ or sim	
Never Married	16912 (24.7)	2719 (20.8)	3987 (24.2)	8708 (67.8)	7450 (86.9)	3281 (46.1)	1 <b>8</b> 14 (40.4)	36813 (31.4)
Ever Married	33257 (55.3)	5541 (46.9)	7094 (47.5)	3086 (25.3)	791 (9.3)	2381 (35.8)		50108 (48.8)
Widowed	11293 (19)	3616 (31.5)	4024 (27.1)	690 (5.4)	190 (2.1)	775 (12.5)	366 (11.1)	18933 (18.5)
divorced/separated	519 (1)	101 (0.8)	189 (1.1)	177 (1.4)	133 (1.8)	314 (5.5)	<b>25</b> 9 (1.2)	1271 (1.3)
Area of residence							t Ag	
Rural	42222 (71.6)	8809 (76.3)	11121 (74.9)	9164 (72.9)	5974 (69.9)	4772 (73.1)	2 <b>8</b> 55 (62.4)	75091 (72.8)
Urban	19759 (28.4)	3168 (23.7)	4173 (25.1)	3497 (27.1)	2590 (30.1)	1979 (26.9)	1066 (37.6)	32034 (27.2)
Educational attainment							oliog	
Non-literate	26376 (44.5)	7160 (62.6)	8365 (57.3)	7119 (56.9)	5846 (69.3)	3285 (49.6)		50848 (48.9)
				1			hique de l	

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

				BMJ Open		d by co	'bmjope	
						d by copyright, i	bmjopen-2024-090259 (29)	
Literate but not formal	15002 (23.2)	2483 (19.4)	3700 (22.9)	3428 (26.7)	1858 (21)	1629 (23.3)	<b>98</b> 59 (29)	26145 (23.3)
Upto primary	16885 (26.5)	1987 (15.5)	2782 (16.9)	1908 (14.9)	808 (9.1)	1623 (24.1)	<b>9</b> 6 (28.7)	25210 (23.1)
Upto secondary	3718 (5.8)	347 (2.6)	447 (2.9)	206 (1.5)	52 (0.6)	214 (3.1)	<b>2</b> 38 (8.2)	4922 (4.6)
Preferred Religion						uses	May Ens	
Hindu	49548 (81.9)	9479 (82.9)	12090 (82.6)	9658 (78.7)	6540 (78.7)	5063 (74.7)	2244 (80.8)	84742 (81.5)
Islam	8375 (12.5)	1601 (12.5)	1927 (11.7)	2021 (15.6)	1366 (15.9)	1167 (18.4)	<b>9</b> 402 (12.6)	14658 (12.9)
Others	4058 (5.6)	897 (4.6)	1277 (5.7)	982 (5.7)	658 (5.4)	521 (6.9) <b>ö</b>	ent Super	7725 (5.5)
Social Group		0r				a Xt	load	
Scheduled Tribe	6049 (8.3)	1491 (9.1)	1923 (9.5)	1478 (9.4)	822 (7.2)	670 (7.8) <b>d</b>	<b>1 2</b> (12.3)	11729 (8.7)
Scheduled Caste	12240 (20.4)	2407 (21.3)	2805 (19.4)	2467 (20.5)	1602 (19.2)	1269 (19.9)		20925 (20.4)
Other Backward Classes	26861 (44.7)	5205 (46)	6583 (45.5)	5482 (44.7)	3806 (45.8)	2915 (45.7)	<b>6</b> 7 (40.2)	46223 (44.9)
General	16831 (26.6)	2874 (23.6)	3983 (25.6)	3234 (25.4)	2334 (27.8)	1897 (26.6)	• 928 (29.7)	28248 (26)
Wealth Index				101			- jop	
Poorer	17681 (30.2)	3919 (35.1)	4933 (34.7)	3552 (30.1)	2025 (25.3)	1932 (31)	\$23 (25.8)	31259 (31)
Poor	12553 (20.5)	2474 (20.8)	3005 (19.4)	2746 (21.4)	1773 (20.9)	یے 1364 (20.5)	\$24 (16.2)	21959 (20.7)
Middle	11468 (18.2)	2271 (18.5)	2730 (17.4)	2434 (18.5)	1751 (20)	1302 (18.1)	<b>2</b> 0 (17.3)	20058 (18.3)
Richer	10440 (16)	1864 (14.4)	2480 (15.4)	2080 (15.8)	1611 (18.3)	1161 (16.8)	<b>5</b> 93 (19.9)	17946 (15.9)
Richest	9839 (15.1)	1449 (11.1)	2146 (13)	1849 (14.2)	1404 (15.5)	992 (13.6) <b>te</b>	<b>\$</b> 1 (20.7)	15903 (14.1)
Regions of India						chnc	<b>1</b> 3	
Northern	8787 (14.4)	1478 (13.1)	1692 (11.7)	1347 (11.1)	1144 (13.5)	931 (14.2) <b>g</b>	<b>8</b> <b>8</b> <b>1</b> 6 (7.6)	14305 (13.8)
Southern	13448 (23)	2814 (24.7)	4013 (27.3)	2958 (24.8)	2141 (25.6)	1447 (21.3) <sup>9</sup>	<b>A</b> 4 (25.5)	23699 (23.3)
Western	8387 (12.7)	1286 (10.1)	1740 (11.1)	1423 (11.3)	1293 (15.2)	706 (10.6)	<b>§</b> 40 (17.7)	13708 (12.3)
Eastern	12790 (20.3)	2538 (21.9)	3238 (22.5)	3248 (27.1)	1762 (21.3)	1672 (26.3)	<b>95</b> 4 (30.4)	23061 (21.8)
North-Eastern	3858 (2.1)	1335 (4.5)	1620 (3.7)	1308 (3.4)	594 (2)	582 (2.7)	$\mathbf{\overline{982}}(2,4)$	8839 (2.8)
Central	14711 (27.4)	2526 (25.6)	2991 (23.8)	2377 (22.4)	1630 (22.6)	1413 (24.8)	<b>4</b> <b>4</b> <b>5</b> (16.3)	23513 (26)
				2			100 (21.1) 100 (2	
		For peer review	only - http://bn	njopen.bmj.cor	n/site/about/gui	delines.xhtml	de l	

Page 34 of 49

1	
•	
2	
2	
3	
Δ	
-+	
5	
ć	
6	
7	
8	
0	
9	
10	
10	
11	
10	
12	
13	
14	
15	
15	
16	
17	
19	
10	
19	
20	
20	
21	
21	
22	
23	
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 33 24 25 26 27 28 29 30 0	
24	
25	
26	
26	
27	
21	
28	
20	
29	
30	
31	
20	
∠د	
33	
24	
34	
35	
55	
30 31 32 33 34 35 36 37	
37	
57	
38	
39	
40	
41	
42	
43	
44	
45	
10	

46

# BMJ Open Table 2: Percentage distribution of different disability types and their associated information, NSS 76<sup>th</sup> round, India. 2

	Locomotor	Visual	Hearing	Speech and language	Mental retardation/	Tent纪 Ment纪 明显。	Other types of disability	Any Disability
Total sample size	61980	1156	1281	2013	1217	2025 réla	768	61980
Causes of disability						ted t		
Disease	28673 (46.3)	454 (39.3)	484 (37.8)	1246 (61.9)	NA	o tex	NA	NA
Other than disease due to burn	723 (1.2)	88 (0.7)	1 (0.1)	8 (0.4)	NA	t an	NA	NA
Injuries other than burn	13876 (22.4)	156 (13.5)	158 (12.4)	105 (5.2)	NA	d fro eur d dat	NA	NA
Other causes	18702 (30.2)	538 (46.5)	637 (49.7)	654 (32.5)	NA	May 2025. Downloaded from <u>http://b</u> 智hseignementSuperie证(ABES). I野s related to fext and data mining.	NA	NA
Disability from Birth						s) S) S)		
Yes	11,488 (18.5)	91 (7.9)	198 (15.4)	1041 (51.7)	955 (78.5)	11 <b>≥</b> (2 <b>€</b> 4)	119 (15.5)	11,488 (18.5)
No	50,052 (80.8)	1062 (91.9)	1081 (84.4)	964 (47.9)	258 (21.2)	403 (786)	645 (84)	50,052 (80.8)
Not Known	440 (0.7)	3 (0.2)	2 (0.2)	8 (0.4)	4 (0.3)	<b>99</b> (1 <b>)</b>	4 (0.4)	440 (0.7)
Disability commenced in last 365 days				V		om/ on Ind simi		
sample size	48741	1034.2	1052.4	938.7	251.6	<b>9</b> 94.8	628.6	48741
Yes	2987 (6.1)	72 (7)	65 (6.2)	100 (10.6)	11 (4.4)	4091(10-2)	48 (7.7)	2987 (6.1)
No	45754 (93.9)	961 (93)	987 (93.8)	839 (89.4)	240 (95.6)	358 (898)	580 (92.3)	45754 (93.9)
Place of occurrence of disability						35% (8025 at		
Sample size	14281	161	157	105	33	86 <b>ge</b> l	63	14281
Workplace	2308 (16.2)	13 (8.3)	30 (19.2)	11 (10.9)	2 (6.9)	9 (1 le B	11 (18.1)	2308 (16.2)
Road	5977 (41.9)	46 (28.5)	43 (27.5)	41 (38.7)	9 (25.9)	35 (405)	15 (23.8)	5977 (41.9)
Home	4693 (32.9)	93 (57.9)	73 (46.3)	45 (42.4)	19 (58.5)	33 (388)	31 (49.5)	4693 (32.9)
	For peer r	eview only - ht	3	mj.com/site/abo	out/quidelines	hique de l	, ,	

Page 3	36 of 49
--------	----------

Other places	1302 (9.1)	9 (5.3)	11 (7)	8 (8)	3 (8.7)	bmjopen-2024-090320 on 15 9 by copyright, including for	5 (8.6)	1302 (9.1)
Treatment taken/undergoing treatment						on 15 ng for		
Sample size	61980	1156	1281	2013	1217	uses –	768	61980
yes: consulting doctor	35,923 (58)	566.6 (49)	617 (48.2)	1,080 (53.7)	710 (58.4)		330 (43)	35923 (58)
Otherwise	1565 (2.5)	22 (1.9)	34 (2.7)	42 (2.1)	36 (2.9)	d G G G G G G G G G G G G G G G G G G G	6 (0.7)	1564.5 (2.5
Yes: consulting doctor, plus undergoing treatment	17329 (28)	375 (32.4)	418 (32.7)	719 (35.7)	355 (29.2)	s related f 26ated for text and a 19and to text and a	397 (51.7)	17329 (28)
Otherwise	860 (1.4)	34 (2.9)	21 (1.7)	20 (1)	4 (0.3)	l data lata	8 (1)	860 (1.4)
Attending special school/special therapy	116 (0.2)	2.9 (0.3)	0 (0)	4 (0.2)	6 (0.5)	d from http://bmjop eut/(ABES) . (3) data mining,rAl tr	0 (0)	116 (0.2)
Cannot afford treatment	2040 (3.3)	75 (6.4)	73 (5.7)	72 (3.6)	55 (4.6)	1 <u>2</u> (3, <u>3</u> )	8 (1)	2040 (3.3)
No treatment available for the disability	699 (1.1)	13 (1.1)	8 (0.6)	17 (0.8)	16 (1.3)	trataing,	5 (0.7)	699 (1.1)
Not required	2717 (4.4)	60 (5.2)	97 (7.6)	47 (2.3)	26 (2.1)	, भूग (49) भूग (49)	14 (1.8)	2717 (4.4)
Not known	732 (1.2)	8 (0.7)	12 (0.9)	13 (0.7)	9 (0.7)		1 (0.1)	732 (1.2)
Note: Causes of disability were rec Disability Commenced in the during the last 365 days befor Place of occurrence was reco was burn, injury or other than	last 365 days wa re the survey. orded for individu	s recorded for	r those indivia	luals who did no	ot have a disab	ility of rom bir		
	For peer r	eview only - ht	tp://bmjopen.k	omj.com/site/abc	out/guidelines.	xhtml –		

#### Table 3: Access to disability support and rehabilitation services by the person with disability as per the 76<sup>th</sup> round of the National Sample Survey (2018), India.

Living conditions of the person with disability	Weighted percenta
(n=sample included in the analysis)	
Age at the onset of disability* (n= 48,727)	17.2
0 to 4 years	17.2
5 to 14 years	9.0
15 to 59 years	45.9
60 years and above	28.0
Receipt of aid/help (n=61,712)	• • •
Received aid/help from Government	20.8
Received aid/help from organisations other than government	4.1
Did not receive aid/help	75.1
Living arrangement(n=61,962)	
Living alone or with a spouse	57.0
Living with others	43.0
Arrangement of regular caregiver(n=61,980)	
Care-giver required but not available	0.1
Care-giver is not required	37.1
Care-giver is available	62.8
Access to public Transport (n=61,980)	
Yes	59.6
No	40.4
Accesses to public building (n=61,980)	
Yes	45.6
No	54.4
Difficulty faced accessing public building (n= 27,756)	
difficulty faced: due to stairs and non-availability of ramp, grooved tiles or lift	57.7
in opening doors	4.4
no seating arrangement: in the waiting area	1.6
at the point of receiving service	0.8
no special toilet seats	0.7
no sign for direction/ instruction/no public announcement system	0.3
no difficulty faced	27.6
others	7.0
Employed/working before onset of disability (For person of age 15 years and	1.0
above; n=55,819)	
Yes	40.3
No	59.7
Disability causing loss or change in job(n= 21,559)	
loss of work	60.7
change of work	18.3
no loss or change of work	21.3
Having Disability Certificate(n=61,980)	<u>~1.J</u>
Yes	30.4
i es No	69.6
Percentage of Disability as per Certificate (n=20,213)	07.0
	40.2
40-<60%	49.3
<u>≥60-&lt;80%</u>	36.3
	12.8
≥80% none of these	1.6

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

1
2
3
4
5
6
7
/
8
9
10
11
12
14 15 16
15
16
17
18
10
19
20
21
22
23
24
24
25
26
27
28
29
30
31
32
33
34
34 35
36
37
37 38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
54 55
56
57

1

	Unadjusted Odds	p-value	Adjusted Odds	
	ratio (95% C.I)		ratio (95% C.I)	p-value
Age Group (Completed years)				
Up to 5 years	Reference value		Reference value	
6 - 18 years	2.1(2-2.1)	< 0.001	3.5(3.4-3.7)	< 0.001
19-35 years	2.3(2.2-2.4)	< 0.001	8.4(8-8.8)	< 0.001
36-49 years	3.5(3.4-3.7)	< 0.001	17.6(16.8-18.5)	< 0.001
50-65 years	6.4(6.1-6.7)	< 0.001	25.8(24.5-27.1)	< 0.001
65+ years	17.5(16.7-18.2)	< 0.001	58.4(55.4-61.5)	< 0.001
Sex				
Male	Reference value		Reference value	
Female	0.7(0.7-0.7)	< 0.001	0.6(0.6-0.6)	< 0.001
Place of Residence				
Rural	<b>Reference value</b>		<b>Reference value</b>	
Urban	1.02(1.01-1.03)	0.03	1.3(1.2-1.3)	< 0.001
Social Group				
Scheduled Tribe	<b>Reference value</b>		Reference value	
Scheduled Caste	1.1(1.1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
Other Backward Classes	1.1(1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
General	1.1(1.1-1.1)	< 0.001	1.3(1.3-1.3)	< 0.001
Educational attainment				
No education	Reference value		Reference value	
Upto Primary class	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.5)	< 0.001
Upto Secondary Class	0.4(0.4-0.4)	< 0.001	0.4(0.4-0.4)	< 0.001
Graduate & Above	0.3(0.3-0.4)	< 0.001	0.3(0.3-0.3)	< 0.001
Preferred Religion				
Hindu	Reference value		Reference value	
Islam	0.8(0.8-0.9)	< 0.001	0.9(0.9-0.9)	< 0.001
Others	0.9(0.9-1)	< 0.001	1(1-1.1)	0.019
Marital Status				
Never married	Reference value		Reference value	
Currently married	1.3(1.3-1.3)	< 0.001	0.3(0.3-0.3)	< 0.001
widowed	5.9(5.8-6.1)	< 0.001	0.6(0.5-0.6)	< 0.001
Divorced/separated	4.4(4.1-4.8)	< 0.001	1.1(1-1.2)	0.011
Wealth Index				
Poorest	Reference value		Reference value	
Poor	0.6(0.6-0.6)	< 0.001	0.7(0.7-0.7)	< 0.001
Middle	0.6(0.5-0.6)	< 0.001	0.6(0.6-0.6)	< 0.001
Richer	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.6)	< 0.001
Richest	0.4(0.4-0.4)	< 0.001	0.5(0.5-0.5)	<0.001
Regions of India		0.001		0.001
Northern	Reference value		Reference value	
Southern	1.42(1.39-1.46)	< 0.001	1.1(1.1-1.2)	< 0.001
Western	1.13(1.1-1.16)	<0.001	1(1-1.1)	0.065
estern		0.001		0.000

### Table 4: Multivariable binary logistic regression analysis exploring the likelihood of living with any disability per the 76<sup>th</sup> round of the NSS, India.

3

< 0.001

0.961

0.653

1(0.9-1)

0.9(0.8-0.9)

1(1-1)

0.001

0.361

< 0.001

Eastern

Central

North-eastern

1.15(1.13-1.18)

1.01(0.98-1.03)

1(0.97-1.03)

1	Figure Legends
2 3	Figure 1: Geographical disparities in the difficulties faced by the people livin with disability as per the 76 <sup>th</sup> Round of the National Sample Survey, India

BMJ Open: first published as 10.1136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.




Figure 1: Geographical disparities in the difficulties faced by the people living with disabilities as per the 76th Round of the National Sample Survey, India

40x58mm (600 x 600 DPI)

# BMJ Open Supplementary Table 1: Living conditions of the people living with different types of disabilities, as per the 76<sup>th</sup> report of the National Sample Survey Organization India (2017-18)


<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Locomotor	Visual	Hearing 2025	Speech	Mental retardness	Mental illness	Others
	Weighted %	Weighted %	Weighte	Weighted %	Weighted %	Weighted %	Weighted %
Age at the onset of disability			o tex				
0 to 4 years	17.2	3.0	4.2 tar	21.0	51.0	10.1	9.9
5 to 14 years	9.0	2.3	3.0 def from 17.4 a A B B B A A A A A A A A A A A A A A A	9.6	17.3	12.3	7.0
15 to 59 years	45.9	22.1	17.4 at Con	40.9	24.0	40.5	49.2
60 years and above	28.0	72.6	75.4 <b>3 8 3</b>	28.4	7.7	37.1	33.8
Total number of participants	48,737	1,035	1,05 <b>ଙ୍କୁ ଅ</b> ତ୍ର	946	259	395	632
Receipt of aid/help			, /bm 9, /				
Received aid/help from Government	20.8	22.2	<b>ia. binj</b> ion 20.7 <b>t</b> r	29.2	37.2	25.5	20.0
Received aid/help from organisations other than			8.6g				
government	4.1	10.2	8.6 m	4.0	3.3	6.0	2.7
Did not receive aid/help	75.1	67.7	70.89 8 1,272 2	66.8	59.5	68.5	77.3
Total number of participants	61,712	1,145		2,010	1,215	521	766
Living arrangement			imil				
Living alone or with a spouse	57.0	43.5	41.6 <b>rt une</b> 58.4 <b>ct 1</b>	26.8	4.1	35.4	55.8
Living with others	43.0	56.5	58.4 <sup>ec</sup> 1	73.2	95.9	64.6	44.2
Total number of participants	61,962	1,156	1,2800 gje	2,013	1,217	523	768
Arrangement of regular caregiver			logi				
Care-giver required but not available	0.1	0.0	0.0 s a	0.1	0.9	0.0	0.3
Care-giver is not required	37.1	11.5	15.7 g 84.2 c	8.8	5.6	10.8	13.4
Care-giver is available	62.8	88.6	84.2 ng	91.1	93.6	89.2	86.3
Total number of participants	61,980	1,156	1,281 <b>D</b>	2,013	1,217	523	768
Accesses to public building			1,281 B				
Yes	45.6	25.4	29.4 gra	27.2	26.0	26.0	29.9

de For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml 3 4

Page	42	of	49
------	----	----	----

		BMJ Oper	36/brr				
			cted by copyright <u>incl</u> udii 70.6 <u>1</u> 28 <u>1</u> 28				
No	54.4	74.6	9024-0 70.6-i	72.8	74.0	74.0	70.1
Total number of participants	61,980	1156	128 🖻 👸	2013	523	523	768
Difficulty faced accessing public building			220 on 15 N 60.7 u				
difficulty faced: due to stairs and non-availability of			on . Ig fe				
ramp, grooved tiles or lift	57.7	63.2	60.7°° 15	55.4	49.7	46.7	52.2
in opening doors	4.4	1.6	1.3 es	2.8	1.0	7.6	2.8
no seating arrangement: in the waiting area	1.6	3.0	2.9 reig	0.7	1.4	1.7	2.1
at the point of receiving service	0.8	5.7	2.1 ate	0.9	0.8	1.3	0.3
no special toilet seats	0.7	0.4	1.3 csEnseignement2.9 claim2.9 claim2.1 ct0.0 ct0.0 ctcs0.0 ctcs2.0 and ctcs17.6 ctand13.3 ctand433 mining35.9 ct35.9 ct64.1 train117.3 ct117.3 ct	0.7	0.0	0.8	0.9
no sign for direction/ instruction/no public			vnlo vt Si tex				
announcement system	0.3	2.2	2.0 to bad	2.2	2.1	1.3	0.0
no difficulty faced	27.6	8.4	17.6ª ried	15.2	17.7	24.2	25.8
others	7.0	15.4	13.3tt On	22.1	27.4	16.3	15.8
Total number of participants	27,756	330		537	330	134	226
Working before onset (For >15 years and above)			tp:/ S) inin				
Yes	40.3	44.4	35.9	32.7	5.6	38.5	53.6
No	59.7	55.6	64.1 <b>4 9</b>	67.3	94.4	61.5	46.4
Total number of participants	55,819	1093		1353	690	448	667
Disability causing loss or change in job			bm ing				
loss of work	60.7	75.3	72.83	86.5	80.9	84.2	82.8
change of work	18.3	11.0	5.7 <b>s</b> . <b>2</b>	5.2	2.7	8.7	5.9
no loss or change of work	21.3	13.7	21.5	8.3	16.4	7.1	11.4
Total number of participants	21,559	465	21.5 <u>m</u> 404 <b>ar</b> tune	425	37	165	343
Having Disability Certificate			e 1				
Yes	30.4	14.0	16.100 83.900	41.7	59.8	29.9	24.9
No	69.6	86.0	83.9 <b>6</b>	58.3	40.2	70.1	75.1
Total number of participants	61,980	1156	1281 2	2013	1217	523	768
Percentage of Disability as per Certificate			Age				
40% or more but less than 60%	49.3	23.2	22.5 ng	16.9	14.6	27.7	29.7
60% or more but less than 80%	36.3	37.6	34.2	32.3	35.5	43.0	37.3
80% or more	12.8	38.7	34.2 <u>B</u> 42.2 <u>S</u> 1.1 <u>S</u>	50.3	49.1	29.0	31.7
none of these	1.6	0.5	1.1 <b>ğ</b>	0.5	0.8	0.4	1.3

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml



For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

	1		I		1		136/bmjopen-2024 cted by copyright		1		I	
Primary	0.58(0.56-0.59)	< 0.001	0.84(0.82-0.86)	< 0.001	0.51(0.49-0.53)	< 0.001	0.24(0.23-5:25)	< 0.001	0.53(0.5-0.56)	< 0.001	0.52(0.49-0.56)	< 0.00
Secondary	0.57(0.56-0.58)	< 0.001	0.76(0.74-0.78)	< 0.001	0.25(0.24-0.26)	< 0.001	0.24(0.23-525) 0.11(0.11-512)	< 0.001	0.47(0.44-0.49)	< 0.001	0.34(0.32-0.36)	< 0.00
and Higher Education	0.57(0.55-0.6)	< 0.001	0.66(0.63-0.68)	< 0.001	0.12(0.11-0.14)	< 0.001	0.05(0.04 <b>9</b> .06)	< 0.001	0.28(0.24-0.32)	< 0.001	0.15(0.13-0.17)	<0.00
Religion							15 N or u					
Hindu (Ref)	1		1		1		1 Ses		1		1	
Muslim	0.84(0.82-0.86)	< 0.001	0.96(0.94-0.99)	0.004	1.05(1-1.11)	0.031	1 887 1000 1000 1000 1000 1000 1000 1000	0	1.16(1.09-1.24)	< 0.001	1.08(1.01-1.16)	0.0
Others	0.84(0.82-0.87)	< 0.001	0.99(0.95-1.03)	0.607	1.07(1-1.14)	0.057	1.13(1.05-	0.001	1.08(0.99-1.18)	0.101	1.17(1.06-1.29)	0.00
Marital status							nt S					
Un-married (Ref)	1		1	F	1		ownload ant Super to text and 1		1		1	
Currently married	1.89(1.86-1.93)	< 0.001	0.52(0.51-0.54)	< 0.001	0.31(0.3-0.33)	< 0.001	0.15(0.14-6 10) -	0	0.66(0.62-0.69)	< 0.001	0.13(0.12-0.14)	< 0.00
Widowed	5.99(5.83-6.15)	< 0.001	0.93(0.89-0.97)	0.001	0.53(0.49-0.57)	< 0.001	0.15(0.14-4 at 20 fr 0.16(0.15-20 fr 0.66(0.56-20 fr 0.66(0.56-20 fr	0	1.6(1.48-1.74)	< 0.001	0.22(0.19-0.24)	< 0.00
Divorced/separated	2.98(2.7-3.28)	< 0.001	0.92(0.83-1.01)	0.091	1.79(1.54-2.09)	< 0.001	0.66(0.56- <b>B.19</b> )	0	9.06(8.02-10.23)	< 0.001	1.76(1.54-2.02)	< 0.00
Wealth							Ģ. <mark>b</mark>					
Poorest (Ref)	1		1		1		Al tra		1		1	
Poor	0.67(0.66-0.69)	< 0.001	0.78(0.76-0.8)	< 0.001	0.77(0.73-0.81)	< 0.001	0.81(0.77- <b>4</b> .85)	0	0.7(0.65-0.75)	< 0.001	0.83(0.77-0.89)	<0.00
Middle	0.6(0.59-0.62)	< 0.001	0.67(0.66-0.69)	< 0.001	0.67(0.64-0.71)	< 0.001	0.74(0.7-0a78) c	0	0.66(0.62-0.71)	< 0.001	0.8(0.74-0.86)	< 0.00
Richer	0.55(0.54-0.56)	< 0.001	0.58(0.57-0.6)	< 0.001	0.58(0.55-0.61)	< 0.001	0.69(0.65-673)	0	0.6(0.55-0.64)	< 0.001	0.75(0.69-0.81)	<0.00
Richest	0.52(0.51-0.54)	< 0.001	0.52(0.5-0.53)	< 0.001	0.52(0.49-0.55)	< 0.001	0.71(0.66-th 75)	0	0.52(0.48-0.56)	< 0.001	0.7(0.64-0.77)	< 0.00
Region							r te					
Northern (Ref)	1		1		1		13,		1		1	
Southern	1.26(1.22-1.3)	< 0.001	0.97(0.94-1)	0.073	1.78(1.67-1.9)	< 0.001	1.84(1.72 (97))	< 0.001	1.25(1.15-1.36)	< 0.001	1.05(0.96-1.15)	0.25
Western		< 0.001	0.99(0.95-1.02)	0.429	1.23(1.14-1.32)	< 0.001	1.29(1.19-1.39)	< 0.001	0.88(0.79-0.97)		0.84(0.76-0.93)	0.00
Eastern	1.02(0.99-1.05)	0.288	0.86(0.84-0.89)	< 0.001	1.7(1.59-1.81)	< 0.001	1.42(1.33-1.52) <b>e</b>	< 0.001	1.25(1.16-1.36)	< 0.001	1.12(1.03-1.22)	0.00
North-eastern	0.69(0.66-0.71)		0.66(0.63-0.69)	< 0.001	1.59(1.47-1.71)	< 0.001	1.64(1.51-1.78)	< 0.001	1.01(0.91-1.12)		0.95(0.85-1.06)	0.38
Central	, , , , , , , , , , , , , , , , , , ,		0.94(0.91-0.97)	< 0.001	1.08(1.01-1.15)	0.026		< 0.001	0.93(0.85-1.01)		0.85(0.78-0.93)	< 0.00

			rom Multivaria e NSS, India (C		ary logistic reg	ressior	136/bmjopen-2024@90220 c cted by copyright; analy analy	loring th	e likelihood o	f living	with different	types o
		Hearing	disability			Visual o	<u>មួ</u> ទ្ធ lisability ថ្មី ភ្ល			Mental	retardness.	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p- value	Un-adjusted OR (95% CI)	p- value	Adjusted (95% CI)	p-value	Un-adjusted OR (95% CI)	p-value	Adjusted OR (95% CI)	p-value
Age (Years)							2025 relat					
<18 (Ref)	1		1		1		1 ted t		1		1	
18-35	1.95(1.73-2.2)	< 0.001	5.16(4.55-5.85)	0	10.37(1.94-2.65)	< 0.001	6.57(5.59 <b>6</b> /32	< 0.001	1.88(1.7-2.08)	< 0.001	33.33(30-37.04)	< 0.00
35-49	3.23(2.87-3.64)	< 0.001	9.31(8.14-10.65)	0	X	< 0.001	13.95(11.29)	< 0.001	1.17(1.05-1.31)	0.005	34.13(30.24-38.51)	< 0.001
50-59	6.63(5.91-7.45)	< 0.001	15.34(13.43-17.52)	0	31.04(9.17-12.36)	< 0.001	29.2(24.7 d \$4.48)	< 0.001	0.65(0.57-0.74)	<0.001	18.86(16.39-21.71)	< 0.00
65+	20.67(18.42-23.2)	< 0.001	38.97(34.06-44.58)	0	43.68(23.92-32.23)	1	61.23(51.74-017)	< 0.001	0.4(0.33-0.48)	< 0.001	11.39(9.26-14.01)	< 0.00
Gender							nttp: hinii					
Male (Ref)	1		1		1	0.	1 <b>g</b> , <b>/</b>		1		1	
female	0.96(0.93-0.99)	0.012	0.73(0.7-0.75)	< 0.001	1.04(1.01-1.08)	0.022	0.76(0.73	< 0.001	0.68(0.65-0.71)	< 0.001	0.76(0.73-0.8)	< 0.001
Place of residence	· · · · · · · · · · · · · · · · · · ·						inin					
Rural (Ref)	1		1		1				1		1	
Urban	0.86(0.83-0.9)	< 0.001	1.07(1.03-1.12)	0.001	0.83(0.8-0.86)	< 0.001	1.08(1.04 <b>m</b> ].13	0.001	1(0.96-1.05)	0.894	1.18(1.11-1.24)	< 0.001
Social groups							imila					
Scheduled tribe (Ref)	1		1		1		ar teo		1		1	
Scheduled caste	0.89(0.84-0.94)	< 0.001	0.95(0.89-1.01)	0.084	0.99(0.93-1.06)	0.734	104(0.977113)	0.228	1.2(1.1-1.3)	< 0.001	1.24(1.13-1.36)	< 0.00
Other backward	0.9(0.86-0.95)	< 0.001	1.02(0.96-1.08)		0.92(0.87-0.98)		1.04(0.97 <b>ð</b> .12) <b>9</b> 1.03(0.97 <b>ð</b> .12)		1.23(1.14-1.32)	< 0.001	1.49(1.37-1.63)	< 0.00
Others	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001		<0.003	1.02(0.95-1.0		1.26(1.17-1.37)	< 0.001	1.91(1.74-2.09)	<0.00
Education level	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001	0.85(0.8-0.91)	<0.001	1.02(0.93-1.0 <b>2</b>	0.570	1.20(1.17-1.37)		1.91(1./4-2.07)	
Illiterate (Ref)	1		1		1		1 <b>D</b>		1		1	-
Primary	0.47(0.45-0.48)	< 0.001	0.65(0.62-0.68)	< 0.001	0.36(0.35-0.38)	< 0.001	0.57(0.55-0.6)	< 0.001	0.34(0.32-0.35)	< 0.001	0.1(0.1-0.11)	< 0.00
Secondary	0.31(0.29-0.32)	< 0.001	0.44(0.42-0.46)	< 0.001	0.26(0.24-0.27)	< 0.001	0.43(0.4-0.45)	< 0.001	0.13(0.12-0.14)	< 0.001	0.03(0.03-0.04)	< 0.00

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

9					В	MJ Open	136/bmj					
							136/bmjopen-2024 cted by copyright,					
and Higher Education	0.22(0.2-0.25)	< 0.001	0.29(0.27-0.33)	< 0.001	0.2(0.18-0.23)	< 0.001	ht 24	< 0.001	0.04(0.03-0.05)	< 0.001	0.01(0.01-0.01)	
Religion							0.33(0.29 ii).3 20					
Hindu (Ref)	1		1		1		ng f		1		1	
Muslim	0.8(0.76-0.84)	< 0.001	0.88(0.84-0.93)	< 0.001	0.85(0.8-0.89)	< 0.001	<b>9 15</b> 1(0.94-1. <b>06)</b>	0.995	1.05(0.99-1.12)	0.089	0.71(0.67-0.76)	
Others	1.11(1.05-1.18)	< 0.001	1.08(1.01-1.16)	0.024	0.99(0.92-1.06)	0.802	1(0.94-1.06) N 0.94(0.875 9:52	0.112	1.05(0.97-1.14)	0.195	1.27(1.15-1.39)	
Marital status							025 elat					
Un-married (Ref)	1		1		1		related to t		1		1	
Currently married	1.63(1.57-1.7)	< 0.001	0.42(0.39-0.45)	< 0.001	1.87(1.78-1.96)	< 0.001	0.36(0.33	< 0.001	0.09(0.09-0.1)	< 0.001	0.03(0.03-0.03)	
Widowed	7.49(7.16-7.84)	< 0.001	0.77(0.72-0.84)	< 0.001	9.8(9.31-10.31)	< 0.001	0.73(0.67 <sup>a</sup> ) 0.73	< 0.001	0.17(0.15-0.19)	< 0.001	0.04(0.03-0.05)	
Divorced/separated	4.27(3.68-4.97)	< 0.001	1.15(0.98-1.35)	0.096		< 0.001	0.67(0.54 <b>8)</b> % 3	< 0.001	1.56(1.31-1.85)	< 0.001	0.36(0.3-0.44)	
Wealth					100		ta m		\$ F			
Poorest (Ref)	1		1		1		1 Inin		1		1	
Poor	0.6(0.57-0.63)	< 0.001	0.74(0.71-0.78)	< 0.001	0.62(0.59-0.65)	< 0.001	0.8(0.76-0-84)	< 0.001	0.87(0.82-0.93)	< 0.001	0.93(0.87-1)	
Middle	0.54(0.51-0.56)	< 0.001	0.67(0.64-0.7)	< 0.001	0.56(0.54-0.59)	< 0.001	0.73(0.69 <b>a</b> ).77	< 0.001	0.85(0.8-0.91)	< 0.001	0.92(0.86-0.99)	
Richer	0.49(0.47-0.52)	< 0.001	0.62(0.59-0.65)	< 0.001	0.47(0.44-0.49)	< 0.001	0.61(0.57	< 0.001	0.79(0.74-0.85)	< 0.001	0.92(0.85-0.99)	
Richest	0.43(0.41-0.45)	< 0.001	0.57(0.54-0.6)	< 0.001	0.37(0.35-0.39)	< 0.001	0.5(0.47-254)8	< 0.001	0.7(0.65-0.75)	< 0.001	0.91(0.84-0.99)	
Region							d si					
Northern (Ref)	1		1		1		1 mila		1		1	
Southern	1.94(1.83-2.05)	< 0.001	1.52(1.43-1.61)	< 0.001	1.54(1.45-1.64)	< 0.001	1.1(1.03- <b>ig</b> 18) <sup>m</sup>	0.006	1.51(1.4-1.62)	< 0.001	1.7(1.57-1.84)	
Western	1.19(1.12-1.28)	< 0.001	1.07(1-1.15)	0.053	1.01(0.93-1.08)	0.883	5 1	0.002	1.31(1.21-1.42)	< 0.001	1.49(1.37-1.63)	
Eastern	1.34(1.26-1.42)	< 0.001	1.18(1.11-1.26)	< 0.001	1.2(1.13-1.28)	< 0.001	1(0.93-1.927) 25	0.981	1.07(1-1.16)	0.062	0.92(0.84-0.99)	
North-eastern	1.57(1.46-1.68)	< 0.001	1.58(1.47-1.7)	< 0.001	1.47(1.37-1.59)	< 0.001	1.52(1.41-1.65)	< 0.001	0.84(0.76-0.93)	0.001	0.82(0.74-0.92)	
Central	1.08(1.02-1.15)	0.01	1(0.94-1.06)	0.96	1.05(0.98-1.12)	0.182	Đ.		0.87(0.81-0.94)		0.63(0.58-0.69)	

ö

Bibliographique

					BMJ Open	rted hy	136/bm	
Supplementary T disabilities per th	Table 2: Result         1e 76 <sup>th</sup> round of	ts fron f the N	n Multivariate SS, India (Con	binary le nt)	ogistic regression analysi	i opvright Ancludin	1360mjopen-2024 Sector on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence	es of
	Othe	er types	of disabilities		g tor	a for	on 15	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CD	p- value	uses	Ens	May 200	
Age (Years)		value		Value	reia	eign r≏la		
<18 (Ref)	1		1		teq 1	eme		
18-35	0.98(0.83-1.16)	0.8	1.46(1.21-1.77)	< 0.001		ont S		
35-49	1.23(1.04-1.46)	0.018	2.37(1.91-2.93)	< 0.001	Xt ar	upei vt ar	oade	
50-59	1.84(1.56-2.17)	< 0.001	3.51(2.84-4.34)	< 0.001		าieur ว่า d	; č.	
65+	3.3(2.78-3.9)	< 0.001	6.01(4.81-7.5)	< 0.001		ې A ا		
Gender						nin S		
Male (Ref)	1		1			2 · 2		
female	0.81(0.75-0.87)	< 0.001	0.8(0.74-0.86)	< 0.001	Ta		jo pe	
Place of residence						inin		
Rural (Ref)	1		1		9, an	יי רוג	nj.cc	
Urban	1.2(1.12-1.29)	< 0.001	1.21(1.11-1.31)	< 0.001		20.		
Social groups								
Scheduled tribe (Ref)	1		1		r tec	rtec	une	
Scheduled caste	0.78(0.69-0.88)	< 0.001	0.82(0.72-0.94)	0.004		- in مربا	13, 2	
Other backward class	0.68(0.61-0.76)	< 0.001	0.71(0.63-0.81)	< 0.001		lonic	025	
Others	0.91(0.81-1.02)	0.098	0.89(0.78-1.01)	0.066	Ň	נ ה נ	at A	
Education level						- Gen	Agence	
Illiterate (Ref)	1		1			a	Φ	
Primary	0.84(0.76-0.91)	< 0.001	0.88(0.8-0.98)	0.018			BibliograpI	
Secondary	0.79(0.72-0.86)	< 0.001	0.89(0.81-0.99)	0.034		ייט	igra a	

http://bmjopen.bmj.com/ on June 13, 2025 at BES) . mining, Al training, and similar technologies graphique

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

	1				1
and Higher Education	0.93(0.81-1.07)	0.334	0.97(0.83-1.14)	0.713	
Religion					
Hindu (Ref)	1		1		
Muslim	0.83(0.74-0.92)	< 0.001	0.88(0.79-0.98)	0.021	
Others	1.18(1.04-1.34)	0.01	1.09(0.94-1.26)	0.239	
Marital status					
Un-married (Ref)	1		1		
Currently married	0.97(0.9-1.04)	0.409	0.48(0.42-0.54)	< 0.001	
Widowed	1.89(1.68-2.12)	< 0.001	0.55(0.46-0.66)	< 0.001	
Divorced/separated	2.57(1.86-3.54)	< 0.001	1.29(0.92-1.81)	0.142	
Wealth			4	~6	
Poorest (Ref)	1		1		
Poor	0.63(0.57-0.71)	< 0.001	0.72(0.64-0.8)	< 0.001	10
Middle	0.66(0.59-0.73)	< 0.001	0.76(0.68-0.85)	< 0.001	er revie
Richer	0.72(0.65-0.8)	< 0.001	0.84(0.75-0.94)	0.002	
Richest	0.78(0.7-0.86)	< 0.001	0.88(0.78-0.99)	0.038	
Region					
Northern (Ref)	1		1		
Southern	2.66(2.28-3.1)	< 0.001	2.62(2.25-3.07)	< 0.001	
Western	2.9(2.48-3.4)	< 0.001	2.82(2.4-3.31)	< 0.001	
Eastern	3.09(2.67-3.59)	< 0.001	3.23(2.77-3.77)	< 0.001	
North-eastern	2.12(1.77-2.53)	< 0.001	1.98(1.64-2.38)	< 0.001	
Central	1.17(1-1.38)	0.056	1.26(1.07-1.49)	0.007	

136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Enseignement Superieur (ABES) . cted by copyright, including for uses related to text and data mining, Al training, and similar technologies. Ship Agence Bibliographique

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

BMJ Open

#### Epidemiology of disability and access to disability support and rehabilitation services in India: a secondary data analysis a National Sample Survey (2018)

Journal:	BMJ Open
Manuscript ID	bmjopen-2024-090220.R4
Article Type:	Original research
Date Submitted by the Author:	26-Apr-2025
Complete List of Authors:	Mirza, Moonis ; All India Institute of Medical Sciences - Bathinda, Department of Hospital Administration Esht, Vandana; Jazan University College of Applied Medical Sciences, Physical Therapy Department Verma, Madhur ; All India Institute of Medical Sciences Bathinda, Department of Community & Family Medicine Bahadur, Bajarang; International Institute for Population Sciences, Demography Jaiswal, Ajit; International Institute for Population Sciences, Demography Alagarajan, Manoj; International Institute for Population Sciences, Demography Kakkar, Rakesh; All India Institute of Medical Sciences - Bathinda, Department of Community & Family Medicine
<b>Primary Subject Heading</b> :	Public health
Secondary Subject Heading:	Epidemiology, General practice / Family practice, Global health, Health services research, Occupational and environmental medicine
Keywords:	Disabled Persons, PUBLIC HEALTH, Health Equity





I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our <u>licence</u>.

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which <u>Creative Commons</u> licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

terez oni

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies



Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

2							
3	4	Enidomiology of disability and access to disability support and					
4	1	Epidemiology of disability and access to disability support and					
5	2	rehabilitation services in India: a secondary data analysis a					
6							
7	3	National Sample Survey (2018)					
8	4						
9	5	Moonis Mirza*, Vandana Esht1*, Madhur Verma*#, Bajarang Bahadur*, Ajit					
10							
11	6	Kumar Jaiswal <sup>3</sup> , Manoj Alagarajan, Rakesh Kakkar					
12	7						
13	8	*Authors contributed equally					
14	9	#Corresponding author					
15	10						
16	11	Author affiliations:					
17	12	1. Moonis Mirza (MD)					
18	13	Associate Professor of Hospital Administration, All India Institute of Medical					
19 20	14	Sciences, Bathinda (Punjab), India- 151001					
20 21	15	Email: moonismirza@gmail.com.					
22	16	Orcid id: 0000-0002-8844-7311					
22	17						
24	18	2. Vandana Esht (Phd)					
25	19	Associate Professor, Physical Therapy Department, College of Applied Medical					
26							
27	20	Sciences, Jazan University, Jazan, Saudi Arabia					
28	21	Email: <u>vandanaesht@jazanu.edu.sa</u> .					
29	22						
30	23	3. Madhur Verma (MD)					
31	24	Associate Professor of Community and Family Medicine, All India Institute of					
32	25	Medical Sciences, Bathinda (Punjab), India- 151001					
33	26	Email: drmadhurverma@gmail.com					
34	27						
35	28	4. Bajarang Bahadur					
36	29	MPhil, International Institute for Population Sciences, Mumbai (Maharashtra)					
37	30	India -400088					
38 39	31	Email: <u>bajarang7894@gmail.com</u> .					
39 40		Email. <u>Dajarang/894(@gmail.com</u> .					
40 41	32						
42	33	5. Ajit Kumar Jaiswal					
43	34	MPhil, International Institute for Population Sciences, Mumbai (Maharashtra),					
44	35	India -400088					
45	36	Email: <u>ajitjaiswal20@gmail.com</u> .					
46	37						
47	38	6. Manoj Alagarajan					
48	39	Assistant Professor, International Institute for Population Sciences, Mumbai					
49	40	(Maharashtra), India -400088					
50	41	Email: alagarajan@iipsindia.ac.in.					
51	42						
52	43	7. Rakesh Kakkar (MD)					
53							
54	44	Professor of Community and Family Medicine, All India Institute of Medical					
55 56	45	Sciences, Bathinda (Punjab), India- 151001					
56 57	46	Email: drrakesh75@rediffmail.com.					
57 58	47						
59	48	Correspondence to:					
60	49	Dr. Madhur Verma (MD)					

1 2 3 4 5 6 7 8 9 10 11 2 3 4 5 6 7 8 9 10 11 2 3 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 13 4 5 6 7 8 9 10 11 2 12 2 3 4 5 6 7 8 9 30 132 33 4 5 6 7 8 9 0 11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	50 51 52 53 54 55	<text><text><text></text></text></text>
46 47 48 49 50		

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

#### 56 Abstract

Objective: The aim of this study was to examine the epidemiology of disability in India and
assess access to disability support and rehabilitation services by people with disability (PWD).
Design: This study is a secondary analysis of data from the 76th round of the National Sample
Survey (2018), focusing on disability in India.

Setting: The survey employed a stratified two-stage sampling design based on Census 2011,
covering all states and union territories of India. Villages and urban blocks were selected in the
first stage, while households were chosen in the second stage across rural and urban areas.

Participants: The survey included data from a population of 576,796 individuals residing in
1,18,152 households from 8,992 village/urban blocks (5,378 rural villages and 3,614 urban
blocks). The analysis focused on 1,07,125 individuals (61,707 males and 45,305 females) who
reported at least one disability.

Outcome measures: The primary outcome was "any disability". Secondary outcomes included
access to disability support and rehabilitation services, which assessed difficulties in accessing
public buildings and transport, loss of employment after disability, availability of government
support, enrolment in special schools, and possession of a disability certificate.

**Results:** The overall weighted disability prevalence was 2.2%, with significant disparities across socio-demographic characteristics. Among PWD, 45.9% of those who acquired disability after birth were aged between 15 and 59, and 20.8% received no government aid. About 40% of PWD struggled to use public transport, and 57.7% had difficulties accessing public buildings. Additionally, 60.7% reported job loss due to disability, and 69.6% lacked a disability certificate.

78 Conclusion: This study highlights disparities faced by PWD in accessing disability support
79 and rehabilitation services. There is an urgent need for concerted efforts to minimise such

2		
3 4	80	ex
5 6 7	81	th
7 8 9	82	
10 11	83	K
12 13		
14 15 16	84 85	
16 17 18		
19 20		
21 22		
23 24 25		
25 26 27		
28 29		
30 31		
32 33		
34 35		
36 37		
38 39		
40 41 42		
42 43 44		
45 46		
47 48		
49 50		
51 52		
53 54		
55 56		
57 58		
59 60		

- em to contribute to society with their true potential.
- eywords: Disability, inequity, disparities, accessibility, health access.
  - .it

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

## 86 Strengths and limitations of this study

One of the very first comprehensive assessments of accessibility issues of people living
 with disability, based on data from the 76<sup>th</sup> round of the National Sample Survey (2018).

• We estimated the proportion of people with disability who could access basic services through a weighted analysis that makes the results generalisable and highlights actionable points.

# 92 The lack of a standardised definition of disability was the critical limitation of the study, 93 which restricts sub-national and national comparisons over time and regions.

# • The possibility of estimates being affected by recall bias and social desirability bias cannot be ruled out.

We were limited by the number of variables available in the primary data, which
restricted us from making further conclusions about the social inclusion of people with
disability.

# 100 INTRODUCTION

As per the United Nations Convention on the Rights of Persons with Disabilities (CRPD), people with disability (PWD) include those who have long-term physical, mental, intellectual, or sensory impairments which, in interaction with various barriers, may hinder their full and effective participation in society on an equal basis with others.[1] Disability is a global concern, impacting 1.3 billion people, or 16% of the population.[2] The World Health Organisation (WHO) and the World Bank's World Report on Disability highlight that 80% of the global disabled population is of working age, with a substantial proportion residing in developing countries.[3] India is one of the most populous countries, with a concerning proportion of PWD.[4] With the increasing proportion of the geriatric population, the burden of disability has also proportionately increased (from 21.9 to 26.8 million) over the last two rounds of the national census (2001-2011).[5,6] The reports from the 2011 Census and the 76th round of the National Sample Survey (NSS) estimate disability prevalence to be around 2.2%.[7] However, the fifth round (2019-21) of the Indian National Family Health Survey (a large-scale nationally representative survey with repeated cross-sectional design) estimates an overall disability prevalence of 4.52%.[8] The discrepancy in available estimates is due to methodological differences, poor quality and inconsistent data, and lack of a standardised definition, which underscores the intricate nature of disability.[9,10] 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

The CRPD identifies disability as an evolving concept and highlights the constantly changing needs of PWD, which are largely unmet. [11–13] The different articles of CRPD (6, 7, 9, 24, and 27) focus on key aspects such as gender, age, accessibility, education, and employment to empower PWD by addressing specific needs. For instance, Article 6 caters to gender-related needs, which may include protections against gender-based discrimination and access to reproductive healthcare, while Articles 7 and 24 focus on the needs of children with disability and ensure inclusive education. Article 9 ascertains that older adults with disability have access 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

to necessary social and healthcare services. These measures aim to enable independent living and full participation in all aspects of life, ensuring that PWD are not deprioritised compared to the general population.[14–18] The limited priority given to the needs of PWD in society increases the existing disparities, leading to poorer health outcomes, lower educational attainment, and reduced economic opportunities, thereby exacerbating social inequities.[19] Addressing these disparities is a global priority as mandated by the second principle of the Sustainable Development Goals (SDGs), "Leave no one behind", which is the central, transformative promise of the Agenda 2030.[20] International human rights law, including the CRPD, Convention on the Elimination of All Forms of Discrimination Against Women (CEDAW), Convention on the Rights of the Child (CRC), International Covenant on Civil and Political Rights (ICCPR), International Covenant on Economic, Social and Cultural Rights (ICESCR), collectively uphold the principles of equality and non-discrimination, obligate each country to address the inequalities faced by PWD, ensuring that they have equitable access to services, full participation in society, and protection from exclusionary practices.[1,21] Between March 2007 and January 2025, 192 parties, including India, formally agreed to the CRPD. Despite progress, there remains a gap in fully recognising and upholding the rights and needs of PWD.[19] The needs of PWD can span from *personal functional assistance* (daily activities and extent of disability), social integration (living conditions, caregivers, and public accessibility), economic rehabilitation (impact on employment and finances) to service access (certification and receipt of government/Non-Government Organization (NGO) support) necessitating a comprehensive approach.[22] However, access to such services is less studied, so it is crucial to highlight disparities that affect the disability care continuum and limit the efforts to minimise social exclusion of PWD and foster a social environment that is inclusive and accessible to all. [22][23]

#### **BMJ** Open

Previous literature from India has primarily focused on the epidemiology of disability.[10] The lack of disability-friendly infrastructure, affordable assistive technologies, support services, including personal assistance, therapy, aids and vocational rehabilitation, and comprehensive care perpetuates inequalities.[24] However, it remains underexplored by the scientific community. Within this context, the 76th NSS collects data regarding disability and access of people with disability to various disability support and rehabilitation services, thus providing an opportunity to study them. [7] Thus, the primary aim of the study was to explore the epidemiology of disability and the accessibility of PWD to various disability support and rehabilitation services to provide insights for specific interventions.

## **METHODS**

#### 159 Data sources

We conducted a secondary analysis of the cross-sectional data from the 76th National Sample Survey (NSS) conducted by the Ministry of Statistics, Planning, and Implementation (MoSPI) between July and December 2018. MoSPI has formulated a code of ethics and sets out certain standards of conduct for the members of the Survey Committees (group of people appointed to conduct and supervise the survey). The data for NSSO is collected per the Collection of Statistics Act, 2008, which ensures transparency in data collection by issuing public notifications outlining the subject, purpose, and methodology of the survey. Participation in these surveys is generally voluntary, with respondents providing implied consent by answering survey questions after being informed about the study's objectives. Additionally, the Act mandates confidentiality safeguards, ensuring that collected data is used solely for statistical purposes. While respondents are legally obligated to provide accurate information, the data remains anonymous and protected. Thus, the NSSO follows ethical guidelines to uphold privacy while maintaining the integrity of national statistics.[25] The NSS collects socio-economic data using interviews through scientific sampling methods and serves as a crucial 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **BMJ** Open

tool to gauge various socio-economic aspects across all states of India. Its primary objective is
to identify unmet needs within the population, thereby aiding the government in formulating
effective policies to address them.

The survey made its first attempt to collect information on the number of PWD during the 15th round (July 1959 - June 1960).[26] In the 76<sup>th</sup> round, the main objective of the survey was to estimate indicators of incidence and prevalence of disability, cause of disability, age at onset of disability, facilities available to the PWD, difficulties faced in accessing public building/public transport, arrangement of regular caregiver, out-of-pocket expense relating to disability, etc. using a structured questionnaire.[27] Further, estimates were obtained on various employment and unemployment particulars in usual status for the household members with at least one disability. For PWD aged 12 to 59 years, information was collected on whether or not they received vocational/technical training and details related to such training. 

## Sampling design and sample size

The 76th NSS employed a stratified two-stage sampling design, utilising Census 2011 as the sampling frame.[7] The survey commenced on 1st July 2018 for six months. In the first stage, villages/urban blocks were selected, followed by the selection of households in rural and urban areas in the second stage. This round of NSS encompassed all states and union territories of India except the villages in Andaman and Nicobar Islands, which are difficult to access, covering a total of 8,992 village/urban blocks (5,378 rural villages and 3,614 urban blocks) and including 118,152 households representing a population of 576,796 individuals (402,589 in rural areas and 173,980 in urban areas). Within this, the present study focuses on 1,07,125 individuals, consisting of 61,707 males and 45,418 females, who reported at least one disability during the survey.

58 197 Study variables
 59

60 198 Dependent variable

Page 11 of 48

#### **BMJ** Open

" was o
with a
tion wi
The var
s, elabo
berson v
ny of the
toes,
ving los
aving d
aused i
dentifie
f hand j
,
catego
o-day co
sability
e to spe
phasia)
ne varia
rstandi
t adopts
a torm

The presence of "any disability" was our primary dependent variable. MoSPI defines a "Person with disability" as a person with a long-term physical, mental, intellectual or sensory impairment which, in interaction with barriers, hinders full and effective participation in society equally with others.[7] The variable is created by the presence of at least one condition among all seven disability types, elaborated subsequently

- 1. Locomotor disability: A p was categorised as living with locomotor disability based on a positive response to an e following three conditions: *(i) whether having difficulty* in using hands, fingers, body movement (including cerebral palsy, muscular dystrophy); (ii)whether hav as of sensation in the body due to paralysis, leprosy, other reasons; or (iii)whether ha leformity of the body part(s) like hunch back, dwarfism, deformity due to leprosy, co by acid attack, etc."
- 210
  210
  210
  210
  211
  211
  211
  32
  32
  33
  34
  212
  211
  32
  33
  34
  212
  34
  35
  35
  36
  36
  37
  38
  39
  39
  30
  31
  31
  31
  32
  33
  34
  34
  35
  36
  37
  38
  39
  39
  30
  31
  31
  32
  32
  34
  35
  36
  37
  37
  38
  39
  39
  30
  30
  31
  31
  32
  31
  32
  32
  34
  34
  35
  36
  37
  36
  37
  37
  38
  39
  30
  30
  31
  31
  32
  31
  32
  32
  34
  34
  35
  35
  36
  37
  37
  37
  38
  39
  30
  30
  31
  31
  32
  32
  34
  34
  35
  35
  36
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  37
  <li
- 37 213 3. Hearing disability: The categorisation was based on the question: "Whether having difficulty in hearing day-to-day conversational speech (without hearing aid, if using, and both ears taken together)"
- 4 216
  4 216
  4 Speech and language disability: It was assessed using a question: "Whether having difficulty in speech (unable to speak like a normal person/ speech is not comprehensible, including laryngectomy, aphasia) which is base for speech disability."
- 5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: The variable has been prepared based on the question: "Whether
   5. Intellectual disability: "The variable has been prepared based on the question: "Whether
   5. Intellectual disability: "The variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the question: "Whether
   5. A state of the variable has been prepared based on the prepared based on the variable has been prepared based on the prepared based on the prepared based on the variable has been prepared base

and better aligns with current international standards and person-first language conventions. 

6. Mental illness: This disability was identified when there was a positive response to any of the three conditions: "(i) whether having unnecessary and excessive worry and anxiety, repetitive behaviour/ thoughts, changes of mood or mood swings, talking/laughing to self, staring in space; (ii) whether having unusual experiences of hearing voices, seeing visions, strange smell or sensation or strange taste; or (iii) whether having unusual behaviour or difficulty in social interactions and adaptability." 

7. Other disability: To identify other types of disability of the persons, the following question was used: "Whether having any of the following: Parkinson's disease, multiple sclerosis, other chronic neurological conditions, thalassemia, haemophilia, sickle cell disease".

The access to disability support and rehabilitation services by the PWD were secondary dependent variables. For this study, we adopted the United Nations CRPD definition of 'disability support,' which is stated as 'the means to ensure that PWD can fully enjoy their rights and participate equally in society." The original survey assessed disability support by estimating the proportion of PWD ever receiving any aid/help (received aid/help from government, or received aid/help from organisations other than government, did not receive aid/help), living arrangement (living alone or with a spouse, living with others), arrangement of regular caregiver (care-giver required but not available, care-giver is not required, care-giver is available), access to public transport (yes, no), accesses to public building (yes, no), difficulty faced in accessing public building (difficulty faced due to stairs and non-availability of ramp, grooved tiles or lift, in opening doors, no seating arrangement: in the waiting area, at the point of receiving service, no special toilet seats, no sign for direction/ instruction/no public announcement system, no difficulty faced, and others), employed/working before onset of 

Page 13 of 48

#### **BMJ** Open

disability (yes, no), disability causing loss or change in job (loss of work, change of work , no
loss or change of work), having disability certificate (yes, no), and percentage of disability as
per certificate (40-60%, 60-80%, >80%, and none of these). Disability certificate is issued to
PWD by the competent medical authorities notified by the State/UT Government and aims to
encourage transparency, efficiency and ease of delivering the government benefits to the person
with disabilities and to ensure uniformity.[28,29]

#### 254 Predictor variables

The predictor variables were chosen in the present study following a literature review and the scope of data collected in the original survey.[30–33] We included age group (completed years) categorised as; up to 5, 6-17, 18-35, 36-49, 50-65 and 65+ completed years, sex (male, female), marital status (never married, ever married, widowed, divorced/separated), area of residence (rural, urban), educational attainment (non-literate, literate but not formal, upto primary, upto secondary), preferred religion (Hindu, Islam, others), social group (scheduled tribe, scheduled caste, other disadvantaged classes (terminology used in the survey was "other backward classes"), general), wealth index (poorer, poor, middle, richer, richest), regions of India (northern, southern, western, eastern, north-eastern and central). For readers outside India, the term 'backward class, schedule caste and schedule tribe' refers to socially and educationally disadvantaged groups legally recognised by the constitution of India, that have historically faced discrimination and marginalisation, and aim to promote social justice by reducing disparities, enhancing representation in education and employment, and fostering socio-economic inclusion. [34]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Specifically, PWD were characterised using variables like causes of disability (disease, other
than disease due to burn, injuries other than burn, other causes), age at the onset of disability
(0 to 4, 5 to 14, 15 to 59, and 60 years and above), the origin of disability from birth (yes, no,
not known), disability commenced in last 365 days (yes, no), place of occurrence of disability

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

(workplace, road, home, other places), treatment taken/undergoing treatment (yes: consulting doctor, otherwise, yes: consulting doctor, plus undergoing treatment, otherwise, attending special school/special therapy, cannot afford treatment, no treatment available for the disability, not required and not known).

**BMJ** Open

#### **Statistical methods**

The prevalence, along with the dispersion of all disability variables, was estimated as part of a univariate analysis by using already calculated sampling weights with clustering as provided with the datasets.[35] The details of sampling weight have been described in the NSS 76th round report. We used the SVY command to sample weights.[36] Further, the prevalence of all disability types was estimated per socio-economic characteristics, and the associations were tested using bivariate analysis through a chi-squared test. The access to different services was depicted using weighted proportions. Missing data were handled using the Available Case Analysis (ACA) technique, where estimates were generated based on the available data. This resulted in varying sample sizes across variables but allowed for greater data retention than listwise deletion. Little's MCAR (Missing Completely at Random) test assessed whether the missingness was related to observed variables. The test results indicated that the data were not missing completely at random but were likely dependent on observed variables, suggesting that the data were missing at random (MAR). Therefore, the use of ACA was considered appropriate for preserving more data while minimising potential bias compared to listwise deletion. Further, a sensitivity analysis was conducted to assess the robustness of the findings to different missing data handling techniques. Results obtained using ACA were compared with those from Complete Case Analysis (CCA), and the findings were consistent across the two methods. Lastly, multivariable binary logistic regression analysis was used to explore the independent variables affecting the likelihood of living with 'any disability' coded as 1 and 0. Additionally, binary logistic regressions are employed on all seven types of disability. The 

#### **BMJ** Open

analysis depicted the unadjusted and adjusted odds ratios (95% confidence interval). All pvalues<0.05 were considered statistically significant. All the analysis was done using Stata</li>
(version 17.0). Graphical maps were created using MS Excel sheets to depict the regional
disparities.

- 302 Patient and public involvement
- 303 None.

#### **RESULTS**

Table 1 provides a comprehensive overview of the weighted prevalence of different types of disability across various socio-demographic characteristics in India. Of the participants, 107,125 (2.2%) had at least one form of disability. The majority of such participants had a locomotor disability 61,981 (1.36%), followed by hearing 15,294 (0.30%), visual 11,977 (0.23%), speech-related 12,661 (0.23), intellectual disability 8,564 (0.16%), mental illness 6,751 (0.16%), and other types 3,121 (0.05%) of disability. The highest prevalence of any disability, locomotor, speech and 'other' disability was seen in 50-65 years. However, the proportion of participants with visual and hearing disability was highest in the eldest age group, while intellectual disability and mental illness were highest in the 6-35 years age group. Disability prevalence was notably higher among older individuals, males, rural populations, and those from lower socioeconomic backgrounds with minimal or no educational attainment, and living in the southern part of India. 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

We further assessed the origin of disability as per the type (Table 2). The most common cause of locomotor and speech disability was disease 28,673 (46.3%), 1246 (61.9%), while 'other causes' were most commonly involved in visual 538 (46.5%) and hearing 637 (49.7%) disability. Around 11,488 (18.5%) of PWD had their disability from birth. Of the total participants, 2987 (6.1%) participants acquired their disability in the last year preceding the

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

survey. The most common place of disability origin was road 5977 (41.9%), followed by home, 4693 (32.9%). Only 17,329 (28%) of PWD were consulting doctors and undergoing treatment. Table 3 depicts the living conditions of PWD and access to crucial services, and Supplementary Table 1 provides results in more detail for each type of disability. Overall, nearly half of the PWD who did not have disability since birth were between 15 and 59 years old (45.9%), while nearly one-fifth (20.8%) had received aid or help from the government. 57% of PWD lived with their spouses, and 62.8% reported that caregivers were available. About 40% reported an inability to use public transport, while 54.4% reported inaccessibility to public buildings. Further, 57.7% of PWD reported facing difficulties while accessing public buildings. Around 60.7% of PWD reported a loss of work due to disability onset, and 69.6% did not have any official document certifying their disability for administrative purposes. Figure 1 further depicts the geographic disparities in the PWD's access to basic services. 

Table 4 demonstrates the multivariable binary logistic regression analysis results to present the socio-demographic variables affecting the likelihood of living with any disability. We found a significantly higher likelihood of living with disability with increasing age (Adjusted Odds ratio: 58.4; 95% Confidence Interval: 55.4-61.5 in >65 years vs up to 5 years), urban residence (1.3; 1.2-1.3) vs rural, social castes (1.3; 1.3-1.3 in general caste) vs scheduled tribes, and living in a Southern region of India (1.1; 1.1-1.2) compared to those from North India. However, female sex (0.6; 0.6-0.6), more years of education (0.3; 0.3-0.3), Islam followers (0.9; 0.9-0.9), currently married/widowed vs never married (0.3; 0.3-0.3), and higher socio-economic status (0.5; 0.5-0.5) depicted significantly lower likelihood of living with disability. Supplementary Table 2 provides results from the more detailed regression analysis for each type of disability.

#### **DISCUSSION**

We report an investigation that assesses the epidemiology of PWD and their access to disability
 support and rehabilitation services in India using nationally representative data. Our key

Page 17 of 48

#### **BMJ** Open

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

findings have profound policy implications. First, we identify concerning disparities in disability prevalence across socio-demographic groups. Second, one-fifth of PWD reported acquiring their disability at birth. Third, the most common place of disability origin was the road, followed by home. Fourth, approximately half of PWD reported challenges in using public transport and buildings. Lastly, the majority of PWD reported a loss of work due to disability onset and lacked official certification of their disability. 

Disability prevalence was notably higher among older individuals, males, rural populations, and those from lower socio-economic backgrounds. Despite a modest 2.2% prevalence rate, this figure represents around 30 million people in India, and it is expected to rise, indicating an urgent need for attention. While there was a preponderance of males with locomotor disability, speech and language disabilities were significantly higher in females. As per the estimates obtained from the previous 36th, 47th, and 58th rounds of NSS, there is a constant rise in disability prevalence in rural (1.8% in the 36th round to 2.3% in the 76th round) as well as urban (1.4% in the 36th round to 2.0% in the 76th round) areas, with the overall increase from 1.6% in the 36th round in year 1981 to 2.2% in the 76th round in the year 2018.[7] Secondary analysis of another national survey (NFHS-5) depicts an overall disability prevalence of 0.95%, with a higher proportion of locomotor disability (0.4%), followed by mental illness (0.2%).[37] We observed that a high proportion of survey participants had their disability from birth. However, the available data limits our further understanding of such disability, whether the onset was intrauterine or acquired during the birthing process. Such limited information still necessitates mitigation strategies targeting pregnant females by ensuring accessibility to screening for intra-uterine pathologies causing disability, such as Down's syndrome and intellectual disability, and later extending the access to screening for auditory and visual disability.[38] Further, adopting more rigorous screening toolkits and investigations for newborns at the primary healthcare level through the expansion of the Rashtriya Bal Swasthya 

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Karyakram (Indian National program that involves screening of children from birth to 18 years
of age for 4 Ds- Defects at birth, Diseases, Deficiencies and Development delays, spanning 32
common health conditions for early detection and free treatment and management, including
surgeries at the tertiary level) would help in increasing the scope for early psychological or
therapeutic interventions that would impact the quality of life of children with disability.[39]
In addition, the Pradhan Mantri Jan Arogya Yojana (PM-JAY) offers free healthcare for
children with disability who are not covered under the RBSK scheme.[40,41]

The most common place of disability origin was the road, followed by home. Trauma is an important cause of locomotor disability, and in India, it is the second most common cause of locomotor disability.[42] Previous estimates suggest that road crashes maximally impact the poorest quintiles. A lack of appropriate safety gear while on the road is often a factor in road trauma. People who experience road trauma often have inadequate access to medical and social safety nets after injury.[43,44] Anecdotal evidence from Chandigarh, a Union Territory of India, suggests that strict compliance with traffic rules can mutually benefit the public and the administration. On one side, it reduces morbidity due to road traffic accidents, while on the other side, penalties due to non-compliance generate revenues and raise awareness. An increasing number of domestic accidents is equally concerning.[45] Domestic accidents may be underreported as most of the domestic injuries are considered minor, often neglected, and may be easily forgotten and subject to recall bias. This changing trend is similar to many developed nations where more accidents happen at home than anywhere else. We expect an increase in such incidents with increasing population and population density. Domestic accidents depend on the physical and social environment and also on the functional capacity of the individual. While road traffic accidents are unforeseen and unexpected, it is generally accepted that domestic accidents can be prevented and minimised by taking adequate safety measures well in time.[46]

Page 19 of 48

#### **BMJ** Open

We observed that there is scope for improving the accessibility of public buildings and transport for the PWD; these facilities must accommodate the PWD's needs. Various schemes and initiatives demonstrate the Indian government's commitment to securing the rights and welfare of disabled populations in the country. India's commitment to the United Nations Convention on the Rights of PWD (UNCRPD) is embodied in the Rights of Persons with Disabilities Act of 2016 (RPWD Act, 2016). It emphasises dignity, autonomy, and non-discrimination for PWD.[47] The Act further mandates inclusive education, vocational training, and self-employment opportunities without discrimination. To increase the accessibility of public buildings, the RPWD Act 2016 and the National Building Code of India 2016 outline expanded guidelines for building accessibility.[48] Compliance with these standards has been made compulsory, with responsibility falling on those involved in commissioning, designing, constructing, or managing built environments. The building design must adhere to relevant legislation, including equality and safety regulations. This focus on accessibility has fostered the adoption of universal design concepts, leading to numerous best practices for creating inclusive environments. These encompass accessible buildings, parking areas, parks, and recreational facilities, reflecting a concerted effort to ensure equal access and inclusion for PWD in the built environment.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

414 Government schemes to improve inclusion and access

The government has a variety of healthcare schemes, such as the Assistance to Disabled
Persons for Purchase/Fitting of Aids and Appliances (ADIP), which caters to the specific needs
of PWD and provides assistive devices, aids such as wheelchairs, hearing aids, and prosthetic
limbs at subsidised rates.[49] The Deendayal Disabled Rehabilitation Scheme (DDRS)
provides financial assistance to NGOs for various rehabilitation services for PWD.[50]
However, the scheme faces inconsistencies in service availability across different states. The
lack of standardisation in rehabilitation programs results in variable quality of care, while

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

administrative delays in fund disbursement further hinder its effectiveness.[51] Moreover, rural
and economically weaker sections often struggle to access these services, limiting the scheme's
reach and equity. While DDRS aligns with the principle of equal opportunities under the
RPWD Act of 2016, its impact is weakened by poor implementation and inadequate monitoring
mechanisms. Apart from catering to the healthcare needs of PWD, we must address specific
issues related to health and ethics and the need to shift societal attitudes toward PWD to
improve social inclusion.[52]

In addition to health-related needs, the government of India has taken several steps to secure PWD's social rights. The Right to Education Act (RTE) aims to provide free and compulsory education for children with disability up to 18 years.[53] The 'Samagra Shiksha Abhiyan' integrates children with disability into mainstream education.[54] The National Education Policy 2020 also prioritises "inclusion" by aiming to fully integrate children with disability into the mainstream education system, providing necessary accommodations and support to ensure their active participation in the learning process without segregation or discrimination; this includes accessible infrastructure, specialised teaching methods, and assistive technologies tailored to individual needs.[55] Training gaps among teachers working with PWD, a lack of assistive technology, and poor enforcement of inclusive education policies hinder meaningful inclusion.[56] The government-funded higher education institutions in India reserve 5% of seats for PWD to foster diversity and enhance employment opportunities. However, the effectiveness of such policies is hindered by challenges [57], such as infrastructural barriers, lack of accessible learning materials, and inadequate support services. Many PWD lack access to skill development programs, limiting their employability. The government also provides financial assistance and benefits to PWD through schemes like the National Handicapped Finance and Development Corporation (NHFDC), which offers loans and subsidies for education and training or self-employment ventures.[58]

#### BMJ Open

Employment can enhance social sustainability and individual well-being.[59] However, we observed that a very high proportion of PWD had a change or loss of their jobs due to the onset of disability. Loss of jobs can be linked to the social stigma associated with impairment or disability and the perception of such people being less productive. Many employers have illfounded views about the work-related abilities of PWD; these negative views are often a result of interrelated concerns that permeate the entire employment cycle.[60] It is to be emphasised that negative attitudes toward disability disempower PWD and lead to social exclusion. By contrast, a healthy society encourages positive attitudes toward PWD and promotes social inclusion.[61] Various initiatives have been introduced to promote employment opportunities for PWD. However, a lack of awareness and red tape discourages many PWD from receiving employment benefits. While the RPWD Act mandates non-discrimination in employment, the absence of accountability measures continues to hinder its success. Many PWD also lack formal certification as seen in our study, restricting their access to essential services and benefits.[62][63]

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Other prominent schemes introduced for PWD in India include the National Handicapped Finance and Development Corporation (NHFDC), which provides financial assistance to persons with disability for self-employment, education, and training; Scheme for Implementation of Persons with Disabilities Act (SIPDA) to create barrier-free environments and improve the quality of life for PWD; Accessible India Campaign (Sugamya Bharat Abhiyan) focuses on making public infrastructure and transportation accessible for people with disability and Inclusive Education for Disabled at Secondary Stage (IEDSS) supports the inclusive education of students with disability at the secondary level.[58][64][65] Despite multiple policy frameworks supporting disability inclusion, several gaps remain in implementation and enforcement. [66] The mere existence of legislation and policies does not

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

472 guarantee their effectiveness. There is a pressing need for stronger monitoring mechanisms, 473 improved financial transparency, and enhanced awareness campaigns to bridge the gap 474 between policy intent and real-world impact. The government must prioritise accountability 475 measures to ensure scheme implementation, and greater investment in infrastructure and 476 assistive technologies to create an inclusive environment for PWD. [67]

#### 477 Strengths and limitations

The study's major strength lies in its novelty by bringing social science and medicine to a common platform. The estimates generated using weighted analysis are nationally representative and depict strong external validity due to their national coverage, stratified sampling approach, and standardised definitions. The emerging results can serve as robust evidence to help guide policy that improves accessibility. The present study takes a novel approach by initially delineating the proportions of various types of disability. Subsequently, it delves into the analysis concerning "any disability," thus unveiling unique characteristics within this broader category. By doing so, the study not only broadens the scope of understanding but also highlights the nuanced interplay between different types of disability and the socio-demographic backgrounds of PWD. This shift towards a more inclusive analysis holds promise for informing policy decisions and healthcare interventions tailored to address the complex needs of people with disabilities.

The major limitation lies in the study's cross-sectional nature, which limits the assessment of causality and temporal associations and is susceptible to recall bias, particularly when assessing disability from birth. We need more qualitative studies to better assess the impact of inaccessibility to basic support and rehabilitative services.[12] As a secondary analysis, we are limited by the number of variables that can further explain issues affecting accessibility to services. Due to the limited number of explanatory variables, the possibility of residual confounding cannot be negated. There was also non-uniformity in the sample size when Page 23 of 48

#### **BMJ** Open

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

assessing different questions related to the impact of disability, but it was handled using available case analysis techniques to generate estimates and retain more data compared to listwise deletion. Lastly, some terms used in the manuscript, like the categorisation of disability (e.g., using "mental retardation" instead of "intellectual disability"), the terminology used to describe social classes ("backward classes" instead of "disadvantaged classes") are noninclusive, outdated, perceived as offensive by PWD, and lack alignment with the global vision targeting inclusion and discrimination. However, these terms are retained so that the manuscript is coherent with the original survey report, which would help prevent confusion in case some readers want to refer to the original report.

#### **Policy implications and recommendations**

A few policy implications and recommendations emerged from the study. Given the increasing prevalence of disability and the concurrent escalating proportion of the geriatric population, we need to work on improving accessibility for PWD. A large number of disability originating from birth calls for more robust antenatal and neonatal screening protocols supported by adequate counselling and rehabilitation services. Our results depict that a high proportion of PWD have a caretaker. Previous studies have suggested that empowering the caretakers can help improve the quality of life of PWD.[68] We must simultaneously think of ways (like investing in developing more assistive devices and making them affordable) to help us share the added burden on caregivers.[68] Despite many schemes extended by the government to enhance the social inclusion of PWD that have been briefly described in the manuscript, there is a need for health advocacy drives to sensitise the population about the needs of PWD, improve social inclusion and minimise discrimination. The use of non-inclusive language in the original dataset used in the study necessitates using more appropriate language to promote inclusivity. It is recommended that future national surveys focus on more inclusive language, which is compliant with the CRPD and the globally ongoing disability rights movements.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### **CONCLUSIONS**

While previous research has primarily emphasised individual heterogeneity among PWDs, our study indicated that a large proportion of PWD experience systemic disparities in accessing disability support and rehabilitation services. The high prevalence varies significantly as per the studied socio-demographic characteristics, reinforcing the urgent need for targeted interventions. We acknowledge that while individual differences exist, these do not negate the common challenges faced by PWDs in securing equitable access to essential services. Despite government initiatives, there remain gaps in accessibility, public awareness, and enforcement of disability rights. There is an urgent need for concerted efforts to minimise these disparities, enhance the well-being and participation of PWD, and empower them to contribute meaningfully to society. Furthermore, our findings underscore that many disabilities originate from birth or early childhood, yet the availability of early screening, diagnostic services, and timely interventions remains inadequate. Strengthening antenatal and neonatal screening, particularly for intrauterine conditions and birth-related complications, could significantly improve early detection and management of disabilities. As a society, we must work toward reshaping societal and institutional perceptions of disability, shifting the focus from viewing disability as a personal deficit or burden to recognising it as a societal construct that can be addressed through inclusion, accessibility, and policy-driven structural changes. A more inclusive and disability-friendly society is essential not only for ensuring the dignity and rights of PWD but also for achieving socioeconomic development and social justice. These efforts align with India's commitment to the CRPD and contribute to the global vision set by the 2030 Agenda for Sustainable Development, which recognises the promotion of PWD's rights, perspectives, and well-being as a fundamental prerequisite for a more sustainable and inclusive world.

## **Declarations**

Acknowledgements: This study used the National Sample Survey (NSS), 76th round
 Person with Disability in India Survey 2018. The authors gratefully acknowledge members
 of the study field team, including those who were involved in mapping/listing/segmentation
 and the primary survey during data collection. The authors also acknowledge all the
 respondents' active participation in this study.

553 • Coi

Competing interests: None.

Ethics statement: The ethical approvals were not deemed necessary since it was a secondary data analysis. No patient-level data were used in this paper. However, the original survey was conducted by the Ministry of Statistics and Programme Implementation (MOSPI), which is mandated to act as the nodal agency for the integrated development of the statistical systems in India. The Ministry, as part of its comprehensive decision-making process on various matters, has formulated a Code of Ethics for Members of the various Committees constituted by MOSPI or by the Organizations, Institutions, bodies, etc., funded by it that follow the principles of ethics and set out certain standards of conduct for the members of the Committees to protect the confidentiality of the data/information acquired by them by virtue of their membership in such Committees.

564 • Funding: None.

 565 Data availability statement: Data (Reference ID: DDI-IND-MOSPI-NSSO-76Rnd-Sch26.0-July2018 December 2018) is freely available on the website of the Ministry of
 567 Statistics and Programme Implementation (GOI) MOSPI's
 568 https://microdata.gov.in/nada43/index.php/catalog/154/overview, and can be accessed as
 569 per standard protocols.

570 • Contributors: MM, BB, and MA conceptualised the study, MV and AKJ collected data,
 577 drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted the
 571 drafted the manuscript, and reviewed it. VE, MV, and AKJ did the analysis and drafted the

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

BMJ Open

1

1 2			
3 4	572	fir	nal version; MA and RK critically reviewed the manuscript from policy and feasibility
5 6	573	ро	oints of view. All the authors read and approved the final version of the manuscript. MM
7 8	574	is	responsible for the overall content as guarantor.
9 10	575		
11 12	576	Ref	erences
13 14	577	1.	United Nations. Convention on the Rights of Persons with Disabilities [Internet]. Human
15	578		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
16 17	579		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
18 19	580		persons-disabilities
20	581	2.	World Health Organization. Global report on health equity for persons with disabilities
21 22	582		[Internet]. 2023 [cited 2024 Dec 10]. Available from: https://www.knowledge-action-
23 24	583		portal.com/en/content/global-report-health-equity-persons-disabilities
25 26	584	3.	World Health Organization. World Report on Disability [Internet]. 2011 [cited 2022 Feb
27	585		9]. p. 1–27. Available from:
28 29	586		www.who.int/about/licensing/copyright_form/en/index.html
30 31	587	4.	Pattnaik S, Murmu J, Agrawal R, Rehman T, Kanungo S, Pati S. Prevalence, pattern and
32	588		determinants of disabilities in India: Insights from NFHS-5 (2019-21). Front Public
33 34	589		Health. 2023;11:1036499.
35 36	590	5.	Ministry of Statistics and Programme Implementation(GOI) - MOSPI. Elderly in India
37 38	591		2021 [Internet]. 2021 [cited 2024 Dec 16]. Available from:
39	592		https://mospi.gov.in/sites/default/files/publication_reports/Elderly in India 2021.pdf
40 41	593	6.	Paul K, Saha S. Burden of Disability in India (1881–2011). Journal of Multidisciplinary
42 43	594		Research in Healthcare. 2015 Oct 5;2(1):31–54.
44 45	595	7.	Ministry of Statistics and Program Implementation Government of India. Persons with
46	596		Disabilities in India-NSS 76th report [Internet]. NSS Report No 583 (76/26/1). 2018
47 48	597		[cited 2024 Dec 12]. p. 209. Available from:
49 50	598		https://www.mospi.gov.in/sites/default/files/publication_reports/Report_583_Final_0.p
51	599		df
52 53	600	8.	International Institute for Population Sciences. National Family Health Survey (NFHS-
54 55	601		5) 2019-21 [Internet]. India Report. 2022 [cited 2024 Dec 16]. Available from:
56	602		https://dhsprogram.com/pubs/pdf/FR375/FR375.pdf
57 58			
59 60			

#### BMJ Open

1 2			
3 4	603	9.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in
5	604		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr.
6 7	605		2024 Dec 1;23(1):1–16.
8 9	606	10.	Chanda S, Sekher T V. Identification of Disability for Inclusive Development: Lessons
10 11	607		from Disability Census of Kerala, India. Sage Open. 2023;13(3).
12	608	11.	Department of Economic and Social Affairs. Disability and Development Report 2018
13 14	609		[Internet]. United Nations. 2019 [cited 2024 Dec 16]. Available from:
15 16	610		https://www.un.org/development/desa/disabilities/wp-
17 18	611		content/uploads/sites/15/2019/07/disability-report-chapter2.pdf
19	612	12.	Chavan BS. Relevance of qualitative research in disability. Journal of Disability
20 21	613		Management and Rehabilitation. 2015;1(1):1–2.
22 23	614	13.	United Nations. Convention on the Rights of Persons with Disabilities [Internet]. Human
24	615		Rights Instruments. 2008 [cited 2024 Dec 16]. Available from:
25 26	616		https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-
27 28	617		persons-disabilities
29 30	618	14.	United Nations- Division for Inclusive Social Development (DISD). Article 24 -
31	619		Education [Internet]. Social Development Issues-Disability. [cited 2024 Dec 15].
32 33	620		Available from: https://social.desa.un.org/issues/disability/crpd/article-24-education
34 35	621	15.	United Nations- Division for Inclusive Social Development (DISD). Article 27 – Work
36 37	622		and employment [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
38	623		Available from: https://www.un.org/development/desa/disabilities/convention-on-the-
39 40	624		rights-of-persons-with-disabilities/article-27-work-and-employment.html
41 42	625	16.	United Nations- Division for Inclusive Social Development (DISD). Article 6 - Women
43	626		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
44 45	627		Available from: https://social.desa.un.org/issues/disability/crpd/article-6-women-with-
46 47	628		disabilities
48 49	629	17.	United Nations- Division for Inclusive Social Development (DISD). Article 7 - Children
50	630		with disabilities [Internet]. Social Development Issues-Disability. [cited 2024 Dec 12].
51 52	631		Available from: https://social.desa.un.org/issues/disability/crpd/article-7-children-with-
53 54	632		disabilities
55	633	18.	United Nations- Division for Inclusive Social Development (DISD). Article 9 -
56 57	634		Accessibility [Internet]. Disability. [cited 2024 Dec 10]. Available from:
58 59	635		https://social.desa.un.org/issues/disability/crpd/article-9-accessibility
60			

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### BMJ Open

1

1 2											
3 4	636	19.	Sophie Mitra AP and BV. Disability and Poverty in Developing Countries: A Snapshot								
5 6	637		from the World Health Survey [Internet]. The World Bank - Social Protection and Lab.								
7	638		2011 [cited 2024 Dec 17]. Available from:								
8 9	639		https://documents1.worldbank.org/curated/en/501871468326189306/pdf/625640NWP								
10 11	640		0110900PUBLIC00BOX361487B.pdf								
12	641	20.	United Nations. Transforming our world: the 2030 Agenda for Sustainable Development								
13 14	642		[Internet]. Department of Economic and Social Affairs Sustainable Development. 2015								
15 16	643	[cited 2024 Dec 12]. Available from: https://sdgs.un.org/2030agenda									
17 18	644	21.	United Nations. International Human Rights Law [Internet]. Instruments & mechanisms.								
19	645		[cited 2024 Dec 10]. Available from: https://www.ohchr.org/en/instruments-and-								
20 21	646		mechanisms/international-human-rights-law								
22 23	647	22.	World Bank Group. Disability Inclusion [Internet]. Understanding Poverty. 2023 [cited								
24	648		2024 Dec 12]. Available from: https://www.worldbank.org/en/topic/disability								
25 26	649	23.	Saran A, Hunt X, White H, Kuper H. Protocol: Effectiveness of interventions for								
27 28	650		improving social inclusion outcomes for people with disabilities in low- and								
29 30	651		middle-income countries: A systematic review. Campbell Systematic Reviews. 2021 Sep 29;17(3):e1191.								
31	652										
32 33	653	24.	Centers for Disease Control and Prevention. Disability and Health Disability Barriers								
34 35	654		[Internet]. Disability Inclusion. [cited 2024 Dec 17]. Available from:								
36 37	655		https://www.cdc.gov/ncbddd/disabilityandhealth/disability-barriers.html								
38	656	25.	Ministry of state for statistics and Program implementation. Handbook on Collection of								
39 40	657		statistics act, 2008 [Internet]. Ministry of Law and Justice. 2008 [cited 2025 Mar 4].								
41 42	658		Available from:								
43	659		https://www.mospi.gov.in/sites/default/files/main_menu/handbook_%20collection_of_								
44 45	660		statistic_act/hand_col_stat_act_2008.pdf								
46 47	661	26.	Ministry of Statistics and Programme Implementation G of I. Note on sample design								
48 49	662		and estimation procedure of NSS 76th round. Ministry of Statistics and Programme								
50	663		Implementation, Government of India.								
51 52	664	27.	National Sample Survey Office, Ministry of Statistics and Program Implementation								
53 54	665		Government of India. Schedule 26: Survey of persons with disabilities [Internet].								
55	666		Seventy-Sixth round: July, 2018 - December, 2018, 2018. 2018 [cited 2024 Dec 12].								
56 57	667		Available from:								
58 59 60	668		https://www.mospi.gov.in/sites/default/files/NSS7612dws/NSS_76_sch_26.0.pdf								

Page 29 of 48

#### BMJ Open

1 2										
3	669	28.	Government of Assam H and FW. Disability Certificate   Health & Family Welfare							
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	670		Government Of Assam, India [Internet]. Disability Certificate. [cited 2025 Feb 17].							
	671		Available from: https://hfw.assam.gov.in/information-services/disability-certificate							
	672	29.	Disabilities. D of E of P with. Unique Disability ID [Internet]. Ministry of Social Justice							
10	673		and Empowerment, Governmenet of India of India. [cited 2025 Mar 3]. Available from:							
12	674		https://swavlambancard.gov.in/faqs							
	675	30.	Okoro CA, Hollis ND, Cyrus AC, Griffin-Blake S. Prevalence of Disabilities and Heal							
15	676		Care Access by Disability Status and Type Among Adults - United States, 2016.							
17	677		MMWR Morb Mortal Wkly Rep. 2018 Aug 17;67(32):882-7.							
19	678	31.	Ozawa MN, Hun Yeo Y. Race/ethnicity and socioeconomic class as correlates of							
	679		disability in old age. J Gerontol Soc Work. 2008;51(3-4):337-65.							
	680	32.	Kavanagh AM, Krnjacki L, Aitken Z, Lamontagne AD, Beer A, Baker E, et al.							
23 24	681		Intersections between disability, type of impairment, gender and socio-economic							
26	682		disadvantage in a nationally representative sample of 33,101 working-aged Australians.							
27 28	683		Disabil Health J. 2015 Apr 1;8(2):191–9.							
29 30 31 32 33	684	33.	Courtney-Long EA, Carroll DD, Zhang QC, Stevens AC, Griffin-Blake S, Armour BS,							
	685		et al. Prevalence of Disability and Disability Type Among AdultsUnited States, 2013.							
	686		MMWR Morb Mortal Wkly Rep. 2015 Jul 31;64(29):777-82.							
34 35	687	34.	Department of Social Justice and Empowerment M of SJ and EG of I. About the							
36 37	688		Division   Department of Social Justice and Empowerment - Government of India							
38	689		[Internet]. [cited 2025 Mar 3]. Available from:							
39 40	690		https://socialjustice.gov.in/common/31548							
41 42	691	35.	Ministry of Statistics and Programme Implementation(GOI) - MOSPI. India - Survey of							
43 44	692		Persons with Disabilities NSS 76th Round : July 2018 - December 2018 - Overview							
45	693		[Internet]. Central Data Catalog. 2018 [cited 2024 Dec 10]. Available from:							
46 47	694		https://microdata.gov.in/nada43/index.php/catalog/154/overview							
48 49	695	36.	Stata. SVY estimation — Estimation commands for survey data [Internet]. [SEM] sem							
50 51	696		- Structural equation model estimation command. [cited 2024 Dec 17]. Available from:							
52	697		https://www.stata.com/manuals13/svysvyestimation.pdf							
53 54	698	37.	Rashmi R, Mohanty SK. Socioeconomic and geographic variations of disabilities in							
55 56	699		India: evidence from the National Family Health Survey, 2019–21. Int J Health Geogr							
57	700		[Internet]. 2024 Dec 1 [cited 2025 Mar 3];23(1):1-16. Available from: https://ij-							
58 59	701		healthgeographics.biomedcentral.com/articles/10.1186/s12942-024-00363-w							
60										

2			
3 4	702	38.	Acharya K. Prenatal testing for intellectual disability: Misperceptions and reality with
5	703		lessons from down syndrome. Dev Disabil Res Rev. 2011 Jan 1;17(1):27-31.
6 7	704	39.	Bailey DB, Skinner D, Warren SF. Newborn Screening for Developmental Disabilities:
8 9	705		Reframing Presumptive Benefit. Am J Public Health. 2005 Nov;95(11):1889.
10	706	40.	National Health Authority, Government of India. Pradhan Mantri Jan Arogya Yojana
11 12	707		(PM-JAY) [Internet]. About PM-JAY. 2019 [cited 2024 Dec 10]. Available from:
13 14	708		https://nha.gov.in/PM-JAY
15 16	709	41.	Ministry of Health and Family Welfare. Government of India. RBSK-Rashtriya Bal
17	710		Swasthya Karyakram [Internet]. Schemes. 2024 [cited 2024 Dec 10]. Available from:
18 19	711		https://rbsk.mohfw.gov.in/RBSK/
20 21	712	42.	Dhole RS, Gaur KA, More NS, Popalwar H, Lokhande V. Study of locomotor disability
22 23	713		due to various types of Trauma. National journal of medical research. 2015;5(3):194-8.
24	714	43.	Musselwhite CBA, Avineri E, Susilo YO, Bhattachary D. Public attitudes towards
25 26	715		motorcyclists' safety: A qualitative study from the United Kingdom. Accid Anal Prev.
27 28	716		2012 Nov;49:105–13.
29	717	44.	World Bank Group. Traffic crash injuries and disabilities: The burden on Indian society
30 31	718		[Internet]. Policy Document. 2021 [cited 2024 Dec 17]. Available from:
32 33	719		https://www.worldbank.org/en/country/india/publication/traffic-crash-injuries-and-
34 35	720		disabilities-the-burden-on-indian-society
36	721	45.	Cole EOB, Christie SA, Oke R, Motwani G, Dickson D, Chendjou W, et al. Too serious
37 38	722		to ignore: The epidemiologic and economic burden of home injuries in the Southwest
39 40	723		Region of Cameroon—A community-based study. Bourgeois D, editor. PLoS One. 2022
41 42	724		Sep 22;17(9):e0274686.
43	725	46.	Rehman T, Sulgante S, Sekhar S. Prevalence and pattern of domestic accidents in the
44 45	726		field practice area of Jawaharlal Institute of Urban Health Centre, Puducherry: a cross-
46 47	727		sectional analytical study. J Inj Violence Res. 2020;12(1).
48	728	47.	Department of Empowerment of Persons with Disabilities. The Rights of persons with
49 50	729		disabilities act 2016 [Internet]. Policy Document. 2016 [cited 2024 Dec 11]. Available
51 52	730		from: https://legislative.gov.in/sites/default/files/A2016-49_1.pdf
53 54	731	48.	Bureau of Indian Standards. National building code of India 2016 (NBC 2016)
55	732		[Internet]. SP 7: 2016. 2016 [cited 2024 Dec 21]. Available from:
56 57	733		https://www.bis.gov.in/standards/technical-department/national-building-code/
58 59			
60			
			29

Page 31 of 48

1 2

#### BMJ Open

Department of Empowerment of Persons with Disabilities (DEPwD). Assistance to	
Persons with Disabilities for Purchase/Fitting of Aids /Appliances (ADIP) [Internet].	
Scheme. [cited 2024 Dec 17]. Available from: https://depwd.gov.in/adip/	
Department of Empowerment of Persons with Disabilities (DEPwD), Government of	
India. Deendayal Divyangjan Rehabilitation Scheme (DDRS) [Internet]. Schemes. 2023	
[cited 2024 Dec 10]. Available from: https://depwd.gov.in/ddrs/	
Kumar SG, Roy G, Kar SS. Disability and Rehabilitation Services in India: Issues and	ъ
Challenges. J Family Med Prim Care [Internet]. 2012 [cited 2025 Mar 3];1(1):69.	rote
Available from: https://pmc.ncbi.nlm.nih.gov/articles/PMC3893941/	cted I
Hayes AM, Bulat J. Disabilities Inclusive Education Systems and Policies Guide for	Protected by copyright, including for uses related to text and d
Low- and Middle-Income Countries. RTI Press Publication. Research Triangle Park,	pyrig
NC: RTI Press; 2017 Jul.	yht, ir
Centre for Civil Society. Right To Education [Internet]. [cited 2024 Dec 10]. Available	nclud
from: https://righttoeducation.in/know-your-rte/about	ing fo
Ministry of Education, Government of India. Samagra Shiksha [Internet]. 2021 [cited	or us
2024 Dec 17]. Available from: https://samagra.education.gov.in/about.html	es rel
The Ministry of Human Resource Development; Government of India. National	lated
Education Policy, 2020 [Internet]. 2020 [cited 2024 Dec 17]. Available from:	to te
https://www.education.gov.in/sites/upload_files/mhrd/files/NEP_Final_English_0.pdf	xt an
Ahmed SK, Jeffries D, Chakraborty A, Carslake T, Lietz P, Rahayu B, et al. Teacher	d dat
professional development for disability inclusion in low- and middle-income Asia-	a mir
Pacific countries: An evidence and gap map. Campbell Systematic Reviews [Internet].	ning,
2022 Dec 1 [cited 2025 Mar 3];18(4):e1287. Available from:	Al tra
https://onlinelibrary.wiley.com/doi/full/10.1002/cl2.1287	aining
Bera M, Kartick Chandra Pramanik P. Access Challenges For Students With Disabilities	g, an
In Higher Education. 2023 [cited 2025 Mar 3];11:2320-882. Available from:	d sim
www.ijcrt.org	lata mining, Al training, and similar technologies.
Department of Empowerment of Persons with Disabilities (DEPwD). National	echn
divyangjan finance and development corporation-India [Internet]. Organizations Under	ologi
DEPwD. 2024 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/national-	es.
handicapped-finance-and-development-corporation/	

2			
3 4	734	49.	Department of Empowerment of Persons with Disabilities (DEPwD). Assistance to
5	735		Persons with Disabilities for Purchase/Fitting of Aids /Appliances (ADIP) [Internet].
6 7	736		Scheme. [cited 2024 Dec 17]. Available from: https://depwd.gov.in/adip/
8 9	737	50.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
10 11	738		India. Deendayal Divyangjan Rehabilitation Scheme (DDRS) [Internet]. Schemes. 2023
12	739		[cited 2024 Dec 10]. Available from: https://depwd.gov.in/ddrs/
13 14	740	51.	Kumar SG, Roy G, Kar SS. Disability and Rehabilitation Services in India: Issues and
15 16	741		Challenges. J Family Med Prim Care [Internet]. 2012 [cited 2025 Mar 3];1(1):69.
17	742		Available from: https://pmc.ncbi.nlm.nih.gov/articles/PMC3893941/
18 19	743	52.	Hayes AM, Bulat J. Disabilities Inclusive Education Systems and Policies Guide for
20 21	744		Low- and Middle-Income Countries. RTI Press Publication. Research Triangle Park,
22	745		NC: RTI Press; 2017 Jul.
23 24	746	53.	Centre for Civil Society. Right To Education [Internet]. [cited 2024 Dec 10]. Available
25 26	747		from: https://righttoeducation.in/know-your-rte/about
27 28	748	54.	Ministry of Education, Government of India. Samagra Shiksha [Internet]. 2021 [cited
29	749		2024 Dec 17]. Available from: https://samagra.education.gov.in/about.html
30 31	750	55.	The Ministry of Human Resource Development; Government of India. National
32 33	751		Education Policy, 2020 [Internet]. 2020 [cited 2024 Dec 17]. Available from:
34	752		https://www.education.gov.in/sites/upload_files/mhrd/files/NEP_Final_English_0.pdf
35 36	753	56.	Ahmed SK, Jeffries D, Chakraborty A, Carslake T, Lietz P, Rahayu B, et al. Teacher
37 38	754		professional development for disability inclusion in low- and middle-income Asia-
39 40	755		Pacific countries: An evidence and gap map. Campbell Systematic Reviews [Internet].
41	756		2022 Dec 1 [cited 2025 Mar 3];18(4):e1287. Available from:
42 43	757		https://onlinelibrary.wiley.com/doi/full/10.1002/cl2.1287
44 45	758	57.	Bera M, Kartick Chandra Pramanik P. Access Challenges For Students With Disabilities
46 47	759		In Higher Education. 2023 [cited 2025 Mar 3];11:2320-882. Available from:
48	760		www.ijcrt.org
49 50	761	58.	Department of Empowerment of Persons with Disabilities (DEPwD). National
51 52	762		divyangjan finance and development corporation-India [Internet]. Organizations Under
53	763		DEPwD. 2024 [cited 2024 Dec 10]. Available from: https://depwd.gov.in/national-
54 55	764		handicapped-finance-and-development-corporation/
56 57	765	59.	Qiu N, Jiang Y, Sun Z, Du M. The impact of disability-related deprivation on
58 59	766		employment opportunity at the neighborhood level: does family socioeconomic status
59 60	767		matter? Front Public Health. 2023 Aug 9;11:1232829.
			30

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

#### BMJ Open

1 2			
3	768	60.	Bonaccio S, Connelly CE, Gellatly IR, Jetha A, Martin Ginis KA. The Participation of
4 5	769		People with Disabilities in the Workplace Across the Employment Cycle: Employer
6 7	770		Concerns and Research Evidence. J Bus Psychol. 2020 Apr 1;35(2):135–58.
8 9	771	61.	Babik I, Gardner ES. Factors Affecting the Perception of Disability: A Developmental
10	772		Perspective. Front Psychol. 2021 Jun 21;12:702166.
11 12	773	62.	Jameel S. Disability in the Context of Higher Education: Issues and Concerns in India.
13 14	774		Electronic Journal for Inclusive Education. 2011 Jan 1;2(7).
15 16	775	63.	Moumita Barman. Barriers to higher education for persons with disabilities block their
17	776		meaningful growth. News article - The Siasat Daily. 2024 Jan 26;
18 19	777	64.	Department of Empowerment of Persons with Disabilities (DEPwD), Government of
20 21	778		India. Scheme for Implementation of the Rights of Persons with Disabilities Act, 2016
22 23	779		(SIPDA) [Internet]. Schemes. 2016 [cited 2024 Dec 12]. Available from:
24	780		https://depwd.gov.in/sipda/
25 26	781	65.	Ministry of Education, Government of India. Inclusive Education of the Disabled at
27 28	782		Secondary Stage [Internet]. About MoE. 2016 [cited 2024 Dec 17]. Available from:
29 30	783		https://www.education.gov.in/iedss
31	784	66.	Disempowering the Empowered: The Systemic Failures of India's Disability Welfare
32 33	785		Schemes [Internet]. [cited 2025 Mar 3]. Available from:
34 35	786		https://www.salzburgglobal.org/news/fellows/article/disempowering-the-empowered-
36	787		the-systemic-failures-of-indias-disability-welfare-schemes
37 38	788	67.	Lawson A, Pineda VS, Walker J, Jain S, Jain M. Revisiting the Conceptual Terrains of
39 40	789		the Right to Accessibility in India: The Role of Judicial Enforcement. Laws 2024, Vol
41 42	790		13, Page 54 [Internet]. 2024 Aug 16 [cited 2025 Mar 3];13(4):54. Available from:
43	791		https://www.mdpi.com/2075-471X/13/4/54/htm
44 45	792	68.	Arasu S, Shanbhag D. Quality of Life and Burden of Caregiving Among the Primary
46 47	793		Caregivers of Children with Disability in Rural Karnataka. J Family Med Prim Care.
48 49	794		2021 Aug 27;10(8):2804–9.
50	795		
51 52	796		
53 54	797		
55 56			
57 58			

- 58 59
- 59 60

33 of 48	BMJ Open	d by co	bmjop
		pyrigh	en-202
		t, in	4-09
1	Table 1. Prevalence of different types of disabilities across different socie	io-demogrန္ရိုp	Sic characteristics, NSS, 76 <sup>th</sup>
2	round, India (n=576,796)	ling	0

61981 (1.36)	11977 (0.23)	15204 (0.20)		1			Any one disability N (%)	
		15294 (0.30)	12661 (0.23)	8564 (0.16)	6751 (0.16)	N (%) S m A S m A S 21 (0.05)	107,125 (2.20)	
						2025. I		
1494 (2.2)	182 (1.5)	311 (2)	907 (7.3)	445 (5.3)	41 (0.5)		2839 (2.5)	
7290 (10.8)	1210 (9.2)	1977 (12.6)	4515 (35.8)	3492 (41.2)	1060 (15.4)	<b>1 2 2 3 1</b> (21.5)	16695 (14.4)	
11546 (18)	1386 (10.7)	2036 (13.3)	3273 (26.4)	2796 (33)	1915 (27.6)		20673 (18.8)	
11434 (18.1)	1557 (12.3)	2118 (13)	1812 (13.8)	1113 (12.4)		3	18665 (17.2)	
16627 (27.9)	3609 (31.1)	3843 (25.1)	1495 (11.4)	561 (6.5)	1409 (21.3)	<b>a 2</b> <b>m m 6</b> <b>4</b> 5 (21.9)	26420 (25.7)	
13590 (23)	4033 (35.2)	5009 (34)	659 (5.3)	157 (1.6)	680 (10.1)	4 (16.6)	21833 (21.4)	
						A J		
36862 (58.7)	6014 (50.2)	7993 (52)	7554 (60.4)	5202 (61.7)	3856 (56.8)	<b>a</b> 1 <b>6</b> 64 (58.9)	61707 (57.3)	
25110 (41.3)	5958 (49.8)	7296 (48)	5106 (39.6)	3359 (38.3)	2893 (43.2)	1355 (41.1)	45396 (42.7)	
						and		
16912 (24.7)	2719 (20.8)	3987 (24.2)	8708 (67.8)	7450 (86.9)	3281 (46.1)	si. 1314 (40.4)	36813 (31.4)	
33257 (55.3)	5541 (46.9)	7094 (47.5)	3086 (25.3)	791 (9.3)	2381 (35.8)	a 1 <b>4</b> 02 (47.2)	50108 (48.8)	
11293 (19)	3616 (31.5)	4024 (27.1)	690 (5.4)	190 (2.1)	775 (12.5)		18933 (18.5)	
519 (1)	101 (0.8)	189 (1.1)	177 (1.4)	133 (1.8)	314 (5.5)	39 (1.2)	1271 (1.3)	
					(	25 a qies		
42222 (71.6)	8809 (76.3)	11121 (74.9)	9164 (72.9)	5974 (69.9)	4772 (73.1)	2055 (62.4)	75091 (72.8)	
19759 (28.4)	3168 (23.7)	4173 (25.1)	3497 (27.1)	2590 (30.1)	1979 (26.9)	1866 (37.6)	32034 (27.2)	
						Bib		
26376 (44.5)	7160 (62.6)	8365 (57.3)	7119 (56.9)	5846 (69.3)	3285 (49.6)	1.008 (34.1)	50848 (48.9)	
15002 (23.2)	2483 (19.4)	3700 (22.9)	3428 (26.7)	1858 (21)	1629 (23.3)	• · · ·	26145 (23.3)	
			1			nique o		
	11546 (18)         11546 (18)         11434 (18.1)         16627 (27.9)         13590 (23)         36862 (58.7)         25110 (41.3)         16912 (24.7)         33257 (55.3)         11293 (19)         519 (1)         42222 (71.6)         19759 (28.4)         26376 (44.5)         15002 (23.2)	11546 (18)         1386 (10.7)           11434 (18.1)         1557 (12.3)           16627 (27.9)         3609 (31.1)           13590 (23)         4033 (35.2)           36862 (58.7)         6014 (50.2)           25110 (41.3)         5958 (49.8)           33257 (55.3)         5541 (46.9)           11293 (19)         3616 (31.5)           519 (1)         101 (0.8)           42222 (71.6)         8809 (76.3)           19759 (28.4)         3168 (23.7)           26376 (44.5)         7160 (62.6)           15002 (23.2)         2483 (19.4)	11546 (18)         1386 (10.7)         2036 (13.3)           11434 (18.1)         1557 (12.3)         2118 (13)           16627 (27.9)         3609 (31.1)         3843 (25.1)           13590 (23)         4033 (35.2)         5009 (34)           36862 (58.7)         6014 (50.2)         7993 (52)           25110 (41.3)         5958 (49.8)         7296 (48)           16912 (24.7)         2719 (20.8)         3987 (24.2)           33257 (55.3)         5541 (46.9)         7094 (47.5)           11293 (19)         3616 (31.5)         4024 (27.1)           519 (1)         101 (0.8)         189 (1.1)           42222 (71.6)         8809 (76.3)         11121 (74.9)           19759 (28.4)         3168 (23.7)         4173 (25.1)           15002 (23.2)         2483 (19.4)         3700 (22.9)	11546 (18)         1386 (10.7)         2036 (13.3)         3273 (26.4)           11434 (18.1)         1557 (12.3)         2118 (13)         1812 (13.8)           16627 (27.9)         3609 (31.1)         3843 (25.1)         1495 (11.4)           13590 (23)         4033 (35.2)         5009 (34)         659 (5.3)           36862 (58.7)         6014 (50.2)         7993 (52)         7554 (60.4)           25110 (41.3)         5958 (49.8)         7296 (48)         5106 (39.6)           16912 (24.7)         2719 (20.8)         3987 (24.2)         8708 (67.8)           33257 (55.3)         5541 (46.9)         7094 (47.5)         3086 (25.3)           11293 (19)         3616 (31.5)         4024 (27.1)         690 (5.4)           519 (1)         101 (0.8)         189 (1.1)         177 (1.4)           42222 (71.6)         8809 (76.3)         11121 (74.9)         9164 (72.9)           19759 (28.4)         3168 (23.7)         4173 (25.1)         3497 (27.1)           26376 (44.5)         7160 (62.6)         8365 (57.3)         7119 (56.9)           15002 (23.2)         2483 (19.4)         3700 (22.9)         3428 (26.7)	11546 (18)         1386 (10.7)         2036 (13.3)         3273 (26.4)         2796 (33)           11434 (18.1)         1557 (12.3)         2118 (13)         1812 (13.8)         1113 (12.4)           16627 (27.9)         3609 (31.1)         3843 (25.1)         1495 (11.4)         561 (6.5)           13590 (23)         4033 (35.2)         5009 (34)         659 (5.3)         157 (1.6)           36862 (58.7)         6014 (50.2)         7993 (52)         7554 (60.4)         5202 (61.7)           25110 (41.3)         5958 (49.8)         7296 (48)         5106 (39.6)         3359 (38.3)           16912 (24.7)         2719 (20.8)         3987 (24.2)         8708 (67.8)         7450 (86.9)           33257 (55.3)         5541 (46.9)         7094 (47.5)         3086 (25.3)         791 (9.3)           11293 (19)         3616 (31.5)         4024 (27.1)         690 (5.4)         190 (2.1)           519 (1)         101 (0.8)         189 (1.1)         177 (1.4)         133 (1.8)           42222 (71.6)         8809 (76.3)         11121 (74.9)         9164 (72.9)         5974 (69.9)           19759 (28.4)         3168 (23.7)         4173 (25.1)         3497 (27.1)         2590 (30.1)           26376 (44.5)         7160 (62.6)         8365 (57.3)	11546 (18)       1386 (10.7)       2036 (13.3)       3273 (26.4)       2796 (33)       1915 (27.6)         11434 (18.1)       1557 (12.3)       2118 (13)       1812 (13.8)       1113 (12.4)       1646 (25)         16627 (27.9)       3609 (31.1)       3843 (25.1)       1495 (11.4)       561 (6.5)       1409 (21.3)         13590 (23)       4033 (35.2)       5009 (34)       659 (5.3)       157 (1.6)       680 (10.1)         36862 (58.7)       6014 (50.2)       7993 (52)       7554 (60.4)       5202 (61.7)       3856 (56.8)         25110 (41.3)       5958 (49.8)       7296 (48)       5106 (39.6)       3359 (38.3)       2893 (43.2)         16912 (24.7)       2719 (20.8)       3987 (24.2)       8708 (67.8)       7450 (86.9)       3281 (46.1)         33257 (55.3)       5541 (46.9)       7094 (47.5)       3086 (25.3)       791 (9.3)       2381 (35.8)         11293 (19)       3616 (31.5)       4024 (27.1)       690 (5.4)       190 (2.1)       775 (12.5)         519 (1)       101 (0.8)       189 (1.1)       177 (1.4)       133 (1.8)       314 (5.5)         42222 (71.6)       8809 (76.3)       11121 (74.9)       9164 (72.9)       5974 (69.9)       4772 (73.1)         19759 (28.4)       3168 (23.7)       4173	11546 (18)         1386 (10.7)         2036 (13.3)         3273 (26.4)         2796 (33)         1915 (27.6)         960 (119.8)           11434 (18.1)         1557 (12.3)         2118 (13)         1812 (13.8)         1113 (12.4)         1646 (25)         678 (14.8)           16627 (27.9)         3609 (31.1)         3843 (25.1)         1495 (11.4)         561 (6.5)         1409 (21.3)         645 (21.9)           13590 (23)         4033 (35.2)         5009 (34)         659 (5.3)         157 (1.6)         680 (10.1)         646 (58.9)           36862 (58.7)         6014 (50.2)         7993 (52)         7554 (60.4)         5202 (61.7)         3856 (56.8)         156 (4 (58.9)           25110 (41.3)         5958 (49.8)         7296 (48)         5106 (39.6)         3359 (38.3)         2893 (43.2)         155 (41.1)           16912 (24.7)         2719 (20.8)         3987 (24.2)         8708 (67.8)         7450 (86.9)         3281 (46.1)         154 (40.4)           33257 (55.3)         5541 (46.9)         7094 (47.5)         3086 (25.3)         791 (9.3)         2381 (35.8)         1602 (47.2)           11293 (19)         3616 (31.5)         4024 (27.1)         690 (5.4)         190 (2.1)         775 (12.5) (2.9)         396 (11.1)           519 (1)         101 (0.8)	

				BMJ Open		4 by	'bmj	
				Divid Open		сор	jope	
						d by copyright,	bmjopen-2024-09022	
						Ξ.	24-0	
Upto primary	16885 (26.5)	1987 (15.5)	2782 (16.9)	1908 (14.9)	808 (9.1)	1623 (24.1)	<b>%</b> 6 (28.7)	25210 (23.)
Upto secondary	3718 (5.8)	347 (2.6)	447 (2.9)	206 (1.5)	52 (0.6)	214 (3.1)	<b>3</b> 8 (8.2)	4922 (4.6)
Preferred Religion						for u	15	
Hindu	49548 (81.9)	9479 (82.9)	12090 (82.6)	9658 (78.7)	6540 (78.7)	5063 (74.7)	<b>E 4</b> (80.8)	84742 (81.5
Islam	8375 (12.5)	1601 (12.5)	1927 (11.7)	2021 (15.6)	1366 (15.9)	1167 (18.4)	<b>é 2</b> (12.6)	14658 (12.9
Others	4058 (5.6)	897 (4.6)	1277 (5.7)	982 (5.7)	658 (5.4)	521 (6.9) <b>g</b>	<b>e</b> 275 (6.5)	7725 (5.5)
Social Group		6				to te	ownl €nt S	
Scheduled Tribe	6049 (8.3)	1491 (9.1)	1923 (9.5)	1478 (9.4)	822 (7.2)	670 (7.8) X	<u>μο</u> μο μο μο μο μο μο μο μο μο μο μο μο μο	11729 (8.7
Scheduled Caste	12240 (20.4)	2407 (21.3)	2805 (19.4)	2467 (20.5)	1602 (19.2)	1269 (19.9)		20925 (20.4
Other disadvantaged classes*	26861 (44.7)	5205 (46)	6583 (45.5)	5482 (44.7)	3806 (45.8)	2915 (45.7)	<b>16</b> 7 (40.2)	46223 (44.9
General	16831 (26.6)	2874 (23.6)	3983 (25.6)	3234 (25.4)	2334 (27.8)	1897 (26.6)	<b>8</b> (29.7)	28248 (26
Wealth Index				K		ng, /	· bn	
Poorer	17681 (30.2)	3919 (35.1)	4933 (34.7)	3552 (30.1)	2025 (25.3)	1932 (31)	3 (25.8)	31259 (31
Poor	12553 (20.5)	2474 (20.8)	3005 (19.4)	2746 (21.4)	1773 (20.9)	1364 (20.5)	524 (16.2)	21959 (20.7
Middle	11468 (18.2)	2271 (18.5)	2730 (17.4)	2434 (18.5)	1751 (20)	1302 (18.1)	550 (17.3)	20058 (18.
Richer	10440 (16)	1864 (14.4)	2480 (15.4)	2080 (15.8)	1611 (18.3)	1161 (16.8)	<b>52</b> 3 (19.9)	17946 (15.
Richest	9839 (15.1)	1449 (11.1)	2146 (13)	1849 (14.2)	1404 (15.5)	992 (13.6)	621 (20.7)	15903 (14.
Regions of India							lune	
Northern	8787 (14.4)	1478 (13.1)	1692 (11.7)	1347 (11.1)	1144 (13.5)	931 (14.2)	<b>भ</b> ि (7.6)	14305 (13.8
Southern	13448 (23)	2814 (24.7)	4013 (27.3)	2958 (24.8)	2141 (25.6)	1447 (21.3) <b>g</b>	<b>R</b> 4 (25.5)	23699 (23.
Western	8387 (12.7)	1286 (10.1)	1740 (11.1)	1423 (11.3)	1293 (15.2)	706 (10.6)	5 <b>4</b> 0 (17.7)	13708 (12.)
Eastern	12790 (20.3)	2538 (21.9)	3238 (22.5)	3248 (27.1)	1762 (21.3)	1672 (26.3)	<b>4</b> (30.4)	23061 (21.
North-Eastern	3858 (2.1)	1335 (4.5)	1620 (3.7)	1308 (3.4)	594 (2)	582 (2.7)	282 (2.4)	8839 (2.8)
Central	14711 (27.4)	2526 (25.6)	2991 (23.8)	2377 (22.4)	1630 (22.6)	1413 (24.8)	4 <b>4</b> 5 (16.3)	23513 (26
Ferminology used in the su	rvev was *"	ther backwa	rd classes" a	nd ^"mental i	retardation"		ĕ	
				monuti			raphique de l	
				2			the c	
	1	For neer review	only - http://br	niopen hmi cor	n/site/about/gu	idelines xhtml	de I	

 3

BMJ Open Table 2. Percentage distribution of different disability types and their associated information, NSS 76 <sup>th</sup> roun												
	Locomotor	Visual	Hearing	Speech and language	Intellectual disability*	Matent91 I@Ines <del>s</del>	Other types of disability	Any Disab				
Total sample size	61980	1156	1281	2013	1217	May 2025. Downloaded from http://b EaseignementSuperieur (ABES). uses related to text and data mining.	768	61980				
Causes of disability						2025 eign rela						
Disease	28673 (46.3)	454 (39.3)	484 (37.8)	1246 (61.9)	NA		NA	NA				
Other than disease due to burn	723 (1.2)	88 (0.7)	1 (0.1)	8 (0.4)	NA	o tex	NA	NA				
Injuries other than burn	13876 (22.4)	156 (13.5)	158 (12.4)	105 (5.2)	NA	adec Iperio t and	NA	NA				
Other causes	18702 (30.2)	538 (46.5)	637 (49.7)	654 (32.5)	NA	d from	NA	NA				
Disability from Birth			<b>D</b> .			a mii						
Yes	11,488 (18.5)	91 (7.9)	198 (15.4)	1041 (51.7)	955 (78.5)		119 (15.5)	11,488 (18				
No	50,052 (80.8)	1062 (91.9)	1081 (84.4)	964 (47.9)	258 (21.2)	40 <b>2</b> (7 <b>2</b> 6)	645 (84)	50,052 (80				
Not Known	440 (0.7)	3 (0.2)	2 (0.2)	8 (0.4)	4 (0.3)		4 (0.4)	440 (0.7				
Disability commenced in last 365 days				10		, 404 (77,66)						
sample size	48741	1034.2	1052.4	938.7	251.6	194.9	628.6	48741				
Yes	2987 (6.1)	72 (7)	65 (6.2)	100 (10.6)	11 (4.4)	4 (10 (2)) 35 (8 (8 - 3)) 35 (8 - 3) 33	48 (7.7)	2987 (6.1				
No	45754 (93.9)	961 (93)	987 (93.8)	839 (89.4)	240 (95.6)	35 (89.8)	580 (92.3)	45754 (93				
Place of occurrence of disability						<b>nologie</b> 86						
Sample size	14281	161	157	105	33	5 at . jies.	63	14281				
Workplace	2308 (16.2)	13 (8.3)	30 (19.2)	11 (10.9)	2 (6.9)	9 (1 <b>Gen</b>	11 (18.1)	2308 (16.				
Road	5977 (41.9)	46 (28.5)	43 (27.5)	41 (38.7)	9 (25.9)	35 (40°B)	15 (23.8)	5977 (41.				
Home	4693 (32.9)	93 (57.9)	73 (46.3)	45 (42.4)	19 (58.5)	33 (38	31 (49.5)	4693 (32.				

#### a

d by copyr bmjopen-

Page	36	of 48	
. age		01.10	

Other places	1302 (9.1)	9 (5.3)	11 (7)	8 (8)	3 (8.7)	Gud 9.92	5 (8.6)	1302 (9.1
Treatment taken/undergoing treatment						0 on 15 I ling for u		
Sample size	61980	Image: constraint of the second of	61980					
yes: consulting doctor	Otherwise $860(1.4)$ $34(2.9)$ $21(1.7)$ $20(1)$ $4(0.3)$ $1667$ $8(1)$ $860$ school/special therapy $116(0.2)$ $2.9(0.3)$ $0(0)$ $4(0.2)$ $6(0.5)$ $1000$ $116$ ford treatment $2040(3.3)$ $75(6.4)$ $73(5.7)$ $72(3.6)$ $55(4.6)$ $12(32)$ $8(1)$ $2040$ vallable for the disability $699(1.1)$ $13(1.1)$ $8(0.6)$ $17(0.8)$ $16(1.3)$ $16(1.3)$ $14(1.8)$ $2717$ Not required $2717(4.4)$ $60(5.2)$ $97(7.6)$ $47(2.3)$ $26(2.1)$ $21(6)$ $14(1.8)$ $2717$ Not known $732(1.2)$ $8(0.7)$ $12(0.9)$ $13(0.7)$ $9(0.7)$ $2100$ $1(0.1)$ $732$ tbility were recorded for individuals with disabilities like locomotor, visual, hearing, and speech. menced in the last $365$ days was recorded for those individuals who did not have a disability for $35$ or $35$	35923 (58						
Otherwise		1564.5 (2.5						
Yes: consulting doctor, plus undergoing treatment	17329 (28)	375 (32.4)	418 (32.7)	719 (35.7)	355 (29.2)	19 <sup>2</sup>	397 (51.7)	17329 (28
Otherwise	860 (1.4)	34 (2.9)	21 (1.7)	20 (1)	4 (0.3)	l data lata	8 (1)	860 (1.4)
Attending special school/special therapy	116 (0.2)	2.9 (0.3)	0 (0)	4 (0.2)	6 (0.5)	n http:// ABES) . a m#ning	0 (0)	116 (0.2)
Cannot afford treatment	2040 (3.3)	75 (6.4)	73 (5.7)	72 (3.6)	55 (4.6)		8 (1)	2040 (3.3)
No treatment available for the disability	699 (1.1)	13 (1.1)	8 (0.6)	17 (0.8)	16 (1.3)	pe8) trataing	5 (0.7)	699 (1.1)
Not required	2717 (4.4)	60 (5.2)	97 (7.6)	47 (2.3)	26 (2.1)	and (42	14 (1.8)	2717 (4.4)
Not known	732 (1.2)	8 (0.7)	12 (0.9)	13 (0.7)	9 (0.7)	\$40.0	1 (0.1)	732 (1.2)
during the last 365 days befor The place of occurrence was r disability was burn, injury or o	e the survey. ecorded for indi other than burn.	ividuals with a				3, 2025 at Agence Bib noologies.		

#### Table 3. Access to disability support and rehabilitation services by the person with disability as per the 76th round of the National Sample Survey (2018), India

	1 • \	Weighted percenta
	nalysis)	
	1	17.0
		17.2
		9.0 45.9
	d above	28.0
	rnmont	20.8
		4.1
		75.1
	aid/iicip	/ J.1
	spouse	57.0
		43.0
	li otners	43.0
	vailable	0.1
Care-giver is not a	equired	37.1
		62.8
	, unable	02.0
	Ves	59.6
		40.4
Accesses to public building (n=61.980)	110	10.1
	Ves	45.6
		54.4
Difficulty faced accessing public building (n= 27,756)	110	51.1
	es or lift	57.7
		4.4
		1.6
		0.8
		07
no sign for direction/ instruction/no public announcement		0.7
	system	0.3
	system ty faced	0.3 27.6
no difficul Employed/working before onset of disability (For person of age 15 year	ty faced others	0.3
no difficul Employed/working before onset of disability (For person of age 15 year	ty faced others s and	0.3 27.6 7.0
ge at the onset of disability* (n= 48,727) 0 to 4 ys 5 to 14 ys 15 to 59 ys 60 years and ab eccipt of aid/help (n=61,712) Received aid/help from organisations other than governm Received aid/help from organisations other than governm Did not receive aid/ ving arrangement(n=61,962) Living alone or with a spo Living with other rrangement of regular caregiver(n=61,980) Care-giver required but not availa Care-giver is not required but not availa Care-giver is availate ceesses to public Transport (n=61,980) ceesses to public building (n= 27,756) difficulty faced: due to stairs and non-availability of ramp, grooved tiles or in opening dc no seating arrangement; in the waiting a at the point of receiving serv- no sign for direction/ instruction/no public announcement sys no difficulty faced is provended in a special toilet so no sign for direction/ instruction/no public announcement sys no difficulty faces or change in job(n= 21,559) Ioss of w change of w aving Disability Certificate(n=61,980)		0.3 27.6 7.0 40.3
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819)	ty faced others	0.3 27.6 7.0
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559)	system ty faced others s and Yes No	0.3 27.6 7.0 40.3
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss	system ty faced others s and Yes No of work	0.3 27.6 7.0 40.3 59.7
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change	system ty faced others s and Yes No of work	0.3 27.6 7.0 40.3 59.7 60.7
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change no loss or change	system ty faced others s and Yes No of work	0.3 27.6 7.0 40.3 59.7 60.7 18.3
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change no loss or change	system ty faced others s and Yes No of work of work of work	0.3 27.6 7.0 40.3 59.7 60.7 18.3
(n=sample included in the analysis) e at the onset of disability* (n= 48,727) 0 to 4 years 5 to 14 years 15 to 59 years 60 years and above ceipt of aid/help (n=61,712) Received aid/help from Government Received aid/help from organisations other than government Did not receive aid/help ing arrangement(n=61,962) Living alone or with a spouse Living with others rangement of regular caregiver(n=61,980) Care-giver required but not available Care-giver is not required Care-giver is not required care-giver is not required vess to public Transport (n=61,980) Yes No resses to public building (n=61,980) Yes no seating arrangement: in the waiting area at the point of receiving service no special toilet seats no sign for direction/ instruction/no public announcement system no difficulty faced others ployed/working before onset of disability (For person of age 15 years and ve; n=55,819) Yes No ability causing loss or change in job(n= 21,559) loss of work change of work no loss or change of work ving Disability Certificate(n=61,980) Yes		0.3 27.6 7.0 40.3 59.7 60.7 18.3 21.3
(n=sample included in the analysis) e at the onset of disability* (n= 48,727) 0 to 4 years 5 to 14 years 15 to 59 years 60 years and above ceipt of aid/help (n=61,712) Received aid/help from organisations other than government Received aid/help from organisations other than government Did not receive aid/help /ing arrangement(n=61,962) Living alone or with a spouse Living with others rangement of regular caregiver(n=61,980) Care-giver required but not available Care-giver is not required Care-giver is not required Care-giver is available cess to public Transport (n=61,980) Yes No recesses to public building (n=61,980) Yes no seating arrangement: in the waiting area at the point of receiving service no special toilet seats no sign for direction/ instruction/no public announcement system no difficulty faced others no sign for direction/ instruction/no public announcement system No result causing loss or change in job(n= 21,559) loss of work change of work ving Disability Certificate(n=61,980) Yes No		0.3 27.6 7.0 40.3 59.7 60.7 18.3 21.3 30.4
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change no loss or change Having Disability Certificate(n=61,980) Percentage of Disability as per Certificate (n=20,213)	system ty faced others s and Yes No of work of work of work of work	0.3 27.6 7.0 40.3 59.7 60.7 18.3 21.3 30.4
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change no loss or change Having Disability Certificate(n=61,980) Percentage of Disability as per Certificate (n=20,213) 4(	system ty faced others s and Yes No of work of work of work of work	0.3 27.6 7.0 40.3 59.7 60.7 18.3 21.3 30.4 69.6
no difficul Employed/working before onset of disability (For person of age 15 year above; n=55,819) Disability causing loss or change in job(n= 21,559) loss change no loss or change Having Disability Certificate(n=61,980) Percentage of Disability as per Certificate (n=20,213) 4(	system ty faced others s and Yes No of work of work of work of work	0.3 27.6 7.0 40.3 59.7 60.7 18.3 21.3 30.4 69.6 49.3

Enseignement Superieur (ABES) Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies.

1
2 3
-
4
5
6
7
8
9
10
11
12
13
14 15 16
15
16
17
18
19
20
21
22
23
24
24
26
20
27
28
29
30
31
32
33
34
34 35
36
37
38
39
39 40
40 41
41 42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
57 58
58

59 60

1

# Table 4. Multivariable binary logistic regression analysis exploring the likelihood of living with any disability per the 76<sup>th</sup> round of the NSS, India

	Unadjusted Odds ratio (95% C.I)	p-value	Adjusted Odds ratio (95% C.I)	p-value
Age Group (Completed years)				1
Up to 5 years	Reference value		Reference value	
6 - 18 years	2.1(2-2.1)	< 0.001	3.5(3.4-3.7)	< 0.001
19-35 years	2.3(2.2-2.4)	< 0.001	8.4(8-8.8)	< 0.001
36-49 years	3.5(3.4-3.7)	< 0.001	17.6(16.8-18.5)	< 0.001
50-65 years	6.4(6.1-6.7)	< 0.001	25.8(24.5-27.1)	< 0.001
65+ years	17.5(16.7-18.2)	< 0.001	58.4(55.4-61.5)	< 0.001
Sex				
Male	Reference value		Reference value	
Female	0.7(0.7-0.7)	< 0.001	0.6(0.6-0.6)	< 0.001
Place of Residence				
Rural	Reference value		Reference value	
Urban	1.02(1.01-1.03)	0.03	1.3(1.2-1.3)	< 0.001
Social Group		0.02		0.001
Scheduled Tribe	Reference value		Reference value	
Scheduled Caste	1.1(1.1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
Other disadvantaged classes*	1.1(1-1.1)	< 0.001	1.1(1.1-1.2)	< 0.001
General	1.1(1.1-1.1)	< 0.001	1.3(1.3-1.3)	<0.001
Educational attainment		-0.001		-0.001
No education	Reference value		Reference value	
Upto Primary class	0.5(0.5-0.5)	< 0.001	0.5(0.5-0.5)	< 0.001
Upto Secondary Class	0.4(0.4-0.4)	<0.001	0.4(0.4-0.4)	<0.001
Graduate & above	0.3(0.3-0.4)	<0.001	0.3(0.3-0.3)	<0.001
Preferred Religion	0.5(0.5-0.4)	\$0.001	0.5(0.5-0.5)	-0.001
Hindu	Reference value		Reference value	
Islam	0.8(0.8-0.9)	< 0.001	0.9(0.9-0.9)	< 0.001
Others	0.9(0.9-1)	< 0.001	1(1-1.1)	0.019
Marital Status	0.9(0.9-1)	\$0.001	1(1-1.1)	0.017
Never married	Reference value		Reference value	
Currently married	1.3(1.3-1.3)	< 0.001	0.3(0.3-0.3)	< 0.001
widowed	5.9(5.8-6.1)	<0.001	0.6(0.5-0.6)	<0.001
Divorced/separated	4.4(4.1-4.8)	<0.001	1.1(1-1.2)	0.011
Wealth Index	4.4(4.1-4.0)	<0.001	1.1(1-1.2)	0.011
Poorest	Reference value		Reference value	
Poor	0.6(0.6-0.6)	< 0.001	0.7(0.7-0.7)	< 0.001
Middle	0.6(0.5-0.6)	<0.001	0.6(0.6-0.6)	<0.001
Richer	0.5(0.5-0.5)	<0.001	0.5(0.5-0.6)	<0.001
Richest	0.4(0.4-0.4)	<0.001	0.5(0.5-0.5)	<0.001
Regions of India	0.4(0.4-0.4)	<0.001	0.5(0.5-0.5)	<0.001
Northern	Reference value		Reference value	
Southern	1.42(1.39-1.46)	< 0.001	1.1(1.1-1.2)	< 0.001
Western	1.13(1.1-1.16)	<0.001	1(1-1.1)	0.065
	``´´´	<0.001	· · · · · · · · · · · · · · · · · · ·	0.003
Eastern North costorn	1.15(1.13-1.18)	1	1(0.9-1)	
North-eastern	1(0.97-1.03)	0.961	1(1-1)	0.361
Central	1.01(0.98-1.03)	0.653	0.9(0.8-0.9)	< 0.001

3 *\*Terminology used in the survey was "other backward classes".* 

## **1 FIGURE LEGEND**

- 2 Figure 1. Geographical disparities in the difficulties faced by people living
- 3 with disability as per the 76<sup>th</sup> Round of the National Sample Survey, India

to oper terien only

BMJ Open: first published as 10.1136/bmjopen-2024-090220 on 15 May 2025. Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 at Agence Bibliographique de I Enseignement Superieur (ABES) . Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.




Figure 1: Geographical disparities in the difficulties faced by the people living with disabilities as per the 76th Round of the National Sample Survey, India

40x58mm (600 x 600 DPI)

# BMJ Open Supplementary Table 1: Living conditions of the people living with different types of disabilities, as per the 76<sup>th</sup> report of the National Sample Survey Organization India (2017-18)

<b>Living conditions of the people</b> ( <i>n</i> = <i>sample included in the analysis</i> )	Locomotor	Visual	Hearing Constants	Speech	Intellectual disability^	Mental illness	Others
	Weighted %	Weighted %	Weighter to	Weighted %	Weighted %	Weighted %	Weighted %
Age at the onset of disability	-	-	4.2 th Superieur 4.2 th Superieur 3.0 d that 17.4 th Superieur 75.4 mint				
0 to 4 years	17.2	3.0	4.2 to ad	21.0	51.0	10.1	9.9
5 to 14 years	9.0	2.3	3.0 nd ef	9.6	17.3	12.3	7.0
15 to 59 years	45.9	22.1	17.4 a n	40.9	24.0	40.5	49.2
60 years and above	28.0	72.6	75.4 <b>m BB</b>	28.4	7.7	37.1	33.8
Total number of participants	48,737	1,035	1,05 <b>£</b>	946	259	395	632
Receipt of aid/help			20.7 <b>∺</b> 9				
Received aid/help from Government	20.8	22.2	20.7 <del>g</del>	29.2	37.2	25.5	20.0
Received aid/help from organisations other than			en.				
government	4.1	10.2	8.6g	4.0	3.3	6.0	2.7
Did not receive aid/help	75.1	67.7	70.83	66.8	59.5	68.5	77.3
Total number of participants	61,712	1,145	1,272	2,010	1,215	521	766
Living arrangement			in in i				
Living alone or with a spouse	57.0	43.5		26.8	4.1	35.4	55.8
Living with others	43.0	56.5	J 38 49 →	73.2	95.9	64.6	44.2
Total number of participants	61,962	1,156	1,2800 gi	2,013	1,217	523	768
Arrangement of regular caregiver			025 ogi				
Care-giver required but not available	0.1	0.0	0.0 š a	0.1	0.9	0.0	0.3
Care-giver is not required	37.1	11.5	15.7 <b>G</b>	8.8	5.6	10.8	13.4
Care-giver is available	62.8	88.6	84.2 nc	91.1	93.6	89.2	86.3
Total number of participants	61,980	1,156	1,281 <b>B</b>	2,013	1,217	523	768
Accesses to public building			1,281 B				
Yes	45.6	25.4	29.4 gra	27.2	26.0	26.0	29.9

de For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml 3 4

Page 42 of 48
---------------

		BMJ Open	36/bi ted t				
			136/bmjopen-2024-090220 cted by copyright_in <u>cl</u> udii 70.ct				
			∍n-202 oyrigh				
No	54.4	74.6	70.6 <b>1.</b> 4	72.8	74.0	74.0	70.1
Total number of participants	61,980	1156	1281 <u>6</u> 902	2013	523	523	768
Difficulty faced accessing public building			120 udin				
difficulty faced: due to stairs and non-availability of			on ' g fe				
ramp, grooved tiles or lift	57.7	63.2	60.7u	55.4	49.7	46.7	52.2
in opening doors	4.4	1.6	1.3 ses	2.8	1.0	7.6	2.8
no seating arrangement: in the waiting area	1.6	3.0	2.9 reig	0.7	1.4	1.7	2.1
at the point of receiving service	0.8	5.7	2.1 er	0.9	0.8	1.3	0.3
no special toilet seats	0.7	0.4	1281 1281 1281 1282	0.7	0.0	0.8	0.9
no sign for direction/ instruction/no public			2.0 and data 17.6d data 13.3ta 433min				
announcement system	0.3	2.2	2.0 to a	2.2	2.1	1.3	0.0
no difficulty faced	27.6	8.4	17.6 <sup>nd</sup>	15.2	17.7	24.2	25.8
others	7.0	15.4	13.3 dation	22.1	27.4	16.3	15.8
Total number of participants	27,756	330		537	330	134	226
Working before onset (For >15 years and above)			=				
Yes	40.3	44.4	35.9	32.7	5.6	38.5	53.6
No	59.7	55.6	35.9 bm 64.1 <b>t</b>	67.3	94.4	61.5	46.4
Total number of participants	55,819	1093	1173 <b>5;</b> 5	1353	690	448	667
Disability causing loss or change in job			bm ing				
loss of work	60.7	75.3	72.83	86.5	80.9	84.2	82.8
change of work	18.3	11.0	5.7 <b>s</b>	5.2	2.7	8.7	5.9
no loss or change of work	21.3	13.7	21.5	8.3	16.4	7.1	11.4
Total number of participants	21,559	465	21.5 <u>m</u> on 404 <sup>ar</sup> une	425	37	165	343
Having Disability Certificate			e 1: ech				
Yes	30.4	14.0	16.10 83.9 83.9	41.7	59.8	29.9	24.9
No	69.6	86.0	83.9 <b>gi</b>	58.3	40.2	70.1	75.1
Total number of participants	61,980	1156	1281 s at	2013	1217	523	768
Percentage of Disability as per Certificate			Age				
40% or more but less than 60%	49.3	23.2	22.5 nc	16.9	14.6	27.7	29.7
60% or more but less than 80%	36.3	37.6	34.2 <u>b</u>	32.3	35.5	43.0	37.3
80% or more	12.8	38.7	34.2 Bi 42.2 bii	50.3	49.1	29.0	31.7
none of these	1.6	0.5	1.1 <b>g</b> ra	0.5	0.8	0.4	1.3

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 43 of 48	8 BN	U Open di	136/bmj			
1 2 3 4 5 6 7	Total number of participants20,213.00174Terminology used in the survey was ^mental retardation.	U Open de by copyright, 221, including for u	136/bmjopen-2024-090220 on	780	168	205
, 8 9 10 11 12 13 14		ses relati	15 May 2025. Enseigne			
15 16 17 18 19 20 21		ixt and data mining,	Downloaded from http://bmjopen.bmj.com/ on June 13, 2025 ; ment Superieur (ABES)			
22 23 24 25 26 27 28		Al training, and sim	mjopen.bmj.com/ or			
29 30 31 32 33 34 35		illar technologies.				
36 37 38 39 40 41			Agence Bibliographique			
42 43 44 45 46 47	For peer review only - http://bmjop	en.bmj.com/site/abou	de			

BMJ Open Supplementary Table 2: Results from Multivariate binary logistic regression analysis exploring the likelihood of living with different types of disabilities per the 76<sup>th</sup> round of the NSS, India.

	L	ocomoto	r disability		Spee	guage disability		Intellectual disability				
Covariates	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p-value	Un-adjusted OR (95% CI)	p-value	Adjust of 5	p-value	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p-valu
Age (Years)							025. gne elat					
<18 (Ref)	1		1		1		1 d te		1		1	
18-35	2.39(2.27-2.53)	< 0.001	4.08(3.84-4.33)	< 0.001	1.07(0.99-1.15)	0.07	1 to text 8.85(8.16-x 20)	< 0.001	14(10.28-19.08)	< 0.001	65.34(47.81-89.31)	<0.00
35-49	3.91(3.7-4.13)	< 0.001	7.89(7.4-8.41)	< 0.001	0.93(0.86-1.01)	0.089	9.87(8.98-10-342	< 0.001	19.06(13.98-25.99)	< 0.001	156.16(113.91-214.1)	<0.00
50-59	6.83(6.47-7.21)	< 0.001	12.36(11.6-13.17)	< 0.001	0.85(0.78-0.92)	< 0.001	7.21(6.52-a.97)	< 0.001	18.05(13.23-24.62)	< 0.001	135.71(98.75-186.49)	<0.0
65+	14.92(14.12-15.77)	< 0.001	23.27(21.79-24.85)	< 0.001	0.82(0.74-0.91)	< 0.001	6.22(5.49- <u>3</u> ( <b>P</b> ))	< 0.001	19.12(13.94-26.21)	< 0.001	126.17(91.08-174.77)	<0.00
Gender							nin S)					
Male (Ref)	1		1		1				1		1	
female	0.69(0.68-0.7)	< 0.001	0.58(0.57-0.59)	< 0.001	0.71(0.68-0.73)	< 0.001	0.69(0.67-2.72)	< 0.001	0.79(0.75-0.83)	< 0.001	0.75(0.71-0.79)	<0.0
Place of residence							ning					
Rural (Ref)	1		1		1		1 <b>an</b>		1		1	
Urban	1.09(1.07-1.11)	< 0.001	1.27(1.24-1.3)	< 0.001	0.88(0.85-0.92)	< 0.001	1.14(1.09- <b>£</b> -19)	< 0.001	0.96(0.91-1.01)	0.12	1.09(1.03-1.16)	0.0
Social groups							nilar					
Scheduled tribe (Ref)	1		1		1		1 tec		1		1	
Scheduled caste	1.27(1.23-1.31)	< 0.001	1.17(1.13-1.21)	< 0.001	1.02(0.96-1.09)	0.493	אן (1.12(1.04- <u>0</u> 2) און (1.12	0.002	1.16(1.06-1.28)	0.002	1.22(1.11-1.35)	< 0.0
Other disadvantaged classes*	1.19(1.16-1.23)	< 0.001	1.14(1.1-1.17)	< 0.001	0.98(0.92-1.04)	0.482	<b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>1</b> <b>2</b> <b>1</b> <b>2</b> <b>2</b> <b>1</b> <b>2</b> <b>2</b> <b>1</b> <b>2</b> <b>2</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	< 0.001	1.15(1.06-1.25)	0.001	1.31(1.2-1.44)	<0.0
Others	1.26(1.22-1.3)	< 0.001	1.21(1.17-1.25)	< 0.001	0.97(0.91-1.03)	0.432	1.48(1.38-1.59)	< 0.001	1.26(1.15-1.37)	< 0.001	1.55(1.4-1.71)	< 0.0
Education level	1.20(1.22-1.5)		1.21(1.17-1.23)		0.97(0.91-1.03)	0.52	1.40(1.50-1.57)g		1.20(1.13-1.57)	-0.001	1.55(1.7-1.71)	
Illiterate (Ref)	1		1		1				1		1	
Primary	0.58(0.56-0.59)	< 0.001	0.84(0.82-0.86)	< 0.001	0.51(0.49-0.53)	< 0.001	0.24(0.23-0.25)	< 0.001	0.53(0.5-0.56)	< 0.001	0.52(0.49-0.56)	<0.0
Secondary	0.57(0.56-0.58)	< 0.001	0.76(0.74-0.78)	< 0.001	0.25(0.24-0.26)	< 0.001	0.11(0.11-0.12)	< 0.001	0.47(0.44-0.49)	< 0.001	0.34(0.32-0.36)	< 0.00

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 45 of 4 1 2	48						BMJ Open	136/bmjopen-202 .cted by copyrigh
3 4	and Higher Education	0.57(0.55-0.6)	< 0.001	0.66(0.63-0.68)	< 0.001	0.12(0.11-0.14)	< 0.001	0.05(0.04- <b>5</b> :06)
5	Religion							022 clud
6 7	Hindu (Ref)	1		1		1		1 on
8	Muslim	0.84(0.82-0.86)	< 0.001	0.96(0.94-0.99)	0.004	1.05(1-1.11)	0.031	0.83(0.79- <b>0</b> 88) <b>5</b>
9	Others	0.84(0.82-0.87)	< 0.001	0.99(0.95-1.03)	0.607	1.07(1-1.14)	0.057	1.13(1.05-6.22)
10		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		,		- 0 N

	1		1		1		<u> </u>		1		1	
Muslim	0.84(0.82-0.86)	< 0.001	0.96(0.94-0.99)	0.004	1.05(1-1.11)	0.031	0.83(0.79-0.88)	0	1.16(1.09-1.24)	< 0.001	1.08(1.01-1.16)	0.0
Others	0.84(0.82-0.87)	< 0.001	0.99(0.95-1.03)	0.607	1.07(1-1.14)	0.057	0.83(0.79-(1.88)) 1.13(1.05-6.22) 1.13	0.001	1.08(0.99-1.18)	0.101	1.17(1.06-1.29)	0.00
Marital status							2028 rela					
Un-married (Ref)	1		1		1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		1	
Currently married	1.89(1.86-1.93)	< 0.001	0.52(0.51-0.54)	< 0.001	0.31(0.3-0.33)	< 0.001	1 00 1 00 0.15(0.14 <u>66</u> 0.16(0.15 - and call 0.66(0.56 - data 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0.66(0.62-0.69)	< 0.001	0.13(0.12-0.14)	< 0.00
Widowed	5.99(5.83-6.15)	< 0.001	0.93(0.89-0.97)	0.001	0.53(0.49-0.57)	< 0.001	0.16(0.15-9).16)0	0	1.6(1.48-1.74)	< 0.001	0.22(0.19-0.24)	< 0.00
Divorced/separated	2.98(2.7-3.28)	< 0.001	0.92(0.83-1.01)	0.091	1.79(1.54-2.09)	< 0.001	0.66(0.56-64)	0	9.06(8.02-10.23)	< 0.001	1.76(1.54-2.02)	<0.00
Wealth					100		(AE ata i					
Poorest (Ref)	1		1				1 <b>NET</b>		1		1	
Poor	0.67(0.66-0.69)	< 0.001	0.78(0.76-0.8)	< 0.001	0.77(0.73-0.81)	< 0.001	1 0.81(0.77-0 0.85)	0	0.7(0.65-0.75)	< 0.001	0.83(0.77-0.89)	<0.00
Middle	0.6(0.59-0.62)	< 0.001	0.67(0.66-0.69)	< 0.001	0.67(0.64-0.71)	< 0.001	0.74(0.7-0		0.66(0.62-0.71)	< 0.001	0.8(0.74-0.86)	<0.00
Richer	0.55(0.54-0.56)	< 0.001	0.58(0.57-0.6)	< 0.001	0.58(0.55-0.61)	< 0.001	0.69(0.65-8,73)	0	0.6(0.55-0.64)	< 0.001	0.75(0.69-0.81)	< 0.00
Richest	0.52(0.51-0.54)	< 0.001	0.52(0.5-0.53)	< 0.001	0.52(0.49-0.55)	< 0.001	0.71(0.66- <b>0</b> .75)		0.52(0.48-0.56)	< 0.001	0.7(0.64-0.77)	<0.00
Region							nd s					
Northern (Ref)	1		1		1		1 mili	n	1		1	
Southern	1.26(1.22-1.3)	< 0.001	0.97(0.94-1)	0.073	1.78(1.67-1.9)	< 0.001	1.84(1.72- <b>#</b> 97)	< 0.001	1.25(1.15-1.36)	< 0.001	1.05(0.96-1.15)	0.25
Western	1.12(1.08-1.15)	< 0.001	0.99(0.95-1.02)	0.429	1.23(1.14-1.32)	< 0.001	1.29(1.19- <b>H</b> .39) <b>3</b>	< 0.001	0.88(0.79-0.97)	0.008	0.84(0.76-0.93)	0.00
Eastern	1.02(0.99-1.05)	0.288	· · · · · · · · · · · · · · · · · · ·	< 0.001	1.7(1.59-1.81)	< 0.001	1.42(1.33 652)	< 0.001	1.25(1.16-1.36)	< 0.001	1.12(1.03-1.22)	0.00
North-eastern	0.69(0.66-0.71)	< 0.001	0.66(0.63-0.69)	< 0.001	1.59(1.47-1.71)	< 0.001	1.64(1.51-1.78)	< 0.001	1.01(0.91-1.12)	0.833	0.95(0.85-1.06)	0.38
Central	1.03(1-1.05)		0.94(0.91-0.97)	< 0.001	1.08(1.01-1.15)	0.000	0.85(0.79-0.92) <b>0</b>	< 0.001	0.93(0.85-1.01)	0.073		< 0.00

< 0.001

0.15(0.13-0.17)

< 0.001

0.28(0.24-0.32)

< 0.001

Bibliographique

			rom Multivaria e NSS, India (C			۸J Open g <b>ressio</b> r	136/bmjopen-2024 cted by copyright <del>s</del> cted by copyrights analy analy	loring th	e likelihood o	f living	with different	types o
		Hearing	disability			Visual	lisability ទី ដ			Intellectu	al disability^	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p- value	Un-adjusted OR (95% CI)	p- value	Adjusted (PR	p-value	Un-adjusted OR (95% CI)	p-value	Adjusted OR (95% CI)	p-value
Age (Years)							2025 relar					
<18 (Ref)	1		1		1		1 led t		1		1	
18-35	1.95(1.73-2.2)	< 0.001	5.16(4.55-5.85)	0	10.37(1.94-2.65)	< 0.001	6.57(5.59 <b>6</b> /32	< 0.001	1.88(1.7-2.08)	< 0.001	33.33(30-37.04)	< 0.001
35-49	3.23(2.87-3.64)	< 0.001	9.31(8.14-10.65)	0		< 0.001	13.95(11.29)	< 0.001	1.17(1.05-1.31)	0.005	34.13(30.24-38.51)	< 0.001
50-59	6.63(5.91-7.45)	< 0.001	15.34(13.43-17.52)	0	31.04(9.17-12.36)	< 0.001	29.2(24.7	< 0.001	0.65(0.57-0.74)	< 0.001	18.86(16.39-21.71)	< 0.001
65+	20.67(18.42-23.2)	< 0.001	38.97(34.06-44.58)	0	43.68(23.92-32.23)	1	61.23(51.74 <b>6</b> (7)	< 0.001	0.4(0.33-0.48)	< 0.001	11.39(9.26-14.01)	< 0.001
Gender							ninir ES)					
Male (Ref)	1		1		1		//bm 1		1		1	
female	0.96(0.93-0.99)	0.012	0.73(0.7-0.75)	< 0.001	1.04(1.01-1.08)	0.022	0.76(0.73	< 0.001	0.68(0.65-0.71)	< 0.001	0.76(0.73-0.8)	< 0.001
Place of residence							nin <b>b</b>					
Rural (Ref)	1		1		1				1		1	
Urban	0.86(0.83-0.9)	< 0.001	1.07(1.03-1.12)	0.001	0.83(0.8-0.86)	< 0.001	1.08(1.04 <b>m</b> ].13	0.001	1(0.96-1.05)	0.894	1.18(1.11-1.24)	< 0.001
Social groups							on J Imila					
Scheduled tribe (Ref)	1		1		1		une ar teo		1		1	
Scheduled caste	0.89(0.84-0.94)	< 0.001	0.95(0.89-1.01)	0.084	0.99(0.93-1.06)	0.734	1.04(0.977112)	0.228	1.2(1.1-1.3)	< 0.001	1.24(1.13-1.36)	< 0.001
Other disadvantaged	0.9(0.86-0.95)	< 0.001	1.02(0.96-1.08)		0.92(0.87-0.98)		1.04(0.97 <b>ð</b> .12) <b>9</b> 1.03(0.97 <b>ð</b> .12)		1.23(1.14-1.32)	< 0.001	1.49(1.37-1.63)	< 0.001
Others	0.92(0.87-0.97)	0.002	1.14(1.07-1.21)	<0.001		<0.001	1.02(0.95-1.0		1.26(1.17-1.37)	< 0.001	1.91(1.74-2.09)	< 0.001
Education level				5.001		5.001	genc					
Illiterate (Ref)	1		1		1		1 <b>D</b>		1		1	
Primary	0.47(0.45-0.48)	< 0.001	0.65(0.62-0.68)	< 0.001	0.36(0.35-0.38)	< 0.001	0.57(0.55-0.6)	< 0.001	0.34(0.32-0.35)	< 0.001	0.1(0.1-0.11)	< 0.001
Secondary	0.31(0.29-0.32)	< 0.001	0.44(0.42-0.46)	< 0.001	0.26(0.24-0.27)	< 0.001	0.43(0.4-0.45)	< 0.001	0.13(0.12-0.14)	< 0.001	0.03(0.03-0.04)	< 0.001

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 47 of 48	

3 4

cted by copy 136/bmjopen-

and Higher		< 0.001		< 0.001		< 0.001	-2024-0 rright, ii	< 0.001		< 0.001		<0.00
Education	0.22(0.2-0.25)		0.29(0.27-0.33)		0.2(0.18-0.23)		0.33(0.297).370		0.04(0.03-0.05)		0.01(0.01-0.01)	
Religion							0.33(0.29 ) 3.3 29 0.33(0.29 ) 3.3 29 0.33					
Hindu (Ref)	1		1		1		1 ng f		1		1	
Muslim	0.8(0.76-0.84)	< 0.001	0.88(0.84-0.93)	< 0.001	0.85(0.8-0.89)	< 0.001	1(0.94-1.06) z	0.995	1.05(0.99-1.12)	0.089	0.71(0.67-0.76)	< 0.0
Others	1.11(1.05-1.18)	< 0.001	1.08(1.01-1.16)	0.024	0.99(0.92-1.06)	0.802	1(0.94-1.06) Ma 0.94(0.875	0.112	1.05(0.97-1.14)	0.195	1.27(1.15-1.39)	< 0.0
Marital status							025 elat					
Un-married (Ref)	1		1		1		1 to the total of to		1		1	
Currently married	1.63(1.57-1.7)	< 0.001	0.42(0.39-0.45)	< 0.001	1.87(1.78-1.96)	< 0.001	0.36(0.33 <b>ā) <u>9</u>87</b>	< 0.001	0.09(0.09-0.1)	< 0.001	0.03(0.03-0.03)	<0.0
Widowed	7.49(7.16-7.84)	< 0.001	0.77(0.72-0.84)	< 0.001	9.8(9.31-10.31)	< 0.001	0.73(0.67 <sup>a</sup> ) a	< 0.001	0.17(0.15-0.19)	< 0.001	0.04(0.03-0.05)	<0.0
Divorced/separated	4.27(3.68-4.97)	< 0.001	1.15(0.98-1.35)	0.096	3.26(2.67-3.99)	< 0.001	0.67(0.54 <b>8</b> ).53	< 0.001	1.56(1.31-1.85)	< 0.001	0.36(0.3-0.44)	<0.0
Wealth							(AB h					
Poorest (Ref)	1		1		1				1		1	
Poor	0.6(0.57-0.63)	< 0.001	0.74(0.71-0.78)	< 0.001	0.62(0.59-0.65)	< 0.001	0.8(0.76-0 84)	< 0.001	0.87(0.82-0.93)	< 0.001	0.93(0.87-1)	0.0
Middle	0.54(0.51-0.56)	< 0.001	0.67(0.64-0.7)	< 0.001	0.56(0.54-0.59)	< 0.001	0.73(0.69 1.7 2	< 0.001	0.85(0.8-0.91)	< 0.001	0.92(0.86-0.99)	0.0
Richer	0.49(0.47-0.52)	< 0.001	0.62(0.59-0.65)	< 0.001	0.47(0.44-0.49)	< 0.001	0.61(0.57,0.64	< 0.001	0.79(0.74-0.85)	< 0.001	0.92(0.85-0.99)	0.0
Richest	0.43(0.41-0.45)	< 0.001	0.57(0.54-0.6)	< 0.001	0.37(0.35-0.39)	< 0.001	0.5(0.47-254)8	< 0.001	0.7(0.65-0.75)	< 0.001	0.91(0.84-0.99)	0.
Region												
Northern (Ref)	1		1		1		1 in n		1		1	
Southern	1.94(1.83-2.05)	< 0.001	1.52(1.43-1.61)	< 0.001	1.54(1.45-1.64)	< 0.001	1.1(1.03- <b>ig</b> 18) <sup>e</sup>	0.006	1.51(1.4-1.62)	< 0.001	1.7(1.57-1.84)	<0.0
Western	1.19(1.12-1.28)	< 0.001	1.07(1-1.15)	0.053	1.01(0.93-1.08)	0.883	0.88(0.828).96	0.002	1.31(1.21-1.42)	< 0.001	1.49(1.37-1.63)	<0.0
Eastern	1.34(1.26-1.42)	< 0.001	1.18(1.11-1.26)	<0.001	1.2(1.13-1.28)	<0.003	1(0.93-1.92) 25	0.981	1.07(1-1.16)	0.062	0.92(0.84-0.99)	0.0
North-eastern	1.57(1.46-1.68)	<0.001	1.58(1.47-1.7)	< 0.001	1.47(1.37-1.59)	< 0.001	1.52(1.41-1.65)	<0.001	0.84(0.76-0.93)	0.002	0.82(0.74-0.92)	0.0
Central	1.08(1.02-1.15)	0.01	1(0.94-1.06)	0.96	1.05(0.98-1.12)	0.182	<u> </u>	0.006	0.87(0.81-0.94)	<0.001	0.63(0.58-0.69)	<0.0

*Terminology used in the survey was* \**other backward classes and ^mental retardation.* 

Bibliographique

					BMJ Open <b>BMJ Open</b>	
Supplementary T disabilities per th	Table 2: Result         e 76 <sup>th</sup> round of	ts from f the Na	n Multivariate SS, India (Con	binary t)	BMJ Open 196/bmjopen-2022 Geed by copyrights Enseignerant Stuperiour (ABES). Enseignerant Stuperiour (ABES) At training and similar technologies.	types of
	Othe	er types	of disabilities		for	
	Un-adjusted OR (95% CI)	p- value	Adjusted OR (95% CI)	p- value	uses r	
Age (Years)					elat	
<18 (Ref)	1		1		eme t en	
18-35	0.98(0.83-1.16)	0.8	1.46(1.21-1.77)	< 0.001	o tej	
35-49	1.23(1.04-1.46)	0.018	2.37(1.91-2.93)	< 0.001	ct per de	
50-59	1.84(1.56-2.17)	< 0.001	3.51(2.84-4.34)	< 0.001		
65+	3.3(2.78-3.9)	< 0.001	6.01(4.81-7.5)	< 0.001	ata n	
Gender					niệ.	
Male (Ref)	1		1		ig. Br	
female	0.81(0.75-0.87)	< 0.001	0.8(0.74-0.86)	< 0.001		
Place of residence						
Rural (Ref)	1		1			
Urban	1.2(1.12-1.29)	< 0.001	1.21(1.11-1.31)	< 0.001		
Social groups						
Scheduled tribe (Ref)	1		1		r tec	
Scheduled caste	0.78(0.69-0.88)	< 0.001	0.82(0.72-0.94)	0.004	:hno	
Other disadvantaged classes*	0.68(0.61-0.76)	< 0.001	0.71(0.63-0.81)	< 0.001	logie	
Others	0.91(0.81-1.02)	0.098	0.89(0.78-1.01)	0.066	s. # Ac	
Education level					Agence	
Illiterate (Ref)	1		1		O CONTRACTOR OF CONTRACTOR OFO	
Primary	0.84(0.76-0.91)	< 0.001	0.88(0.8-0.98)	0.018	Bibliographic	
Secondary	0.79(0.72-0.86)	< 0.001	0.89(0.81-0.99)	0.034	gr a	

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

graphique

and Higher Education	0.93(0.81-1.07)	0.334	0.97(0.83-1.14)	0.713	
Religion					
Hindu (Ref)	1		1		
Muslim	0.83(0.74-0.92)	< 0.001	0.88(0.79-0.98)	0.021	
Others	1.18(1.04-1.34)	0.01	1.09(0.94-1.26)	0.239	
Marital status					
Un-married (Ref)	1		1		
Currently married	0.97(0.9-1.04)	0.409	0.48(0.42-0.54)	< 0.001	
Widowed	1.89(1.68-2.12)	< 0.001	0.55(0.46-0.66)	< 0.001	
Divorced/separated	2.57(1.86-3.54)	< 0.001	1.29(0.92-1.81)	0.142	
Wealth			4		
Poorest (Ref)	1		1		errev
Poor	0.63(0.57-0.71)	< 0.001	0.72(0.64-0.8)	< 0.001	16.
Middle	0.66(0.59-0.73)	< 0.001	0.76(0.68-0.85)	< 0.001	
Richer	0.72(0.65-0.8)	< 0.001	0.84(0.75-0.94)	0.002	
Richest	0.78(0.7-0.86)	< 0.001	0.88(0.78-0.99)	0.038	
Region					
Northern (Ref)	1		1		
Southern	2.66(2.28-3.1)	< 0.001	2.62(2.25-3.07)	< 0.001	
Western	2.9(2.48-3.4)	< 0.001	2.82(2.4-3.31)	< 0.001	
Eastern	3.09(2.67-3.59)	< 0.001	3.23(2.77-3.77)	< 0.001	
North-eastern	2.12(1.77-2.53)	< 0.001	1.98(1.64-2.38)	< 0.001	
Central	1.17(1-1.38)	0.056	1.26(1.07-1.49)	0.007	

*Terminology used in the survey was* \**other backward classes and ^mental retardation.* 

cted by copyright, including for uses 136/bmjopen-2024-090220 on May 2025. Downloaded Enseignement Superie uses related to text and ded from http://bmjopen.bmj.com/ on June 13, 2025 at perieur (ABES) . and data mining, Al training, and similar technologies. ğ

graphique

BMJ Open