

# BMJ Open

## Drilling down the London Cancer Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013

Journal:	<i>BMJ Open</i>
Manuscript ID:	bmjopen-2015-007792
Article Type:	Research
Date Submitted by the Author:	27-Jan-2015
Complete List of Authors:	Wiseman, Theresa; The Royal Marsden NHS Foundation Trust, Lucas, Grace; The Royal Marsden NHS Foundation Trust, Sangha, Amrit; The Royal Marsden NHS Foundation Trust, Dolan, Shelley; The Royal Marsden NHS Foundation Trust,
<b>Primary Subject Heading</b>:	Qualitative research
Secondary Subject Heading:	Health services research
Keywords:	QUALITATIVE RESEARCH, ONCOLOGY, Quality in health care < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™  
Manuscripts

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

**Drilling down the London Cancer Experience:  
Framework analysis of free text data from the National  
Cancer Patient Experience Survey 2012/2013**

**Corresponding author:**  
Dr Theresa Wiseman  
Lead for Health Service Research  
2<sup>nd</sup> Floor, Mulberry House  
The Royal Marsden Hospital NHS Foundation Trust  
Fulham Road  
SW3 6JJ  
Email: [theresa.wiseman@rmh.nhs.uk](mailto:theresa.wiseman@rmh.nhs.uk)  
Tel: 0207 811 8516

**Co-authors:**  
Grace Lucas  
The Royal Marsden Hospital NHS Foundation Trust  
London  
UK

Amrit Sangha  
The Royal Marsden Hospital NHS Foundation Trust  
London  
UK

Shelley Dolan  
The Royal Marsden Hospital NHS Foundation Trust  
London  
UK

**Up to 5 Keywords:** Cancer, Patient Experience, London, NCPES, Free text analysis

**Word count** (excluding title page, abstract, references, figures and tables): **2431**

# Drilling down the London Cancer Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013

## ABSTRACT

**Objective:** To explore in depth the experiences of patients with cancer treated in London NHS trusts.

**Design:** Framework analysis of free text data from 2012/2013 National Cancer Patient Experience Survey from 30 London NHS trusts.

**Setting and participants:** Patients with a cancer diagnosis treated by the NHS across London.

**Main outcome measures:** Three free text questions asking what patients found to be good about their cancer care, what could be improved, and any other comments.

**Methods:** Using Framework analysis methodology, a thematic framework was created for 15,603 free text comments from over 6,500 patients. Framework consisted of the three main free text questions; themes were identified across the London dataset, by tumour group and by trust. A content analysis (number of comments for each theme) was also carried out.

**Results:** Two thirds of patient free text comments for London were positive. A third of those related to quality of care patients received. Comments for improvement made up one third of the total responses. The majority of comments for improvement focused on poor care (16%), poor communication (10%), and waiting times in outpatient departments (10%). 577 patients (9% of those who returned free text data) made comments about ambiguity of the wider questionnaire; especially for patients who experienced care from multiple trusts. Many patients said that they were unable to understand survey questions, so left them unanswered.

**Conclusions:** Free text data from patients with cancer treated by London hospitals is more positive about care experiences than reported results from the quantitative data. Free text comments which focused on areas for improvement are detailed and specific and can be used to inform improvement action plans. Free text data indicates ambiguity in the questionnaire and suggests further work is needed to refine the survey to ensure it is fit for purpose.

## STRENGTHS AND LIMITATIONS OF THIS STUDY

- Data comes from a large national survey, with 15603 free text comments for London from over 6500 cancer patients.
- There was a 75% increase on free text comments made since the last survey in 2011/12. Comments provide detailed and specific remarks from patients on why and how their cancer care was good or required improvement.
- The content analysis (numbers of comments made within each theme) cannot report if numbers pertained to the size of the trusts, the percentage of patients

involved or the strength of conviction regarding the comment/s (some questionnaires included several comments and others were left blank).

- Data is not available on which other trusts patients attended, therefore some patients may have completed the questionnaire (and free text) with more than one trust in mind. These hospitals might also have been from outside the London area.

## BACKGROUND

The National Cancer Patient Experience Survey (NCPES) covers all 155 acute and specialist NHS trusts in England that provide adult acute cancer services; 30 of these are in London.[1] In 2012/13, the survey data was used to show that for the third consecutive year overall patient experience for London was poorer than the rest of England.[2] The ten poorest performing NHS trusts were ranked by Macmillan based on the number of questions where patient scores fell within the bottom 20% of results for all trusts over 63 questions. Nine out of the ten lowest-scoring NHS trusts in England were in the capital.[3]

A number of hypotheses have been put forward to explain this ‘London effect’.[3] Evidence suggests that younger patients or patients from ethnic minority groups report worse experiences of care,[4-6] and in this way, the demographic make-up in London might affect overall scores. A Canadian survey indicates that urban settings evoke less positive assessments of care experience than rural environments.[7] If this is the case, then as the capital city of England, London might be unfavourably compared with smaller English towns or more rural areas. A further hypothesis is that London’s higher concentration of teaching hospitals means that its trusts treat patients with more complex problems and that these patients are more critical of their experiences, or that the focus on teaching is at the expense of patient care.[8] Another analysis of the relationship between NCPES data and the NHS staff survey suggests that poor performance might connect to issues with staffing levels, staff turnover and poor staff experience.[3, 9] However, despite these theories, secondary analysis of the 2011/12 NCPES data set suggested that the impact of patient case-mix on the results was small, and that the higher proportion of teaching hospitals was unlikely to be an important source of geographical variations in patient experience of cancer [4, 10] leading to further questions about the specific reasons for the London results.

Previous studies of the NCPES data have not made use of the free text data from the end of the questionnaire. Free text – or open comments – can appear to get closer to the kind of data provided in narrative interviews where patients communicate something of the, ‘multi-layered texture and complexity of experience in hospital, its intensity and human experience.’ In the absence of interview data, free text data may shed light on specific aspects where improvement needs to be targeted. [11] This paper reports on analysis of free text comments from the 2012/13 NCPES to provide in-depth understanding of patient experience, to help inform action plans and improvement strategies for London.

## METHODS

### Data

Data was taken from NHS England's 2012/2013 National Cancer Patient Experience Survey (NCPES), run by Quality Health.[1] In the 2012/13 survey over 68,000 patients with a primary diagnosis of cancer, who were seen for treatment in hospital between September and November 2012, took part.[3] Free text data from the survey from all 30 London trusts was analysed. In response to three free text questions in the survey, over 6,500 patients in London made 15,603 comments.

### Analysis

Comments were analysed using Framework analysis (Ritchie and Spencer 1994). [12] The initial framework was developed for the 2011/12 free text analysis by two researchers (TW and AR). To ensure the existing framework was fit for purpose the whole team independently conducted preliminary analysis on the data from one trust to pilot the framework on the 2012/13 data set. A few minor changes were made, before using the framework as the basis for analysing all the 2012/13 data.

The free text questions within the NCPES ask what patients found good about their cancer care, what could be improved, and a third question about 'other' comments (table 1).

**Table 1** Free text questions in the NCPES survey

- |  |
|--|
| <ol style="list-style-type: none"><li>1. Was there anything particularly good about your NHS cancer care?</li><li>2. Was there anything that could be improved?</li><li>3. Any other comments?</li></ol> |
|--|

In the analysis it was found that this 'other' data fell into either a positive comment about care or a comment for improvement, hence it was subsumed into one or the other category. This positive/negative binary is consistent with the rest of the survey data, which is also reported in this way.[10] A content analysis (numbers of comments made within each theme) was also included. However, this needs to be interpreted with caution as this form of analysis cannot report if numbers pertained to the size of the trusts, the percentage of patients involved or the strength of conviction regarding the comment/s (some questionnaires included several comments and others were left blank). It was felt, however, that for trusts to use the data to inform future work plans, thematic counts would help them prioritise areas of greatest need for improvement.

## FINDINGS

Of the 15,603 patient free text comments for London trusts, 10,262 were positive comments about patient experience and 5,341 were comments for improvement. Positive comments therefore made up over 65.8% or two thirds of total comments. Comments for improvement contributed 34.2% or one third of the total. This equates to a 5.6% point increase in the positive direction in the free text comments from 2011/12 to 2012/13 survey – reflecting an overall national picture of improvement in cancer care.[13]

Positive comments

Throughout the London trusts there was consensus among patients as to what was good about the service. Free text data showed five main themes that were identified in all organisations (table 2).

Table 2 Top 5 positive themes		
Top 5 Themes	Number of comments made/ % of positive comments	Sample comments
1. The quality of care	3343 (33%)	"NHS cancer care is excellent." "We have always received first class treatment."
2. Particular Services/teams	2765 (27%)	"Both chemotherapy and radiotherapy teams were amazing."
3. The quality of professionals	2700 (26%)	"They were so thorough. Everyone treated me like a person and not a number."
4. Speed and Efficiency	688 (7%)	"Everyone acted so quick, appointment, scans, operation."
5. Support and Attention	627 (6%)	"Everyone was sensitive, articulate and emotionally supportive."

Within the free text responses, the quality of care patients received made up the most positive comments (33%). Patients also praised specific services and/or teams within the trusts; comments related to services from chemotherapy and radiotherapy units to complementary therapies and ambulance drivers:

*"The aftercare service, lymphoedema, acupuncture and psychology services are important to name. I attended 'Living After Cancer' workshop which was a great day; informative and therapeutic."*

Additionally, the quality, manner and skills of professionals were mentioned in 26% of positive comments. Professionals made a difference to patients' experience; helping them feel secure in their treatment and managing and coping with the cancer diagnosis:

*"I was treated with dignity and respect and was told everything in a way I could understand."*

Indeed, there were over 5,500 positive comments made about staff and their work within the free text data. The free text responses also indicate how and why staff made such a positive contribution in terms of their manner, kindness and attentiveness:

*"Doctors, nurses, radiotherapy, chemo staff, receptionists, auxiliary personnel have been kind, caring, compassionate and polite. This made a stressful time more bearable".*

Comments for improvement

Although positive patient comments comprised two thirds of all the free text data, one third of the comments (34.2%) were less encouraging and suggested areas where cancer care in London needs to be improved (table 3).



Table 3 Top 5 themes for improvement		
Top 5 themes	Number of comments made / % of comments for improvement	Sample comments
1. Poor care	866 (16%)	"Nobody wanted to help me to bed. Two ladies were arguing in front of me because neither wanted to look after me. It was hard to witness that."
2. Poor communication	518 (10%)	"Often the level of English of some doctors and nurses was very poor. They could not explain my treatment, the medicines they were giving me or tell me why – very frightening."
3. Waiting times: in OPD (Outpatients Department)	512 (10%)	"When you are feeling dreadful, you've got a lot of pain, waiting up to 3 hours is excruciating."
4. Information	423 (8%)	"Explaining more on the side effects and duration [could be improved]".
5. Understaffed	398 (7%)	"The nurses were not lazy just stretched. There should be more regular nurses than bank nurses and agency nurses."

The detail of these comments reveals a range of issues and some clear insights into how patients feel they are being let down. This detail identifies specific actions for trusts; for example communication is not just negatively rated but focused comments are made:

*"The doctor should look at the patient first and then the scan."*

This kind of comment suggests how and where small changes can be focused to make a considerable difference to patient experience.

Poor care contributed to the most number of negative comments in the 2012/13 data set (16%). These comments related to patients being treated with a lack of dignity; medical staff who demonstrated a lack of attention with regards to knowing the case; patients being made to wait for essential needs, and depersonalisation:

*"I felt degraded and humiliated; chewed up and spat out! Emotionally insecure and I'm still suffering the consequences."*

This theme seemed most common at night and at weekends, and in some cases, was linked to understaffing and/or complaints about agency staff:

*"It's a different place at night and on the weekend. It's full of agency staff, some do not understand or speak English, they are rude and talk over you in their native tongue to their friends."*

Indeed, comments about staff shortage, lack of permanent staff and the quality of agency staff comprised 7% of negative responses. In some cases, the comments about waiting were also linked to these staffing issues, especially in Chemotherapy Day Units where 216 comments were made about waiting times:

*“Even though the chemo is planned in advance, it can still take up to 6 hours to wait. For a 3 hour treatment, I’m there 9-10 hours!”*

Communication – as the second most prominent theme for improvement forming 10% of negative comments – linked closely with poor care and staffing issues especially in terms of the number of staff who had a poor level of English. Although many of the communication comments focused on diagnosis, examples were given across the pathway in terms of the manner and content of communication with patients. One patient reported:

*“I was told I had cancer by the chemotherapy nurse who didn’t realise I hadn’t been told.”*

Another explained: *“Medical terminology needs to be translated so the ordinary person can understand.”*

The detail of how and why patients experienced poor communication emerges clearly in the free text data and focuses on key issues including: bad news broken badly; not being informed of what is happening; insensitive communication; administration – letters not being sent; being sent the wrong appointment; rude, swearing healthcare workers, and different information being given by healthcare professionals.

**Ambiguity of questionnaire**

This analysis shows that out of the total 6,526 patients who returned free text data on the questionnaire across London, 577 patients (9%) made comments relating to the ambiguity of the questionnaire as a whole and concerns about completing it (table 4). Across the London trusts, the percentage of people unsure about elements of the questionnaire ranges from 3% to 25.9% of those people who returned free text data per trust. There were also a number of comments which mentioned leaving questions unanswered. Comments about the questionnaire related to a range of issues including: the questions did not reflect the person’s experience; the person had attended different trusts from diagnosis to treatment so filled out the questionnaire with different places in mind; they did not understand what the question was asking, and that the appropriate answer was not available.

Table 4 Comments about the questionnaire		
Theme	Patients who commented questionnaire was unsuitable (% of those who returned free text data)	Sample comments
Ambiguity of questionnaire	577 patients (9%)	“My association with Trust 6 was short. I was diagnosed there and spent a week having tests then transferred to Trust 11. 90% these answers are about



		Trust 11 not Trust 6 which is the only hospital in the letter."
		"The questionnaire is not really suitable for my experience; most of it doesn't apply to me."
		"I was sent to Trust D by [North England Trust]. Trust D was outstanding. The negative answers relate to ["North England Trust"]* not Trust D."
		"I have been hesitant about completing. These tick boxes could be misleading and wrong conclusions drawn."

\*Name created for purposes of illustration – trust was from outside of London

While the overall Macmillan analysis using quantitative survey data rightly identifies key issues which need addressing to improve cancer care and highlights in particular the London effect,[3] more work is needed to understand exactly how patients reported their experiences. Previous research has identified that the complexity of care pathways might mean that patients experience fragmented care across different hospitals.[4] Free text data indicates that some patients primarily received care from other trusts in England and were then referred to a London trust to carry out certain specialist treatments or diagnosis. This indicates that some of the data in the questionnaire has potentially been attributed to London when the survey has been filled out in relation to another trust based elsewhere in England.

## DISCUSSION

Two thirds of the free text data relating London cancer patient experience demonstrated positive comments and in comparison to the 2011/12 free text data there is a 5.6% point shift in the positive direction. Where care is good, and staff communicate well and provide support for patients, the often-difficult experience of cancer is made to feel more manageable.

The Picker Institute's report for Macmillan highlights how issues with staffing might relate to poorer patient experience.[9] This was substantiated by some of the comments for improvement in the London free text data for 2012/13 which specifically focused on: understaffing, staff with poor English language skills, communication issues and problems with agency staff. On many occasions this linked to poor care – the theme which appeared most prominently in comments for improvement.

However, while these comments need addressing, and while there are many distinct areas which need to be considered for improvement, the number of positive comments, and the reported issues with the questionnaire itself, suggest that the whole picture for London might not be as troubling as the quantitative data suggests.

The NCPES free text data adds depth and detail to the quantitative data, especially in terms of identifying specific improvement actions. Patients often wrote at length to describe their experiences in their own words. Moreover, there was a 75% increase in free text comments made since the last survey in 2011/12. Future research could be

strengthened with the inclusion of questions about patients' pathways through different hospitals.[4] The free text data suggests this is critical to evaluate the whole trajectory of patient care from diagnosis through treatment, and to understand when and what role London hospitals have played in that care.

This research suggests that better use should be made of open comments in the analysis of the NCPES data to create a fuller picture of patient experience for cancer patients in London and across the rest of the country, to target improvements and inform action plans.

## Contributors

TW led the project, analysis, devised framework, wrote the report and took overall responsibility for the manuscript. GL and AS contributed to the analysis, produced tables of findings, assisted with the report and drafted the manuscript.

SD secured funding through London Cancer Alliance (LCA) Patient Experience Working Group who commissioned the research, contributed to the reporting and dissemination through the patient experience working group and contributed to the report and paper.

TW is the corresponding author.

## Acknowledgments

With thanks to Anuska Randolph who helped devise the framework and contribute to the analysis and Sarah Stapleton, Natalie Pattison, Geraldine O'Gara and Kate Harris who also assisted with the analysis.

## Funding

This research was supported by the following organisations who were not involved in any part of the work itself: London Cancer Alliance (LCA), The Royal Marsden Cancer Charity, and the National Institute for Health Research RM/ICR Biomedical Research Centre.

## Competing Interests

None

## Data Sharing Statement

No additional unpublished data are available.

## REFERENCES

- [1] NHS England. National Cancer Patient Experience Survey. [<http://www.quality-health.co.uk/surveys/national-cancer-patient-experience-survey>] (last accessed October 2014)
- [2] Macmillan Cancer Support. Macmillan calls on London hospitals to urgently improve patient care. 4 September 2013. [[http://www.macmillan.org.uk/Aboutus/News/Latest\\_News/MacmillancallsonLondonhospitalstourgentlyimprovepatientcare.aspx](http://www.macmillan.org.uk/Aboutus/News/Latest_News/MacmillancallsonLondonhospitalstourgentlyimprovepatientcare.aspx)] (last accessed October 2014)
- [3] Macmillan Cancer Support. Cancer Patient Experience Survey: Insight Report and League Table 2012-13. September 2013 [<http://www.macmillan.org.uk/Documents/AboutUs/Research/Keystats/2013CPESInsightBriefingFINAL.pdf>] (last accessed October 2014)
- [4] Saunders CL, Abel GA, Lyratzopoulos, G. What explains worse patient experience in London? Evidence from secondary analysis of the Cancer Patient Experience Survey. *BMJ Open* 2014;4:e004039
- [5] Mead N, Roland M. Understanding why some ethnic minority patients evaluate medical care more negatively than white patients: a cross sectional analysis of a routine patient survey in English general practices. *BMJ* 2009;339:b3450
- [6] Lyratzopoulos G, Elliott M, Barbiere JM, *et al.* Understanding ethnic and other socio-demographic differences in patient experience of primary care: evidence from the English General Practice Patient survey. *BMJ Qual Saf* 2012;21:21-9
- [7] Lamarche PA, Pineault R, Haggerty J, *et al.* The experience of primary health care users: a rural-urban paradox. *Can J Rural Med* 2010;15:61-6.
- [8] Burki TK. Cancer care in northern England rated best in England. *Lancet Oncol* 2013;14:e445
- [9] Sizmur, S. The relationship between cancer patient experience and staff survey results: A report for Macmillan Cancer Support. Picker Institute Europe. 30 July 2013 [<http://www.macmillan.org.uk/Documents/AboutUs/Research/Researchandevaluationreports/ReportCPES-StaffexperienceP2709v4.pdf>] (last accessed October 2014)
- [10] Abel GA, Saunders CL, Lyratzopoulos, G. Cancer patient experience, hospital performance and case mix: evidence from England. *Future Oncology* 2014;10,9: 1589-1598
- [11] Tsianakas V, Maben J, Wiseman T, *et al.* Using patients' experiences to identify priorities for quality improvement in breast cancer care: patient narratives, surveys or both? *BMC Health Serv Res* 2012;12:271
- [12] Ritchie J, Spencer L. Qualitative data analysis for applied policy research. In: Bryman A, Burgess, RG. eds. *Analysing Qualitative Data*. London: Routledge 1994:173-194
- [13] NHS England. Cancer patients positive about their care. 30 August 2013 [<http://www.england.nhs.uk/2013/08/30/cancer-patients-positive/>] (last accessed October 2014)

# BMJ Open

## Insights into the London Cancer Patient Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013 from the two London Integrated Cancer Systems

Journal:	<i>BMJ Open</i>
Manuscript ID:	bmjopen-2015-007792.R1
Article Type:	Research
Date Submitted by the Author:	08-May-2015
Complete List of Authors:	Wiseman, Theresa; The Royal Marsden NHS Foundation Trust, Lucas, Grace; The Royal Marsden NHS Foundation Trust, Sangha, Amrit; The Royal Marsden NHS Foundation Trust, Randolph, Anuska; The Royal Marsden NHS Foundation Trust, Stapleton, Sarah; The Royal Marsden NHS Foundation Trust, Pattison, Natalie; The Royal Marsden NHS Foundation Trust, O'Gara, Geraldine; The Royal Marsden NHS Foundation Trust, Harris, Kate; The Royal Marsden NHS Foundation Trust, Pritchard-Jones, Kathy; UCL Partners Academic Health Science Network, Dolan, Shelley; The Royal Marsden NHS Foundation Trust,
<b>Primary Subject Heading</b>:	Qualitative research
Secondary Subject Heading:	Health services research
Keywords:	QUALITATIVE RESEARCH, ONCOLOGY, Quality in health care < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™  
Manuscripts

# Insights into the London Cancer Patient Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013 from the two London Integrated Cancer Systems

## Corresponding author:

Dr Theresa Wiseman  
Strategic Lead for Health Service Research  
2<sup>nd</sup> Floor, Mulberry House  
The Royal Marsden NHS Foundation Trust  
Fulham Road  
SW3 6JJ  
Email: [theresa.wiseman@rmh.nhs.uk](mailto:theresa.wiseman@rmh.nhs.uk)  
Tel: 0207 811 8516

## Co-authors:

Grace Lucas, The Royal Marsden NHS Foundation Trust, London, UK

Amrit Sangha, The Royal Marsden NHS Foundation Trust, London, UK

Anuska Randolph, The Royal Marsden NHS Foundation Trust, London, UK

Sarah Stapleton, The Royal Marsden NHS Foundation Trust, London, UK

Dr. Natalie Pattison, The Royal Marsden NHS Foundation Trust, London, UK

Geraldine O’Gara, The Royal Marsden NHS Foundation Trust, London, UK

Kate Harris, The Royal Marsden NHS Foundation Trust, London, UK

Professor Kathy Pritchard-Jones, Chief Medical Officer, *London Cancer & Programme Director for Cancer*, UCL Partners Academic Health Science Network  
London, UK

Dr. Shelley Dolan, Clinical Director, *London Cancer Alliance* and Chief Nurse, The  
Royal Marsden NHS Foundation Trust, London, UK

**Up to 5 Keywords:** Cancer, Patient Experience, London, national survey, free text  
analysis

**Word count** (excluding title page, abstract, references, figures and tables): 5,141

## ABSTRACT

**Objective:** To shed light on cancer patient experiences in London NHS trusts that may not be fully captured in national survey data to inform improvement action plans by these trusts.

**Design:** Framework analysis of free text data from 2012/2013 National Cancer Patient Experience Survey (NCPES) from the two London Integrated Cancer Systems.

**Setting and participants:** Patients with a cancer diagnosis treated by the NHS across 27 trusts in London.

**Main outcome measures:** Free text data received from patients categorised into what patients found good about their cancer care and what could be improved.

**Methods:** Using Framework analysis, a thematic framework was created for 15,403 comments from over 6,500 patients. Themes were identified across the London dataset, by tumour group and by trust.

**Results:** Two thirds of patient free text comments for London were positive and one third of those related to good quality of care patients received. However, the majority of comments for improvement related to quality of care, with a focus on poor care, poor communication, and waiting times in outpatient departments. Additionally, 577 patients (9% of those who returned free text data in London) commented on issues with the questionnaire itself. Some patients who experienced care from multiple trusts were unclear how to complete the questionnaire for the single trust whose care they were asked to comment on, others said the questions did not fit their experiences.

**Conclusions:** NCPES free text analysis can shed light on the experiences of patients' which closed questions might not reveal. It further indicates that there are issues with the survey itself, in terms of ambiguities in the questionnaire and difficulties in identifying patients within specific trusts. Both of these issues have the potential to contribute to knowledge and understanding of the uses and limits of free text data in improving cancer services.

## STRENGTHS AND LIMITATIONS OF THIS STUDY

### Strengths

- The data comes from a large national survey, with over 15,403 free text comments for London from more than 6,500 cancer patients.
- There was a 75% increase in free text comments within the London trusts' data since the last survey in 2011/12. Comments identify aspects of why and how cancer care was good or required improvement from the patient perspective.
- Overarching themes emerged from the data, with clear linkages; a framework was therefore able to encompass all the responses.
- Free-text comments provide information which often goes beyond what is measured. They have the potential to increase understanding of experiences that are not covered by closed multiple choice questions within the NCPES.



## Limitations

- As this study involves analysis of data taken from a national survey it is limited by the data available. The research could be strengthened by understanding more about the demographics of patients who completed the free text questions and how individual free text responses related to relevant survey responses.  
  
While free text data is useful in understanding some aspects of patients' experience, it may not be able to evidence the depth of response that other forms of qualitative data i.e. interviews, ethnographic studies might be able to provide.
- The content analysis (numbers of comments made within each theme) cannot report if numbers pertained to the size of the trusts, the percentage of patients involved or the strength of conviction regarding the comment/s (some questionnaires included several comments and others were left blank).
- Some patients may have completed the questionnaire (and free text) with more than one trust in mind. Some patients commented that these hospitals were outside the London area. Data could be strengthened with a full understanding of patients' pathways.

## BACKGROUND

There are an estimated 2.5 million people in the UK today (2015) who have had a cancer diagnosis.[1] One in two people will develop cancer at some point in their lives.[2] People living with cancer have a variety of support needs, some of which are not being fully met at the moment.[3] Improved patient experience affects patients' well-being, their ability to relate to professionals and to self-manage. Indeed, patient experience matters as much to most patients as clinical outcomes and safety.[3, 4] When the performance of healthcare systems is being assessed, patients' experiences are increasingly important. In recent years, the patient experience has become an important indicator of healthcare performance.[5] Patients' views are gathered alongside clinical quality and safety when assessing quality of care.[6]

Within the UK there has been great emphasis on understanding and improving patient experience of cancer care,[7] and addressing the variations within that experience which occur across tumour groups and different regions of the country.[8] One way of accessing patients' views, tracking performance over time and examining where and why patients are having poorer experiences is via the National Cancer Patient Experience Survey (NCPES) – an annual survey which asks patients about their cancer care and treatment. The NCPES began in 2010, after the 2007 'Cancer Reform Strategy' detailed the need for a new survey programme.[9] It poses around 70 questions on patients' experience of their cancer treatment on topics such as whether patients were told the name of the Clinical Nurse Specialist in charge of their care, to

how decisions on their treatment were made.[10] Since 2010 the NCPES has been administered by Quality Health on behalf of the Department for Health.[11]

The 2012/2013 survey included all adult patients who were treated for cancer between 1 September and 30 November 2012 in 155 NHS Trusts across England that provided adult acute cancer services. The survey covered both inpatients and day case patients.[9] It was administered by post and sent to patients' home addresses. Over 68,000 patients with a primary diagnosis of cancer took part. Results from the survey formed a national report as well as reports for each of the trusts involved.[12]

Across London, Cancer Services are organised within two integrated cancer systems, London Cancer (LC) and London Cancer Alliance (LCA). These integrated systems come together to streamline cancer services and pathways across London Trusts. In 2012/13, the NCPES survey data was used to show that for the third consecutive year overall patient experience for London was poorer than the rest of England.[13] The ten poorest performing NHS trusts were ranked by Macmillan, based on the number of questions (out of 63) for which patient scores fell within the bottom 20% of results for all trusts. Nine out of the ten lowest-scoring NHS trusts in England were in the capital.[14]

A number of hypotheses have been put forward to explain this 'London effect'[14] including patient characteristics, environment and organisation, staffing and treatment issues. Evidence suggests that younger patients or patients from ethnic minority groups report worse experiences of care,[15-18] and in this way, the demographic make-up of London (with more younger people and a higher proportion of ethnic minority populations) might affect overall scores. A Canadian survey further indicates that urban settings evoke less positive assessments of care experience than rural environments.[19] If this is the case, then as the capital city of England, London might be unfavourably compared with smaller English towns or more rural areas. A further hypothesis is that London's higher concentration of teaching hospitals means that its trusts treat patients with more complex problems and that these patients are more critical of their experiences, or that the focus on teaching is at the expense of patient care.[20] Alternately, an analysis of the relationship between NCPES data and the NHS staff survey suggests that poor performance might connect to issues with staffing levels, staff turnover and poor staff experience.[14, 21] However, secondary analysis of the 2011/12 NCPES data set suggested that the impact of patient case-mix on the results was small, and that the higher proportion of teaching hospitals was unlikely to be an important source of geographical variations in patient experience of cancer [16, 22] leading to further questions about the specific reasons for the London results.

One potential way of answering these questions is to consider how the survey itself might have some relationship with the variation in results. Although national surveys such as the NCPES help to measure healthcare services over time, to benchmark and to identify how and where quality of services differ,[8] they also rely on standardisation – posing questions that are general enough for all respondents to answer. What may therefore be missed are the questions which are most appropriate to individual respondents' concerns and issues.

The NCPES also includes qualitative free text questions at the end of the survey. Previous analyses of the NCPES data have not tended to make use of this free text data. However, free text – or open comments – can start to access those individual responses which may be excluded in survey data. Indeed they may get a little closer to the kind of data provided in qualitative interviews which can open up a detailed understanding of the meanings that patients attach to their care.[6] In the absence of interview data, which may be time-consuming to collect and is not generalisable, free text data may shed light on specific aspects where quality improvement initiatives need to be targeted.[6, 18] This paper therefore reports on analysis of free text comments from the 2012/13 NCPES to focus on particular facets of individual patients’ experiences which were used to inform action plans and improvement strategies for London.

METHODS

Data

Free text data from the NCPES 2012/13 was provided by all trusts within London Cancer and London Cancer Alliance to the research team. Free text questions at the end of the survey ask what patients found good about their cancer care, what could be improved, and a third question about ‘other’ comments (table 1).

Table 1 Free text questions in the NCPES survey	
1.	Was there anything particularly good about your NHS cancer care?
2.	Was there anything that could be improved?
3.	Any other comments?

In response to the three free text questions in the survey, over 6,500 patients in London made 15,403 comments about their cancer care, as well as additional comments about the questionnaire itself.

Analysis

15,403 comments were analysed using Framework analysis (Ritchie and Spencer 1994).[23] The initial framework was developed for the 2011/12 free text analysis by two researchers – TW and AR – based on a review of the patient experience literature and a preliminary analysis of the data. In this process, both researchers independently looked at comments from three trusts. Following identification of potential themes, the researchers discussed and compared the themes and TW devised the framework. The framework was then piloted by the research group with data from the first trust. A few minor changes were then made before using the framework as a basis for analysing all the data. Data from the first question, ‘Was there anything particularly good about your NHS cancer care?’ was inserted into a framework for ‘positive’ responses while data from the second question populated a framework containing ‘comments for improvement’. Data from the third question ‘Any other comments?’ was found to fall into either a positive comment about care or a comment for improvement; hence all the comments from this question were subsumed into either the ‘positive’ or ‘improvement’ framework. This positive/negative binary is consistent with the rest of the survey data, which is also reported in this way.[18] Within the framework, researchers also coded findings to be able to look at services by tumour group as well as by trust.

To ensure the 2011/12 framework was fit for purpose for the 2012/13 data set, the research team independently conducted preliminary analysis on the data from one trust. The research team then regrouped to agree a slightly adjusted framework. Each trust's data was put on to a 'positive' framework which consisted of seven themes across the horizontal axis and different tumour groups within that trust on the vertical axis. The same was done with the 'improvement' framework; this time with 17 themes on the horizontal axis. There was some cross over and natural relationship between the themes – i.e. in the themes for improvement between poor care and poor communication. To make sure there was consistency of approach, each data set was examined by two researchers to ensure a consensus was reached as to how comments were attributed to each theme.

At the outset of the analysis, it was discussed whether to count the free text data by number of comments or by number of respondents. Across the three free text questions one patient would often make several different comments about his/her experience, and it was therefore decided that to inform trust work improvement plans an analysis of the numbers of comments made within each theme would be most useful to help them prioritise the areas of greatest need for improvement. The relationship between the number of free text comments and the number of respondents can be seen in table 2. An average of two thirds of patients (66%) who returned their NCPES provided free text responses across the 27 trusts; some questionnaires included several comments written across the three free text questions and others were left blank.

Table 2: Free text respondents and comments

Number of trusts across LCA and LC who provided data	Number of patients sent NCPES	Number of respondents completing NCPES	Number of respondents providing free text comments	Percentage of NCPES respondents providing free text comments	Total number of free text comments about cancer care - positive and for improvement	Number of respondents saying questionnaire unsuitable	Percentage of free text respondents saying questionnaire unsuitable
1	61	41	27	65.9 %	70	7	25.9%
2	106	43	29	67.4%	69	3	10.3%
3	1655	744	491	66.0%	1167	15	3.1%
4	66	44	36	81.8%	103	6	16.7%
5	763	390	254	65.1%	605	33	13.0%
6	907	474	311	65.6%	689	27	8.7%
7	244	128	76	59.4%	154	5	6.6%
8	1139	616	424	68.8%	976	30	7.1%
9	145	65	60	92.3%	115	2	3.3%
10	1555	873	589	67.5%	1100	58	9.8%
11	3144	1815	1244	68.5%	3165	101	8.1%
12	353	198	123	62.1%	198	22	17.9%
13	161	85	57	67.1%	167	4	7.0%
14	294	149	104	70.0%	279	11	10.6%
15	486	244	154	63.1%	376	11	7.1%
16	258	155	112	72.3%	347	9	8.0%
17	1003	563	125	22.2%	296	11	8.8%
18	1784	867	616	71.0%	1413	61	9.9%
19	495	267	156	58.4%	435	16	10.3%
20	146	71	49	69.0%	139	12	24.5%
21	1474	705	440	62.4%	961	51	11.6%
22	246	148	102	68.9%	221	14	13.7%
23	199	99	64	64.6%	235	7	10.9%
24	494	289	208	72.0%	496	19	9.1%
25	685	363	256	70.5%	602	17	6.6%
26	1184	626	390	62.3%	963	24	6.2%
27	98	41	29	70.7%	62	1	3.4%
Total	19145	10103	6526		15403	577	



Alongside the overall framework and analysis, data was also analysed for each of the 27 trusts and a one page report for each was produced detailing the most prominent themes within their data. Data was also analysed for each tumour group across the sites to inform tumour working groups' action plans across the London Cancer Integrated Systems.

## FINDINGS

Of the 15,403 patient free text comments for London trusts within the framework, 10,232 were positive comments about patient experience and 5,171 were comments for improvement. Positive comments therefore made up 66.4% or two thirds of total comments. Comments for improvement contributed 33.6% or one third of the total. This equates to a 6.2% point increase in the positive direction in the free text comments from 2011/12 to 2012/13 survey – reflecting an overall national picture of improvement in cancer care.[4, 24]

### Positive comments

Across the London trusts there was consensus among patients as to what was good about the service. The framework for positive comments had seven themes which encompassed all the comments relating to cancer care within the free text data. Positive comments tended to be more generic than those for improvement; focusing on overall experience rather than specific elements. However, after piloting the data it was felt that there was a clear distinction between the seven key themes (table 3).

Themes	Number of comments made/ % of positive comments	Sample comments
1. The quality of care	3343 (33%)	"NHS cancer care is excellent." "We have always received first class treatment."
2. Particular Services/teams	2765 (27%)	"Both chemotherapy and radiotherapy teams were amazing."
3. The quality of professionals	2700 (26%)	"They were so thorough. Everyone treated me like a person and not a number."
4. Speed and Efficiency	688 (7%)	"Everyone acted so quick, appointment, scans, operation."
5. Support and Attention	627 (6%)	"Everyone was sensitive, articulate and emotionally supportive."
6. Being Part of Clinical Trials	67 (0.6%)	"Speedy assessment and good monitoring during clinical research."
7. Food	42 (0.4%)	"The food menus – explaining which choices would "build you up" or "gluten free" were very good."
<b>Total</b>	<b>10,232 (100%)</b>	

Within the free text responses, the quality of care patients received made up the greatest number of positive comments (33%). 'Quality of Care' related to care at an overall level – where patients referred to the 'care' they received and how it had positively impacted on their experience. This theme was differentiated from 'Particular Services/teams'; this is where individual departments or services were



highlighted in terms of their contribution. Comments related to services from chemotherapy and radiotherapy units to complementary therapies and ambulance drivers:

*“The aftercare service, lymphoedema, acupuncture and psychology services are important to name. I attended ‘Living After Cancer’ workshop which was a great day; informative and therapeutic.”*

A further identifiable theme was that of the ‘Quality of professionals’ who were mentioned in 26% of positive comments. Professionals made a difference to patients’ experience; helping them feel secure in their treatment and managing and coping with the cancer diagnosis:

*“I was treated with dignity and respect and was told everything in a way I could understand.”*

Indeed, there were over 5,500 positive comments made about staff and their work within the free text data. The free text responses also indicate how and why staff made such a positive contribution in terms of their manner, kindness and attentiveness:

*“Doctors, nurses, radiotherapy, chemo staff, receptionists, auxiliary personnel have been kind, caring, compassionate and polite. This made a stressful time more bearable”.*

This kindness was accompanied by comments on the knowledge and expertise of professionals:

*“a centre of excellence. All people involved with me remain (sic) patient, kind and compassionate; yet also efficient and knowledgeable.”*

Two further specific themes were identified on the framework from 2011/12 and were seen again in the 2012/13 data. ‘Speed and Efficiency’ related to where referrals and treatment had been noticeably and vitally quick for patients, and ‘Support and Attention’ related to the specific words patients used to define how they had felt personally supported and treated as an individual. There were two small adjustments to the ‘positive’ framework with the addition of new themes from the 2012/13 data: ‘Being part of clinical trials’ – where patients mentioned that they valued and had benefited from being on a clinical trial, as well as a smaller number of positive comments about the hospital food patients received.

### Comments for improvement

Although positive patient comments comprised two thirds of all the free text data, one third of the comments were less encouraging and suggested areas where cancer care in London needs to be improved (table 4). These comments were included within a framework of 17 themes, demonstrating a wider range of issues for improvement than the more generically framed positive comments. While there was much crossover and relationships between these themes it was felt that these 17 areas best captured the content of the comments for improvement.

<b>Themes</b>	<b>Number of comments made / % of comments for improvement</b>	<b>Sample comments</b>
<b>1. Poor care</b>	866 (17%)	"Nobody wanted to help me to bed. Two ladies were arguing in front of me because neither wanted to look after me. It was hard to witness that."
<b>2. Poor communication</b>	518 (10%)	"Often the level of English of some doctors and nurses was very poor. They could not explain my treatment, the medicines they were giving me or tell me why – very frightening."
<b>3. Waiting times: in OPD (Outpatients Department)</b>	512 (10%)	"When you are feeling dreadful, you've got a lot of pain, waiting up to 3 hours is excruciating."
<b>4. Information</b>	423 (8%)	"Explaining more on the side effects and duration [could be improved]".
<b>5. Understaffed</b>	398 (8%)	"The nurses were not lazy just stretched. There should be more regular nurses than bank nurses and agency nurses."
<b>6. Liaison between departments</b>	303 (6%)	"Transfer of information between departments within the hospital can be improved."
<b>7. Environment/hospital site</b>	295 (6%)	"The oncology clinic needs to be a brighter and more cheerful place to wait."
<b>8. Support</b>	283 (6%)	"More help to cope with depression caused by the return of my cancer after a remission of 6 years would have been a great help."
<b>9. GP</b>	265 (5%)	"GP practice needs a cancer expert as I don't feel they understand treatment prescriptions and requirements."
<b>10. Delays</b>	218 (4%)	"Referral waiting period e.g. physiotherapy goes on for months."
<b>11. Waiting in CDU (Chemotherapy Day Unit)</b>	214 (4%)	"It has been a regular feature of my treatment that my chemotherapy medication was not available at the appointed time, and was delivered as much as 2/3 hours late."
<b>12. Access to Doctors</b>	212 (4%)	"Completely impossible to contact my consultant."
<b>13. Food</b>	211 (4%)	"If you stay long term, the food leaves a lot to be desired."
<b>14. Resources</b>	172 (3%)	"MRI services are not adequately available. Once I waited as an inpatient 7 days for a scan."
<b>15. Parking</b>	118 (2%)	"Parking...at least £2 an hour. I have been an outpatient for 17 months visiting the hospital twice a month at least. Us pensioners can't afford it."
<b>16. Pharmacy</b>	112 (2%)	"When waiting as an outpatient for medication is unacceptable in the amount of time you have to wait for it to be dispensed. Always an hour or longer."
<b>17. Discharge</b>	51 (1%)	"It took a significant amount of time to be assessed and discharged from hospital post operation."
<b>Total</b>	5171 (100%)	

The detail of these comments reveals a range of issues and some clear insights into how patients feel they are being let down. In this way, free text helps to identify specific actions for trusts which can be acted on and feel ‘owned’ by staff in the particular services concerned.[6] In the open comments about communication, for example, communication is not just negatively rated but focused comments are made:

*“The doctor should look at the patient first and then the scan.”*

This kind of comment suggests how and where small changes can be focused to make a considerable difference to patient experience.

Poor care contributed to the greatest number of negative comments in the 2012/13 data set (17%). These comments related to issues including: patients being treated with a lack of dignity, medical staff who demonstrated a lack of attention with regards to knowing the case, patients being made to wait for essential needs, and depersonalisation:

*“I felt degraded and humiliated; chewed up and spat out! Emotionally insecure and I’m still suffering the consequences.”*

Poor care recurred as an issue at night and at weekends, and in some cases, was linked to understaffing and/or complaints about agency staff:

*“It’s a different place at night and on the weekend. It’s full of agency staff, some do not understand or speak English, they are rude and talk over you in their native tongue to their friends.”*

Indeed, comments about understaffing particularly related to a lack of permanent staff as well as the perceived poor quality of agency staff and comprised 8% of comments for improvement.

As there were many comments about waiting, these were split within the framework to help identify where issues with waiting were occurring; this was particularly useful when the data was looked at for each individual trust. Outpatient departments emerged as the area most often cited for improvement in terms of waiting times.

Poor communication – as the second most prominent theme for improvement forming 10% of negative comments – linked closely with poor care and staffing issues especially in terms of the number of staff who had a poor level of English. Although many of the communication comments focused on diagnosis, examples were given across the pathway in terms of the manner and content of communication with patients. One patient reported:

*“I was told I had cancer by the chemotherapy nurse who didn’t realise I hadn’t been told.”*

Another explained: *“Medical terminology needs to be translated so the ordinary person can understand.”*

The detail of how and why patients experienced poor communication emerges clearly in the free text data. Although a further detailed full sub-analysis of each theme has not been conducted on the data, some clear areas arose within the communication theme. These included insensitive communication such as bad news broken badly and patients not being informed about their diagnosis or treatment. Other communication issues stemmed from poor administration such as letters not being sent; patients being sent details of the wrong appointment; confusing information such as different information being given by healthcare professionals and information not being given in plain English.

The communication theme also related to two other overlapping themes: 'Information' and 'Liaison between departments'. Within both of these themes, poor communication played a role in patients' sense that information was confusing or lacking, and that departments within the hospitals were not working in an integrated manner.

Furthermore, there were some themes which focused on more practical and functional issues including: parking, the hospital site or environment which negatively impinged on patients' experience of their care and emerged as distinct themes within the analysis.

As the analysis was being fed back to hospital trusts for their improvement action plans, the theme around GP care was not a focal point of the free text analysis. However, an analysis of all data on primary care was subsequently conducted and will be reported separately.

### **Ambiguity of questionnaire**

While the overall Macmillan analysis using NCPES survey data rightly identifies key issues which need addressing to improve cancer care and highlights in particular the 'London effect' [14] more work is needed to understand exactly how patients reported their experiences. This free text analysis shows that out of the total 6,526 patients who returned free text data on the questionnaire across London, 577 patients (9%) made comments relating to the ambiguity of the questionnaire as a whole or concerns about completing it. Across the London trusts, the percentage of people unsure about elements of the questionnaire ranges from 3% to 25.9% of those people who returned free text data per trust (see table 2).

Analysis of the free text comments relating to the questionnaire identified some potential areas where the quantitative measures might need correction. These responses were assessed outside of the framework about patients' positive and negative experiences of cancer care. For some patients the NCPES questions did not reflect their experience and the appropriate answer was not available:

*"I don't feel this survey is well thought through and doesn't give the necessary options to some questions for my case."*

*"The questionnaire is not really suitable for my experience; most of it doesn't apply to me."*

As has been identified in previous literature looking at surveys and their relationship with free text comments, a survey may not be able to address the whole patient pathway and therefore free text might identify areas which could be expanded in future surveys.[6]

For other patients the survey was confusing and meant they weren't sure if they had filled it out correctly: *"I may have filled out too many boxes, sorry."*

Other patients remarked that the questionnaire might not best represent their opinions: *"I have been hesitant about completing, these tick boxes could be misleading and the wrong conclusions drawn."*

These comments which centred on the questionnaire not being fit for purpose, led some patients to explain they had left some of the boxes unticked:

*"I have not answered some of the questions as they do not fit my care", and "I'm sorry not to fill this out properly. I seemed to get lost with repetitiveness."*

These comments did not tend to detail specific problematic questions but instead provided a general sense of unease with the questionnaire as a whole.

A theme which came through strongly in the data was that some patients had attended different trusts from diagnosis to treatment so filled out the questionnaire with different places in mind. Previous research has identified that the complexity of care pathways might mean that patients experience fragmented care across different hospitals.[15] This is exemplified in the text written by a patient who was completing the survey for one of the London trusts:

*"I consider the 2-3 hour wait, to see a specialist at the [hospital A], unacceptable. Surely patient management can be improved. Staff at the breast clinic and subsequently [hospital B] were brilliant and I am grateful for the care that they provided. Unfortunately, the [hospital C] administration staff and pre-op admissions were not of the same calibre."*

These comments were seen throughout the data with patients often reporting treatment in more than one place or being transferred between hospitals:

*"It was interesting to be diagnosed at one hospital and then have to attend another for treatment (chemo) and then a third for radiotherapy."*

In many cases, patients tried to detail which questions they had answered in relation to which trusts as a corrective to the closed questions the survey had asked them: *"My replies to Q10, 11 and 12 refer to my local hospital not to [London] trust D".*

*"I was sent to Trust E by [North England Trust]. Trust E was outstanding. The negative answers relate to ["Trust outside of London"] not Trust E."*

Free text data further indicates that some patients may have received care from other trusts in England and were subsequently referred to a London trust to carry out certain specialist treatments or diagnosis. This indicates that some of the data in the



questionnaire has potentially been attributed to London when patients have completed the survey in relation to their earlier experience in another trust based elsewhere in England:

*“My association with Trust F was short. I was diagnosed there and spent a week having tests then transferred to Trust G. 90% these answers are about Trust G not Trust F which is the only hospital in the letter.”*

## DISCUSSION

The NHS Outcomes Framework 2014/15 – which seeks to drive NHS quality improvement – outlines that the NHS should collect patient experience information and use it to improve services.[25] Trusts are advised to use NCPES survey data to inform improvement initiatives [4]. A potential benefit of survey data is that it can compare experiences of different patient groups and assess changes over time.[6] The NCPES has been seen as a national driver for quality improvement leading to better experience for cancer patients.[4]

However, survey data may well not be able to articulate how patients’ experiences can be improved, and patients suggest that it is not always possible to fit their experiences into ‘pre-determined tick box survey questions’.[26] Where patient experience is being measured the evidence base suggests that a collecting a combination of both qualitative and quantitative data should be considered. [27]

When qualitative interviews are not possible due to scale and resources, free text data can complement quantitative analysis [28] as well as providing a more nuanced kind of data closer to that provided in patient narrative accounts.[6, 18] The open nature of the free text comments means that patients can address the issues most pertinent to them – patients lead how they communicate their experiences across the whole journey – as opposed to answering to general, standardised measures of experience.

It has been identified that the most important issue is how patient experience information leads to change.[29] In order to facilitate change, free text data should be analysed and fed back to staff in the relevant services.[4, 6] Free text data reveals patients’ individual voices, which provides motivation to improve and suggests how services can be developed. Positive comments help staff to appreciate what they are doing well, how they are valued and the impact positive patient experience can have.[4] Comments for improvement help clinicians to understand what particular aspects of services need to change. They tend to be more detailed and specific than positive comments. This is useful in understanding where and why things have gone wrong as well as providing ideas to guide the next steps in service improvement.[4].

Findings from this analysis of free text data for London were fed back to inform work plans for the individual tumour groups within London Cancer Integrated Systems. Such an approach brings organisations together to address issues, devise strategies and work across complex cancer pathways. [4] Two thirds of the free text data relating to London cancer patients’ experiences consisted of positive comments, and in comparison to the 2011/12 free text data, there was a shift in the positive direction.



Where care is good, and staff communicate well and provide support for patients, the often-difficult experience of cancer is made to feel more manageable.

The Picker Institute’s report for Macmillan highlights how issues with staffing might relate to poorer patient experience.[21] This was substantiated by some of the comments for improvement in the London free text data for 2012/13 which specifically focused on: understaffing, staff with poor English language skills, communication issues and problems with agency staff. On many occasions this linked to poor care – the theme which appeared most prominently in comments for improvement. However, while these comments need addressing, and while there are many distinct areas which need to be considered for improvement, the whole picture for London might be more nuanced and complex than the survey data reveals.

If the NCPES does not cover all parts of the patient experience, free text data might suggest where the survey can be refined or expanded in the future and therefore how the survey can be better developed for quality improvement purposes.[6, 30] The design of the 2012/13 survey (and carried into the 2013/14 survey) is limiting in terms of the difficulty in identifying patients with specific sites. This seems to be particularly problematic for London with patients reporting a complex care pathway with variable experiences across different trusts. Future research could be strengthened with the inclusion of questions about cancer patients’ pathways through different hospitals to allow for the variation in fragmented versus consolidated care pathways.[15] Given that patients completing the NCPES for London hospitals report a less positive experience compared to hospitals elsewhere in England, the free text data suggests it is critical to evaluate the whole trajectory of patient care from diagnosis through treatment, and to understand when and what role London hospitals have played in that care. Within this set of free text data, some patients reported they had excellent care in London – but had experienced poor care before their referral to a London trust; hence the survey which only asked them about their experience of a London trust was unsuitable.

The NCPES free text questions were well used by patients in London with over two thirds of those responding to the survey also providing free text responses. The number of comments for London also increased by 75% from the 2011/12 survey indicating the value of including free text questions within the questionnaire and providing a large and rich data set of more than 15,400 individual comments.

NHS England is currently in the process of finding a new survey provider to collate the next NCPES survey.[31] In order to increase the usefulness of free text data, an analysis could be more closely aligned and related to the relevant closed questions data so that all parts of the survey work together to suggest how improvements can be best targeted. As this piece of research was based on free text data provided to trusts and detached from the survey data, this type of analysis was not possible but such an analysis would help to create a fuller picture of patient experience for cancer patients in London and across the rest of the country, to target improvements and inform action plans to turn patient experience feedback into positive change.

## Contributors

TW led the project, analysis, devised framework, wrote the report and took overall responsibility for the manuscript. GL and AS contributed to the analysis, produced tables of findings, assisted with the report and drafted the manuscript. AR, SS, NP, Go'G, and KH assisted with preliminary analysis. KPJ co-ordinated data provision from the London Cancer trusts.

SD had the original idea for the project, secured the research team and funding through the London Cancer Alliance (LCA) Patient Experience Working Group. The research was undertaken as a joint project by the pan-London patient experience working group, formed between the two integrated cancer systems. Both KPJ and SD contributed to the interpretation of the results and dissemination of the findings through the patient experience working group and reviewed the final manuscript.

TW is the corresponding author.

## Acknowledgments

The authors wish to thank the London Trusts who provided their individual free text data so that the findings could contribute to learning at a pan-London level as well as inform their work plans to improve their individual services. The two integrated cancer systems wish to acknowledge the contribution from their staff members supporting their patient experience workstreams. These staff members are funded by Macmillan Cancer Support. We also acknowledge all the patients who left free text comments.

## Funding

This research was supported by the following organisations who were not involved in any part of the work itself: The Royal Marsden Cancer Charity, London Cancer Alliance (LCA), and the National Institute for Health Research RM/ICR Biomedical Research Centre.

## Competing Interests

None

## Data Sharing Statement

The National Cancer Patient Experience Survey 2012–2013 dataset used is available for download from <http://ukdataservice.ac.uk>.

REFERENCES

[1] Macmillan Cancer Support. Key Statistics. January 2015.  
[<http://www.macmillan.org.uk/Aboutus/Ourresearchandevaluation/Researchandevaluation/Keystatistics.aspx>] (last accessed May 2015).

[2] Ahmad AS, Ormiston-Smith N, Sasieni PD, Trends in the lifetime risk of developing cancer in Great Britain: comparison of risk for those born from 1930 to 1960, *British Journal of Cancer* Published Online First: 3 February 2015  
doi:10.1038/bjc.2014.606

[3] Macmillan Cancer Support. Improving Cancer Patient Experience: A Top Tips Guide. October 2012.  
[[http://www.macmillan.org.uk/Documents/AboutUs/Commissioners/Patientexperienceurvey\\_TopTipsguide.pdf](http://www.macmillan.org.uk/Documents/AboutUs/Commissioners/Patientexperienceurvey_TopTipsguide.pdf)] (last accessed May 2015).

[4] NHS Improving Quality. Improving the Experience of Care for Cancer Patients: An Introductory Guide to Quality Improvement. 24 November 2014  
[<http://www.nhs.uk/resourcing/publications/improving-the-experience-of-care-for-cancer-patients.aspx>] (last accessed May 2015).

[5] Wolf JA, Niederhauser V, Marshburn D *et al.* Defining Patient Experience. *Patient Experience Journal* 2014;1,128-36 [<http://pxjournal.org/journal/vol1/iss1/5>] (last accessed May 2015).

[6] Tsianakas V, Maben J, Wiseman T, *et al.* Using patients' experiences to identify priorities for quality improvement in breast cancer care: patient narratives, surveys or both? *BMC Health Serv Res* 2012;12:271 doi:10.1186/1472-6963-12-271 [Published Online First 22 August 2012].

[7] NHS. Five Year Forward View. October 2014.[ <http://www.england.nhs.uk/wp-content/uploads/2014/10/5yfv-web.pdf>] (last accessed May 2015).

[8] Begley A, Pritchard-Jones K, Biriotti M *et al.* Listening to patients with cancer: using a literary-based research method to understand patient-focused care. *BMJ Open* Published online first: 16 October 2014 doi:10.1136/bmjopen-2014-005550

[9] Department of Health, *National Cancer Patient Experience Survey, 2012-2013* [computer file]. Colchester, Essex: UK Data Archive [distributor], October 2013. SN: 7400 [<http://dx.doi.org/10.5255/UKDA-SN-7400-1>]

[10] Anglia Cancer Network. National Cancer Patient Experience Survey.  
[<http://www.angcn.nhs.uk/patients-carers/national-cancer-patient-experience-survey.aspx>] (last accessed April 2015).

[11] Quality Health. NHS England. National Cancer Patient Experience Survey.  
[<http://www.quality-health.co.uk/surveys/national-cancer-patient-experience-survey>] (last accessed April 2015).

- [12] Quality Health. NHS England. 2013 National Cancer Patient Experience Survey Reports.  
[<https://www.quality-health.co.uk/resources/surveys/national-cancer-experience-survey/2013-national-cancer-patient-experience-survey/2013-national-cancer-patient-experience-survey-reports>] (last accessed May 2015)
- [13] Macmillan Cancer Support. Macmillan calls on London hospitals to urgently improve patient care. 4 September 2013.  
[[http://www.macmillan.org.uk/AboutUs/News/Latest\\_News/MacmillancallsonLondonhospitalstourgetlyimprovepatientcare.aspx](http://www.macmillan.org.uk/AboutUs/News/Latest_News/MacmillancallsonLondonhospitalstourgetlyimprovepatientcare.aspx)] (last accessed May 2015)
- [14] Macmillan Cancer Support. Cancer Patient Experience Survey: Insight Report and League Table 2012-13. September 2013  
[<http://www.macmillan.org.uk/Documents/AboutUs/Research/Keystats/2013CPESInsightBriefingFINAL.pdf>] (last accessed May 2015).
- [15] Saunders CL, Abel GA, Lyratzopoulos, G. What explains worse patient experience in London? Evidence from secondary analysis of the Cancer Patient Experience Survey *BMJ Open* Published Online First: 3 January 2014  
doi:10.1136/bmjopen-2013-004039
- [16] Mead N, Roland M. Understanding why some ethnic minority patients evaluate medical care more negatively than white patients: a cross sectional analysis of a routine patient survey in English general practices. *BMJ* 2009;339  
doi:10.1136/bmj.b3450 [Published Online First: 17 September 2009]
- [17] Lyratzopoulos G, Elliott M, Barbiere JM, *et al.* Understanding ethnic and other socio-demographic differences in patient experience of primary care: evidence from the English General Practice Patient survey. *BMJ Qual Saf* 2012 21:21-9  
doi:10.1136/bmjqs-2011-000088 [Published Online First: 7 September 2011]
- [18] Bone A, McGrath-Lone L, Day S, *et al.* Inequalities in the care experiences of patients with cancer: analysis of data from the National Cancer Patient Experience Survey 2011-2012. *BMJ Open* Published Online First: 14 February 2014  
doi:10.1136/bmjopen-2013-004567
- [19] Lamarche PA, Pineault R, Haggerty J, *et al.* The experience of primary health care users: a rural-urban paradox. *Can J Rural Med* 2010;15:61-6.
- [20] Burki TK. Cancer care in northern England rated best in England. *Lancet Oncol* 2013;14:e445.
- [21] Sizmur, S. The relationship between cancer patient experience and staff survey results: A report for Macmillan Cancer Support. Picker Institute Europe. 30 July 2013.  
[<http://www.macmillan.org.uk/Documents/AboutUs/Research/Researchandevaluationreports/ReportCPES-StaffexperienceP2709v4.pdf>] (last accessed May 2015).

[22] Abel GA, Saunders CL, Lyratzopoulos, G. Cancer patient experience, hospital performance and case mix: evidence from England. *Future Oncology* 2014;10,9: 1589-1598 doi:10.2217/fon.13.266

[23] Ritchie J, Spencer L. Qualitative data analysis for applied policy research. In: Bryman A, Burgess, RG, eds. *Analysing Qualitative Data*. London: Routledge 1994:173-194.

[24] NHS England. Cancer patients positive about their care. 30 August 2013 [<http://www.england.nhs.uk/2013/08/30/cancer-patients-positive/>] (last accessed May 2015).

[25] Department of Health. NHS Outcomes Framework 2014-15. [<https://www.gov.uk/government/publications/nhs-outcomes-framework-2014-to-2015>] (last accessed May 2015).

[26] Tsianakas V, Robert G, Maben J, *et al*. Implementing patient-centred care: using experience based co-design to improve patient experience in breast and lung cancer services. *Support Care Cancer* 2012;11:2639-47 doi: 10.1007/s00520-012-1470-3 [First Published Online 29 April 2012].

[27] de Silva, D. No. 18: Measuring Patient Experience: Evidence Scan London: The Health Foundation June 2013 [<http://www.health.org.uk/public/cms/75/76/313/4300/Measuring%20patient%20experience.pdf?realName=7qM8Wm.pdf>] (last accessed May 2015).

[28] Corner J, Wagland R, Glaser A, *et al*. Qualitative analysis of patients' feedback from a PROMs survey of cancer patients in England *BMJ Open* Published Online First: 10 April 2013. doi:10.1136/bmjopen-2012-002316

[29] Robert G, Cornwell J, Brearley S, *et al*. What matters to patients? Developing the evidence base for measuring and improving patient experience November 2011. [[http://www.institute.nhs.uk/patient\\_experience/guide/the\\_patient\\_experience\\_research.html](http://www.institute.nhs.uk/patient_experience/guide/the_patient_experience_research.html)] (last accessed May 2015).

[30] National Cancer Action Team. Improvements in cancer patient experience ratings: how have they been made?. 2012. [<http://candocancercare.org/resources/Improvements%20in%20cancer%20patient%20experience%20FINAL.pdf>] (last accessed May 2015).

[31] Nursing Times. Update on England's and Northern Ireland's cancer patient experience survey (CPES). 13 March 2015. [<http://www.nursingtimes.net/nursing-practice/macmillan-cancer-resources/macmillan-news-archive/update-on-englands-and-northern-irelands-cancer-patient-experience-survey-cpes/5083262.article>] (last accessed April 2014).



# BMJ Open

## Insights into the London Cancer Patient Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013 from the two London Integrated Cancer Systems

Journal:	<i>BMJ Open</i>
Manuscript ID:	bmjopen-2015-007792.R2
Article Type:	Research
Date Submitted by the Author:	29-Jun-2015
Complete List of Authors:	Wiseman, Theresa; The Royal Marsden NHS Foundation Trust, Lucas, Grace; The Royal Marsden NHS Foundation Trust, Sangha, Amrit; The Royal Marsden NHS Foundation Trust, Randolph, Anuska; The Royal Marsden NHS Foundation Trust, Stapleton, Sarah; The Royal Marsden NHS Foundation Trust, Pattison, Natalie; The Royal Marsden NHS Foundation Trust, O'Gara, Geraldine; The Royal Marsden NHS Foundation Trust, Harris, Katherine; Queen Mary, University of London Pritchard-Jones, Kathy; UCL Partners Academic Health Science Network, Dolan, Shelley; The Royal Marsden NHS Foundation Trust,
<b>Primary Subject Heading</b>:	Qualitative research
Secondary Subject Heading:	Health services research
Keywords:	QUALITATIVE RESEARCH, ONCOLOGY, Quality in health care < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™  
Manuscripts



# Insights into the London Cancer Patient Experience: Framework analysis of free text data from the National Cancer Patient Experience Survey 2012/2013 from the two London Integrated Cancer Systems

## Corresponding author:

Professor Theresa Wiseman  
Strategic Lead for Health Service Research  
2<sup>nd</sup> Floor, Mulberry House  
The Royal Marsden NHS Foundation Trust  
Fulham Road  
SW3 6JJ  
Email: [theresa.wiseman@rmh.nhs.uk](mailto:theresa.wiseman@rmh.nhs.uk)  
Tel: 0207 811 8516

## Co-authors:

Grace Lucas, The Royal Marsden NHS Foundation Trust, London, UK

Amrit Sangha, The Royal Marsden NHS Foundation Trust, London, UK

Anuska Randolph, The Royal Marsden NHS Foundation Trust, London, UK

Sarah Stapleton, The Royal Marsden NHS Foundation Trust, London, UK

Dr. Natalie Pattison, The Royal Marsden NHS Foundation Trust, London, UK

Geraldine O’Gara, The Royal Marsden NHS Foundation Trust, London, UK

Katherine Harris, Queen Mary, University of London,, London, UK

Professor Kathy Pritchard-Jones, Chief Medical Officer, *London Cancer & Programme Director for Cancer*, UCL Partners Academic Health Science Network  
London, UK

Dr. Shelley Dolan, Clinical Director, *London Cancer Alliance* and Chief Nurse, The Royal Marsden NHS Foundation Trust, London, UK

**Up to 5 Keywords:** Cancer, Patient Experience, London, national survey, free text analysis

**Word count** (excluding title page, abstract, references, figures and tables): 5532 words

## ABSTRACT

**Objective:** To shed light on cancer patient experiences in London NHS trusts that may not be fully captured in national survey data to inform improvement action plans by these trusts.

**Design:** Framework analysis of free text data from 2012/2013 National Cancer Patient Experience Survey (NCPES) from the two London Integrated Cancer Systems.

**Setting and participants:** Patients with a cancer diagnosis treated by the NHS across 27 trusts in London.

**Main outcome measures:** Free text data received from patients categorised into what patients found good about their cancer care and what could be improved.

**Methods:** Using Framework analysis, a thematic framework was created for 15,403 comments from over 6,500 patients. Themes were identified across the London dataset, by tumour group and by trust.

**Results:** Two thirds of patient free text comments for London were positive and one third of those related to good quality of care patients received. However, the majority of comments for improvement related to quality of care, with a focus on poor care, poor communication, and waiting times in outpatient departments. Additionally, 577 patients (9% of those who returned free text data in London) commented on issues with the questionnaire itself. Some patients who experienced care from multiple trusts were unclear how to complete the questionnaire for the single trust whose care they were asked to comment on, others said the questions did not fit their experiences.

**Conclusions:** NCPES free text analysis can shed light on the experiences of patients' which closed questions might not reveal. It further indicates that there are issues with the survey itself, in terms of ambiguities in the questionnaire and difficulties in identifying patients within specific trusts. Both of these issues have the potential to contribute to knowledge and understanding of the uses and limits of free text data in improving cancer services.

## STRENGTHS AND LIMITATIONS OF THIS STUDY

### Strengths

- The data comes from a large national survey, with over 15,403 free text comments for London from more than 6,500 cancer patients.
- There was a 75% increase in free text comments within the London trusts' data since the last survey in 2011/12. Comments identify aspects of why and how cancer care was good or required improvement from the patient perspective.
- Overarching themes emerged from the data; a framework was therefore able to encompass all the responses.
- Free-text comments provided information beyond what was measured. They helped to increase understanding of experiences that were not covered by closed multiple choice questions within the NCPES.

## Limitations

- The research could be strengthened by understanding more about the demographics of patients who completed the free text questions and how individual free text responses related to relevant survey responses. Free text data was provided to the authors separately from other data sets.
- While free text data are useful in understanding some aspects of patients' experience, it may not be able to evidence the depth of response that other forms of qualitative data i.e. interviews, ethnographic studies might be able to provide.
- The content analysis (numbers of comments made within each theme) cannot report if numbers pertained to the size of the trusts, the percentage of patients involved or the strength of conviction regarding the comment/s (some questionnaires included several comments and others were left blank).
- Some patients may have completed the questionnaire (and free text) with more than one trust in mind. Some patients commented that these hospitals were outside the London area. Data could be strengthened with a full understanding of patients' pathways.

## BACKGROUND

There are an estimated 2.5 million people in the UK today (2015) who have had a cancer diagnosis.[1] One in two people will develop cancer at some point in their lives.[2] People living with cancer have a variety of support needs, some of which are not being fully met at the moment.[3] Improved patient experience affects patients' well-being, their ability to relate to professionals and to self-manage. Indeed, it has been shown that having a good experience of care matters as much to most patients as clinical outcomes and safety do.[3, 4] Moreover, in recent years, the patient experience has become an important indicator of healthcare performance.[5] Patients' views are gathered alongside clinical quality and safety when assessing quality of care.[6]

Within the UK there has been great emphasis on understanding and improving patient experience of cancer care,[7] and addressing the variations within that experience which occur across tumour groups and different regions of the country.[8] One way of accessing patients' views, tracking performance over time and examining where and why patients are having poorer experiences is via the National Cancer Patient Experience Survey (NCPES) – an annual survey which asks patients about their cancer care and treatment. The NCPES began in 2010, after the 2007 'Cancer Reform Strategy' detailed the need for a new survey programme.[9] It poses 70 questions on patients' experience of their cancer treatment on topics such as whether patients were told the name of the Clinical Nurse Specialist in charge of their care, to how decisions on their treatment were made.[10] Since 2010 the NCPES has been administered by Quality Health on behalf of the Department for Health.[11]

The 2012/2013 survey included all adult patients who were treated for cancer between 1 September and 30 November 2012 in 155 NHS Trusts across England that provided adult acute cancer services. The survey covered both inpatients and day case patients.[9] It was administered by post and sent to patients' home addresses. Over 68,000 patients with a primary diagnosis of cancer took part. Results from the survey formed a national report as well as reports for each of the trusts involved.[12]

Across London, Cancer Services are organised within two integrated cancer systems, London Cancer (LC) and London Cancer Alliance (LCA). These integrated systems come together to streamline cancer services and pathways across London Trusts. In 2012/13, the NCPES survey data was used to show that for the third consecutive year overall patient experience for London was poorer than the rest of England.[13] The ten poorest performing NHS trusts were ranked by Macmillan, based on the number of questions (out of 63) for which patient scores fell within the bottom 20% of results for all trusts. Nine out of the ten lowest-scoring NHS trusts in England were in the capital.[14]

A number of hypotheses have been put forward to explain this 'London effect'[14] including patient characteristics, environment and organisation, staffing and treatment issues. Evidence suggests that younger patients or patients from ethnic minority groups report worse experiences of care,[15-18] and in this way, the demographic make-up of London (with more younger people and a higher proportion of ethnic minority populations) might affect overall scores. A Canadian survey further indicates that urban settings evoke less positive assessments of care experience than rural environments.[19] If this is the case, then as the capital city of England, London might be unfavourably compared with smaller English towns or more rural areas. A further hypothesis is that London's higher concentration of teaching hospitals means that its trusts treat patients with more complex problems and that these patients are more critical of their experiences, or that the focus on teaching is at the expense of patient care.[20] Alternately, an analysis of the relationship between NCPES data and the NHS staff survey suggests that poor performance might connect to issues with staffing levels, staff turnover and poor staff experience.[14, 21] However, secondary analysis of the 2011/12 NCPES data set suggested that the impact of patient case-mix on the results was small, and that the higher proportion of teaching hospitals was unlikely to be an important source of geographical variations in patient experience of cancer [16, 22] leading to further questions about the specific reasons for the London results.

One potential way of answering these questions is to consider how the survey itself might have some relationship with the variation in results. Although national surveys such as the NCPES help to measure healthcare services over time, to benchmark and to identify how and where quality of services differ,[8] they also rely on standardisation – posing questions that are general enough for all respondents to answer. What may therefore be missed are the questions which are most appropriate to individual respondents' concerns and issues.

The NCPES also includes qualitative free text questions at the end of the survey. Previous analyses of the NCPES data have not tended to make use of this free text data. However, free text – or open comments – can start to access those individual

responses which may be excluded in survey data. Indeed they may get a little closer to the kind of data provided in qualitative interviews, where patients can provide more detailed descriptions of experiences than is possible to convey in closed questions, and a space to communicate the issues that are important to them.[6] In the absence of interview data, which may be time-consuming to collect and is not generalisable, free text data may shed light on specific aspects where quality improvement initiatives need to be targeted.[6, 18] This paper therefore reports on analysis of free text comments from the 2012/13 NCPES to focus on particular facets of individual patients' experiences which were used to inform action plans and improvement strategies for London.

METHODS

Data

Free text data from the NCPES 2012/13 was provided by all trusts within London Cancer and London Cancer Alliance to the research team. Free text questions at the end of the survey ask what patients found good about their cancer care, what could be improved, and a third question about 'other' comments (table 1).

Table 1 Free text questions in the NCPES survey	
1.	Was there anything particularly good about your NHS cancer care?
2.	Was there anything that could be improved?
3.	Any other comments?

In response to the three free text questions in the survey, over 6,500 patients in London made 15,403 comments about their cancer care, as well as additional comments about the questionnaire itself.

Analysis

15,403 comments were analysed using Framework analysis (Ritchie and Spencer 1994).[23] The initial framework was developed for the 2011/12 free text analysis by two researchers – TW and AR – based on a review of the patient experience literature and a preliminary analysis of the data. In this process, both researchers independently looked at comments from three trusts. Following identification of potential themes, the researchers discussed and compared the themes and TW devised the framework using tables of data in Microsoft Excel. The framework was then piloted by the research group with data from the first trust. A few minor changes were then made before using the framework as a basis for analysing all the data. Data from the first question, 'Was there anything particularly good about your NHS cancer care?' was inserted into a framework for 'positive' responses while data from the second question populated a framework containing 'comments for improvement'. Data from the third question 'Any other comments?' was found to fall into either a positive comment about care or a comment for improvement; hence all the comments from this question were subsumed into either the 'positive' or 'improvement' framework. This positive/negative binary is consistent with the rest of the survey data, which is also reported in this way.[18] Within the framework, researchers also coded findings to be able to look at services by tumour group as well as by trust. Data were cleaned to check that the comments written in the positive or improvement boxes did actually belong to those categories and, if they didn't, they were correctly re-distributed.



Findings from the 2011/12 free text analysis were fed back and subsequently used to inform the work plans of the Pan London Patient Experience Work Group for 2013. London Cancer Integrated Systems requested a similar analysis on 2012/13 data set. To ensure the 2011/12 framework was fit for purpose for the 2012/13 data set, the research team independently conducted preliminary analysis on the data from one trust. The research team then regrouped to agree a slightly adjusted framework. Each trust's data was put on to a 'positive' framework which consisted of seven themes across the horizontal axis and different tumour groups within that trust on the vertical axis. The same was done with the 'improvement' framework; this time with 17 themes on the horizontal axis. There was some cross over and natural relationship between the themes – i.e. in the themes for improvement between poor care and poor communication. To make sure there was consistency of approach, each data set was examined by two researchers to ensure a consensus was reached as to how comments were attributed to each theme.

At the outset of the analysis, it was discussed whether to count the free text data by number of comments or by number of respondents. Across the three free text questions one patient would often make several different comments about his/her experience. Due to limited resource and a large data set, it was not possible to count for sub-themes. The research team therefore decided to try to retain a sense of each theme's relative importance by indicating the diversity of comments within each theme by counting comments as opposed to respondents. If a participant made two very different comments for Question 1: 'Was there anything particularly good about your NHS cancer care?' these comments would be separately attributed to the relevant themes. If the comments were on the same issue they would be treated as one 'comment'. As with the previous year, data were cleaned to ensure that comments were correctly distributed to the positive or improvement framework. The relationship between the number of free text comments and the number of respondents can be seen in table 2. An average of two thirds of patients (66%) who returned their NCPES provided free text responses across the 27 trusts; some questionnaires included several comments written across the three free text questions and others were left blank.



Table 2: Free text respondents and comments

Trusts across LCA and LC who provided data	Number of patients sent NCPES	Number of respondents completing NCPES	Number of respondents providing free text comments	Percentage of NCPES respondents providing free text comments	Total number of free text comments about cancer care - positive and for improvement	Number of respondents saying questionnaire unsuitable	Percentage of free text respondents saying questionnaire unsuitable
1	61	41	27	65.9 %	70	7	25.9%
2	106	43	29	67.4%	69	3	10.3%
3	1655	744	491	66.0%	1167	15	3.1%
4	66	44	36	81.8%	103	6	16.7%
5	763	390	254	65.1%	605	33	13.0%
6	907	474	311	65.6%	689	27	8.7%
7	244	128	76	59.4%	154	5	6.6%
8	1139	616	424	68.8%	976	30	7.1%
9	145	65	60	92.3%	115	2	3.3%
10	1555	873	589	67.5%	1100	58	9.8%
11	3144	1815	1244	68.5%	3165	101	8.1%
12	353	198	123	62.1%	198	22	17.9%
13	161	85	57	67.1%	167	4	7.0%
14	294	149	104	70.0%	279	11	10.6%
15	486	244	154	63.1%	376	11	7.1%
16	258	155	112	72.3%	347	9	8.0%
17	1003	563	125	22.2%	296	11	8.8%
18	1784	867	616	71.0%	1413	61	9.9%
19	495	267	156	58.4%	435	16	10.3%
20	146	71	49	69.0%	139	12	24.5%
21	1474	705	440	62.4%	961	51	11.6%
22	246	148	102	68.9%	221	14	13.7%
23	199	99	64	64.6%	235	7	10.9%
24	494	289	208	72.0%	496	19	9.1%
25	685	363	256	70.5%	602	17	6.6%
26	1184	626	390	62.3%	963	24	6.2%
27	98	41	29	70.7%	62	1	3.4%
Total	19145	10103	6526		15403	577	

Alongside the overall framework and analysis, data were also analysed for each of the 27 trusts and a one page report for each was produced detailing the most prominent themes within their data. Data were also analysed for each tumour group across the sites to inform tumour working groups' action plans across the London Cancer Integrated Systems.

## FINDINGS

Of the 15,403 patient free text comments for London trusts within the framework, 10,232 were positive comments about patient experience and 5,171 were comments for improvement. Positive comments therefore made up 66.4% or two thirds of total comments. Comments for improvement contributed 33.6% or one third of the total. This equates to a 6.2% point increase in the positive direction in the free text comments from 2011/12 to 2012/13 survey – reflecting an overall national picture of improvement in cancer care.[4, 24]

### Positive comments

Across the London trusts there was broad consensus among patients as to what was good about the service. The framework for positive comments had seven themes which encompassed all the comments relating to cancer care within the free text data. Consistent with previous studies, positive comments tended to be more generic than those for improvement; focusing on overall experience rather than specific elements. [25] However, after piloting the data it was felt that there was a clear distinction between the seven key themes (table 3).

Themes	Number of comments made/ % of positive comments	Sample comments
1. The quality of care	3343 (33%)	"NHS cancer care is excellent." "We have always received first class treatment."
2. Particular Services/teams	2765 (27%)	"Both chemotherapy and radiotherapy teams were amazing."
3. The quality of professionals	2700 (26%)	"They were so thorough. Everyone treated me like a person and not a number."
4. Speed and Efficiency	688 (7%)	"Everyone acted so quick, appointment, scans, operation."
5. Support and Attention	627 (6%)	"Everyone was sensitive, articulate and emotionally supportive."
6. Being Part of Clinical Trials	67 (0.6%)	"Speedy assessment and good monitoring during clinical research."
7. Food	42 (0.4%)	"The food menus – explaining which choices would "build you up" or "gluten free" were very good."
Total	10,232 (100%)	

Within the free text responses, the quality of care patients received made up the greatest number of positive comments (33%). 'Quality of Care' related to care at an overall level – where patients referred to the 'care' they received and how it had

positively impacted on their experience. This theme was differentiated from ‘Particular Services/teams’; this is where individual departments or services were highlighted in terms of their contribution. Comments related to services ranging from chemotherapy and radiotherapy units to complementary therapies and ambulance drivers:

*“The aftercare service, lymphoedema, acupuncture and psychology services are important to name. I attended ‘Living After Cancer’ workshop which was a great day; informative and therapeutic.”*

A further identifiable theme was that of the ‘Quality of professionals’ who were mentioned in 26% of positive comments. Professionals made a difference to patients’ experience; helping them feel secure in their treatment and managing and coping with the cancer diagnosis:

*“I was treated with dignity and respect and was told everything in a way I could understand.”*

Indeed, there were over 5,500 positive comments made about staff and their work within the free text data. The free text responses also indicate how and why staff made such a positive contribution in terms of their manner, kindness and attentiveness:

*“Doctors, nurses, radiotherapy, chemo staff, receptionists, auxiliary personnel have been kind, caring, compassionate and polite. This made a stressful time more bearable”.*

This kindness was accompanied by comments on the knowledge and expertise of professionals:

*“a centre of excellence. All people involved with me remain (sic) patient, kind and compassionate; yet also efficient and knowledgeable.”*

Two further specific themes were identified on the framework from 2011/12 and were seen again in the 2012/13 data. ‘Speed and Efficiency’ related to where referrals and treatment had been noticeably and vitally quick for patients, and ‘Support and Attention’ related to the specific words patients used to define how they had felt personally supported and treated as an individual. There were two small adjustments to the ‘positive’ framework with the addition of new themes from the 2012/13 data: ‘Being part of clinical trials’ – where patients mentioned that they valued and had benefited from being on a clinical trial, as well as a smaller number of positive comments about the hospital food patients received.

### Comments for improvement

Although positive patient comments comprised two thirds of all the free text data, one third of the comments were less encouraging and suggested areas where cancer care in London needs to be improved (table 4). These comments were included within a framework of 17 themes, demonstrating a wider range of issues for improvement than the more generically framed positive comments. While there was much crossover and

relationships between these themes it was felt that these 17 areas best captured the content of the comments for improvement.

<b>Themes</b>	<b>Number of comments made / % of comments for improvement</b>	<b>Sample comments</b>
<b>1. Poor care</b>	866 (17%)	"Nobody wanted to help me to bed. Two ladies were arguing in front of me because neither wanted to look after me. It was hard to witness that."
<b>2. Poor communication</b>	518 (10%)	"Often the level of English of some doctors and nurses was very poor. They could not explain my treatment, the medicines they were giving me or tell me why – very frightening."
<b>3. Waiting times: in OPD (Outpatients Department)</b>	512 (10%)	"When you are feeling dreadful, you've got a lot of pain, waiting up to 3 hours is excruciating."
<b>4. Information</b>	423 (8%)	"Explaining more on the side effects and duration [could be improved]".
<b>5. Understaffed</b>	398 (8%)	"The nurses were not lazy just stretched. There should be more regular nurses than bank nurses and agency nurses."
<b>6. Liaison between departments</b>	303 (6%)	"Transfer of information between departments within the hospital can be improved."
<b>7. Environment/hospital site</b>	295 (6%)	"The oncology clinic needs to be a brighter and more cheerful place to wait."
<b>8. Support</b>	283 (6%)	"More help to cope with depression caused by the return of my cancer after a remission of 6 years would have been a great help."
<b>9. GP</b>	265 (5%)	"GP practice needs a cancer expert as I don't feel they understand treatment prescriptions and requirements."
<b>10. Delays</b>	218 (4%)	"Referral waiting period e.g. physiotherapy goes on for months."
<b>11. Waiting in CDU (Chemotherapy Day Unit)</b>	214 (4%)	"It has been a regular feature of my treatment that my chemotherapy medication was not available at the appointed time, and was delivered as much as 2/3 hours late."
<b>12. Access to Doctors</b>	212 (4%)	"Completely impossible to contact my consultant."
<b>13. Food</b>	211 (4%)	"If you stay long term, the food leaves a lot to be desired."
<b>14. Resources</b>	172 (3%)	"MRI services are not adequately available. Once I waited as an inpatient 7 days for a scan."
<b>15. Parking</b>	118 (2%)	"Parking...at least £2 an hour. I have been an outpatient for 17 months visiting the hospital twice a month at least. Us pensioners can't afford it."
<b>16. Pharmacy</b>	112 (2%)	"When waiting as an outpatient for medication is unacceptable in the amount of time you have to wait for it to be dispensed. Always an hour or longer."
<b>17. Discharge</b>	51 (1%)	"It took a significant amount of time to be assessed and discharged from hospital post operation."
<b>Total</b>	5171 (100%)	

The detail of these comments reveals a range of issues and some clear insights into how patients feel they are being let down. In this way, free text helps to identify specific actions for trusts which can be acted on and feel ‘owned’ by staff in the particular services concerned.[6] In the free text comments about communication, for example, communication is not just negatively rated but focused comments are made:

*“The doctor should look at the patient first and then the scan.”*

This kind of comment suggests how and where small changes can be focused to make a considerable difference to patient experience.

Poor care contributed to the greatest number of negative comments in the 2012/13 data set (17%). These comments related to issues including: patients being treated with a lack of dignity, medical staff who demonstrated a lack of attention with regards to knowing the case, patients being made to wait for essential needs, and depersonalisation:

*“I felt degraded and humiliated; chewed up and spat out! Emotionally insecure and I’m still suffering the consequences.”*

Poor care recurred as an issue at night and at weekends. This sub-theme of poor care was also identified in analysis of the free text data from the Welsh Cancer Patient Experience Survey which highlighted the need for improvements in out of hours care [25]. In the London data, this issue was linked in some comments to understaffing and/or complaints about agency staff.

*“It’s a different place at night and on the weekend. It’s full of agency staff, some do not understand or speak English, they are rude and talk over you in their native tongue to their friends.”*

Indeed, comments about understaffing particularly related to a lack of permanent staff as well as the perceived poor quality of agency staff and comprised 8% of comments for improvement.

As there were many comments about waiting, these were split within the framework to help identify departments where issues with waiting were occurring; this was particularly useful when the data were looked at for each individual trust. Outpatient departments emerged as the area most often cited for improvement in terms of waiting times.

Poor communication – as the second most prominent theme for improvement forming 10% of negative comments – linked closely with poor care and staffing issues especially in terms of the number of staff who were reported to have a poor level of English. Although many of the communication comments focused on diagnosis, examples were given across the pathway in terms of the manner and content of communication with patients. One patient reported:

*"I was told I had cancer by the chemotherapy nurse who didn't realise I hadn't been told."*

Another explained: *"Medical terminology needs to be translated so the ordinary person can understand."*

The detail of how and why patients experienced poor communication emerges clearly in the free text data. Although a further detailed full sub-analysis of each theme has not been conducted on the data, some clear areas arose within the communication theme. These included insensitive communication such as bad news broken badly and patients not being informed about their diagnosis or treatment. Other communication issues stemmed from poor administration such as letters not being sent; patients being sent details of the wrong appointment; conflicting information being given by healthcare professionals and information not being given in plain English.

The communication theme also related to two other overlapping themes: 'Information' and 'Liaison between departments'. Within both of these themes, poor communication played a role in patients' sense that information was confusing or lacking, and that departments within the hospitals were not working in an integrated manner.

Furthermore, there were some themes which focused on more practical and functional issues including: parking, the hospital site or environment which negatively impinged on patients' experience of their care and emerged as distinct themes within the analysis.

As the analysis was being fed back to hospital trusts for their improvement action plans, the theme around GP care was not a focal point of the free text analysis. However, an analysis of all data on primary care was subsequently conducted and will be reported separately.

### **Ambiguity of questionnaire**

While the overall Macmillan analysis using NCPES survey data rightly identifies key issues which need addressing to improve cancer care and highlights in particular the 'London effect' [14] more work is needed to understand exactly how patients reported their experiences. This free text analysis shows that out of the total 6,526 patients who returned free text data on the questionnaire across London, 577 patients (9%) made comments relating to the ambiguity of the questionnaire as a whole or concerns about completing it. Across the London trusts, the percentage of people unsure about elements of the questionnaire ranges from 3% to 25.9% of those people who returned free text data per trust (see table 2). These comments related to two main areas of concern: first that patients are asked to complete the questionnaire for one trust when they may have been diagnosed and subsequently treated in more than one place; second that the questionnaire lacks clarity in some areas making it difficult for patients to complete.



The complex patient pathway

A theme which came through strongly in the data was that some patients had attended different trusts from diagnosis to treatment so filled out the questionnaire with different places in mind. Previous research has identified that the complexity of care pathways might mean that patients experience fragmented care across different hospitals.[15] This is exemplified in the text written by a patient who was completing the survey for one of the London trusts:

*"I consider the 2-3 hour wait, to see a specialist at the [hospital A], unacceptable. Surely patient management can be improved. Staff at the breast clinic and subsequently [hospital B] were brilliant and I am grateful for the care that they provided. Unfortunately, the [hospital C] administration staff and pre-op admissions were not of the same calibre."*

These comments were seen throughout the data with patients often reporting treatment in more than one place or being transferred between hospitals:

*"It was interesting to be diagnosed at one hospital and then have to attend another for treatment (chemo) and then a third for radiotherapy."*

In many cases, patients tried to detail which questions they had answered in relation to which trusts as a corrective to the closed questions the survey had asked them: "My replies to Q10, 11 and 12 refer to my local hospital not to [London] trust D".

*"I was sent to Trust E by [North England Trust]. Trust E was outstanding. The negative answers relate to ["Trust outside of London"] not Trust E."*

Free text data further indicates that some patients may have received care from other trusts in England and were subsequently referred to a London trust to carry out certain specialist treatments or diagnosis. This indicates that some of the data in the questionnaire has potentially been attributed to London when patients have completed the survey in relation to their earlier experience in another trust based elsewhere in England:

*"My association with Trust F was short. I was diagnosed there and spent a week having tests then transferred to Trust G. 90% these answers are about Trust G not Trust F which is the only hospital in the letter."*

Lack of clarity in the questionnaire

Analysis of the free text comments relating to the questionnaire identified some potential areas where the quantitative measures might need correction. These responses were assessed outside of the framework about patients' positive and negative experiences of cancer care. For some patients the NCPES questions did not reflect their experience and the appropriate answer was not available:

*"I don't feel this survey is well thought through and doesn't give the necessary options to some questions for my case."*

*"The questionnaire is not really suitable for my experience; most of it doesn't apply to me."*

As has been identified in previous literature looking at surveys and their relationship with free text comments, a survey may not be able to address the whole patient pathway and therefore free text might identify areas which could be expanded in future surveys.[6]

For other patients the survey was confusing and meant they weren't sure if they had filled it out correctly: *"I may have filled out too many boxes, sorry."*

Other patients remarked that the questionnaire might not best represent their opinions: *"I have been hesitant about completing, these tick boxes could be misleading and the wrong conclusions drawn."*

These comments which centred on the questionnaire not being fit for purpose, led some patients to explain they had left some of the boxes unticked:

*"I have not answered some of the questions as they do not fit my care", and "I'm sorry not to fill this out properly. I seemed to get lost with repetitiveness."*

These comments did not tend to detail specific problematic questions but instead provided a general sense of unease with the questionnaire as a whole.

## DISCUSSION

The NHS Outcomes Framework 2014/15 – which seeks to drive NHS quality improvement – outlines that the NHS should collect patient experience information and use it to improve services.[26] Trusts are advised to use NCPES survey data to inform improvement initiatives [4]. A potential benefit of survey data is that it can compare experiences of different patient groups and assess changes over time.[6] The NCPES has been seen as a national driver for quality improvement leading to better experience for cancer patients.[4]

However, survey data may well not be able to articulate how patients' experiences can be improved, and patients suggest that it is not always possible to fit their experiences into 'pre-determined tick box survey questions'. [27] Where patient experience is being measured the evidence base suggests that a collecting a combination of both qualitative and quantitative data should be considered. [28]

When qualitative interviews are not possible due to scale and resources, free text data can complement quantitative analysis [29] as well as providing a more nuanced kind of data closer to that provided in patient narrative accounts.[6, 18] The open nature of the free text comments means that patients can address the issues most pertinent to them – patients lead how they communicate their experiences across the whole journey – as opposed to answering to general, standardised measures of experience.

It has been identified that the most important reason for collecting, analysing and managing patient experience data is how that information can lead to change.[30] In

order to facilitate change, free text data should be analysed and fed back to staff in the relevant services.[4, 6] Free text data can help to reveal patients’ individual voices, which provides motivation to improve and suggests how services can be developed. Positive comments help staff to appreciate what they are doing well, how they are valued and the impact positive patient experience can have.[4] Two thirds of the free text data relating to London cancer patients’ experiences consisted of positive comments, and in comparison to the 2011/12 free text data, there was a shift in the positive direction. Where care is good, and staff communicate well and provide support for patients, the often-difficult experience of cancer is made to feel more manageable.

Comments for improvement help clinicians to understand what particular aspects of services need to change. They tend to be more detailed and specific than positive comments. This is useful in understanding where and why things have gone wrong as well as providing ideas to guide the next steps in service improvement.[4] Findings from this analysis of free text data for London were fed back to inform work plans for the individual tumour groups within London Cancer Integrated Systems. Such an approach brings organisations together to address issues, devise strategies and work across complex cancer pathways. [4] These findings translated into targeted improvements creating real change in practice, for example, clinics were asked to make sure they were starting on time as it had been identified that waiting times were often impacted by clinics starting late. The Picker Institute’s report for Macmillan highlights how issues with staffing might relate to poorer patient experience.[21] This was substantiated by some of the comments for improvement in the London free text data for 2012/13 which specifically focused on: understaffing, staff with poor English language skills, and problems with agency staff. On many occasions this linked to poor care – the theme which appeared most prominently in comments for improvement. As a result of these findings, working groups set targets to reduce overall use of agency staff with a focus on reducing weekend or out of hours agency staffing in particular.

If the NCPES does not cover all parts of the patient experience, free text data might suggest where the survey can be refined or expanded in the future and therefore how the survey can be better developed for quality improvement purposes.[6, 31] The design of the 2012/13 survey (and carried into the 2013/14 survey) is limiting in terms of the difficulty in identifying patients with specific sites. This seems to be particularly problematic for London with patients reporting a complex care pathway with variable experiences across different trusts. Future research could be strengthened with the inclusion of questions about cancer patients’ pathways through different hospitals to allow for the variation in fragmented versus consolidated care pathways.[15] Given that patients completing the NCPES for London hospitals report a less positive experience compared to hospitals elsewhere in England, the free text data suggests it is critical to evaluate the whole trajectory of patient care from diagnosis through treatment, and to understand when and what role London hospitals have played in that care. Within this set of free text data, some patients reported they had excellent care in London – but had experienced poor care before their referral to a London trust; hence the survey which only asked them about their experience of a London trust was unsuitable. Indeed, the analysis from London suggests that there are a significant number of people who indicate that their comments may not match the areas with which they are identified in the data. This is of particular concern when

data from the NCPES data are being used both to inform policy and to plan service improvement. It is important that patients are identified with their correct areas of care, in order to avoid wasting resources responding to data which may be incorrect or misattributed. It further suggests that the whole picture for London might be more nuanced and complex than the survey data reveals.

The NCPES free text questions were well used by patients in London with over two thirds of those responding to the survey also providing free text responses. The number of comments for London also increased by 75% from the 2011/12 survey indicating the value of including free text questions within the questionnaire and providing a large and rich data set of more than 15,400 individual comments.

In order to increase the usefulness of free text data, an analysis could be more closely aligned and related to the relevant closed questions data so that all parts of the survey work together to suggest how improvements can be best targeted. As this piece of research was based on free text data provided to trusts and detached from the survey data, this type of analysis was not possible but such an analysis would help to create a fuller picture of patient experience for cancer patients in London and across the rest of the country, to target improvements and inform action plans to turn patient experience feedback into positive change.

## Contributors

TW led the project, analysis, devised framework, wrote the report and took overall responsibility for the manuscript. GL and AS contributed to the analysis, produced tables of findings, assisted with the report and drafted the manuscript. AR, SS, NP, Go'G, and KH assisted with preliminary analysis. KPJ co-ordinated data provision from the London Cancer trusts.

SD had the original idea for the project, secured the research team and funding through the London Cancer Alliance (LCA) Patient Experience Working Group. The research was undertaken as a joint project by the pan-London patient experience working group, formed between the two integrated cancer systems. Both KPJ and SD contributed to the interpretation of the results and dissemination of the findings through the patient experience working group and reviewed the final manuscript.

TW is the corresponding author.

## Acknowledgments

The authors wish to thank the London Trusts who provided their individual free text data so that the findings could contribute to learning at a pan-London level as well as inform their work plans to improve their individual services. The two integrated cancer systems wish to acknowledge the contribution from their staff members supporting their patient experience workstreams. These staff members are funded by Macmillan Cancer Support. We also acknowledge all the patients who left free text comments.

**Funding**

This research was supported by the following organisations who were not involved in any part of the work itself: The Royal Marsden Cancer Charity, London Cancer Alliance (LCA), and the National Institute for Health Research RM/ICR Biomedical Research Centre.

**Competing Interests**

None

**Data Sharing Statement**

The National Cancer Patient Experience Survey 2012–2013 dataset used is available for download from <http://ukdataservice.ac.uk>.

**REFERENCES**

[1] Macmillan Cancer Support. Key Statistics. January 2015. [\[http://www.macmillan.org.uk/Aboutus/Ourresearchandevaluation/Researchandevaluation/Keystatistics.aspx\]](http://www.macmillan.org.uk/Aboutus/Ourresearchandevaluation/Researchandevaluation/Keystatistics.aspx) (last accessed May 2015).

[2] Ahmad AS, Ormiston-Smith N, Sasieni PD, Trends in the lifetime risk of developing cancer in Great Britain: comparison of risk for those born from 1930 to 1960, *British Journal of Cancer* Published Online First: 3 February 2015 doi:10.1038/bjc.2014.606

[3] Macmillan Cancer Support. Improving Cancer Patient Experience: A Top Tips Guide. October 2012. [\[http://www.macmillan.org.uk/Documents/AboutUs/Commissioners/Patientexperienceurvey\\_Toptipsguide.pdf\]](http://www.macmillan.org.uk/Documents/AboutUs/Commissioners/Patientexperienceurvey_Toptipsguide.pdf) (last accessed May 2015).

[4] NHS Improving Quality. Improving the Experience of Care for Cancer Patients: An Introductory Guide to Quality Improvement. 24 November 2014 [\[http://www.nhs.uk/resource-search/publications/improving-the-experience-of-care-for-cancer-patients.aspx\]](http://www.nhs.uk/resource-search/publications/improving-the-experience-of-care-for-cancer-patients.aspx) (last accessed May 2015).

[5] Wolf JA, Niederhauser V, Marshburn D *et al.* Defining Patient Experience. *Patient Experience Journal* 2014;1,128-36 [\[http://pxjournal.org/journal/vol1/iss1/5\]](http://pxjournal.org/journal/vol1/iss1/5) (last accessed May 2015).

[6] Tsianakas V, Maben J, Wiseman T, *et al.* Using patients' experiences to identify priorities for quality improvement in breast cancer care: patient narratives, surveys or both? *BMC Health Serv Res* 2012; 12:271 doi:10.1186/1472-6963-12-271 [Published Online First 22 August 2012].

[7] NHS. Five Year Forward View. October 2014. [\[http://www.england.nhs.uk/wp-content/uploads/2014/10/5yfv-web.pdf\]](http://www.england.nhs.uk/wp-content/uploads/2014/10/5yfv-web.pdf) (last accessed May 2015).



- [8] Begley A, Pritchard-Jones K, Biriotti M *et al*. Listening to patients with cancer: using a literary-based research method to understand patient-focused care. *BMJ Open* Published online first: 16 October 2014 doi:10.1136/bmjopen-2014-005550
- [9] Department of Health, *National Cancer Patient Experience Survey, 2012-2013* [computer file]. Colchester, Essex: UK Data Archive [distributor], October 2013. SN: 7400 [http://dx.doi.org/10.5255/UKDA-SN-7400-1]
- [10] Anglia Cancer Network. National Cancer Patient Experience Survey. [http://www.angcn.nhs.uk/patients-carers/national-cancer-patient-experience-survey.aspx] (last accessed April 2015).
- [11] Quality Health. NHS England. National Cancer Patient Experience Survey. [http://www.quality-health.co.uk/surveys/national-cancer-patient-experience-survey] (last accessed April 2015).
- [12] Quality Health. NHS England. 2013 National Cancer Patient Experience Survey Reports. [https://www.quality-health.co.uk/resources/surveys/national-cancer-experience-survey/2013-national-cancer-patient-experience-survey/2013-national-cancer-patient-experience-survey-reports] (last accessed May 2015)
- [13] Macmillan Cancer Support. Macmillan calls on London hospitals to urgently improve patient care. 4 September 2013. [http://www.macmillan.org.uk/Aboutus/News/Latest\_News/MacmillancallsonLondonhospitalstourgetlyimprovepatientcare.aspx] (last accessed May 2015)
- [14] Macmillan Cancer Support. Cancer Patient Experience Survey: Insight Report and League Table 2012-13. September 2013 [http://www.macmillan.org.uk/Documents/AboutUs/Research/Keystats/2013CPESInsightBriefingFINAL.pdf] (last accessed May 2015).
- [15] Saunders CL, Abel GA, Lyratzopoulos, G. What explains worse patient experience in London? Evidence from secondary analysis of the Cancer Patient Experience Survey *BMJ Open* Published Online First: 3 January 2014 doi:10.1136/bmjopen-2013-004039
- [16] Mead N, Roland M. Understanding why some ethnic minority patients evaluate medical care more negatively than white patients: a cross sectional analysis of a routine patient survey in English general practices. *BMJ* 2009;339 doi:10.1136/bmj.b3450 [Published Online First: 17 September 2009]
- [17] Lyratzopoulos G, Elliott M, Barbiere JM, *et al*. Understanding ethnic and other socio-demographic differences in patient experience of primary care: evidence from the English General Practice Patient survey. *BMJ Qual Saf* 2012 21:21-9 doi:10.1136/bmjqs-2011-000088 [Published Online First: 7 September 2011]



[18] Bone A, McGrath-Lone L, Day S, *et al*. Inequalities in the care experiences of patients with cancer: analysis of data from the National Cancer Patient Experience Survey 2011-2012. *BMJ Open* Published Online First: 14 February 2014  
doi:10.1136/bmjopen-2013-004567

[19] Lamarche PA, Pineault R, Haggerty J, *et al*. The experience of primary health care users: a rural-urban paradox. *Can J Rural Med* 2010;15:61-6.

[20] Burki TK. Cancer care in northern England rated best in England. *Lancet Oncol* 2013;14:e445.

[21] Sizmur, S. The relationship between cancer patient experience and staff survey results: A report for Macmillan Cancer Support. Picker Institute Europe. 30 July 2013.  
[\[http://www.macmillan.org.uk/Documents/AboutUs/Research/Researchandevaluation/reports/ReportCPES-StaffexperienceP2709v4.pdf\]](http://www.macmillan.org.uk/Documents/AboutUs/Research/Researchandevaluation/reports/ReportCPES-StaffexperienceP2709v4.pdf) (last accessed May 2015).

[22] Abel GA, Saunders CL, Lyratzopoulos, G. Cancer patient experience, hospital performance and case mix: evidence from England. *Future Oncology* 2014;10,9: 1589-1598 doi:10.2217/fon.13.266

[23] Ritchie J, Spencer L. Qualitative data analysis for applied policy research. In: Bryman A, Burgess, RG, eds. *Analysing Qualitative Data*. London: Routledge 1994:173-194.

[24] NHS England. Cancer patients positive about their care. 30 August 2013  
[\[http://www.england.nhs.uk/2013/08/30/cancer-patients-positive/\]](http://www.england.nhs.uk/2013/08/30/cancer-patients-positive/) (last accessed May 2015).

[25] Bracher M., Wagland R., Corner J. Exploration and analysis of free-text comments from the 2013 Wales Cancer Patient Experience Survey (WCPES). Southampton, UK. 18 November 2014.  
[\[http://www.macmillan.org.uk/Documents/Fundraising/InYourLocalArea/Wales/WCPESReportFINALpdf.pdf\]](http://www.macmillan.org.uk/Documents/Fundraising/InYourLocalArea/Wales/WCPESReportFINALpdf.pdf) (last accessed June 2015).

[26] Department of Health. NHS Outcomes Framework 2014-15.  
[\[https://www.gov.uk/government/publications/nhs-outcomes-framework-2014-to-2015\]](https://www.gov.uk/government/publications/nhs-outcomes-framework-2014-to-2015) (last accessed May 2015).

[27] Tsianakas V, Robert G, Maben J, *et al*. Implementing patient-centred care: using experience based co-design to improve patient experience in breast and lung cancer services. *Support Care Cancer* 2012;11:2639-47 doi: 10.1007/s00520-012-1470-3 [First Published Online 29 April 2012].

[28] de Silva, D. No. 18: Measuring Patient Experience: Evidence Scan London: The Health Foundation June 2013  
[\[http://www.health.org.uk/public/cms/75/76/313/4300/Measuring%20patient%20experience.pdf?realName=7qM8Wm.pdf\]](http://www.health.org.uk/public/cms/75/76/313/4300/Measuring%20patient%20experience.pdf?realName=7qM8Wm.pdf) (last accessed May 2015).

[29] Corner J, Wagland R, Glaser A, *et al.* Qualitative analysis of patients' feedback from a PROMs survey of cancer patients in England *BMJ Open* Published Online First: 10 April 2013. doi:10.1136/bmjopen-2012-002316

[30] Robert G, Cornwell J, Brearley S, *et al.* What matters to patients? Developing the evidence base for measuring and improving patient experience November 2011. [[http://www.institute.nhs.uk/patient\\_experience/guide/the\\_patient\\_experience\\_research.html](http://www.institute.nhs.uk/patient_experience/guide/the_patient_experience_research.html)] (last accessed May 2015).

[31] National Cancer Action Team. Improvements in cancer patient experience ratings: how have they been made? 2012. [<http://candocancercare.org/resources/Improvements%20in%20cancer%20patient%20experience%20FINAL.pdf>] (last accessed May 2015).