BMJ Open School performances in children with cataract: results from a population-based cohort study

Moug Al-Bakri ,¹ Anne Mette Skovgaard,² Daniella Bach-Holm,^{1,3} Dorte Ancher Larsen,⁴ Volkert Siersma ,⁵ Line Kessel ,¹

To cite: Al-Bakri M, Skovgaard AM, Bach-Holm D, et al. School performances in children with cataract: results from a populationbased cohort study. BMJ Open 2023;13:e072984. doi:10.1136/ bmjopen-2023-072984

Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (http://dx.doi.org/10.1136/ bmjopen-2023-072984).

Received 19 February 2023 Accepted 13 July 2023

Check for updates

C Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Department of Ophthalmology, Rigshospitalet Glostrup, Glostrup, Denmark ²National Institute of Public Health, Faculty of Health Sciences, University of Southern Denmark, Odense, Denmark ³Department of Clinical Medicine, University of Copenhagen, Copenhagen, Denmark ⁴Department of Ophthalmology, Aarhus University Hospital. Aarhus, Denmark ⁵The Research Unit for General Practice and Section of General Practice Department of Public Health, University of Copenhagen, Kobenhavn, Denmark

Correspondence to Dr Moug Al-Bakri; mougalbakri@yahoo.com

ABSTRACT **Objectives** Childhood cataract is a chronic condition that may interfere with the child's learning capacities. We aimed to investigate whether childhood cataract influences academic development by comparing school performance in reading and mathematics in children with cataract to a

matched control group. Design Nationwide registry-based cohort study. Settings Two surgical centres that perform all treatments for childhood cataract in Denmark.

Participants Children born between 2000 and 2009 diagnosed with cataract before 10 years of age (n=275) and an age-matched and sex-matched control group (n=2473).

Main outcome measures School performance was assessed as test scores in national tests performed at regular intervals from grade 2 to grade 8 in reading and mathematics. Analyses were corrected for birth origin, child somatic and mental disorder and parental socioeconomic status and mental disorders.

Results Of 275 children, 85 (30.9%) were operated for bilateral cataract. 79 (28.7%) unilateral cataract and 111 (40,4%) were not operated. We found that children with cataract have lower participation rate in the tests (62.5%) compared with the control cohort (77.2%) (p value=0.0001). After adjusting the pooled analyses for birth origin, somatic and mental disease in the child and parental socioeconomic status and mental disorders, we found that the children with cataract scored significantly lower in mathematics compared with those without cataract (mean difference=-4.78, 95% CI: -8.18 to

-1.38, p value=0.006), whereas no difference was found regarding scores in reading (p=0.576). The lower score in mathematics was driven by children who had been operated for bilateral cataract (p-value=0.004). Conclusion Children with cataract without somatic or neurodevelopmental comorbidities or psychosocial adversities seem to do well in school, whereas children operated for bilateral cataract have higher frequencies of difficulties in mathematical tasks.

INTRODUCTION

Congenital cataract is a chronic condition, which may be associated with congenital and severe systemic somatic disorders, for example, trisomy 21, neurodevelopmental disorders or congenital infections.¹⁻³ Bilateral

STRENGTHS AND LIMITATIONS OF THIS STUDY

- \Rightarrow The study is a large cohort study based on a nationwide database on all children with cataract matched to a control group via national registries covering all citizens in Denmark.
- \Rightarrow The school test results were obtained by The Danish Agency of IT and Learning from all schools throughout the country, corrected by a digital system and reported to a central office in real-time.
- \Rightarrow We have adjusted for relevant confounders that were obtained from comprehensive national registries, and also adjusted for attrition bias.
- \Rightarrow Visual function may play an important role in school performance, but unfortunately, we did not have access to visual acuity measurements in the national databases, and hence it was not possible to include measures of visual function in the analyses.
- \Rightarrow Unfortunately, it was not possible to gain access to the exact reason for exemption from tests.

Protected by copyright, including for uses related to text and data mini cataracts are often caused by genetic changes , Bul and they are also more often associated with ≥ systemic diseases, while unilateral cataracts all potentially influence the child's learning **g** capacities. Furthermore, children with during their development, such as visual disability,⁴ or being absent from school due to frequent hospital visits including general anaesthesia events.⁵

Learning is a key element in a child's **D** development and acquiring new skills is to g a large extent dependent on visual recognition and cognitive processing of stimuli.⁴ Cognitive processing includes working memory, emotional regulation and planning skills. These functions are fundamental for the ability to learn and receive education.⁷ Education enables children to gain knowledge and to learn new skills including discipline, emotional self-regulation, critical thinking, interactional abilities and the

ability to reason, which are crucial components in social and emotional well-being throughout life.⁸ Reading skills are an important part of the overall learning process and rely on a complex interaction of visual and motor competences.⁹ Mathematical skills depend on visuomotor integration, attention and fine motor coordination.¹⁰ Reduced brain activity in areas associated to cognitive and attentive control has been identified in children with congenital cataract compared with children without cataract.¹¹ Together these factors may challenge school performance which may have a detrimental effect on life choices and possibilities.

Research data on school performance in children with cataract are limited except for a small study exploring school functioning on 201 children aged 8 years or older based on parents' reports.¹² The aim of the present study was to explore school performance in children with cataract compared with children without cataract using data from national registries.

MATERIALS AND METHODS Study population

We evaluated test results of children with cataract born between 1 January 2000 and 31 December 2009 seen at Rigshospitalet, Copenhagen or Aarhus University Hospital. These two hospitals perform all treatments for childhood cataract in Denmark. The age of the children was chosen to ensure they were old enough to have been able to participate in the national Danish school tests from grade 2, see figure 1 for details.

Children with cataract were divided into children with unilateral surgery, bilateral surgery and no surgery. Information about surgery laterality was obtained from medical records.

The children with cataract were compared with a cohort of children without cataract, who were matched by age, sex and municipality and sampled 1:10 from the general Danish population by Statistics Denmark.¹³

Study design

Data on school performance and socioeconomic factors were drawn from the national Danish registries which collect a number of variables real-time. In Denmark, each person has a unique identification number (Central Person Registry number), which makes it possible to extract information from a comprehensive set of national registries and to link children and parents, see online supplemental table 1 for an overview of registries used in the present study.

School performance: the Danish national tests

Information on school performance based on test scores in reading (grades 2, 4, 6 and 8) and mathematics (grades 3, 6 and 8) was obtained for years 2010-2018 from the Danish Education Registry and we evaluated the scores separately for each grade, and also pooled throughout the school years. The tests are conducted at regular intervals

<page-header><text><text><text><text><text><text><text>




Figure 1 Flow chart showing eligible (old enough to participate) and ineligible children (too young to participate) and children with and without test results in the study population.

Patient and public involvement None.

Statistical method

We used linear regression models to compare school test results in children with cataract, analysed both as a single group and subdivided by operation status, and the control cohort. We performed unadjusted analyses and analyses adjusted for the above listed confounders. The analyses were performed separately for the individual test results (grades 3, 6 and 8 mathematics and grades 2, 4, 6 and 8 reading), and longitudinally pooled on all test results obtained in mathematics or reading, respectively, where children could have up to three and four test results in the various grades. The latter are the main results of the paper, the former is available in the online supplemental files 3; 4. Since the profile of the children who did not have test results, for example, due to absence or exemption from the national test, may differ between the cataract and control cohorts, we weighted the available test results by the inverse probability of having a test result; these probabilities were estimated from a multivariable logistic regression including cataract status and the abovementioned confounders. The method of generalised estimating equations was used to adequately adjust the inference for the matching, the weighting and for excess correlation between the possible multiple times a child is in the data. Statistical analyses were made using the R software package, V.3.4.1 (The R Foundation for Statistical Computing, http://www.r-project.org). The significance level was set at <0.05.

RESULTS

We included a total of 275 children with cataract (172 with test results), of which 85 (30.9%) were operated for bilateral cataract, 79 (28.7%) unilateral cataract and 111 (40.4%) were not operated due to visually insignificant cataracts. Their test results were compared with those of an age-matched and sex-matched control group (n=2473), see figure 1 and table 1.

A national test score was available in 172 (62.5%) children with cataract and 1909 (77.2%) in the control cohort. Thus, the proportion of children with a test score was significantly higher in the control cohort (p value=0.0001), see online supplemental table 3.

Children with cataract who did not have a test score had a greater prevalence of severe somatic disease (p value=0.014) and neurodevelopmental disorders (p value=0.008) and were more likely to have had bilateral surgery (p value=0.034) compared with children with cataract and available test scores, see table 1.

We did not find significant differences in pooled test scores between children with cataract and children without cataract in reading (grades 2, 4, 6 and 8 pooled) neither in crude nor adjusted analyses, see table 2.

The cataract cohort had significantly lower pooled test scores in mathematics (grades 3, 6 and 8 pooled) BMJ Open: first published as 10.1136/bmjopen-2023-072984 on 2 August 2023. Downloaded from http://bmjopen.bmj.com/ on June 10, 2025 at Agence Bibliographique de l Enseignement Superieur (ABES)

text

compared with the control cohort, see table 2. The lower test scores in mathematics were driven by those with bilateral surgery (mean difference=-8.98, 95% CI: -15.07 to -2.89, p value=0.004), while no significant difference was found for children with unilateral surgery or unoperated cataract compared with the control cohort.

Compared with children without cataract, the children in the cataract cohort were more often born outside Denmark (p value=0.020), and they suffered more often from severe chronic somatic illnesses (p value=0.00001). The parents of children with cataract had lower educational level (p value=0.0025), lower income (p value=0.021), were more often outside workforce (p value=0.00001) and had more often been diagnosed with a mental disorder (p value=0.031), see table 1. The socio-economic differences between the cataract and control groups did, however, not explain the difference in tests scores in mathematics, and they did not influence the results on reading either (adjusted analyses, see table 2).

The analyses for the individual tests, not pooled over the different grades, are shown in online supplemental table 4. Here we see that the assumption from the main analyses that the associations between cataract and school test scores are similar over the grades may not hold as significant differences are seen for children with bilateral operated cataract in reading grade 4 and grade 8 that are not found in the main analyses.

DISCUSSION

We evaluated school performance in children with age-matched and sex-matched and sex-matched children without cataract. The evaluation was based on national tests that are conducted at regular intervals throughout primary and secondary school and are reported to a central office, that is, we had access to a complete, national dataset. Thus, this study is the first to evaluate school performance in children with cataract based on a complete national dataset.

Using nationwide comprehensive register data on school performance and a range of potential confounders, we found that children with childhood cataract did not differ significantly from children without childhood cataract in the school performance regarding reading, while they scored lower in mathematics with the lowest scores seen in children who had undergone bilateral cataract no surgery. It is important to note that one-third of the children with cataract had been exempted from the national $\overset{\circ}{\mathbf{a}}$ tests which at least in part was explained by a higher prevalence of severe somatic and neurodevelopmental disorders found in children with cataract. While we attempted to adjust for this differential dropout in the statistical analyses, the test scores observed in the cohort have to be viewed as scores attained by the children with the highest educational abilities.

Although children in the cataract cohort generally came from families with lower parental education, income and work-force participation rate, the socioeconomic

			1001 100010	MILLIOUL LEST FOULS	r value
	n=2473		n=172	n=103	
135/140 (49.1/50.9)	1235/1238 (49.9/50.1)	0.760	89/83 (51.7/48.3)	46/57 (44.7/55.3)	0.268
3.85 (0.54–6.68) No surgery: 6.04 (3.14–8.04) Unilateral surgery: 3.20 (0.61–5.88) Bilateral surgery: 1.03 (0.20–4.36)		1	4.41 (0.90–6.67)	3.26 (0.23–6.70)	0.139
: 4.03 (1.09–6.66) 2.00 (0.35–5.32)			3.85 (0.90–6.24)	2.51 (0.33–5.72)	0.328
	1	I	94/78 (56.4/45.4)	70/33 (68.0/32.0)	0.502
		I	44/50 (46.8/53.2)	41/29 (58.6/41.4)	0.034
	2270 (91.8)	0.020	154 (89.5)	87 (84.5)	0.086
	203 (8.2)		18 (10.5)	16 (15.5)	
	6 (0.2)	<0.00001	6 (3.5)	7 (6.8)	0.014
	2467 (99.8)		166 (96.5)	96 (93.2)	
	105 (4.3)	0.254	11 (6.4)	17 (16.5)	0.008
	79 (3.2)		8 (4.7)	6 (5.8)	0.779
	220 (8.9)	0.0025	18 (10.5)	17 (16.5)	0.709
	221366.3 (168334.7–277568.1)	0.021	208778.02 (155 114.17–260 239.73)		0.037
	144 (5.8)	<0.00001	18 (10.5)	19 (18.4)	0.066
	2328 (94.2)		153 (89.0)	84 (81.6)	
	2030 (82.1)	0.031	149 (86.6)	91 (88.3)	0.349
	443 (17.9)		23 (13.4)	12 (11.7)	
Dilateral surgery. 3.66 (0.52–6.23) Unilateral surgery: 164/111 (59.6/40. 85/79 (51.8/48.2) 34 (12.4) 13 (4.7) 262 (95.3) 262 (95.3) 262 (95.3) 14 (5.1) 14 (5.1) 14 (5.1) 35 (12.7) 211355.5 (149 766.1–267 3 37 (13.5) 237 (86.2) 237 (86.2) 35 (12.7)	6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		- - 2270 (91.8) 203 (8.2) 203 (8.2) 6 (0.2) 5 (0.2) 2467 (99.8) 2467 (99.8) 2467 (99.8) 2467 (99.8) 2266 (8.9) 79 (3.2) 79 (3.2) 70 (3.2)	- - - - 2270 (91.8) 0.020 203 (8.2) 0.020 203 (8.2) 0.020 203 (8.2) 0.020 2467 (99.8) 0.0264 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 79 (3.2) 0.254 220 (8.9) 0.025 221 366.3 0.025 222 (8.9) 0.025 2328 (94.2) 0.021 2030 (82.1) 0.031 443 (17.9) 0.031	<th< td=""></th<>

6

	Children with cataract	Children without cataract	P value *	Cataract children with Cataract children P value * test results without test result	Cataract children without test results	P value *
	n=275	n=2473		n=172	n=103	
The values with significance in Table 1 are in bold.	are in bold.					
*P value: Pearson's χ^2 test for categoric	*P value: Pearson's χ^2 test for categorical variables, t-test for continuous variables.					
†Severe somatic diseases: congenital s	†Severe somatic diseases: congenital syndrome-microcephaly, megalencephaly, Smith-Lemi-Opitz syndrome, trisomy 21, Down's syndrome, partial autosomal trisomy, Cytomegalovirus	Smith-Lemi-Opitz syndrom	ne, trisomy 2	1, Down's syndrome, partial a	autosomal trisomy, Cytomega	lovirus
infection, interstitial lung disease, deger	nfection, interstitial lung disease, degenerative disease of the nervous system, congenital rubella infection, cancer in brain or meninges.	ngenital rubella infection, ca	ancer in brai	n or meninges.		
‡DF70-79, DF80-83, DF84, DF88-89, DF90, DR41.8, DR62.0, DR62.9.	DF90, DR41.8, DR62.0, DR62.9.					
§DF10-19, DF20-29, DF30-39, DF40-48, DF50, DF51-59, DF60-69,	48, DF50, DF51–59, DF60–69, DF91–99.					
11 Danish Krone corresponds to 0.13 Euro.	Euro.					

differences did not explain the difference between the groups. It should, however, be noted that the parental background in children with cataract with available test scores was more comparable to the parental socioeconomic status of the control cohort and that the negative social gradient was mainly observed for children with cataract who did not have a test score. Parental socioeconomic status and the home learning environment is known to play an important role in the child's school performance.²¹⁻²⁵ Thus, significantly higher mathematical skills in kindergarten, and school grades 3 and 6 have been found among children from higher-income families compared with children from lower-income families.²⁹ The children with cataract who had a test score came from **Z** families with near-average socioeconomic status as most of those with lower socioeconomic background and comorbidities had not conducted the tests. In other words, our study shows that children with cataract who have no severe comorbidities or adverse family background compared with their healthy peers seem to perform nearly as well in school as children without cataract.

After adjusting for relevant confounders, we did not find differences in reading skills between children with and without cataract. Reading ability depends on decoding, working memory, listening comprehension and vocabulary.^{30 31} The cataract cohort was more likely to be born outside Denmark. At first it may seem surprising that their skills in Danish and reading was comparable to the control cohort; still, the proportion of children born outside Denmark was considerably higher among those without a test score.

We found a small but significant reduction in test score in mathematics (4.7 lower on a 0–100 scale) among chil- \overline{a} dren with cataract compared with children without cataract. Solving mathematical tasks requires a higher level of visuospatial performance (symbol cancellation and orientation, embedded figures and shape matching tasks) than reading.³² Visuospatial performance, eye-hand coordination and fine motor skills have been found to be reduced in school-aged children with other eye diseases (strabismus, amblyopia, cataract and/or nystagmus).^{33–36} The Infant Aphakia Treatment Study reported that preschool children with unilateral visual impairment due to unilateral cataract may have delayed motor functioning.³⁷ Visually impaired children have a lower school performance compared with children with good visual function.^{38 39} Unfortunately, data on visual performance were not available in the current national datasets. A recent Danish & study has found that children aged 7-18 years who had **8** been operated for bilateral cataract, scored lower on visual skills in the school environment when compared with children operated for unilateral cataract.⁴⁰ One of the main differences between children operated for bilateral cataract and children operated for unilateral cataract concern the possibilities of a healthy eye to support the operated eye in visual tasks. Children operated for unilateral cataract may have impaired depth perception, but this do not necessarily influence their national school test

 Table 1
 Continued

	Children with	Children without	vith cataract compared			
	cataract	cataract	Unadjusted†		Adjusted†‡	
	Mean (SD)*		Mean difference (95 % CI)	P value	Mean difference (95% Cl)	P value
Reading						
Number of children (grades 2/4/6/8)	275/198/129/65	2473/1765/1161/591				
All	54.8 (25.4)	56.3 (23.7)	-1.57 (-4.55 to 1.40)	0.301	-0.71 (-3.21 to 1.79)	0.576
No surgery, n=111	55.7 (29.1)	_	-0.31 (-4.22 to 3.61)	0.879	1.76 (-2.00 to 5.52)	0.359
Unilateral surgery, n=79	53.5 (23.6)	-	-1.98 (-7.35 to 3.40)	0.472	-1.48 (-6.14 to 3.18)	0.533
Bilateral surgery, n=85	55.0 (24.1)	-	-2.72 (-8.92 to 3.47)	0.389	-3.62 (-7.96 to 0.72)	0.102
Mathematics						
Number of children (grades 3/6/8)	241/129/26	2166/1161/237				
All	52.7 (26.9)	56.7 (25.7)	–4.70 (–9.07 to –0.33)	0.035	–4.78 (–8.18 to –1.38)	0.006
No surgery, n=89	55.6 (28.6)	-	–5.25 (–10.46 to –0.03)	0.048	-3.10 (-8.40 to 2.20)	0.252
Unilateral surgery, n=68	48.9 (27.7)	-	-2.82 (-9.19 to 3.55)	0.385	-3.14 (-8.87 to 2.60)	0.284
Bilateral surgery, n=75	53.3 (25.2)	-	–5.62 (–15.95 to 4.71)	0.286	-8.98 (-15.07 to -2.89)	0.004

The unadjusted and adjusted results are pooled from the three math tests and the four reading tests, respectively. The values with significance in Table 2 are in bold.

*Mean and SD are based on all eligible children. A child can take part in tests more than once. For example, for reading tests in the cataract cohort, 275/198/129/65 eligible children for grades 2, 4, 6 and 8 are indicated as eligible, which means that 65 children with cataract are in this analyses four times, 129–65=64 children with cataract are in this analyses three times, 198–129=69 children with cataract are in this analysis two times and 275–198=77 children with cataract are in this analysis one time.

†Unadjusted and adjusted analyses are based on a pooled evaluation of points in reading and mathematics, respectively.

‡Adjusted (using multivariable linear regression model) for the child's geographical birth origin, somatic comorbidity, mental disorders, the parental socioeconomic status and mental disorders.

results, which were all performed on a computer. Notably, the incidence of mental disorders has been shown to be increased in children with cataract with comorbid somatic diseases compared with children who have cataracts without comorbidities, underscoring the complexities of needs of care and support to these children.³ The high frequencies of systemic diseases and neurodevelopmental disorders seen in children with bilateral cataracts¹² underscore the necessity of rehabilitative activities and special training modules from early school life. Overall, early intervention and differentiated support systems are vital components to ensure the optimal development. Importantly, the visual function after childhood cataract surgery depends on access to visual and optical rehabilitation.

The incidence of mental disorders is increased in children with cataract who have somatic comorbidities compared with children who have isolated cataracts.³ As bilateral cataracts are often associated with other systemic diseases^{1 2} rehabilitative activities and special training modules adapted to the child from early school life may play a crucial role in how well they perform in school. Early intervention and comprehensive support systems are vital components in ensuring optimal development. Visual function after childhood cataract surgery

depends on access to visual and optical rehabilitation. In Denmark, the treatment of paediatric cataracts (≤6 years of age) is a highly specialised function that since 2010 has been managed by surgical centres at two sites: Rigshospitalet in Copenhagen and Aarhus University Hospital in Aarhus, where children are closely monitored by a highly specialised team consisting of low vision optometrists specialised in refractive rehabilitation of children with cataract, paediatric ophthalmologists and orthoptics. Appropriate optical correction through spectacles or contact lenses and the management of amblyopia are crucial aspects of maintaining good vision health. Early detection, intervention and regular eye examinations are important in addressing refractive errors and managing amblyopia to optimise visual acuity and prevents potential complications. Amblyopia treatment is usually stopped or markedly tapered after the age of 7.

To the authors' knowledge, only one study has been published so far in which school functioning has been reported in children with cataract.¹² A British Questionnaire Study evaluated the quality of life in 201 children aged 2–16 years who had undergone cataract surgery and found a lower level of school functioning based on answers completed by children and their parents. Answers from children aged 8 years or older were based on a scale ranging from 0 (never a problem) to 4 (always a problem).¹² The British Study suggested that bilaterality of cataract tended to be associated with worse selfreported quality of life for physical and psychosocial, emotional and school domains. Correspondingly, in our nationwide register data on school performance based on national tests, we found the lowest scores in mathematics among children who had undergone bilateral cataract surgery. However, the term 'school functioning' was not elaborated in the British study which makes further comparisons difficult.

CONCLUSION

We evaluated school performance in children with cataract as this may potentially play an important role for their adult life choices. We found that more children with cataract had been exempted from the national school tests, and that those who did have test were more likely not to have systemic comorbidities and to come from a socioeconomically favourable background compared with children with cataract who have no test score. Keeping that in mind, it is not surprising that we did not find a difference in readings skills between children with and without cataract and only a small difference in mathematical skills in pooled adjusted analyses. In other words, children with cataract who are otherwise healthy and without family adversities seem to do well in school even though they have chronic eye disease.

Acknowledgements We extend our gratitude to the funding organisations for their financial support.

Contributors Concept, planning and design: MA-B, DB-H and LK. Acquisition or interpretation of data: MA-B, AMS, DB-H, DAL, VS and LK. Statistical analysis: MA-B and VS. Writing original draft preparation: MA-B. Writing critical revision and editing: MA-B, AMS, DB-H, DAL, VS and LK. Funding acquisition: MA-B, DB-H and LK. Guarantors: MA-B.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting or dissemination plans of this research.

Patient consent for publication Not applicable.

Ethics approval The study was approved by the Danish Data Protection Agency (RH-2016-336; I-Suite # 05070), and the Danish Patient Safety Authority (3-3013-1935/1/NAAN). According to the Committee on Health Research Ethics in the Capital Region of Denmark, ethical board review was not required (decision number: 16038234). The study followed the tenets of the Helsinki Declaration. exempted this study Participants gave informed consent to participate in the study before taking part.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as supplementary information.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines,

Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies

terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iDs

Moug Al-Bakri http://orcid.org/0000-0002-1520-2436 Volkert Siersma http://orcid.org/0000-0003-1941-2681 Line Kessel http://orcid.org/0000-0002-9375-1510

REFERENCES

- 1 Chia WL, Martin F. Childhood cataracts. *Clin Exp Ophthalmol* 2001;29:75–80.
- 2 Kessel L, Bach-Holm D, Al-Bakri M, *et al.* Genetic disease is a common cause of bilateral childhood cataract in Denmark. *Ophthalmic Genet* 2021;42:650–8.
- 3 Al-Bakri M, Skovgaard AM, Bach-Holm D, et al. Increased incidence of mental disorders in children with cataract: findings from a population-based study. Am J Ophthalmol 2022;236:204–11.
- 4 Solebo AL, Cumberland P, Rahi JS. 5-year outcomes after primary Intraocular lens implantation in children aged 2 years or younger with congenital or infantile cataract: findings from the lolunder2 prospective inception cohort study. *The Lancet Child & Adolescent Health* 2018;2:863–71.
- 5 Al-Bakri M, Sander B, Bach-Holm D, et al. Children with congenital and childhood cataract require frequent follow-up visits and examinations in general anaesthesia: considerations for the strain on families. Acta Ophthalmol 2019;97:778–83.
- 6 Elias MJ, Weissberg RP. Primary prevention: educational approaches to enhance social and emotional learning. *J Sch Health* 2000;70:186–90.
- 7 Nesayan A, Amani M, Asadi Gandomani R. Cognitive profile of children and its relationship with academic performance. *Basic Clin Neurosci* 2019;10:165–74.
- 8 Dewey J. Democracy and education: an introduction to the philosophy of education. New York, 1916.
- 9 Folk JR, Eskenazi MA. Eye-tracking to distinguish comprehensionbased and Oculomotor-based Regressive eye movements during reading. *JoVE* October 2018.
- 10 Kim H, Duran CAK, Cameron CE, et al. Developmental relations among motor and cognitive processes and mathematics skills. *Child Dev* 2018;89:476–94.
- 11 Chen W, Lan L, Xiao W, *et al.* Reduced functional Connectivity in children with congenital cataracts using resting-state electroencephalography measurement. *Front Neurosci* 2021;15:657865.
- 12 Tailor VK, Abou-Rayyah Y, Brookes J, et al. Quality of life and functional vision in children treated for cataract-a cross-sectional study. *Eye (Lond)* 2017;31:856–64.
- 13 Hilby KM, Denmark SE. Lewis base Catalyzed, Sulfenium ion initiated Enantioselective, Spiroketalization Cascade. J Org Chem 2021;86:14250–89. 10.1021/acs.joc.1c02271 Available: https://www. dst.dk/en
- 14 Education M of C and. Ministry of children and education. n.d. Available: https://eng.uvm.dk/
- 15 Beuchert LV, Nandrup AB. The danish national tests at a glance. SSRN Journal 2017. 10.2139/ssrn.2996431 Available: https:// childresearch.au.dk/fileadmin/childresearch/dokumenter/2018_1_2. pdf
- 16 Li J, Leng Y, Han S, et al. Clinical and genetic characteristics of Chinese patients with familial or sporadic pediatric cataract. Orphanet J Rare Dis 2018;13:94.
- 17 Khokhar SK, Pillay G, Dhull C, et al. Pediatric cataract. Indian J Ophthalmol 2017;65:1340–9.
- 18 Crump C, Rivera D, London R, et al. Chronic health conditions and school performance among children and youth. Ann Epidemiol 2013;23:179–84.
- 19 Frittoli RB, de Oliveira Peliçari K, Bellini BS, et al. Association between academic performance and cognitive dysfunction in patients with juvenile systemic lupus erythematosus. *Revista Brasileira de Reumatologia (English Edition)* 2016;56:252–7.
- 20 Agnafors S, Barmark M, Sydsjö G. Mental health and academic performance: a study on selection and causation effects from

- 21 Salm M, Schunk D. Child health disparities, socio-economic status, and school enrollment decisions: evidence from German elementary school entrance exams. *Adv Health Econ Health Serv Res* 2008;20:271–88.
- 22 Kelly Y, Sacker A, Del Bono E, et al. What role for the home learning environment and parenting in reducing the socioeconomic gradient in child development? findings from the millennium cohort study. Arch Dis Child 2011;96:832–7.
- 23 Fomby P. Family instability and school readiness in the United Kingdom. *Fam Sci* 2011;2:171–85.
- 24 Fluss J, Ziegler JC, Warszawski J, et al. Poor reading in French elementary school: the interplay of cognitive, behavioral, and socioeconomic factors. J Dev Behav Pediatr 2009;30:206–16.
 25 High PC, School readings, Pediatrics 2008;121:e1008–15
- High PC. School readiness. *Pediatrics* 2008;121:e1008–15.
 Shen H, Magnusson C, Rai D, *et al.* Associations of parental depression with child school performance at age 16 years in Sweden. *JAMA Psychiatry* 2016;73:239–46.
- 27 Berg L, Charboti S, Montgomery E, et al. Parental PTSD and school performance in 16-year-olds - a Swedish National cohort study. Nord J Psychiatry 2019;73:264–72.
- 28 Bager L, Munk Laursen T, Skipper N, et al. School performance of children whose parents suffered torture and war-a register-based study in Denmark. Eur J Public Health 2021;31:749–55.
- 29 Johnson T, Burgoyne AP, Mix KS, et al. Spatial and mathematics skills: similarities and differences related to age, SES, and gender. *Cognition* 2022;218:S0010-0277(21)00341-3.
- 30 Peng P, Barnes M, Wang C, et al. A meta-analysis on the relation between reading and working memory. *Psychol Bull* 2018;144:48–76.

- 31 Hoover WA, Gough PB. The simple view of reading. *Read Writ* 1990;2:127–60.
- 32 Bull R, Espy KA, Wiebe SA. Short-term memory, working memory, and executive functioning in Preschoolers: longitudinal predictors of mathematical achievement at age 7 years. *Dev Neuropsychol* 2008;33:205–28.
- 33 Cavézian C, Vilayphonh M, Vasseur V, *et al.* Ophthalmic disorder may affect Visuo-Attentional performance in childhood. *Child Neuropsychology* 2013;19:292–312.
 34 Grant S, Suttle C, Melmoth DR, *et al.* Age- and Stereovision-
- 34 Grant S, Suttle C, Melmoth DR, et al. Age- and Stereovisiondependent eye-hand coordination deficits in children with Amblyopia and abnormal Binocularity. *Invest Ophthalmol Vis Sci* 2014;55:5687–57015.
- 35 Webber AL, Wood JM, Gole GA, *et al.* The effect of Amblyopia on fine motor skills in children. *Invest Ophthalmol Vis Sci* 2008;49:594–603.
- 36 Suttle CM, Melmoth DR, Finlay AL, et al. Eye-hand coordination skills in children with and without Amblyopia. *Invest Ophthalmol Vis Sci* 2011;52:1851–64.
- 37 Celano M, Hartmann EE, DuBois LG, et al. Motor skills of children with unilateral visual impairment in the infant Aphakia treatment study. *Dev Med Child Neurol* 2016;58:154–9.
- 38 Alvarez-Peregrina C, Sánchez-Tena MÁ, Andreu-Vázquez C, et al. Visual health and academic performance in school-aged children. Int J Environ Res Public Health 2020;17:2346.
- 39 Toledo CC, Paiva APG, Camilo GB, et al. Early detection of visual impairment and its relation to academic performance. *Rev Assoc Med Bras* (1992) 2010;56:415–9.
- 40 Hansen MM, Bach-Holm D, Kessel L. Visual outcomes after surgery for childhood cataracts. Acta Ophthalmol 2020;98:579–84.