To cite: de Castro Araújo-

BMJ Open E-professionalism assessment instruments in healthcare professionals: a systematic review protocol

Fernando de Castro Araújo-Neto,¹ Lívia Gois dos Santos,² Thaís Maria Araújo Tavares,² Douglas de Menezes Santos,³ Divaldo Pereira de Lvra-Jr 💿 1

ABSTRACT

Neto F, Gois dos Santos L, Introduction Social media has an impact on the reach Araújo Tavares TM, et al. Eand speed with which information is disseminated, professionalism assessment benefiting patients and healthcare professionals by instruments in healthcare sharing knowledge, even from a distance. However, these professionals: a systematic channels can pose risks when used irresponsibly by these review protocol. BMJ Open actors. Thus, e-professionalism emerges as a modulator of 2025;15:e084965. doi:10.1136/ professionals' behaviours and attitudes, and its evaluation bmjopen-2024-084965 is fundamental given the demand for guality in services. Prepublication history including in these settings. Thus, this study aims to identify and additional supplemental instruments used to assess the e-professionalism of material for this paper are

healthcare professionals.

Methods and analysis A systematic review will be developed to answer the question: 'How is eprofessionalism in healthcare professionals evaluated in the literature?'. The searches will take place in the following databases: PUBMED/Medline, EMBASE, Web of Science, ERIC and Scopus using descriptors such as 'professionalism', 'e-professionalism', 'social media' and synonyms. Studies will be selected after evaluating titles and abstracts, followed by an analysis of full texts using the Rayyan tool. Studies that present the development and validation of e-professionalism assessment instruments for nursing, pharmacy, medicine and dentistry will be included. The quality of the instruments will be assessed based on evidence of content and construct validity reported by the developers.

Ethics and dissemination This review is exempt from ethical approval because it does not include patient data. The results of the systematic review will be disseminated through a peer-reviewed journal and presented at a relevant conference.

PROSPERO registration number CRD42023454825.

INTRODUCTION

Social media refers to Web 2.0 digital platforms that integrate personal and mass communication, enabling content creation, information sharing and user interaction. These platforms can be categorised into different types, such as communication tools (eg, WhatsApp, Telegram) and social networks (eg, Instagram, Facebook).¹² They differ from Web 1.0 platforms, such as email and text messaging, by offering a more dynamic and interactive

STRENGTHS AND LIMITATIONS OF THIS STUDY

- \Rightarrow The study presents a relevant and timely topic that has been generating growing interest among professionals and researchers.
- \Rightarrow This study has the potential to encourage the production of new research on e-professionalism in the healthcare field.
- \Rightarrow This protocol does not cover all healthcare professions, which may limit the comprehensiveness and generalisability of the results.

Protected by copyright, including for uses related experience, in contrast to the linear content distribution characteristic of earlier digital đ communication media.²

text In recent years, social media has had a great social impact, being essential in the daily lives of people who seek to share ð knowledge, access information and entertainment immediately.^{3–5} Furthermore, the \exists COVID-19 pandemic influenced this scenario by affecting the execution and delivery of services, requiring rapid transformation and \ge trai adaptation on the part of providers, including health services.^{6–8}

Bu There are beneficial and relevant influencing factors in the use of social media by professionals and students in the health field, <u>0</u> with an expansion of the possibilities for interprofessional collaboration and exchange of knowledge, in addition to getting closer to the patient despite the absence of physical contact.⁹¹⁰ Furthermore, health professionals **o** use social media to mitigate the 'infodemic', **g**. a phenomenon that was highlighted by the $\overline{\mathbf{g}}$ COVID-19 pandemic, characterised by the rapid dissemination of false information, negatively impacting society.^{11 12}

Despite its importance, there are risks associated with the way certain information is shared and the way professionals and students communicate in a virtual environment.⁸ There is a common concern related to the use of social media in the healthcare sector:

C Author(s) (or their employer(s)) 2025. Re-use

permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ Group.

available online. To view these

online (https://doi.org/10.1136/

files, please visit the journal

Received 01 February 2024

Accepted 12 December 2024

Check for updates

bmjopen-2024-084965).

¹Health Sciences Graduate Program, Laboratory of Teaching and Research in Social Pharmacy (LEPFS), Department of Pharmacy, Federal University of Sergipe, Aracaju, Brazil ²Graduate Program in Pharmaceutical Sciences, Laboratory of Teaching and Research in Social Pharmacy (LEPFS). Department of Pharmacy, Federal University of Sergipe, São Cristóvão, Brazil ³Laboratory of Teaching and **Research in Social Pharmacy** (LEPFS), Department of Pharmacy, Federal University of Sergipe, São Cristóvão, Brazil

Correspondence to

Divaldo Pereira de Lyra-Jr; lepfs.ufs@gmail.com

the impact on professionalism—as the use of public platforms, although potentially beneficial, can have professional implications if they are not used correctly.¹³

It is worth highlighting that professionalism is a process developed by professionals as a strategy so that they can control their own work and be socially recognised.¹⁴¹⁵ In the scope of health, professionalism is still a set of ideologies that serves as the basis for the social contract between professionals and society.⁶ Professionalism manifested through social media is called e-professionalism by Cain and Romanelli.¹⁶ The authors argue that in this scenario, attitudes and behaviours become public and are subject to different interpretations.¹⁶

According to Duke and collaborators,¹³ among the main components of e-professionalism is the ability to distinguish between appropriate and inappropriate conduct and the use of social media privacy settings.¹³ Due to concerns about the risk of unprofessional behaviour in the use of social media and established boundaries between professional relationships, several organisations have published guidelines for the appropriate use of these platforms.^{10 17 18}

In view of the above, it is a great challenge to understand professionalism, and it is possible to capture personal, interpersonal and social dimensions.¹⁷ Thus, investment in studies to understand e-professionalism assessment instruments can imply the identification of gaps in assessment methods, the evolution of the construct in the health area and the improvement of services provided by its professionals.

METHOD AND ANALYSIS

The objective of the study will be to identify instruments used to assess the e-professionalism of healthcare professionals. To this end, a systematic review will be conducted according to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)¹⁹ guidelines, and this protocol was registered in PROSPERO-international prospective register of systematic reviews (CRD42023454825).

Search strategy

The answer to the question 'How is e-professionalism in healthcare professionals evaluated in the literature?' will be the focus of the review. To this end, a literature search will be carried out, consulting the PUBMED/Medline, EMBASE, Web of Science, ERIC and Scopus databases with the following descriptors: 'professionalism', 'e-professionalism', 'social media' and their combinations and synonyms.

A detailed draft of the search strategy proposed for this study can be found in the online supplemental file.

Study selection

From the search, articles will be selected following the following steps: exclusion of duplicate studies in the databases consulted, evaluation of titles and abstracts and,

to text

ð

≥

training, and

simi

Бu

subsequently, analysis of full texts. The study selection stage will be carried out with the help of the Rayyan QRCI tool.²⁰ The process will be carried out by two researchers independently, and possible disagreements will be resolved by a third researcher, according to guidelines recommended in PRISMA.

Inclusion criteria

For the analysis of full texts, studies that meet the criteria will be included: (a) studies that address the following health professions: nursing, pharmacy, medicine and dentistry; (b) studies that have the e-professionalism of health professionals such as central theme and (c) studies ŝ that present tools for evaluating the theme applied to professionals, students in the health area or both simul- 8 opyri taneously. No language or publication period restrictions will be applied to this systematic review.

The e-professionalism assessment tools will be included based on the following categorisation, proposed by the systematic review by Wilkinson and colleagues²¹: observed clinical encounter assessment, assessments by coworkers, records of incidents of unprofessionalism, report critical incident reports, simulations, patients' opinions, superviuses rela sors' opinions, tests based on problem situations and selfadministered assessment.²¹ The categories are described in table 1. Other literature reviews, theses and dissertations, abstracts, letters to the editor and conference papers will not be included.

Data extraction

For the studies included in the review, the following data will be extracted: author(s), year and language of publication, journal, country of origin, general objective and specific objectives of the study, profession, population (whether professionals or students of a certain profession), context and methodological design.²² Data extraction will be carried out by two researchers independently, and a third researcher will be responsible for consensus. The extracted data will be arranged in Microsoft Excel spreadsheets.

Assessment of the quality of tools

The quality of the tools will be assessed using the Consensus-based Standards for the Selection of Health Status Measurement Instruments (COSMIN) checklist, technolog developed to evaluate, in a valid and reliable way, the methodological quality of tools that measure multidimensional and not directly measurable constructs.²³

The COSMIN checklist contains nine boxes for evaluating measurement properties: internal consistency (A), reliability (B), measurement error (C), content validity (D), structural validity (E), hypothesis testing (F), crosscultural validity (G), criterion validity (H), and responsiveness (I) and a box contains standards for interpretability studies (J). These boxes contain 5–18 items that cover the reliability, validity and responsiveness domains.

Each item will be answered using a scoring system proposed by Terwee and collaborators (2012),² ⁴ which

Table 1 Professionalism assessment categories	
Category	Description
Observed clinical encounter assessment	Carried out by observing a professional-patient interaction that is conducted in real patient care environments using real patients.
Assessments carried out by coworkers	This occurs through the collection of data and feedback on an individual's performance, acquired from various interested parties. Can be used to assess skills and behaviours that can sometimes be hidden within a formal environment.
Records of unprofessionalism incidents	This is used on an 'as needed' basis, whereby an observed incident of unprofessional behaviour can be reported and collected centrally. An overview group would review the reports to determine if a pattern of behaviour is apparent and/or if further action is needed.
Critical incident report	This method asks the professional to reflect on a critical incident that he or she has experienced or witnessed. It can encourage reflection and attention to elements of professionalism.
Simulations	Scenarios that resemble real-life situations, but often use models or simulated patients. Simulations can be used to evaluate rare or unpredictable situations or to standardise the assessment of higher order communication skills.
Patients' opinions	Obtained by collecting questionnaire-based patient opinions about the nominee's abilities in specific areas.
Supervisors' opinion	This is a summary view made by a supervisor, reported on a form with predefined criteria. Criteria help define areas of importance, but their tendency to be used as the viewpoints of single observers at unique times can make them unreliable and difficult to defend.
Tests based on problem situations	This requires providing a scenario, such as an ethical dilemma or video meeting, and a series of questions to be answered and test underlying knowledge of some principles of professionalism, moral reasoning or decision-making.
Self-administered assessment	It consists of a questionnaire-based tool that an individual uses to evaluate his or her personal attributes or attitudes. It can help with reflection but has limited use in summative assessments because it cannot assess what a person does.

consists of a four-point scale (excellent, good, fair or bad), and the methodological quality of the box will be classified by the worst evaluation among the items.^{23 25} Therefore, if in a box, there is a single item considered 'bad', the methodological quality of the measurement property evaluated in the box is classified in this way. This step will be independently carried out by two researchers. To reduce the risk of bias, specific quality criteria will be adopted for each item on the COSMIN checklist.²³

Patient and public involvement

Patients and/or the public were not involved in this study.

ETHICS AND DISSEMINATION

This review is exempt from ethical approval because it does not include patient data. The results of the systematic review will be disseminated through a peer-reviewed journal and presented at a relevant conference.

DISCUSSION

In this scoping review, e-professionalism assessment instruments for nursing, pharmacy, medicine and dentistry will be identified. These professions were selected for this study due to their longstanding tradition in the development of health sciences. Furthermore, these are the health-related professions with the highest number of registered professionals, highlighting their extensive integration and significant impact on healthcare systems²⁶ (WHO).

By synthesising this evidence, we hope to contribute to the understanding of how professionalism has been characterised in virtual settings. This understanding is fundamental given the impact of social media and the need for health professionals to adapt to these changes.

In view of this, it is expected to provide insights from **g** the assessment of the quality of the identified instruments to report the effectiveness and usability of effective tools for health professionals. Finally, this study can serve as a basis for future investigations, inspiring additional research in the field of e-professionalism by providing information that empowers students and professionals to face the challenges of the digital world with ethics and competence.

Contributors FAN, LGdS, TMT, DS and DPLJ participated in the study conception and design. FAN, LGdS, TMT and DS drafted the article. FAN and DPLJ revised the manuscript critically for important intellectual content. All authors accepted the final version of the manuscript. DPLJ is the guarantor.

Funding This study was financed in part by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior – Brasil (CAPES) – Finance Code 001

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Open access

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iD

Divaldo Pereira de Lyra-Jr http://orcid.org/0000-0002-8777-4919

REFERENCES

- 1 McFarland L, Ployhart R. Mídias sociais: Uma estrutura contextual para orientar a pesquisa e a prática. J Appl Psychol 2015;100 6:1653-77.
- 2 Carr CT, Hayes RA. Social Media: Defining, Developing, and Divining. Atl J Commun 2015;23:46-65.
- Gomez LM. The state of social media research in csr communication. 3 In: The Palgrave Handbook of Corporate Social Responsibility. Springer International Publishing, 2021: 577-98.
- Jabbour D, Masri JE, Nawfal R, et al. Social media medical 4 misinformation: impact on mental health and vaccination decision among university students. Ir J Med Sci 2023;192:291-301.
- 5 Walter N, Brooks JJ, Saucier CJ, et al. Evaluating the Impact of Attempts to Correct Health Misinformation on Social Media: A Meta-Analysis. Health Commun 2021;36:1776-84.
- 6 Araújo-Neto F de C, Santos LG dos, Tavares TMA, et al. Teaching Strategies for Professional Identity Education in Pharmacy: A Scoping Review, Am J Pharm Educ 2024:88:100597.
- Hayden JC, Parkin R. The challenges of COVID-19 for community 7 pharmacists and opportunities for the future. Ir J Psychol Med . 2020;37:198–203.
- Le T, Toscani M, Colaizzi J. Telepharmacy: A New Paradigm for Our 8 Profession. J Pharm Pract 2020:33:176-82.
- Afful-Dadzie E, Afful-Dadzie A, Egala SB. Social media in health 9 communication: A literature review of information quality. Health Inf Manag 2023:52:3-17.
- Kitsis EA, Milan FB, Cohen HW, et al. Who's misbehaving? 10 Perceptions of unprofessional social media use by medical students and faculty. BMC Med Educ 2016;16:67.

- Garcia LP. Duarte E. Infodemic: excess quantity to the detriment of quality of information about COVID-19. Epidemiol Serv Saude 2020;29:e2020186.
- 12 Jeminiwa R, Shamsuddin F, Clauson KA, et al. Pharmacy students' personal and professional use of social media. Curr Pharm Teach earn 2021:13:599-607
- 13 Duke VJA, Anstey A, Carter S, et al. Social media in nurse education: Utilization and E-professionalism. Nurse Educ Today 2017;57:8–13.
- 14 Dosea AS, de Castro Araújo-Neto F, Fonseca FL, et al. "Reigns but does not govern": A reflection on professionalism and the autonomy of the pharmacist. Research in Social and Administrative Pharmacy 2023:19:1061-72
- Freidson E. Profissão médica: um estudo de sociologia do 15 conhecimento aplicado. Profession of Medicine Licensed by the University of Chicago; 2009. Available: https://www.submarino. com.br/produto/6987742/livro-profissao-medica-um-estudo-desociologia-do-conhecimento-aplicado?WT.srch=1&epar=bp_pl_00 go_g35177&gclid=CjwKCAiAz7TfBRAKEiwAz8fKOAQqXbhjonnE 6o09IYEqoPdbNcGMjluXYe4pH2y16GJqgXx2vzXRIhoCkzcQAvD_ BwE&opn=XM
- 16 Cain J, Romanelli F. E-professionalism: a new paradigm for a digital age. Curr Pharm Teach Learn 2009;1:66-70.
- Protected by copyright, including for uses related to text and data mining, AI training, and similar technologies 17 Mayer MA, Leis A, Mayer A, et al. How medical doctors and students should use Social Media: a review of the main guidelines for proposing practical recommendations. Stud Health Technol Inform 2012;180:853-7.
- Westrick SJ. Nursing Students' Use of Electronic and Social 18 Media: Law, Ethics, and E-Professionalism. Nurs Educ Perspect 2016:37:16-22.
- Moher D, Liberati A, Tetzlaff J, et al. Preferred reporting items for 19 systematic reviews and meta-analyses: the PRISMA statement. BMJ 2009:339:b2535.
- Ouzzani M, Hammady H, Fedorowicz Z, et al. Rayyan-a web and mobile app for systematic reviews. Syst Rev 2016;5:210.
- Wilkinson TJ, Wade WB, Knock LD. A blueprint to assess 21 professionalism: results of a systematic review. Acad Med . 2009;84:551–8.
- Kastner M, Tricco AC, Soobiah C, et al. What is the most 22 appropriate knowledge synthesis method to conduct a review? Protocol for a scoping review. BMC Med Res Methodol 2012;12:114.
- 23 Prinsen CAC. Mokkink LB. Bouter LM. et al. COSMIN guideline for systematic reviews of patient-reported outcome measures. Qual Life Res 2018;27:1147-57
- Terwee CB, Mokkink LB, Knol DL, et al. Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Qual Life Res 2012;21:651-7.
- Terwee CB, Bot SDM, de Boer MR, et al. Quality criteria were proposed for measurement properties of health status questionnaires. J Clin Epidemiol 2007;60:34-42.
- WHO World Health Organization. Global health workforce statistics 26 database. The Global Health Observatory: 2024. Available: https:// www.who.int/data/gho/data/themes/topics/health-workforce