How many times	0	1-2	3-4	5-6	7-8	>8
had you						
performed the						
following						
procedures prior						
to the course?						
Assessing for and	40 (44%)	23 (26%)	13 (14%)	7 (8%)	4 (4%)	3 (3%)
removing a	40 (4470)	23 (2070)	13 (1476)	7 (670)	4 (470)	3 (370)
foreighn body of						
the ear						
Assessing for and	36 (40%)	22 (24%)	13 (14%)	11 (12%)	4 (4%)	4 (4%)
removing a						
foreighn body of						
the nose						
Assessing for and	61 (68%)	11 (12%)	13 (14%)	5 (5%)	0 (0%)	0 (0%)
removing a						
foreign body of						
the throat"						
	6F (739/)	19 (20%)	4 (4%)	2 /29/)	0 (0%)	0 (0%)
Managing a	65 (72%)	18 (20%)	4 (4%)	3 (3%)	0 (0%)	0 (0%)
peritonsillar						
abscess/Quinsy						
including needle						
aspiration						
Performing a	76 (84%)	5 (6%)	5 (6%)	4 (4%)	0 (0%)	0 (0%)
tracheostomy						
Managing Otitis	42 (47%)	7 (8%)	4 (4%)	19 (21%)	16 (18%)	2 (2%)
Externa with the						
insertion of a						
pope otowick						
Managing a post-	83 (92%)	5 (6%)	2 (2%)	0 (0%)	0 (0%)	0 (0%)
thyroidectomy	03 (32/0)	(5,0)	= (=/-/	(0/0)	0 (0/0)	(5/0)
haematoma						
Managing	14 (16%)	25 (28%)	7 (8%)	9 (10%)	4 (4%)	31 (34%)

epistaxis including						
nasal packing and						
cautery						
Managing a post-	50 (56%)	18 (20%)	7 (8%)	13 (14%)	2 (2%)	0 (0%)
tonsillectomy						
bleed						
Assessment of	79 (88%)	5 (6%)	2 (2%)	0 (0%)	2 (2%)	2 (2%)
stridor and						
performing						
flexible						
nasendoscopy						

Appendix 3. Prior Experience with 10 Common ENT Emergencies.