

Supplementary File 10: Outcome Domains and Sub-Domains

Outcome Domains	Primary Care No. of Papers & Refs	Secondary/Tertiary Care No. of Papers & Refs	Emergency & Pre- hospital Care No. of Papers & Refs	Other/Mixed No. of Papers & Refs	Total
Patient & Family	N=43 1-43	N= 27 44-70	N=2 71, 72	N=1 73	73
Patients' Perceptions and Experiences of ACP Roles	N=41 1-23, 25-27, 29-43	N=22 45-64, 66, 67	N=2 71, 72	N=1 73	66
Health Status & Behaviour	N=16 1, 2, 6-8, 13, 21-27, 29-31, 39	N=8 44, 58, 60, 65, 67-70	N=2 71, 72	N=0	26
Healthcare Provider & Stakeholder	N=45 1, 3, 4, 8, 10-12, 15, 18-21, 23-28, 31, 33-36, 40-43, 74-91	N=38 44-46, 52, 53, 57, 64, 66, 69, 92-120	N=7 71, 72, 121-125	N=14 73, 126-138	104
Healthcare Team Acceptance of, and Satisfaction with, ACP Roles	N=24 3, 10-12, 18, 19, 21, 23-26, 28, 31, 42, 43, 74, 75, 79, 82, 85-88, 91	N=15 45, 53, 57, 92-94, 97, 98, 100-102, 108, 111, 113, 116	N=2 122, 125	N=4 73, 129, 135, 138	45
Healthcare Team Performance	N=25 3, 4, 8, 10-12, 15, 20, 21, 27, 31, 33-36, 40, 41, 74, 78, 81-84, 88, 89	N=22 44, 46, 52, 53, 57, 69, 92-95, 99, 101, 105-107, 109-111, 113-115, 118	N=7 71, 72, 121-125	N=4 131, 134, 136, 138	58
ACP Job Satisfaction and Perceived Support from Colleagues	N=10 19, 27, 28, 80, 85, 87, 89-91	N=7 66, 100-102, 104, 113, 117	N=3 122-124	N=11 73, 126-128, 132, 135, 137, 138	31
ACPs' Perception of Role Impact	N=0	N=7 45, 64, 107, 108, 117, 119, 120	N=0	N=6 126, 127, 130, 133, 135, 136	13
Quality of Care	N=18 20, 21, 29, 31, 32, 35, 40, 43, 88, 89, 139	N=26 44, 46, 53, 57, 66, 99, 100, 102, 107, 109, 111, 140-154	N=4 71, 72, 122, 125	N=3 73, 131, 134	51
Access to Care	N=13 4, 8, 10, 13, 15, 20, 21, 29, 31, 32, 40, 43, 139	N=7 46, 66, 99, 140, 148-150	N=3 71, 72, 125	N=2 73, 134	25
Patient Safety	N=6 11, 19, 21, 31, 35, 88	N=13 46, 57, 66, 141-147, 149, 151, 152	N=1 122	N=0	20

Outcome Domains	Primary Care No. of Papers & Refs	Secondary/Tertiary Care No. of Papers & Refs	Emergency & Pre- hospital Care No. of Papers & Refs	Other/Mixed No. of Papers & Refs	Total
Processes of Care	N=2 13, 89	N=12 53, 57, 66, 70, 99, 100, 102, 109, 111, 150, 153, 154	N=2 71, 122	N=2 131, 134	18
Healthcare Use & Costs	N=29 11-13, 16, 21, 29-43, 78, 81-84, 139, 155-157	N=64 44, 46-48, 50, 52, 54, 56, 57, 59, 61, 66-70, 93, 95, 96, 99, 104, 109, 110, 113, 115, 118, 140-143, 145, 147- 154, 158-182	N=8 71, 72, 121-123, 125, 183, 184	N=3 73, 131, 134	104
Appropriateness of Care	N=26 11-13, 16, 29-38, 40-43, 81-83, 139, 155-157	N=55 44, 46-48, 50, 52, 54, 56, 59, 61, 66, 68, 70, 93, 95, 96, 99, 109, 110, 115, 118, 140-143, 145, 147-151, 153, 154, 158-169, 171-174, 177, 178, 180-182	N=7 71, 72, 121-123, 125, 184	N=3 73, 131, 134	91
Emergency Department Visits	N=1 83	N=0	N=1 183	N=0	2
Cost Savings & Revenue Generation	N=13 12, 29, 31, 32, 35, 38, 40, 41, 43, 83, 84, 139, 157	N=10 44, 57, 66, 69, 113, 141, 151, 152, 166, 172	N=0	N=0	23
Hospital Length of Stay & Readmission Rates	N=0	N=9 66, 67, 99, 151, 164, 170, 172, 175, 176	N=0	N=0	9
Organisation, Professional & Workforce Issues	N=1 185	N=3 102, 113, 119	N=0	N=1 135	5

References

1. Barratt J, Thomas N. Nurse practitioner consultations in primary health care: patient, carer, and nurse practitioner qualitative interpretations of communication processes. *Primary Health Care Research & Development*. 2018:1-9. doi:<https://dx.doi.org/10.1017/S1463423618000798>
2. Barratt J, Thomas N. Nurse practitioner consultations in primary health care: a case study-based survey of patients' pre-consultation expectations, and post-consultation satisfaction and enablement. *Primary Health Care Research & Development*. 2018:1-8. doi:<https://dx.doi.org/10.1017/S1463423618000415>
3. Hall JP. *Nurse practitioners' perceptions of their role and value in UK general practice [PhD Thesis]*: Sheffield Hallam University; 2016. (accessed
4. Perry C, Thurston M, Killey M, *et al*. The nurse practitioner in primary care: alleviating problems of access? *Br J Nurs*. 2005;**14**:255-9. doi:<https://doi.org/10.12968/bjon.2005.14.5.17659>
5. Redsell S, Stokes T, Jackson C, *et al*. Patients' accounts of the differences in nurses' and general practitioners' roles in primary care. *Journal of Advanced Nursing*. 2007;**57**:172-80. doi:<https://dx.doi.org/10.1111/j.1365-2648.2006.04085.x>
6. Seale C, Anderson E, Kinnersley P. Comparison of GP and nurse practitioner consultations: an observational study. *Br J Gen Pract*. 2005;**55**:938-43. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1570503/pdf/bjpg55-938.pdf>
7. Seale C, Anderson E, Kinnersley P. Treatment advice in primary care: a comparative study of nurse practitioners and general practitioners. *Journal of Advanced Nursing*. 2006;**54**:534-41. doi:<https://dx.doi.org/10.1111/j.1365-2648.2006.03865.x>
8. Williams A, Jones M. Patients' assessments of consulting a nurse practitioner: the time factor. *Journal of Advanced Nursing*. 2006;**53**:188-95. doi:<https://dx.doi.org/10.1111/j.1365-2648.2006.03714.x>
9. Barratt J. A case study of styles of patient self-presentation in the nurse practitioner primary health care consultation. *Primary Health Care Research & Development*. 2005;**6**:329-40. doi:<https://doi.org/10.1191/1463423605pc255oa>
10. Oliver E. Driving the role of the advanced practitioner in primary care. *Practice Nursing*. 2017;**28**:42-45. doi:<https://dx.doi.org/10.12968/pnur.2017.28.1.42>

11. Collins D. Assessing the effectiveness of advanced nurse practitioners undertaking home visits in an out of hours urgent primary care service in England. *Journal of Nursing Management*. 2019;**27**:450-58. doi:<https://dx.doi.org/10.1111/jonm.12680>
12. Gladman JRF, Chikura G. Nurse practitioners in UK care homes. *Medical Crises in Older People: Discussion Paper Series*. 2011;**8**. Available from: <https://www.nottingham.ac.uk/mcop/documents/papers/issue8-mcop-issn2044-4230.pdf> (accessed 01/07/2020)
13. Williams V, Smith A, Chapman L, *et al*. Community matrons-an exploratory study of patients' views and experiences. *J Adv Nurs*. 2011;**67**:86-93. doi:<http://dx.doi.org/10.1111/j.1365-2648.2010.05458.x>
14. Barratt J, Thomas N. Nurse practitioner consultations in primary health care: an observational interaction analysis of social interactions and consultation outcomes. *Prim Health Care Res Dev*. 2018;**20**:e37. doi:<https://dx.doi.org/10.1017/S1463423618000427>
15. Leask CF, Tennant H. Evaluation of an unscheduled care model delivered by advanced nurse practitioners in a primary-care setting. *J Res Nurs*. 2019;**24**:696-709. doi:<https://dx.doi.org/10.1177/1744987119852380>
16. Neylon J. Nurse-led management of chronic disease in a residential care setting. *Nurs Older People*. 2015;**27**:22-26. doi:<https://dx.doi.org/10.7748/nop.27.9.22.s18>
17. Redsell SA, Jackson C, Stroke T, *et al*. Patient expectations of 'first-contact care' consultations with nurse and general practitioners in primary care. *Quality in Primary Care*. 2007;**15**:5-10. <https://core.ac.uk/reader/17912>
18. McMurray R. The struggle to professionalize: An ethnographic account of the occupational position of Advanced Nurse Practitioners. *Hum Relat*. 2011;**64**:801-22. doi:<https://dx.doi.org/10.1177/0018726710387949>
19. Raleigh M, Allan H. A qualitative study of advanced nurse practitioners' use of physical assessment skills in the community: shifting skills across professional boundaries. *J Clin Nurs*. 2017;**26**:2025-35. doi:<https://dx.doi.org/10.1111/jocn.13613>
20. Gerard K, Tinelli M, Latter S, *et al*. Valuing the extended role of prescribing pharmacist in general practice: results from a discrete choice experiment. *Value Health*. 2012;**15**:699-707. doi:<https://dx.doi.org/10.1016/j.jval.2012.02.006>
21. Mann C, Anderson C, Avery AJ, *et al*. Clinical Pharmacists in General Practice: Pilot Scheme. University of Nottingham; 2018. Available from: <https://www.england.nhs.uk/commissioning/wp-content/uploads/sites/12/2015/07/clinical-pharmacists-gp-pilot.pdf> (accessed 01/07/2020)
22. Snell R, Langran T, Donyai P. Patient views about polypharmacy medication review clinics run by clinical pharmacists in GP practices. *International Journal of Clinical Pharmacy*. 2017;**39**:1162-65. doi:<https://dx.doi.org/10.1007/s11096-017-0538-z>

23. Bruhn H, Bond CM, Elliott AM, *et al.* Pharmacist-led management of chronic pain in primary care: results from a randomised controlled exploratory trial. *BMJ Open*. 2013;**3**:e002361. doi:<http://dx.doi.org/10.1136/bmjopen-2012-002361>
24. Bruhn H, Bond CM, Elliott A, *et al.* Pharmacist-led management of chronic pain in primary care: The PIPPC study. *Int J Pharm Pract*. 2011;**19**:22-23. doi:<http://dx.doi.org/10.1111/j.2042-7174.2011.00103.x>
25. Bond C, Maskrey V, Alldred D, *et al.* Care Homes Independent Pharmacist Prescribing Study (CHIPPS): Experiences from a non-randomised feasibility study. *Int J Pharm Pract*. 2017;**25**:5-6. doi:<http://dx.doi.org/10.1111/ijpp.12416>
26. Donnelly R, Hughes CM, Harper R, *et al.* A feasibility study of pharmacist independent prescribing in a primary care setting. *Diabet Med*. 2010;**27**:165. doi:<http://dx.doi.org/10.1111/j.1464-5491.2009.02936.x>
27. Boyd MJ, Mann C, Anderson C, *et al.* Evaluation of the NHS England Phase 1 pilot: Clinical pharmacists in general practice. *Int J Pharm Pract*. 2019;**27**:4-5. doi:<http://dx.doi.org/10.1111/ijpp.12509>
28. Nabhani-Gebara S, Fletcher S, Shamim A, *et al.* General practice pharmacists in England: Integration, mediation and professional dynamics. *Res Social Adm Pharm*. 2019;**16**:17-24. doi:<https://dx.doi.org/10.1016/j.sapharm.2019.01.014>
29. Horne L, Slade V, Evans A. Transformation of MSK services in Halton Cheshire to First Contact Practitioner model. *Physiotherapy*. 2019;**105**:e107. doi:<https://doi.org/10.1016/j.physio.2018.11.086>
30. Morley H, Ker K. Patient satisfaction and outcomes of MSK pain patients accessing advanced physiotherapy practitioner in primary care; a service evaluation...The Chartered Society of Physiotherapy UK Conference 2018, Birmingham, UK, 19-20 October 2018. *Physiotherapy*. 2019;**105**:e164-e65. doi:<https://dx.doi.org/10.1016/j.physio.2018.11.168>
31. Scottish School of Primary Care. Evaluation of New Models of Primary Care: Inverclyde Case Study. 2018. Available from: http://www.sspc.ac.uk/media/media_573766_en.pdf (accessed 01/07/2020)
32. Akehurst N, Bamford S, Brooks E. A specialist led back pain service in primary care. Advanced Practice Physiotherapists (APP) working as first contact practitioners (FCPs)...The Chartered Society of Physiotherapy UK Conference 2018, Birmingham, UK, 19-20 October 2018. *Physiotherapy*. 2019;**105**:e100-e00. doi:10.1016/j.physio.2018.11.077
33. Caine R, Wynne C. Advanced practitioner physiotherapists in primary care: a new era...The 4th European Congress of the European Region of the World Confederation of Physical Therapy (ER-WCPT) Abstracts, Liverpool, UK, 11-12 November 2016. *Physiotherapy*. 2016;**102**:e142-e42. doi:10.1016/j.physio.2016.10.163

34. Downie F, McRitchie C, Monteith W, *et al.* Physiotherapist as an alternative to a GP for musculoskeletal conditions: a 2-year service evaluation of UK primary care data. *British Journal of General Practice*. 2019;**69**:e314-e20. doi:<https://dx.doi.org/10.3399/bjgp19X702245>
35. Goodwin RW, Hendrick PA. Physiotherapy as a first point of contact in general practice: a solution to a growing problem? *Prim Health Care Res Dev*. 2016;**17**:489-502. doi:<https://dx.doi.org/10.1017/S1463423616000189>
36. Ingram S, Pickup S, Acton T, *et al.* A two year service evaluation of first contact musculoskeletal (MSK) physiotherapy roles within primary care in Taunton. *Physiotherapy*. 2019;**105**:e65. doi:<https://dx.doi.org/10.1016/j.physio.2018.11.027>
37. Ross J, McGowan S, Wightman N. Advanced practitioner physiotherapist as 1st point of contact in a GP cluster in Lanarkshire...The Chartered Society of Physiotherapy UK Conference 2018, Birmingham, UK, 19-20 October 2018. *Physiotherapy*. 2019;**105**:e96-e96. doi:10.1016/j.physio.2018.11.071
38. Salmon P, Humphreys K, Price J, *et al.* Can physiotherapy first contact practitioners reduce the burden on general practitioners and improve the management of musculoskeletal conditions? *Physiotherapy*. 2017;**103**:e143. doi:<https://dx.doi.org/10.1016/j.physio.2017.11.137>
39. Sephton R, Hough E, Roberts SA, *et al.* Evaluation of a primary care musculoskeletal clinical assessment service: a preliminary study. *Physiotherapy*. 2010;**96**:296-302. doi:<https://dx.doi.org/10.1016/j.physio.2010.03.003>
40. Allan P, Dekka C, Brown R. Impact of an advanced physiotherapy practitioner-led pilot community spinal MSK service. *Physiotherapy*. 2017;**103**:e121. doi:<https://dx.doi.org/10.1016/j.physio.2017.11.104>
41. Hensman-Crook A. Advanced physiotherapy in primary care. Part of the solution for a growing crisis? *Physiotherapy*. 2017;**103**:e112. doi:<http://dx.doi.org/10.1016/j.physio.2017.11.159>
42. Quicke JG, Cottrell E, Duffy H, *et al.* Implementing and evaluating a pilot physiotherapist-led osteoarthritis clinic in general practice. *Physiotherapy*. 2019;**105**:e33-e34. doi:<https://dx.doi.org/10.1016/j.physio.2018.11.278>
43. Pallan M, Linnane J, Ramaiah S. Evaluation of an independent, radiographer-led community diagnostic ultrasound service provided to general practitioners. *J Public Health (Oxf)*. 2005;**27**:176-81. doi:<https://dx.doi.org/10.1093/pubmed/fdi006>
44. Abbas Y, Smith G, Trinidade A. Audiologist-led screening of acoustic neuromas in patients with asymmetrical sensorineural hearing loss and/or unilateral tinnitus: our experience in 1126 patients. *Journal of laryngology and otology*. 2018;**132**:786-89. doi:<https://dx.doi.org/10.1017/S0022215118001561>

45. Avery L, Butler J. An evaluation of the role of diabetes nurse consultants in the UK. *J Diabetes Nurs*. 2008;**12**:58-63. doi:https://www.woundsinternational.com/uploads/resources/dotn/_master/552/files/pdf/jdn12-2pg58596263.pdf
46. Bendle M, Samani A, Newsom-Davis T. Independent prescribing pharmacist clinics; how they can benefit oncology services. *Lung Cancer*. 2017;**103**:S46-S47. doi:[https://doi.org/10.1016/S0169-5002\(17\)30153-8](https://doi.org/10.1016/S0169-5002(17)30153-8)
47. Burrows L, Lesser TH, Kasbekar AV, *et al*. Independent prescriber physiotherapist led balance clinic: the Southport and Ormskirk pathway. *Journal of laryngology and otology*. 2017;**131**:417-24. doi:<https://dx.doi.org/10.1017/S0022215117000342>
48. Candy E, Haworth-Booth S, Knight-Davis M. Review of the Effectiveness of a Consultant Physiotherapy-Led Musculoskeletal Interface Team: A Welsh Experience. *Musculoskelet Care*. 2016;**14**:185-91. doi:<https://dx.doi.org/10.1002/msc.1122>
49. Duncan N. Evaluating a pharmacist prescriber role in haematology and oncology clinics. *J Oncol Pharm Pract*. 2017;**23**:25. doi:<https://dx.doi.org/10.1177/1078155217729776>
50. Fish S. Pilot of an advanced practitioner physiotherapist to improve the triage process and assess patients with non-inflammatory conditions in rheumatology. *Physiotherapy*. 2019;**105**:e79. doi:<https://dx.doi.org/10.1016/j.physio.2018.11.048>
51. Gallagher M-J. Introduction of a nurse-led intravitreal injection service in ophthalmology. *Br J Nurs*. 2017;**26**:800-03. doi:<https://dx.doi.org/10.12968/bjon.2017.26.14.800>
52. Hyde R. An advanced nurse practitioner service for neonates, children and young people. *Nurs Child Young People*. 2017;**29**:36-41. doi:<https://dx.doi.org/10.7748/ncyp.2017.e938>
53. Kennedy C, Brooks Young P, Nicol J, *et al*. Fluid role boundaries: exploring the contribution of the advanced nurse practitioner to multi-professional palliative care. *J Clin Nurs*. 2015;**24**:3296-305. doi:<https://dx.doi.org/10.1111/jocn.12950>
54. Lane L, Minns S. Empowering advanced practitioners to set up nurse led clinics for improved outpatient care. *Nurs Times*. 2010;**106**:14-15. Available from: <https://www.nursingtimes.net/download?ac=1258737> (accessed 29/06/2020)
55. Lilley A. Are parents and patients happy to see an advanced paediatric pharmacist practitioner (APPP)? *Arch Dis Child*. 2019;**104**:e2. doi:<https://dx.doi.org/10.1136/archdischild-2019-nppc.9>
56. Marriage D, Kanchanatheera M, Thursby-Pelham A, *et al*. Parental satisfaction in the nurse-led pediatric allergy clinic. *Allergy*. 2012;**67**:512. doi:<https://dx.doi.org/10.1111/all.12037>

57. McDonnell A, Goodwin E, Kennedy F, *et al.* An evaluation of the implementation of Advanced Nurse Practitioner (ANP) roles in an acute hospital setting. *J Adv Nurs*. 2015;**71**:789-99.
58. McNeilly NE, Waterfield J. A service evaluation of a physiotherapy extended scope practitioner community-led injection service. *Rheumatology (Oxford)*. 2012;**51**:iii59. doi:<http://dx.doi.org/10.1093/rheumatology/kes110>
59. Mullen L, Jones C. A service evaluation of a new nurse consultant-led basal cell carcinoma clinic. *Dermatol Nurs (Lond)*. 2014;**13**:39-44. Available from: <https://www.ingentaconnect.com/content/bdng/dn/2014/00000013/00000003/art00005> (accessed 29/06/2020)
60. Payton H, Jaques N, Lacey F, *et al.* Evaluating the clinical impact of a pharmacist-led diabetes outpatient clinic. *Int J Pharm Pract*. 2011;**19**:17. doi:<http://dx.doi.org/10.1111/j.2042-7174.2011.00142.x>
61. Pearse EO, Maclean A, Ricketts DM. The extended scope physiotherapist in orthopaedic out-patients - an audit. *Ann R Coll Surg Engl*. 2006;**88**:653-55. doi:<https://dx.doi.org/10.1308/003588406X149183>
62. Pritchard A, Taylor A, Foran B, *et al.* Evaluating the impact of the head & neck specialist radiographer on patient experience in radiotherapy. *Radiography*. 2020;**26**:S23. doi:<http://dx.doi.org/10.1016/j.radi.2019.11.056>
63. Reeve S, May S. Exploration of patients' perspectives of quality within an extended scope physiotherapists' spinal screening service. *Physiother Theory Pract*. 2009;**25**:533-43. doi:<https://dx.doi.org/10.3109/09593980802664869>
64. Ryan S, Hassell A, Thwaites C, *et al.* Exploring the perceived role and impact of the nurse consultant. *Musculoskelet Care*. 2006;**4**:167-73. doi:<https://doi.org/10.1002/msc.87>
65. Salt E, van der Windt DA, Chesterton L, *et al.* Physiotherapist-led suprascapular nerve blocks for persistent shoulder pain: Evaluation of a new service in the UK. *Musculoskelet Care*. 2018;**16**:214-21. doi:<https://dx.doi.org/10.1002/msc.1205>
66. Tan M, Menon S, Black D. The impact on patients of a nurse-led clinical service in gastroenterology. *Br J Nurs*. 2017;**26**:734-38. doi:<http://dx.doi.org/10.12968/bjon.2017.26.13.734>
67. Taylor J, Gibson B, Taylor W, *et al.* Developing a paediatric advanced nurse practitioner LED telephone clinic for children with acute lymphoblastic leukaemia. *Pediatr Blood Cancer*. 2018;**65**:S632-S33. doi:<http://dx.doi.org/10.1002/pbc.27455>
68. Wallymahmed ME, Morgan C, Gill GV, *et al.* Nurse-led cardiovascular risk factor intervention leads to improvements in cardiovascular risk targets and glycaemic control in people with Type 1 diabetes when compared with routine diabetes clinic attendance. *Diabet Med*. 2011;**28**:373-79. doi:<https://dx.doi.org/10.1111/j.1464-5491.2010.03224.x>

69. Walumbe J. Working with complex persistent pain: The role of the advanced physiotherapy practitioner in an acute hospital setting. *Physiotherapy*. 2017;**103**:e30. doi:<http://dx.doi.org/10.1016/j.physio.2017.11.042>
70. Williams SD, Bowron A, Morris J, *et al*. Evaluation of a pharmacist independent prescriber in a hospital type 2 diabetes clinic. *Diabet Med*. 2010;**27**:166. doi:<http://dx.doi.org/10.1111/j.1464-5491.2009.02936.x>
71. McClellan CM, Cramp F, Powell J, *et al*. A randomised trial comparing the clinical effectiveness of different emergency department healthcare professionals in soft tissue injury management. *BMJ Open*. 2012;**2**:e001092. doi:<https://dx.doi.org/10.1136/bmjopen-2012-001092>
72. McClellan CM, Greenwood R, Bengler JR. Effect of an extended scope physiotherapy service on patient satisfaction and the outcome of soft tissue injuries in an adult emergency department. *Emerg Med J*. 2006;**23**:384-87. doi:<http://dx.doi.org/10.1136/emj.2005.029231>
73. Hill DR, Conroy S, Brown RC, *et al*. Stakeholder views on pharmacist prescribing in addiction services in NHS Lanarkshire. *J Subst Use*. 2014;**19**:56-67. doi:<https://doi.org/10.3109/14659891.2012.734540>
74. Anderson H. *Professional identity and the advanced nurse practitioner in primary care: A qualitative study*. PhD Thesis: University of York; 2017. (accessed
75. Main R, Dunn N, Kendall K. 'Crossing professional boundaries': barriers to the integration of nurse practitioners in primary care. *Education for Primary Care*. 2007;**18**:480-87. doi:<https://doi.org/10.1080/14739879.2007.11493578>
76. Crumbie A. *A nurse practitioner's tale: An autoethnographic interpretive study of the values of nurse practitioners, general practitioners and district nurses*. PhD Thesis: Swansea University; 2005. Available from: <http://search.ebscohost.com/login.aspx?direct=true&db=rzh&AN=130385056&site=ehost-live> (accessed
77. Yuill J. The role and experiences of advanced nurse practitioners working in out of hours urgent care services in a primary care setting. *Nurs Manag*. 2018;**25**:18-23. doi:<https://dx.doi.org/10.7748/nm.2018.e1745>
78. Edwards M, Bobb C, Robinson SI. Nurse practitioner management of acute in-hours home visit or assessment requests: a pilot study. *Br J Gen Pract*. 2009;**59**:7-11. doi:<https://dx.doi.org/10.3399/bjgp09X394798>
79. Anderson H, Birks Y, Adamson J. Exploring the relationship between nursing identity and advanced nursing practice: An ethnographic study. *J Clin Nurs*. 2019;**29**:1195-208. doi:<https://dx.doi.org/10.1111/jocn.15155>
80. Cousins R, Donnell C. Nurse prescribing in general practice: a qualitative study of job satisfaction and work-related stress. *Fam Pract*. 2012;**29**:223-27. doi:<https://dx.doi.org/10.1093/fampra/cmr077>

81. Ryan S, Dawes P, Packham J, *et al.* Reducing GP attendance in patients with fibromyalgia. *Rheumatology*. 2008;**47**:ii26–ii28. doi:<https://doi.org/10.1093/rheumatology/kem512>
82. Moffatt F, Goodwin R, Hendrick P. Physiotherapy-as-first-point-of-contact-service for patients with musculoskeletal complaints: understanding the challenges of implementation. *Primary Health Care Research & Development*. 2018;**19**:121-30. doi:<https://dx.doi.org/10.1017/S1463423617000615>
83. Barrett R, Mackenzie G. Can an advanced practitioner physiotherapist and GP from a community service work collaboratively to discharge patients from an emergency department? *Physiotherapy*. 2017;**103**:e99. doi:<http://dx.doi.org/10.1016/j.physio.2017.11.139>
84. Bush J, Langley CA, Jenkins D, *et al.* Clinical pharmacists in general practice: an initial evaluation of activity in one English primary care organisation. *International Journal of Pharmacy Practice*. 2018;**26**:501-06. doi:<https://dx.doi.org/10.1111/ijpp.12426>
85. Bond CM, Bruhn H, Blyth A, *et al.* Pharmacist-led management of chronic pain in primary care: The experiences of patients, pharmacists and GPs. *Int J Pharm Pract*. 2011;**19**:24-25. doi:<http://dx.doi.org/10.1111/j.2042-7174.2011.00144.x>
86. Bond C, Lane K, Poland F, *et al.* GP views on the potential role for pharmacist independent prescribers within care homes: Care homes independent pharmacist prescribing study (CHIPPS): 'There has to be something in it for me'. *Int J Pharm Pract*. 2016;**24**:14. doi:<http://dx.doi.org/10.1111/ijpp.12258>
87. Bradley F, Seston E, Mannall C, *et al.* Evolution of the general practice pharmacist's role in England: a longitudinal study. *Br J Gen Pract*. 2018;**68**:e727-34. doi:<https://dx.doi.org/10.3399/bjgp18X698849>
88. Inch J, Notman F, Bond CM, *et al.* The Care Home Independent Prescribing Pharmacist Study (CHIPPS)-a non-randomised feasibility study of independent pharmacist prescribing in care homes. *Pilot Feasibility Stud*. 2019;**5**:89. doi:<https://dx.doi.org/10.1186/s40814-019-0465-y>
89. Mannall C, Bradley F, Seston E, *et al.* Role activities and perceived impact of clinical pharmacists in general practice: A survey of 'pharmacists' views. *Int J Pharm Pract*. 2019;**27**:10-11. doi:<http://dx.doi.org/10.1111/ijpp.12509>
90. Mullen R, Merriman M, Morecroft WC, *et al.* Clinical pharmacists in general practice pilot: Semi-structured interviews to explore GP and pharmacist perspectives. *Int J Pharm Pract*. 2018;**26**:18. doi:<http://dx.doi.org/10.1111/ijpp.2018.26.issue-S1>
91. Nelson PA, Bradley F, Martindale A-M, *et al.* Skill-mix change in general practice: a qualitative comparison of three 'new' non-medical roles in English primary care. *Br J Gen Pract*. 2019;**69**:e489-98. doi:<https://dx.doi.org/10.3399/bjgp19X704117>

92. Kalra N, Solanki SP, Tyagi AK. Advanced nurse practitioners and junior neurosurgery trainees-a truly symbiotic relationship? *Br J Neurosurg*. 2018;**32**:332. doi:<https://dx.doi.org/10.1080/02688697.2018.1471121>
93. Kneebone R, Nestel D, Chrzanowska J, *et al*. The perioperative specialist practitioner: developing and evaluating a new surgical role. *Qual Saf Health Care*. 2006;**15**:354-58. doi:<https://dx.doi.org/10.1136/qshc.2005.017509>
94. Lauren W, Trudi M. A study exploring the opinions and attitudes of medical staff towards pharmacist independent prescribing in a neonatal intensive care unit. *Arch Dis Child*. 2018;**103**:e1. doi:<http://dx.doi.org/10.1136/archdischild-2017-314584.5>
95. McCrudden MS, Gill D, Fleming G, *et al*. The Impact of a Pharmacist Independent Prescriber on the Discharge Processes at the Weekend in an Acute Hospital. *International Journal of Integrated Care*. 2017;**17**:A548. doi:<https://dx.doi.org/10.5334/ijic.3868>
96. McCulloch K. The quality of the service provided by retrieval nurse practitioners is comparable to that of medical staff: Perceptions of medical and nursing staff from referring hospitals. *Pediatr Crit Care Med*. 2011;**12**:A118. doi:<http://dx.doi.org/10.1097/PCC.0b013e3182112e80>
97. McSherry R, Mudd D, Campbell S. Evaluating the perceived role of the nurse consultant through the lived experience of healthcare professionals. *J Clin Nurs*. 2007;**16**:2066-80. doi:<https://doi.org/10.1111/j.1365-2702.2006.01594.x>
98. Pottle A. A nurse-led rapid access chest pain clinic - Experience from the first 3 years. *Eur J Cardiovasc Nurs*. 2005;**4**:227-33. doi:<http://dx.doi.org/10.1016/j.ejcnurse.2005.03.003>
99. Punt L. Patient-centred quality care: radiographer-led brachytherapy and novel service redesign. Imaging & Oncology: Society of Radiographers; 2010. p. 54-59. Available from: <https://www.sor.org/system/files/article/201110/imaonc10webres.pdf#page=54> (accessed 29/06/2020)
100. Redwood S, Lloyd H, Carr E, *et al*. Evaluating nurse consultants' work through key informant perceptions. *Nurs Stand*. 2007;**21**:35-40. doi:<https://dx.doi.org/10.7748/ns.21.17.35.s51>
101. Rees Z. Consultant breast radiographers: Where are we now?: An evaluation of the current role of the consultant breast radiographer. *Radiography*. 2014;**20**:121-25. doi:<https://dx.doi.org/10.1016/j.radi.2013.12.005>
102. Robinson A. *The role of consultant midwife: An exploration of the expectations, experiences and intricacies*. PhD; United Kingdom: University of Southampton; 2012. Available from: <https://eprints.soton.ac.uk/349088/1/Final%2520Thesis.pdf> (accessed 29/06/2020)
103. Seneviratne RE, Bradbury H, Bourne RS. How Do Pharmacists Develop into Advanced Level Practitioners? Learning from the Experiences of Critical Care Pharmacists. *Pharmacy (Basel)*. 2017;**5**:38. doi:<https://dx.doi.org/10.3390/pharmacy5030038>

104. Smith S, Comins C. Radiographer-led breast boost localisation – A service evaluation study. *Radiography*. 2015;**21**:136-40. doi:<https://dx.doi.org/10.1016/j.radi.2014.08.002>
105. Snaith B, Clarke R, Coates A, *et al*. How do consultant radiographers contribute to imaging service delivery and leadership? *British Journal of Healthcare Management*. 2019;**25**:41-47. doi:<https://doi.org/10.12968/bjhc.2019.25.1.41>
106. Snaith B, Milner RC, Harris MA. Beyond image interpretation: Capturing the impact of radiographer advanced practice through activity diaries. *Radiography*. 2016;**22**:e233-e38. doi:<https://dx.doi.org/10.1016/j.radi.2016.07.005>
107. Williamson S, Twelvetree T, Thompson J, *et al*. An ethnographic study exploring the role of ward-based Advanced Nurse Practitioners in an acute medical setting. *J Adv Nurs*. 2012;**68**:1579-88. doi:<https://dx.doi.org/10.1111/j.1365-2648.2012.05970.x>
108. Barton D, Mashlan W. An advanced nurse practitioner-led service - consequences of service redesign for managers and organizational infrastructure. *J Nurs Manage*. 2011;**19**:943-49. doi:<https://dx.doi.org/10.1111/j.1365-2834.2011.01301.x>
109. Brealey SD, Scuffham PA. The effect of introducing radiographer reporting on the availability of reports for Accident and Emergency and General Practitioner examinations: a time-series analysis. *Br J Radiol*. 2005;**78**:538-42. doi:<https://dx.doi.org/10.1259/bjr/13870613>
110. Brown J, Bonnington D, Shokuhi S, *et al*. Advanced nurse practitioners – new roles and outcomes in symptomatic breast clinic. *Eur J Surg Oncol*. 2015;**41**:S26. doi:<http://dx.doi.org/10.1016/j.ejso.2015.03.032>
111. Cowley A, Cooper J. Experiences of the advanced nurse practitioner role in acute care. *Nurs Older People*. 2016;**28**:31-36. doi:<https://dx.doi.org/10.7748/nop.28.4.31.s23>
112. Dalton MA. Perceptions of the advanced nurse practitioner role in a hospital setting. *Br J Nurs*. 2013;**22**:48-53. doi:<https://dx.doi.org/10.12968/bjon.2013.22.1.48>
113. Davies J. Attitudes of paediatric intensive care nurses to development of a nurse practitioner role for critical care transport. *J Adv Nurs*. 2011;**67**.
114. Glendinning A, Walker D. Advanced nurse practitioners; what do the team think? *Future Healthc J*. 2019;**6**:1. doi:<https://dx.doi.org/10.7861/futurehosp.6-2s-s1>
115. Gregory H, Treece S. Improving Patient Experience for Palliative Radiotherapy: A Consultant Radiographer Led Pathway. *Clin Oncol*. 2018;**30**:S9-S10. doi:<https://dx.doi.org/10.1016/j.clon.2018.03.029>

116. Halliday S, Hunter DJ, McMillan L. Ward staff perceptions of the role of the advanced nurse practitioner in a 'hospital at day' setting. *British Journal of Nursing* 2018;**27**:92-97. doi:<https://doi.org/10.12968/bjon.2018.27.2.92>
117. Henwood S, Booth L, Miller PK. Reflections on the role of consultant radiographers in the UK: The perceived impact on practice and factors that support and hinder the role. *Radiography*. 2016;**22**:44-49. doi:<https://dx.doi.org/10.1016/j.radi.2015.06.001>
118. Jackson A, Carberry M. The advance nurse practitioner in critical care: a workload evaluation. *Nurs Crit Care*. 2015;**20**:71-77. doi:<https://doi.org/10.1111/nicc.12133>
119. Gregorowski A, Brennan E, Chapman S, *et al*. An action research study to explore the nature of the nurse consultant role in the care of children and young people. *J Clin Nurs*. 2013;**22**:201-10. doi:<https://dx.doi.org/10.1111/j.1365-2702.2012.04140.x>
120. Ford P. The role of the consultant radiographer – experience of appointees. *Radiography*. 2010;**16**:189-97. doi:<https://doi.org/10.1016/j.radi.2010.03.001>
121. Hayward N. Introduction of the physiotherapy led clinic in the emergency department for suspected scaphoid fractures. *Physiotherapy*. 2019;**105**:e113. doi:<http://dx.doi.org/10.1016/j.physio.2018.11.095>
122. Aiello M, Terry D, Selopal N, *et al*. Examining the emerging roles for pharmacists as part of the urgent, acute and emergency care workforce. *Clinical Pharmacist*. 2017;**9**. doi:<http://dx.doi.org/10.1211/CP.2017.20202238>
123. Greenwood D, Tully MP, Martin S, *et al*. The description and definition of Emergency Department Pharmacist Practitioners in the United Kingdom (the ENDPAPER study). *Int J Clin Pharm*. 2019;**41**:434-44. doi:<https://dx.doi.org/10.1007/s11096-019-00799-2>
124. Charters S, Knight S, Currie J, *et al*. Learning from the past to inform the future--a survey of consultant nurses in emergency care. *Accid Emerg Nurs*. 2005;**13**:186-93. doi:<https://doi.org/10.1016/j.aaen.2005.05.001>
125. Blakeley C, Hogg P, Heywood J. Effectiveness of UK radiographer image reading. *Radiol Technol*. 2008;**79**:221-26. <http://www.radiologicstechnology.org/cgi/content/full/79/3/221>
126. Anderson C. *Leadership experience of London-based Advanced Nurse Practitioners (ANP): A case study analysis*. PhD; United Kingdom: University College London; 2017. Available from: <http://discovery.ucl.ac.uk/1569291/> (accessed 01/07/2020)
127. Booth J, Hutchison C, Beech C, *et al*. New nursing roles: the experience of Scotland's consultant nurse/midwives. *J Nurs Manage*. 2006;**14**:83-89. doi:<https://doi.org/10.1111/j.1365-2934.2006.00595.x>

128. Booth L, Henwood S, Miller P. Reflections on the role of consultant radiographers in the UK: What is a consultant radiographer? *Radiography*. 2016;**22**:38-43. doi:<https://dx.doi.org/10.1016/j.radi.2015.05.005>
129. Brimblecombe N, Nolan F, Khoo M-E, *et al*. The nurse consultant in mental health services: A national, mixed methods study of an advanced practice role. *J Psychiatr Ment Health Nurs*. 2019;**26**:117-30. doi:<https://dx.doi.org/10.1111/jpm.12533>
130. Coster S, Redfern S, Wilson-Barnett J, *et al*. Impact of the role of nurse, midwife and health visitor consultant. *J Adv Nurs*. 2006;**55**:352-63. doi:<https://doi.org/10.1111/j.1365-2648.2006.03910.x>
131. Gerrard D. Pharmacist independent prescriber working in a Community Learning Disability team-releasing psychiatry time and delivering STOMP. *J Psychopharm*. 2018;**32**:4. doi:<http://dx.doi.org/10.1177/0269881118814301>
132. Jones A, Powell T, Watkins D, *et al*. Realising their potential? Exploring interprofessional perceptions and potential of the advanced practitioner role: a qualitative analysis. *BMJ Open*. 2015;**5**. doi:<http://dx.doi.org/10.1136/bmjopen-2015-009740>
133. Mullen C, Gavin-Daley A, Kilgannon H, *et al*. Nurse consultants 10 years on: an insight to the role for nurse managers. *J Nurs Manage*. 2011;**19**:820-31. doi:<https://dx.doi.org/10.1111/j.1365-2834.2011.01284.x>
134. O'Brien C. Developing a pharmacist prescribing role within child and adolescent mental health services (CAMHS). *Arch Dis Child*. 2019;**104**:e2. doi:<http://dx.doi.org/10.1136/archdischild-2019-nppc.3>
135. Stevenson K, Ryan S, Masterson A. Nurse and allied health professional consultants: perceptions and experiences of the role. *J Clin Nurs*. 2011;**20**:537-44. doi:<https://dx.doi.org/10.1111/j.1365-2702.2010.03506.x>
136. Walsgrove H. *Exploration of advanced nursing in a hospital context : people, processes, frameworks*. DProf; United Kingdom: Bournemouth University; 2019. Available from: <http://eprints.bournemouth.ac.uk/32706/> (accessed 01/07/2020)
137. Woodward VA, Webb C, Prowse M. Nurse consultants: their characteristics and achievements. *J Clin Nurs*. 2005;**14**:845-54. doi:<https://dx.doi.org/10.1111/j.1365-2702.2005.01165.x>
138. Woodward VA, Webb C, Prowse M. Nurse consultants: organizational influences on role achievement. *J Clin Nurs*. 2006;**15**:272-80. doi:<https://doi.org/10.1111/j.1365-2702.2006.01295.x>
139. Parfitt N, Smeatham A, Timperley J, *et al*. Direct listing for total hip replacement (THR) by primary care physiotherapists. *Clinical Governance: An International Journal*. 2012;**17**:210-16. doi:<https://dx.doi.org/10.1108/14777271211251327>

140. Allan C, Gibson L, Rice L, *et al.* Conversion rates of patients referred, via advanced physiotherapy practitioners, to a spinal consultant post MRI scanning. *Eur Spine J.* 2012;**21**:S267. doi:<http://dx.doi.org/10.1007/s00586-012-2257-4>
141. Brealey S, King DG, Hahn S, *et al.* The costs and effects of introducing selectively trained radiographers to an A&E reporting service: a retrospective controlled before and after study. *Br J Radiol.* 2005;**78**:499-505. doi:<https://dx.doi.org/10.1259/bjr/51196310>
142. Buckley H, Bradshaw K, Gregory D, *et al.* Audit of Radiographer-Led Service for Adjuvant Vaginal Vault Brachytherapy Without Image Guidance in Early Endometrial Cancer. *Clin Oncol.* 2018;**30**:S3. doi:<https://dx.doi.org/10.1016/j.clon.2018.03.017>
143. Denton G. External transfer of invasively ventilated patients by Advanced Critical Care Practitioners. *J Intensive Care Soc.* 2019;**20**:45-46. doi:<http://dx.doi.org/10.1177/1751143719835452>
144. Denton G, Arora N, Palmer M, *et al.* Can Advanced Critical Care Practitioners provide safe advanced airway management? *J Intensive Care Soc.* 2018;**19**:133. doi:<http://dx.doi.org/10.1177/1751143718772957>
145. Denton G, Green L, Palmer M, *et al.* The provision of central venous access, transfer of critically ill patients and advanced airway management.: Are advanced critical care practitioners safe and effective? *J Intensive Care Soc.* 2019;**20**:248-54. doi:<https://dx.doi.org/10.1177/1751143718801706>
146. Denton G, Arora N, Choyce A, *et al.* Transfer of ventilated critically ill patients by advanced critical care practitioners. *J Intensive Care Soc.* 2018;**19**:60. doi:<http://dx.doi.org/10.1177/1751143718772957>
147. Diver C, Bhatia P, Smart J, *et al.* Creating additional clinic capacity in new lung cancer clinics by use of an advanced nurse practitioner. *Lung Cancer.* 2014;**83**:S40. doi:<http://dx.doi.org/10.1016/S0169-5002%2814%2970109-6>
148. Heywood JW. Specialist physiotherapists in orthopaedic triage--the results of a military spinal triage clinic. *J R Army Med Corps.* 2005;**151**:152-56. doi:<https://dx.doi.org/10.1136/jramc-151-03-04>
149. Hoddes R, Hattab A, England A. Initial single centre experiences of a radiographer advanced practitioner led nephrostomy exchange programme. *Radiography.* 2019;**26**:P163-66. doi:<https://dx.doi.org/10.1016/j.radi.2019.11.091>
150. Rose R, Probert S. Development and implementation of a hand therapy extended scope practitioner clinic to support the 18-week waiting list initiative. *Hand Therapy.* 2009;**14**:95-104. doi:<https://dx.doi.org/10.1258/ht.2009.009016>
151. Sidhu SK, Davies E, McWhirter K, *et al.* The effects of introducing a nurse led ascitic drain insertion service. *J Hepatol.* 2014;**60**:S230. doi:<http://dx.doi.org/10.1016/S0168-8278%2814%2960644-9>

152. Skinner H, Skoyles J, Redfearn S, *et al.* Advanced care nurse practitioners can safely provide sole resident cover for level three patients: impact on outcomes, cost and work patterns in a cardiac surgery programme. *Eur J Cardiothorac Surg.* 2013;**43**:19-22. doi:<https://dx.doi.org/10.1093/ejcts/ezs353>
153. Tsang YM, Shoffren O, Kudhail J. The impact of advanced practice in a large radiotherapy department. *Radiother Oncol.* 2018;**127**:S617. doi:[https://doi.org/10.1016/S0167-8140\(18\)31406-3](https://doi.org/10.1016/S0167-8140(18)31406-3)
154. Woznitza N, Piper K, Rowe S, *et al.* Immediate reporting of chest X-rays referred from general practice by reporting radiographers: a single centre feasibility study. *Clin Radiol.* 2018;**73**:507.e1-e8. doi: <https://doi.org/10.1016/j.crad.2017.11.016>
155. Furness J, Jose W, Phillips-German L. Advanced paediatric nurse practitioner (APNP) in primary care (PC) reduced referral proportion by up to 40%. *Arch Dis Child.* 2019;**104**:A52. doi:<http://dx.doi.org/10.1136/archdischild-2019-rcpch.124>
156. Hill D, Marr E, Smith C. Development of Pharmacist Independent Prescribing Clinics to Treat Opioid Analgesic Dependence in NHS Lanarkshire. *Pharmacy (Basel).* 2019;**7**:119-32. doi:<https://dx.doi.org/10.3390/pharmacy7030119>
157. Neilson AR, Bruhn H, Bond CM, *et al.* Pharmacist-led management of chronic pain in primary care: costs and benefits in a pilot randomised controlled trial. *BMJ Open.* 2015;**5**:e006874. doi:<https://dx.doi.org/10.1136/bmjopen-2014-006874>
158. Abutaleb M, Steinke D, Williams S, *et al.* Effectiveness of independent pharmacist prescribers in glycaemic control of type 2 diabetes. *Pharmacotherapy.* 2015;**35**:e243. doi:<http://dx.doi.org/10.1002/phar.1659>
159. Alexander S, Hopkins N, Lalondrelle S, *et al.* Implementation of Radiographer-Led Image-Guided Radiotherapy (IGRT) for Cervix Cancer. *Clin Oncol.* 2018;**30**:S2-S3. doi:<https://dx.doi.org/10.1016/j.clon.2018.03.015>
160. Bradley AJ, Rajashanker B, Atkinson SL, *et al.* Accuracy of reporting of intravenous urograms: a comparison of radiographers with radiology specialist registrars. *Clin Radiol.* 2005;**60**:807-11. doi:<https://dx.doi.org/10.1016/j.crad.2004.11.020>
161. Brealey SD, King DG, Hahn S, *et al.* Radiographers and radiologists reporting plain radiograph requests from accident and emergency and general practice. *Clin Radiol.* 2005;**60**:710-17. doi:<https://dx.doi.org/10.1016/j.crad.2004.11.013>
162. Brealey S, Piper K, King D, *et al.* Observer agreement in the reporting of knee and lumbar spine magnetic resonance (MR) imaging examinations: selectively trained MR radiographers and consultant radiologists compared with an index radiologist. *Eur J Radiol.* 2013;**82**:e597-e605. doi:<https://dx.doi.org/10.1016/j.ejrad.2013.05.024>

163. Burling D, Gupta WA, Illangovan R, *et al.* CT colonography: Accuracy of initial interpretation by radiographers in routine clinical practice. *Clin Radiol.* 2010;**65**:126-32. doi:<https://doi.org/10.1016/j.crad.2009.09.011>
164. Fox N, Tuck J, Chandler J, *et al.* Advanced nurse practitioner-led ambulatory care for older people: Safe and effective. *Age and Ageing.* 2017;**46**:i1–i22. doi:<http://dx.doi.org/10.1093/ageing/afx055.74>
165. Goldfinch R, Allerton R, Khanduri S, *et al.* The impact of the introduction of a palliative Macmillan consultant radiographer at one UK cancer centre. *Br J Radiol.* 2016;**89**:20160286. doi:<https://dx.doi.org/10.1259/bjr.20160286>
166. Hall D, Wilkinson AR. Quality of care by neonatal nurse practitioners: a review of the Ashington experiment. *Archives of Disease in Childhood: Fetal and Neonatal Edition.* 2005;**90**:F195-F200. doi:<http://dx.doi.org/10.1136/adc.2004.055996>
167. Horne J, Green B. Assessing the quality of colorectal cancer reporting by an advanced practitioner healthcare scientist. *J Pathol.* 2013;**231**:S38. doi:<https://dx.doi.org/10.1002/path.4254>
168. Judson EE, Nightingale JM. An evaluation of radiographer performed and interpreted barium swallows and meals. *Clin Radiol.* 2009;**64**:807-14. doi:<https://dx.doi.org/10.1016/j.crad.2009.04.008>
169. Lockwood P, Piper K. AFROC analysis of reporting radiographer's performance in CT head interpretation. *Radiography.* 2015;**21**:e90-e95. doi:<https://doi.org/10.1016/j.radi.2015.04.001>
170. Mashlan W, Heffey S, Jones L. Advanced nurse practitioners can lead comprehensive geriatric assessment in acute hospitals. *Nurs Older People.* 2019:e1182. doi:<https://dx.doi.org/10.7748/nop.2019.e1182>
171. McCoy C, Lane J, Kamath S, *et al.* Development of an occupational therapy advanced practitioner role within a multidisciplinary early inflammatory arthritis clinic in Salford. *Rheumatology (Oxford).* 2019;**58**. doi:<http://dx.doi.org/10.1093/rheumatology/kez108.003>
172. Miller R, Darcy C, Friel A, *et al.* The introduction of a new consultant pharmacist case management service on the care of elderly patients in the intermediate care setting. *Int J Pharm Pract.* 2014;**22**:105-06. doi:<http://dx.doi.org/10.1111/ijpp.12146>
173. Moore K, Harrand R, Hicks J, *et al.* Can a consultant radiographer prescribe palliative radiotherapy safely and improve service? *Lung Cancer.* 2017;**103**:S59-S60. doi:[https://doi.org/10.1016/S0169-5002\(17\)30181-2](https://doi.org/10.1016/S0169-5002(17)30181-2)
174. Rabey M, Morgans S, Barrett C. Orthopaedic physiotherapy practitioners: surgical and radiological referral rates. *Clin Govern Int J.* 2009;**14**:15-19. doi:<https://dx.doi.org/10.1108/14777270910933424>

175. Ryan S, Packham JC, T Dawes P, *et al.* The impact of a nurse-led chronic musculoskeletal pain clinic on healthcare utilization. *Musculoskelet Care*. 2012;**10**:196-201. doi:<https://dx.doi.org/10.1002/msc.1018>
176. Slevin J, Barwell G, Youde J. Developing the role of advanced clinical practitioners in the acute care of older people. *Age and Ageing*. 2013;**42**:ii5–ii16. doi:<http://dx.doi.org/10.1093/ageing/aft016>
177. Thompson C, Ramsden W. Paediatric feeding videofluoroscopy, an extended role for radiographers. *Pediatr Radiol*. 2014;**44**:S368. doi:<http://dx.doi.org/10.1007/s00247-014-2968-2>
178. Turk A, Johansen A. Pharmacist independent prescribing - An evaluation of care for patients admitted with fragility fractures. *Osteoporosis Int*. 2010;**21**:S481. doi:<http://dx.doi.org/10.1007/s00198-010-1388-x>
179. Woods L. Evaluating the clinical effectiveness of neonatal nurse practitioners: An exploratory study. *J Clin Nurs*. 2006;**15**:35-44. doi:<https://doi.org/10.1111/j.1365-2702.2005.01246.x>
180. Woznitza N, Piper K, Burke S, *et al.* Adult chest radiograph reporting by radiographers: Preliminary data from an in-house audit programme. *Radiography*. 2014;**20**:223-29. doi:<https://dx.doi.org/10.1016/j.radi.2014.03.002>
181. Woznitza N, Piper K, Burke S, *et al.* Chest X-ray interpretation by radiographers is not inferior to radiologists: A multireader, multicase comparison using JAFROC (Jack-knife Alternative Free-response Receiver Operating Characteristics) analysis. *Acad Radiol*. 2018;**25**:1556-63. doi:<https://dx.doi.org/10.1016/j.acra.2018.03.026>
182. Woznitza N, Piper K, Burke S, *et al.* Agreement between expert thoracic radiologists and the chest radiograph reports provided by consultant radiologists and reporting radiographers in clinical practice: Review of a single clinical site. *Radiography*. 2018;**24**:234-39. doi:<https://dx.doi.org/10.1016/j.radi.2018.01.009>
183. Feetham JE, Christian W, Bengner JR, *et al.* Paediatric ED reattendance rates: comparing nurse practitioners and other clinicians. *Emerg Med J*. 2015;**32**:379-82. doi:<https://dx.doi.org/10.1136/emmermed-2013-203514>
184. Rouse J, George J, Rutherford K. Intubation attempts by advanced paramedic practitioners within the UK Ambulance Trust: a review of 805 patients. *Br J Anaesth*. 2018;**121**:e8. doi:<https://dx.doi.org/10.1016/j.bja.2018.02.049>
185. Anderson H. *Professional identity and the advanced nurse practitioner in primary care: a qualitative study*. PhD; United Kingdom: The University of York; 2017. Available from: <http://etheses.whiterose.ac.uk/17287/> (accessed 01/07/2020)