

## Appendix 2: descriptives for subgroup analyses

	CP (n=762)	CL(A)P (n=1379)	Total (n=2141)
<b>Gender</b>			
Male	308 (40.4%)	904 (65.6%)	1212 (56.6%)
Female	454 (59.6%)	475 (34.4%)	929 (43.4%)
<b>SDistress</b>			
Number	517 (67.8%)	1068 (77.4%)	1585 (74.0%)
Missing	245 (32.2%)	311 (22.6%)	556 (26.0%)
<b>SFunction</b>			
Number	519 (68.1%)	1076 (78.0%)	1595 (74.5%)
Missing	243 (31.9%)	303 (22.0%)	546 (25.5%)
<b>VPC</b>			
Number	173 (22.7%)	213 (15.4%)	386 (18.0%)
Missing	589 (77.3%)	1166 (84.6%)	1755 (82.0%)
<b>ICS</b>			
Number	169 (22.2%)	228 (16.5%)	397 (18.5%)
Missing	593 (77.8%)	1151 (83.5%)	1744 (81.5%)
<b>PCC score</b>			
Number	152 (19.9%)	192 (13.92%)	344 (16.1%)
Missing	610 (80.1%)	1187 (86.1%)	1797 (83.9%)

Descriptives of patients deriving from high income countries, including all patients from the ICHOM centers.